

Tony Wyss-Coray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/427427/tony-wyss-coray-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199
papers

27,028
citations

74
h-index

163
g-index

234
ext. papers

33,919
ext. citations

16.9
avg, IF

7.13
L-index

#	Paper	IF	Citations
199	A human brain vascular atlas reveals diverse mediators of Alzheimer's risk.. <i>Nature</i> , 2022 ,	50.4	13
198	Treatment of a genetic brain disease by CNS-wide microglia replacement.. <i>Science Translational Medicine</i> , 2022 , 14, eabl9945	17.5	1
197	Molecular hallmarks of heterochronic parabiosis at single-cell resolution.. <i>Nature</i> , 2022 ,	50.4	5
196	Small molecule C381 targets the lysosome to reduce inflammation and ameliorate disease in models of neurodegeneration.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2121609119	11.5	2
195	The Tabula Sapiens: A multiple-organ, single-cell transcriptomic atlas of humans.. <i>Science</i> , 2022 , 376, eabl4896	33.3	15
194	Young CSF restores oligodendrogenesis and memory in aged mice via Fgf17.. <i>Nature</i> , 2022 , 605, 509-515	50.4	4
193	Exercise plasma boosts memory and dampens brain inflammation via clusterin. <i>Nature</i> , 2021 ,	50.4	15
192	An oligomeric semiconducting nanozyme with ultrafast electron transfers alleviates acute brain injury. <i>Science Advances</i> , 2021 , 7, eabk1210	14.3	5
191	Genome-wide analysis of common and rare variants via multiple knockoffs at biobank scale, with an application to Alzheimer disease genetics. <i>American Journal of Human Genetics</i> , 2021 , 108, 2336-2353	11	0
190	The CD22-IGF2R interaction is a therapeutic target for microglial lysosome dysfunction in Niemann-Pick type C. <i>Science Translational Medicine</i> , 2021 , 13, eabg2919	17.5	2
189	CD4 T cells contribute to neurodegeneration in Lewy body dementia. <i>Science</i> , 2021 , 374, 868-874	33.3	14
188	Deep sequencing of snRNAs reveals hallmarks and regulatory modules of the transcriptome during Parkinson disease progression. <i>Nature Aging</i> , 2021 , 1, 309-322		10
187	Dysregulation of brain and choroid plexus cell types in severe COVID-19. <i>Nature</i> , 2021 , 595, 565-571	50.4	143
186	Peripheral B cells repress B-cell regeneration in aging through a TNF- α /IGFBP-1/IGF-1 immune-endocrine axis. <i>Blood</i> , 2021 , 138, 1817-1829	2.2	1
185	CoolMPS for robust sequencing of single-nuclear RNAs captured by droplet-based method. <i>Nucleic Acids Research</i> , 2021 , 49, e11	20.1	3
184	Methods to investigate intrathecal adaptive immunity in neurodegeneration. <i>Molecular Neurodegeneration</i> , 2021 , 16, 3	19	3
183	Asynchronous, contagious and digital aging. <i>Nature Aging</i> , 2021 , 1, 29-35		11

182	A neuronal blood marker is associated with mortality in old age. <i>Nature Aging</i> , 2021 , 1, 218-225		10
181	An inflammatory aging clock (iAge) based on deep learning tracks multimorbidity, immunosenescence, frailty and cardiovascular aging. <i>Nature Aging</i> , 2021 , 1, 598-615		36
180	miRNATissueAtlas2: an update to the human miRNA tissue atlas. <i>Nucleic Acids Research</i> , 2021 ,	20.1	12
179	Physiological blood-brain transport is impaired with age by a shift in transcytosis. <i>Nature</i> , 2020 , 583, 425-430	50.4	107
178	Eosinophils regulate adipose tissue inflammation and sustain physical and immunological fitness in old age. <i>Nature Metabolism</i> , 2020 , 2, 688-702	14.6	28
177	Lipid-droplet-accumulating microglia represent a dysfunctional and proinflammatory state in the aging brain. <i>Nature Neuroscience</i> , 2020 , 23, 194-208	25.5	206
176	Exercise rejuvenates quiescent skeletal muscle stem cells in old mice through restoration of Cyclin D1. <i>Nature Metabolism</i> , 2020 , 2, 307-317	14.6	32
175	Influences of circulatory factors on intervertebral disc aging phenotype. <i>Aging</i> , 2020 , 12, 12285-12304	5.6	3
174	GeneTrail 3: advanced high-throughput enrichment analysis. <i>Nucleic Acids Research</i> , 2020 , 48, W515-W520	20.1	29
173	Systemic factors as mediators of brain homeostasis, ageing and neurodegeneration. <i>Nature Reviews Neuroscience</i> , 2020 , 21, 93-102	13.5	60
172	Clonally expanded CD8 T cells patrol the cerebrospinal fluid in Alzheimer's disease. <i>Nature</i> , 2020 , 577, 399-404	50.4	221
171	Data mining of human plasma proteins generates a multitude of highly predictive aging clocks that reflect different aspects of aging. <i>Aging Cell</i> , 2020 , 19, e13256	9.9	18
170	A single-cell transcriptomic atlas characterizes ageing tissues in the mouse. <i>Nature</i> , 2020 , 583, 590-595	50.4	213
169	Ageing hallmarks exhibit organ-specific temporal signatures. <i>Nature</i> , 2020 , 583, 596-602	50.4	82
168	Common diseases alter the physiological age-related blood microRNA profile. <i>Nature Communications</i> , 2020 , 11, 5958	17.4	16
167	Brain Endothelial Cells Are Exquisite Sensors of Age-Related Circulatory Cues. <i>Cell Reports</i> , 2020 , 30, 4418-4432.e4	10.6	51
166	Systematic review and analysis of human proteomics aging studies unveils a novel proteomic aging clock and identifies key processes that change with age. <i>Ageing Research Reviews</i> , 2020 , 60, 101070	12	34
165	A positive allosteric modulator of mGluR5 promotes neuroprotective effects in mouse models of Alzheimer's disease. <i>Neuropharmacology</i> , 2019 , 160, 107785	5.5	9

164	Aged blood impairs hippocampal neural precursor activity and activates microglia via brain endothelial cell VCAM1. <i>Nature Medicine</i> , 2019 , 25, 988-1000	50.5	122
163	CD22 blockade restores homeostatic microglial phagocytosis in ageing brains. <i>Nature</i> , 2019 , 568, 187-193	50.4	156
162	Multiomics modeling of the immunome, transcriptome, microbiome, proteome and metabolome adaptations during human pregnancy. <i>Bioinformatics</i> , 2019 , 35, 95-103	7.2	54
161	Single-cell analysis reveals T cell infiltration in old neurogenic niches. <i>Nature</i> , 2019 , 571, 205-210	50.4	161
160	An 80,000-Piece Puzzle of Alzheimer's Disease. <i>Immunity</i> , 2019 , 50, 1349-1351	32.3	2
159	Microglial Dysfunction in Brain Aging and Neurodegeneration 2019 , 2337-2351		
158	Undulating changes in human plasma proteome profiles across the lifespan. <i>Nature Medicine</i> , 2019 , 25, 1843-1850	50.5	195
157	Developmental Heterogeneity of Microglia and Brain Myeloid Cells Revealed by Deep Single-Cell RNA Sequencing. <i>Neuron</i> , 2019 , 101, 207-223.e10	13.9	369
156	Safety, Tolerability, and Feasibility of Young Plasma Infusion in the Plasma for Alzheimer Symptom Amelioration Study: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2019 , 76, 35-40	17.2	51
155	[F]FSPG-PET reveals increased cystine/glutamate antiporter (xc-) activity in a mouse model of multiple sclerosis. <i>Journal of Neuroinflammation</i> , 2018 , 15, 55	10.1	13
154	Papain-based Single Cell Isolation of Primary Murine Brain Endothelial Cells Using Flow Cytometry. <i>Bio-protocol</i> , 2018 , 8,	0.9	12
153	Collagenase-based Single Cell Isolation of Primary Murine Brain Endothelial Cells Using Flow Cytometry. <i>Bio-protocol</i> , 2018 , 8,	0.9	13
152	Microglial Dysfunction in Brain Aging and Neurodegeneration 2018 , 1-15		2
151	Proteolytic cleavage of Beclin 1 exacerbates neurodegeneration. <i>Molecular Neurodegeneration</i> , 2018 , 13, 68	19	12
150	Single-cell transcriptomics of 20 mouse organs creates a Tabula Muris. <i>Nature</i> , 2018 , 562, 367-372	50.4	1048
149	Multiple Click-Selective tRNA Synthetases Expand Mammalian Cell-Specific Proteomics. <i>Journal of the American Chemical Society</i> , 2018 , 140, 7046-7051	16.4	13
148	Nociceptive and Cognitive Changes in a Murine Model of Polytrauma. <i>Journal of Pain</i> , 2018 , 19, 1392-1405	5.2	12
147	Microglial Barriers to Viral Gene Delivery. <i>Neuron</i> , 2017 , 93, 468-470	13.9	5

146	Human umbilical cord plasma proteins revitalize hippocampal function in aged mice. <i>Nature</i> , 2017 , 544, 488-492	50.4	212
145	OH MYeloid! Immune cells wreaking havoc on brain homeostasis. <i>EMBO Journal</i> , 2017 , 36, 1803-1805	13	
144	Deficiency in Neuronal TGF- β Signaling Leads to Nigrostriatal Degeneration and Activation of TGF- β Signaling Protects against MPTP Neurotoxicity in Mice. <i>Journal of Neuroscience</i> , 2017 , 37, 4584-4592	6.6	36
143	Microglial complement receptor 3 regulates brain A β levels through secreted proteolytic activity. <i>Journal of Experimental Medicine</i> , 2017 , 214, 1081-1092	16.6	52
142	Deficiency of a sulfotransferase for sialic acid-modified glycans mitigates Alzheimer's pathology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E2947-E2954	11.5	32
141	Activation of the STING-Dependent Type I Interferon Response Reduces Microglial Reactivity and Neuroinflammation. <i>Neuron</i> , 2017 , 96, 1290-1302.e6	13.9	65
140	Ageing, neurodegeneration and brain rejuvenation. <i>Nature</i> , 2016 , 539, 180-186	50.4	499
139	Combined Plasma and Cerebrospinal Fluid Signature for the Prediction of Midterm Progression From Mild Cognitive Impairment to Alzheimer Disease. <i>JAMA Neurology</i> , 2016 , 73, 203-212	17.2	42
138	The Role of Aging in Alzheimer's Disease 2016 , 197-227		8
137	Traumatic Brain Injury Imaging in the Second Near-Infrared Window with a Molecular Fluorophore. <i>Advanced Materials</i> , 2016 , 28, 6872-9	24	240
136	In vivo assessment of behavioral recovery and circulatory exchange in the peritoneal parabiosis model. <i>Scientific Reports</i> , 2016 , 6, 29015	4.9	16
135	Network-driven plasma proteomics expose molecular changes in the Alzheimer's brain. <i>Molecular Neurodegeneration</i> , 2016 , 11, 31	19	21
134	Preclinical Assessment of Young Blood Plasma for Alzheimer Disease. <i>JAMA Neurology</i> , 2016 , 73, 1325-1333	17.2	78
133	Blood-Borne Revitalization of the Aged Brain. <i>JAMA Neurology</i> , 2015 , 72, 1191-4	17.2	49
132	Nuclear pore complex remodeling by p75(NTR) cleavage controls TGF- β signaling and astrocyte functions. <i>Nature Neuroscience</i> , 2015 , 18, 1077-80	25.5	29
131	PET imaging of translocator protein (18 kDa) in a mouse model of Alzheimer's disease using N-(2,5-dimethoxybenzyl)-2- ¹⁸ F-fluoro-N-(2-phenoxyphenyl)acetamide. <i>Journal of Nuclear Medicine</i> , 2015 , 56, 311-6	8.9	36
130	β -microglobulin is a systemic pro-aging factor that impairs cognitive function and neurogenesis. <i>Nature Medicine</i> , 2015 , 21, 932-7	50.5	248
129	Go with your gut: microbiota meet microglia. <i>Nature Neuroscience</i> , 2015 , 18, 930-1	25.5	28

128	Astrocyte-derived TGF- β accelerates disease progression in ALS mice by interfering with the neuroprotective functions of microglia and T cells. <i>Cell Reports</i> , 2015 , 11, 592-604	10.6	133
127	CalFluors: A Universal Motif for Fluorogenic Azide Probes across the Visible Spectrum. <i>Journal of the American Chemical Society</i> , 2015 , 137, 7145-51	16.4	101
126	Neuroinflammation in Alzheimer's disease. <i>Lancet Neurology</i> , 2015 , 14, 388-405	24.1	2760
125	Adult hippocampal neural stem and progenitor cells regulate the neurogenic niche by secreting VEGF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 4128-33	11.5	88
124	Impact of peripheral myeloid cells on amyloid- β pathology in Alzheimer's disease-like mice. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1811-8	16.6	79
123	Beclin 1 regulates neuronal transforming growth factor- β signaling by mediating recycling of the type I receptor ALK5. <i>Molecular Neurodegeneration</i> , 2015 , 10, 69	19	20
122	The Role of the Microenvironmental Niche in Declining Stem-Cell Functions Associated with Biological Aging. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2015 , 5,	5.4	31
121	Microglial dysfunction in brain aging and Alzheimer's disease. <i>Biochemical Pharmacology</i> , 2014 , 88, 594-604		352
120	Geroscience: linking aging to chronic disease. <i>Cell</i> , 2014 , 159, 709-13	56.2	1068
119	Autoimmunity contributes to nociceptive sensitization in a mouse model of complex regional pain syndrome. <i>Pain</i> , 2014 , 155, 2377-89	8	54
118	Antiviral drug ganciclovir is a potent inhibitor of microglial proliferation and neuroinflammation. <i>Journal of Experimental Medicine</i> , 2014 , 211, 189-98	16.6	53
117	Small molecule p75NTR ligands reduce pathological phosphorylation and misfolding of tau, inflammatory changes, cholinergic degeneration, and cognitive deficits in APP(L/S) transgenic mice. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 459-83	4.3	62
116	Aging. Aging-induced type I interferon response at the choroid plexus negatively affects brain function. <i>Science</i> , 2014 , 346, 89-93	33.3	327
115	ALK5-dependent TGF- β signaling is a major determinant of late-stage adult neurogenesis. <i>Nature Neuroscience</i> , 2014 , 17, 943-52	25.5	75
114	APOE ϵ worsens hippocampal CA1 apical neuropil atrophy and episodic memory. <i>Neurology</i> , 2014 , 82, 691-7	6.5	59
113	Young blood reverses age-related impairments in cognitive function and synaptic plasticity in mice. <i>Nature Medicine</i> , 2014 , 20, 659-63	50.5	627
112	Stem cells as vehicles for youthful regeneration of aged tissues. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69 Suppl 1, S39-42	6.4	29
111	TREM2 mutations implicated in neurodegeneration impair cell surface transport and phagocytosis. <i>Science Translational Medicine</i> , 2014 , 6, 243ra86	17.5	436

110	Noninvasive in vivo monitoring of tissue-specific global gene expression in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7361-6	11.5	196
109	Effects of the absence of apolipoprotein e on lipoproteins, neurocognitive function, and retinal function. <i>JAMA Neurology</i> , 2014 , 71, 1228-36	17.2	59
108	Long-term cognitive impairments and pathological alterations in a mouse model of repetitive mild traumatic brain injury. <i>Frontiers in Neurology</i> , 2014 , 5, 12	4.1	88
107	The future of blood-based biomarkers for Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014 , 10, 115-31	31	196
106	Sorting through the roles of beclin 1 in microglia and neurodegeneration. <i>Journal of NeuroImmune Pharmacology</i> , 2014 , 9, 285-92	6.9	18
105	A revival of parabiosis in biomedical research. <i>Swiss Medical Weekly</i> , 2014 , 144, w13914	3.1	37
104	Microglial beclin 1 regulates retromer trafficking and phagocytosis and is impaired in Alzheimer's disease. <i>Neuron</i> , 2013 , 79, 873-86	13.9	241
103	The circulatory systemic environment as a modulator of neurogenesis and brain aging. <i>Autoimmunity Reviews</i> , 2013 , 12, 674-7	13.6	42
102	Small molecule p75NTR ligand prevents cognitive deficits and neurite degeneration in an Alzheimer's mouse model. <i>Neurobiology of Aging</i> , 2013 , 34, 2052-63	5.6	87
101	TDP-43 frontotemporal lobar degeneration and autoimmune disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013 , 84, 956-62	5.5	103
100	Colony-stimulating factor 1 receptor (CSF1R) signaling in injured neurons facilitates protection and survival. <i>Journal of Experimental Medicine</i> , 2013 , 210, 157-72	16.6	166
99	Chronic over-expression of TGF β alters hippocampal structure and causes learning deficits. <i>Hippocampus</i> , 2013 , 23, 1198-211	3.5	20
98	Changes of the enteric nervous system in amyloid- β protein precursor transgenic mice correlate with disease progression. <i>Journal of Alzheimer's Disease</i> , 2013 , 36, 7-20	4.3	57
97	The role of inflammation in age-related disease. <i>Aging</i> , 2013 , 5, 84-93	5.6	141
96	The 1st International standard for transforming growth factor- β (TGF- β). <i>Journal of Immunological Methods</i> , 2012 , 380, 1-9	2.5	1
95	Immunotherapy of cerebrovascular amyloidosis in a transgenic mouse model. <i>Neurobiology of Aging</i> , 2012 , 33, 432.e1-432.e13	5.6	18
94	Heparan sulfate subdomains that are degraded by Sulf accumulate in cerebral amyloid β plaques of Alzheimer's disease: evidence from mouse models and patients. <i>American Journal of Pathology</i> , 2012 , 180, 2056-67	5.8	31
93	Deficiency of terminal complement pathway inhibitor promotes neuronal tau pathology and degeneration in mice. <i>Journal of Neuroinflammation</i> , 2012 , 9, 220	10.1	26

92	Neural progenitor cells regulate microglia functions and activity. <i>Nature Neuroscience</i> , 2012 , 15, 1485-7	25.5	162
91	The immunology of neurodegeneration. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1156-63	15.9	154
90	Thy1-hAPP(Lond/Swe+) mouse model of Alzheimer's disease displays broad behavioral deficits in sensorimotor, cognitive and social function. <i>Brain and Behavior</i> , 2012 , 2, 142-54	3.4	59
89	Autophagy in dementias. <i>Brain Pathology</i> , 2012 , 22, 99-109	6	48
88	Inflammation in Alzheimer disease-a brief review of the basic science and clinical literature. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2, a006346	5.4	640
87	The ageing systemic milieu negatively regulates neurogenesis and cognitive function. <i>Nature</i> , 2011 , 477, 90-4	50.4	1119
86	Identification of a central role for complement in osteoarthritis. <i>Nature Medicine</i> , 2011 , 17, 1674-9	50.5	378
85	Complement receptor 2 is expressed in neural progenitor cells and regulates adult hippocampal neurogenesis. <i>Journal of Neuroscience</i> , 2011 , 31, 3981-9	6.6	74
84	Modeling of pathological traits in Alzheimer's disease based on systemic extracellular signaling proteome. <i>Molecular and Cellular Proteomics</i> , 2011 , 10, M111.008862	7.6	36
83	Workshop summary: roles of the TNF family in neuronal development, function and pathology. <i>Advances in Experimental Medicine and Biology</i> , 2011 , 691, 537-8	3.6	
82	Beclin 1 complex in autophagy and Alzheimer disease. <i>Archives of Neurology</i> , 2010 , 67, 1181-4		60
81	Cellular source of apolipoprotein E4 determines neuronal susceptibility to excitotoxic injury in transgenic mice. <i>American Journal of Pathology</i> , 2010 , 177, 563-9	5.8	45
80	Angiotensin II sustains brain inflammation in mice via TGF-beta. <i>Journal of Clinical Investigation</i> , 2010 , 120, 2782-94	15.9	157
79	Regulation of amyloid precursor protein processing by the Beclin 1 complex. <i>PLoS ONE</i> , 2010 , 5, e11102	3.7	149
78	The p75 neurotrophin receptor promotes amyloid-beta(1-42)-induced neuritic dystrophy in vitro and in vivo. <i>Journal of Neuroscience</i> , 2009 , 29, 10627-37	6.6	139
77	All-you-can-eat: autophagy in neurodegeneration and neuroprotection. <i>Molecular Neurodegeneration</i> , 2009 , 4, 16	19	130
76	Collagen VI protects neurons against Abeta toxicity. <i>Nature Neuroscience</i> , 2009 , 12, 119-21	25.5	90
75	Bioactive TGF-beta can associate with lipoproteins and is enriched in those containing apolipoprotein E3. <i>Journal of Neurochemistry</i> , 2009 , 110, 1254-62	6	9

74	Beclin 1 gene transfer activates autophagy and ameliorates the neurodegenerative pathology in alpha-synuclein models of Parkinson's and Lewy body diseases. <i>Journal of Neuroscience</i> , 2009 , 29, 13578-88	6.6	484
73	Immune activation in brain aging and neurodegeneration: too much or too little?. <i>Neuron</i> , 2009 , 64, 110-23	2.9	519
72	Blood protein signature for the early diagnosis of Alzheimer disease. <i>Archives of Neurology</i> , 2009 , 66, 161-5		39
71	Bioluminescence analysis of Smad-dependent TGF-beta signaling in live mice. <i>Methods in Molecular Biology</i> , 2009 , 574, 193-202	1.4	7
70	Bioluminescence in vivo imaging of autoimmune encephalomyelitis predicts disease. <i>Journal of Neuroinflammation</i> , 2008 , 5, 6	10.1	51
69	Microglia--a wrench in the running wheel?. <i>Neuron</i> , 2008 , 59, 527-9	13.9	8
68	The autophagy-related protein beclin 1 shows reduced expression in early Alzheimer disease and regulates amyloid beta accumulation in mice. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2190-9	15.9	770
67	Genes contributing to prion pathogenesis. <i>Journal of General Virology</i> , 2008 , 89, 1777-1788	4.9	106
66	Bioluminescent Imaging of Excitotoxic and Endotoxic Brain Injury in Living Mice 2008 , 175-182		
65	Orally administered TGF-beta is biologically active in the intestinal mucosa and enhances oral tolerance. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 916-23	11.5	91
64	Classification and prediction of clinical Alzheimer's diagnosis based on plasma signaling proteins. <i>Nature Medicine</i> , 2007 , 13, 1359-62	50.5	813
63	Live imaging of Smad2/3 signaling in mouse skin wound healing. <i>Wound Repair and Regeneration</i> , 2007 , 15, 762-6	3.6	11
62	Selective expansion of foxp3-positive regulatory T cells and immunosuppression by suppressors of cytokine signaling 3-deficient dendritic cells. <i>Journal of Immunology</i> , 2007 , 179, 2170-9	5.3	90
61	Systemic and acquired immune responses in Alzheimer's disease. <i>International Review of Neurobiology</i> , 2007 , 82, 205-33	4.4	72
60	In vitro analysis of transforming growth factor-beta1 inhibition in novel transgenic SBE-luciferase mice. <i>Annals of Plastic Surgery</i> , 2007 , 59, 207-13	1.7	4
59	Glia-dependent TGF-beta signaling, acting independently of the TH17 pathway, is critical for initiation of murine autoimmune encephalomyelitis. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3306-15	15.9	96
58	Neurodegeneration and neuroprotection in multiple sclerosis and other neurodegenerative diseases. <i>Journal of Neuroimmunology</i> , 2006 , 176, 198-215	3.5	71
57	Tgf-Beta pathway as a potential target in neurodegeneration and Alzheimer's. <i>Current Alzheimer Research</i> , 2006 , 3, 191-5	3	68

56	A role for TGF-beta signaling in neurodegeneration: evidence from genetically engineered models. <i>Current Alzheimer Research</i> , 2006 , 3, 505-13	3	52
55	Increased T cell recruitment to the CNS after amyloid beta 1-42 immunization in Alzheimer's mice overproducing transforming growth factor-beta 1. <i>Journal of Neuroscience</i> , 2006 , 26, 11437-41	6.6	38
54	Bioluminescence imaging of Smad signaling in living mice shows correlation with excitotoxic neurodegeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 18326-31	11.5	72
53	Chronically increased transforming growth factor-beta1 strongly inhibits hippocampal neurogenesis in aged mice. <i>American Journal of Pathology</i> , 2006 , 169, 154-64	5.8	109
52	Deficiency in neuronal TGF-beta signaling promotes neurodegeneration and Alzheimer's pathology. <i>Journal of Clinical Investigation</i> , 2006 , 116, 3060-9	15.9	246
51	Highly sensitive and specific bioassay for measuring bioactive TGF-beta. <i>BMC Cell Biology</i> , 2006 , 7, 15		83
50	Inflammation in Alzheimer disease: driving force, bystander or beneficial response?. <i>Nature Medicine</i> , 2006 , 12, 1005-15	50.5	879
49	Reduced brain tissue perfusion in TGF-beta 1 transgenic mice showing Alzheimer's disease-like cerebrovascular abnormalities. <i>Neurobiology of Disease</i> , 2005 , 19, 38-46	7.5	44
48	Small molecule tgf-beta mimetics as potential neuroprotective factors. <i>Current Alzheimer Research</i> , 2005 , 2, 183-6	3	12
47	Global analysis of Smad2/3-dependent TGF-beta signaling in living mice reveals prominent tissue-specific responses to injury. <i>Journal of Immunology</i> , 2005 , 175, 547-54	5.3	91
46	Insights into the pathogenesis of hydrocephalus from transgenic and experimental animal models. <i>Brain Pathology</i> , 2004 , 14, 312-6	6	50
45	Neuron-specific apolipoprotein e4 proteolysis is associated with increased tau phosphorylation in brains of transgenic mice. <i>Journal of Neuroscience</i> , 2004 , 24, 2527-34	6.6	289
44	Astroglial regulation of apolipoprotein E expression in neuronal cells. Implications for Alzheimer's disease. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3862-8	5.4	90
43	Transforming growth factor-beta signaling pathway as a therapeutic target in neurodegeneration. <i>Journal of Molecular Neuroscience</i> , 2004 , 24, 149-53	3.3	7
42	P2-292 Neuron-specific apoE4 proteolysis is associated with increased tau phosphorylation in the brains of transgenic mice. <i>Neurobiology of Aging</i> , 2004 , 25, S316	5.6	2
41	Modelling neuroinflammatory phenotypes in vivo. <i>Journal of Neuroinflammation</i> , 2004 , 1, 10	10.1	53
40	Adult mouse astrocytes degrade amyloid-beta in vitro and in situ. <i>Nature Medicine</i> , 2003 , 9, 453-7	50.5	712
39	Loss of TGF-beta 1 leads to increased neuronal cell death and microgliosis in mouse brain. <i>Neuron</i> , 2003 , 40, 1133-45	13.9	278

38	Carboxyl-terminal-truncated apolipoprotein E4 causes Alzheimer's disease-like neurodegeneration and behavioral deficits in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 10966-71	11.5	268
37	Molecular and functional dissection of TGF-beta1-induced cerebrovascular abnormalities in transgenic mice. <i>Annals of the New York Academy of Sciences</i> , 2002 , 977, 87-95	6.5	13
36	Prominent neurodegeneration and increased plaque formation in complement-inhibited Alzheimer's mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 10837-42	11.5	352
35	Inflammation in neurodegenerative disease--a double-edged sword. <i>Neuron</i> , 2002 , 35, 419-32	13.9	927
34	TGF-beta1 promotes microglial amyloid-beta clearance and reduces plaque burden in transgenic mice. <i>Nature Medicine</i> , 2001 , 7, 612-8	50.5	507
33	Functional role of TGF beta in Alzheimer's disease microvascular injury: lessons from transgenic mice. <i>Neurochemistry International</i> , 2001 , 39, 393-400	4.4	25
32	Key signaling pathways regulate the biological activities and accumulation of amyloid-beta. <i>Neurobiology of Aging</i> , 2001 , 22, 967-73	5.6	14
31	Chronic overproduction of transforming growth factor-beta1 by astrocytes promotes Alzheimer's disease-like microvascular degeneration in transgenic mice. <i>American Journal of Pathology</i> , 2000 , 156, 139-50	5.8	202
30	Expression of human apolipoprotein E3 or E4 in the brains of Apoe-/- mice: isoform-specific effects on neurodegeneration. <i>Journal of Neuroscience</i> , 1999 , 19, 4867-80	6.6	311
29	Elimination of the class A scavenger receptor does not affect amyloid plaque formation or neurodegeneration in transgenic mice expressing human amyloid protein precursors. <i>American Journal of Pathology</i> , 1999 , 155, 1741-7	5.8	59
28	Novel role of human CD4 molecule identified in neurodegeneration. <i>Nature Medicine</i> , 1998 , 4, 441-6	50.5	24
27	Cellular signaling roles of TGF beta, TNF alpha and beta APP in brain injury responses and Alzheimer's disease. <i>Brain Research Reviews</i> , 1997 , 23, 47-61		221
26	Astroglial overproduction of TGF-beta 1 enhances inflammatory central nervous system disease in transgenic mice. <i>Journal of Neuroimmunology</i> , 1997 , 77, 45-50	3.5	135
25	Amyloidogenic role of cytokine TGF-beta1 in transgenic mice and in Alzheimer's disease. <i>Nature</i> , 1997 , 389, 603-6	50.4	366
24	Noncytotoxic human CD4+ T-cell clones presenting and simultaneously responding to an antigen die of apoptosis. <i>Cellular Immunology</i> , 1995 , 161, 72-8	4.4	23
23	T cells as antigen-presenting cells. <i>Trends in Immunology</i> , 1994 , 15, 312-5		87
22	Improved sensitization of antigen-presenting cells with transferrin-bound peptides: advantages in competition for antigen presentation. <i>Cellular Immunology</i> , 1994 , 158, 59-70	4.4	8
21	A cell surface ELISA for the screening of monoclonal antibodies to antigens on viable cells in suspension. <i>Journal of Immunological Methods</i> , 1994 , 171, 93-102	2.5	19

20	The B7 adhesion molecule is expressed on activated human T cells: functional involvement in T-T cell interactions. <i>European Journal of Immunology</i> , 1993 , 23, 2175-80	6.1	79
19	Carrier-mediated uptake and presentation of a major histocompatibility complex class I-restricted peptide. <i>European Journal of Immunology</i> , 1993 , 23, 3217-23	6.1	22
18	Antigen-presenting human T cells and antigen-presenting B cells induce a similar cytokine profile in specific T cell clones. <i>European Journal of Immunology</i> , 1993 , 23, 3350-7	6.1	32
17	Use of antibody/peptide constructs of direct antigenic peptides to T cells: evidence for T cell processing and presentation. <i>Cellular Immunology</i> , 1992 , 139, 268-73	4.4	20
16	Discrimination of human CD4 T cell clones based on their reactivity with antigen-presenting T cells. <i>European Journal of Immunology</i> , 1992 , 22, 2295-302	6.1	25
15	Cytokine and Leukocyte Profiling Reveal Pro-Inflammatory and Autoimmune Features in Frontotemporal Dementia Patients		1
14	Deep sncRNA-seq of the PPMI cohort to study Parkinson's disease progression		2
13	Broad transcriptional dysregulation of brain and choroid plexus cell types with COVID-19		12
12	Molecular hallmarks of heterochronic parabiosis at single cell resolution		1
11	Aged blood inhibits hippocampal neurogenesis and activates microglia through VCAM1 at the blood-brain barrier		5
10	Developmental heterogeneity of microglia and brain myeloid cells revealed by deep single-cell RNA sequencing		
9	Brain endothelial cells are exquisite sensors of age-related circulatory cues		3
8	A Single Cell Transcriptomic Atlas Characterizes Aging Tissues in the Mouse		22
7	The murine transcriptome reveals global aging nodes with organ-specific phase and amplitude		9
6	Lipid droplet accumulating microglia represent a dysfunctional and pro-inflammatory state in the aging brain		4
5	Undulating changes in human plasma proteome across lifespan are linked to disease		1
4	Exercise conditioned plasma dampens inflammation via clusterin and boosts memory		2
3	An Inflammatory Clock Predicts Multi-morbidity, Immunosenescence and Cardiovascular Aging in Humans		4

- 2 A human brain vascular atlas reveals diverse cell mediators of Alzheimer’s disease risk 13
- 1 Limited proteolysis-mass spectrometry reveals aging-associated changes in cerebrospinal fluid protein abundances and structures. *Nature Aging,* 1