## Brent J Maundy

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4274608/brent-j-maundy-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,753 122 22 37 g-index h-index citations papers 2,076 5.38 2.2 131 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
122	Second-order cascode-based filters. <i>The Integration VLSI Journal</i> , <b>2022</b> , 84, 111-121	1.4	
121	Ultra-low-power compact single-transistor all-pass filter with tunable delay capability. <i>AEU - International Journal of Electronics and Communications</i> , <b>2021</b> , 132, 153645	2.8	1
120	Extending the double-dispersion Cole-Cole, Cole-Davidson and Havriliak-Negami electrochemical impedance spectroscopy models. <i>European Biophysics Journal</i> , <b>2021</b> , 50, 915-926	1.9	3
119	Delay-Tunable Compact RC-Only All-Pass Filter. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 461-464	2.6	О
118	Analog Circuit Design Using Symbolic Math Toolboxes: Demonstrative Examples. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2021</b> , 1-11	2.6	
117	A generic impedance modeling technique. <i>AEU - International Journal of Electronics and Communications</i> , <b>2020</b> , 123, 153301	2.8	2
116	Extraction of bioimpedance phase information from its magnitude using a non-uniform Kramers-Kronig transform. <i>European Biophysics Journal</i> , <b>2020</b> , 49, 207-213	1.9	4
115	Wideband third-order single-transistor all-pass filter. <i>International Journal of Circuit Theory and Applications</i> , <b>2020</b> , 48, 1201-1208	2	6
114	Single transistor RC-only second-order allpass filters. <i>International Journal of Circuit Theory and Applications</i> , <b>2020</b> , 48, 162-169	2	7
113	On chip 0.5 © 2 GHz four-output quadrature-phase oscillator. <i>AEU - International Journal of Electronics and Communications</i> , <b>2020</b> , 126, 153393	2.8	2
112	. IEEE Transactions on Microwave Theory and Techniques, <b>2020</b> , 68, 4348-4360	4.1	6
111	Low-Power Single-Transistor Voltage-Mode Third-Order All-pass Filter in 65-nm CMOS <b>2020</b> ,		2
110	Automatic Generation of Differential-Input Differential-Output Second-Order Filters Based on a Differential Pair. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2020</b> , 39, 1258-1271	2.5	7
109	Simple Multi-Function Fractional-Order Filter Designs 2019,		5
108	A Wideband Delay-Tunable Fully Differential Allpass Filter in 65-nm CMOS Technology <b>2019</b> ,		10
107	. IEEE Transactions on Circuits and Systems I: Regular Papers, <b>2019</b> , 66, 2606-2614	3.9	7
106	In-Direct Impedance Measurement: Phase Extraction Algorithm <b>2019</b> , 33-49		

105 In-Direct Impedance Measurement: Design and Implementation **2019**, 51-80

104	Design and Implementation of Portable Impedance Analyzers <b>2019</b> ,		8
103	Partial fraction expansionBased realizations of fractional-order differentiators and integrators using active filters. <i>International Journal of Circuit Theory and Applications</i> , <b>2019</b> , 47, 513-531	2	30
102	On the mechanism of creating pinched hysteresis loops using a commercial memristor device. <i>AEU</i> - <i>International Journal of Electronics and Communications</i> , <b>2019</b> , 111, 152923	2.8	10
101	Single-Transistor Second-Order Allpass Filters <b>2019</b> ,		6
100	Enhancing the improved Howland circuit. <i>International Journal of Circuit Theory and Applications</i> , <b>2019</b> , 47, 532-541	2	3
99	8-GHz Low-Power Voltage-Mode Second-Order Allpass Filter in 65-nm CMOS <b>2019</b> ,		4
98	Third-order tunable-phase asymmetric cross-coupled oscillator. <i>IET Circuits, Devices and Systems</i> , <b>2019</b> , 13, 929-933	1.1	1
97	An Ultra-Low Power Wide-Band Single-Transistor Second-Order Allpass Filter in 65nm CMOS <b>2019</b> ,		4
96	Minimum MOS Transistor Count Fractional-Order Voltage-Mode and Current-Mode Filters. <i>Technologies</i> , <b>2019</b> , 7, 85	2.4	2
95	A voltage tunable CMOS differential active resistor and its application. <i>International Journal of Circuit Theory and Applications</i> , <b>2019</b> , 47, 175-185	2	1
94	Chaotic Flower Pollination and Grey Wolf Algorithms for parameter extraction of bio-impedance models. <i>Applied Soft Computing Journal</i> , <b>2019</b> , 75, 750-774	7.5	41
93	Parameter identification of fractional-order chaotic systems using different Meta-heuristic Optimization Algorithms. <i>Nonlinear Dynamics</i> , <b>2019</b> , 95, 2491-2542	5	30
92	Approximation of the Fractional-Order Laplacian \$s^alpha\$ As a Weighted Sum of First-Order High-Pass Filters. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 1114-1118	3.5	43
91	A four-quadrant current multiplier/divider cell with four transistors. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2018</b> , 95, 173-179	1.2	8
90	Simple MOS-based circuit designed to show pinched hysteresis behavior. <i>International Journal of Circuit Theory and Applications</i> , <b>2018</b> , 46, 1123-1128	2	9
89	Wide-range grounded non-linear transconductor and its application as a frequency doubler. <i>International Journal of Electronics Letters</i> , <b>2018</b> , 6, 214-219	0.6	
88	Design and Implementation of a Bio-Impedance Analyzer Based on the Kramers-Kronig Transform <b>2018</b> ,		1

87	Review of fractional-order electrical characterization of supercapacitors. <i>Journal of Power Sources</i> , <b>2018</b> , 400, 457-467	8.9	92
86	Fractional-Order Multiphase Sinusoidal Oscillator Design Using Current-Mirrors 2018,		5
85	Extraction of Phase Information from Magnitude-Only Bio-impedance Measurements Using a Modified Kramers Itronig Transform. <i>Circuits, Systems, and Signal Processing</i> , <b>2018</b> , 37, 3635-3650	2.2	19
84	On a Class of Quadrature Phase Oscillators using Differential pairs <b>2018</b> ,		1
83	A 28 GHz Q-Tunable Fully Differential Bandpass Filter in 65-nm CMOS Technology 2018,		3
82	Synthesis of a Family of Differential Cross-coupled Oscillators and Design Application 2018,		1
81	Variability of Cole-model bioimpedance parameters using magnitude-only measurements of apples from a two-electrode configuration. <i>International Journal of Food Properties</i> , <b>2017</b> , 20, S507-S519	3	14
80	Minimal two-transistor multifunction filter design. <i>International Journal of Circuit Theory and Applications</i> , <b>2017</b> , 45, 1449-1466	2	8
79	The common-base differential amplifier and applications revisited. <i>Microelectronics Journal</i> , <b>2017</b> , 63, 8-19	1.8	3
78	Low-voltage commercial super-capacitor response to periodic linear-with-time current excitation: a case study. <i>IET Circuits, Devices and Systems</i> , <b>2017</b> , 11, 189-195	1.1	15
77	Current-mode capacitorless integrators and differentiators for implementing emulators of fractional-order elements. <i>AEU - International Journal of Electronics and Communications</i> , <b>2017</b> , 80, 94-1	10 <del>3</del> .8	14
76	Analysis and experimental verification of a fractional-order Hartley oscillator 2017,		5
75	All-Pass Filter Based Synthesis of Multifunctional Microwave Active Circuits 2017,		4
74	Oscillator with tunable phase capability. <i>Electronics Letters</i> , <b>2017</b> , 53, 1516-1518	1.1	3
73	CMOS Realization of All-Positive Pinched Hysteresis Loops. <i>Complexity</i> , <b>2017</b> , 2017, 1-15	1.6	3
72	Design of a Portable Low-Cost Impedance Analyzer <b>2017</b> ,		17
71	An improved multiphase sinusoidal oscillator using current feedback amplifiers. <i>International Journal of Electronics Letters</i> , <b>2016</b> , 4, 177-187	0.6	2
70	Spectral Capacitance of Series and Parallel Combinations of Supercapacitors. <i>ChemElectroChem</i> , <b>2016</b> , 3, 1429-1436	4.3	39

## (2015-2016)

69	On a class of cross coupled fully differential filters. <i>International Journal of Circuit Theory and Applications</i> , <b>2016</b> , 44, 1425-1436	2	7
68	Calculating output impedance in linear networks without source nulling or load disconnect: the instantaneous output impedance. <i>International Journal of Circuit Theory and Applications</i> , <b>2016</b> , 44, 98-1	<u>0</u> 8	3
67	Approximated Fractional-Order Inverse Chebyshev Lowpass Filters. <i>Circuits, Systems, and Signal Processing</i> , <b>2016</b> , 35, 1973-1982	2.2	54
66	Indirect Realization of the Imaginary Resistor jR. Circuits, Systems, and Signal Processing, 2016, 35, 2610	-2 <u>61</u> 5	4
65	A New Second-Order All-Pass Filter in 130-nm CMOS. <i>IEEE Transactions on Circuits and Systems II:</i> Express Briefs, <b>2016</b> , 63, 249-253	3.5	36
64	Compact Wide Frequency Range Fractional-Order Models of Human Body Impedance against Contact Currents. <i>Mathematical Problems in Engineering</i> , <b>2016</b> , 2016, 1-10	1.1	16
63	Fractional-Order Two-Port Networks. <i>Mathematical Problems in Engineering</i> , <b>2016</b> , 2016, 1-5	1.1	13
62	Analysis and realization of a switched fractional-order-capacitor integrator. <i>International Journal of Circuit Theory and Applications</i> , <b>2016</b> , 44, 2035-2040	2	15
61	2016,		6
60	Improved method to determine supercapacitor metrics from highpass filter response 2016,		2
60	Improved method to determine supercapacitor metrics from highpass filter response 2016,  Determination of supercapacitor metrics using a magnitude-only method 2016,		2
		4.9	
59	Determination of supercapacitor metrics using a magnitude-only method <b>2016</b> ,  Reevaluation of Performance of Electric Double-layer Capacitors from Constant-current	4.9	2
59 58	Determination of supercapacitor metrics using a magnitude-only method <b>2016</b> ,  Reevaluation of Performance of Electric Double-layer Capacitors from Constant-current Charge/Discharge and Cyclic Voltammetry. <i>Scientific Reports</i> , <b>2016</b> , 6, 38568	4.9	108
59 58 57	Determination of supercapacitor metrics using a magnitude-only method <b>2016</b> ,  Reevaluation of Performance of Electric Double-layer Capacitors from Constant-current Charge/Discharge and Cyclic Voltammetry. <i>Scientific Reports</i> , <b>2016</b> , 6, 38568  Factors impacting accurate Cole-impedance extractions from magnitude-only measurements <b>2016</b> ,  A low frequency oscillator using a super-capacitor. <i>AEU - International Journal of Electronics and</i>	2.8	108
59 58 57 56	Determination of supercapacitor metrics using a magnitude-only method 2016,  Reevaluation of Performance of Electric Double-layer Capacitors from Constant-current Charge/Discharge and Cyclic Voltammetry. <i>Scientific Reports</i> , 2016, 6, 38568  Factors impacting accurate Cole-impedance extractions from magnitude-only measurements 2016,  A low frequency oscillator using a super-capacitor. <i>AEU - International Journal of Electronics and Communications</i> , 2016, 70, 970-973	2.8	2 108 3 56
59 58 57 56 55	Determination of supercapacitor metrics using a magnitude-only method 2016,  Reevaluation of Performance of Electric Double-layer Capacitors from Constant-current Charge/Discharge and Cyclic Voltammetry. <i>Scientific Reports</i> , 2016, 6, 38568  Factors impacting accurate Cole-impedance extractions from magnitude-only measurements 2016,  A low frequency oscillator using a super-capacitor. <i>AEU - International Journal of Electronics and Communications</i> , 2016, 70, 970-973  Second order bandstop and bandpass filters using transformers. <i>Microelectronics Journal</i> , 2015, 46, 690	2.8 - <b>6</b> %7	2 108 3 56 3

51	Extracting the parameters of the single-dispersion Cole bioimpedance model using a magnitude-only method. <i>Computers and Electronics in Agriculture</i> , <b>2015</b> , 119, 153-157	6.5	31
50	Approximated Fractional Order Chebyshev Lowpass Filters. <i>Mathematical Problems in Engineering</i> , <b>2015</b> , 2015, 1-7	1.1	54
49	Single Transistor Active Filters: What is Possible and What is Not. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2014</b> , 61, 2517-2524	3.9	15
48	Extracting the parameters of the double-dispersion Cole bioimpedance model from magnitude response measurements. <i>Medical and Biological Engineering and Computing</i> , <b>2014</b> , 52, 749-58	3.1	60
47	Measurement of Supercapacitor Fractional-Order Model Parameters From Voltage-Excited Step Response. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , <b>2013</b> , 3, 367-376	5.2	119
46	Cole impedance extractions from the step-response of a current excited fruit sample. <i>Computers and Electronics in Agriculture</i> , <b>2013</b> , 98, 100-108	6.5	42
45	Differential Time Signaling Data-Link Architecture. Journal of Signal Processing Systems, 2013, 70, 21-37	1.4	6
44	Fractional Step Analog Filter Design. <i>Lecture Notes in Electrical Engineering</i> , <b>2013</b> , 243-267	0.2	3
43	Strain Gauge Amplifier Circuits. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2013</b> , 62, 693-70	0 <b>9</b> .2	13
42	. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, <b>2013</b> , 3, 297-300	5.2	11
41	Fractional Resonance-BasedRLITaliters. Mathematical Problems in Engineering, 2013, 2013, 1-10	1.1	36
40	Incorporating FPAAs into Laboratory Exercises for Analogue Filter Design. <i>International Journal of Electrical Engineering and Education</i> , <b>2013</b> , 50, 188-200	0.6	3
39	2013,		8
38	Accurate time domain extraction of supercapacitor fractional-order model parameters 2013,		6
37	On the Realization of Multiphase Oscillators Using Fractional-Order Allpass Filters. <i>Circuits, Systems, and Signal Processing</i> , <b>2012</b> , 31, 3-17	2.2	31
36	Extracting single dispersion Cole <b>C</b> ole impedance model parameters using an integrator setup. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2012</b> , 71, 107-110	1.2	34
35	Fractional-step Tow-Thomas biquad filters. Nonlinear Theory and Its Applications IEICE, 2012, 3, 357-374	0.6	39
34	Multiple-Valued Time-Based Architecture for Serial Communication Links <b>2012</b> ,		2

## (2008-2012)

33	Improved Cole-Cole parameter extraction from frequency response using least squares fitting <b>2012</b> ,		6
32	4-Bit Parallel-Input Exponential Digital-to-Analog Converter in CMOS 0.18 fh Technology. <i>Circuits, Systems, and Signal Processing</i> , <b>2012</b> , 31, 413-433	2.2	3
31	Numerical extraction of Cole-Cole impedance parameters from step response. <i>Nonlinear Theory and Its Applications IEICE</i> , <b>2011</b> , 2, 548-561	0.6	15
30	Active grounded inductor circuit. International Journal of Electronics, 2011, 98, 555-567	1.2	8
29	84-dB Range Logarithmic Digital-to-Analog Converter in CMOS 0.18- \$muhbox{m}\$ Technology. IEEE Transactions on Circuits and Systems II: Express Briefs, 2011, 58, 279-283	3.5	4
28	Improved dynamic range, digitally-controlled linear-in-dB CMOS variable gain amplifier 2011,		4
27	Band-pass filters with high quality factors and asymmetric-slope characteristics 2011,		4
26	2010,		7
25	2010,		19
24	Data link design using a time-based approach <b>2010</b> ,		5
24	Data link design using a time-based approach <b>2010</b> ,  On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103	1.2	5
	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal</i>	1.2	
23	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103	1.2	48
23	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103  A new 90NM CMOS current feedback operational amplifier <b>2009</b> ,  A practical near constant bandwidth amplifier. <i>International Journal of Circuit Theory and</i>		48 1
23	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103  A new 90NM CMOS current feedback operational amplifier <b>2009</b> ,  A practical near constant bandwidth amplifier. <i>International Journal of Circuit Theory and Applications</i> , <b>2009</b> , 38, n/a-n/a		48 1 3
23 22 21 20	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103  A new 90NM CMOS current feedback operational amplifier <b>2009</b> ,  A practical near constant bandwidth amplifier. <i>International Journal of Circuit Theory and Applications</i> , <b>2009</b> , 38, n/a-n/a  A new time-based architecture for serial communication links <b>2009</b> ,		48 1 3 8
23 22 21 20	On a multivibrator that employs a fractional capacitor. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2010</b> , 62, 99-103  A new 90NM CMOS current feedback operational amplifier <b>2009</b> ,  A practical near constant bandwidth amplifier. <i>International Journal of Circuit Theory and Applications</i> , <b>2009</b> , 38, n/a-n/a  A new time-based architecture for serial communication links <b>2009</b> ,  A power-efficient, high data rate chaos-based Transceiver design <b>2009</b> ,  A novel circuit element and its application in signal amplification. <i>International Journal of Circuit</i>	2	48 1 3 8

15	An improved pseudo-exponential, pseudo-logarithmic circuit. <i>Canadian Journal of Electrical and Computer Engineering</i> , <b>2007</b> , 32, 145-150	1.4	5
14	Versatile Precision Full-Wave Rectifiers for Instrumentation and Measurements. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2007</b> , 56, 1703-1710	5.2	36
13	Constant bandwidth current feedback amplifier from two operational amplifiers. <i>International Journal of Electronics</i> , <b>2007</b> , 94, 605-615	1.2	8
12	New topology for implementing bandpass, bandstop and allpass filters with CFAs. <i>International Journal of Electronics</i> , <b>2007</b> , 94, 1025-1035	1.2	1
11	A useful pseudo-logarithmic circuit. <i>Microelectronics International</i> , <b>2007</b> , 24, 35-45	0.8	3
10	Ultra Low Power Transceiver for Wireless Patient Vital Sign Monitoring 2007,		4
9	A Novel Hybrid Active Inductor. <i>IEEE Transactions on Circuits and Systems Part 2: Express Briefs</i> , <b>2007</b> , 54, 663-667		6
8	High-performance current-mode instrumentation amplifier circuit. <i>International Journal of Electronics</i> , <b>2007</b> , 94, 1015-1024	1.2	21
7	Realization of a GIC using hybrid current conveyor/operational amplifier circuits. <i>Midwest Symposium on Circuits and Systems</i> , <b>2007</b> ,	1	4
6	Complete automatic Q tuning system on a chip. <i>The Integration VLSI Journal</i> , <b>2005</b> , 38, 399-415	1.4	
5	High-performance active bandpass filter using current-feedback amplifiers. <i>International Journal of Electronics</i> , <b>2004</b> , 91, 563-570	1.2	3
4	Alternative Realizations of CMOS Current Feedback Amplifiers for Low Voltage Applications. <i>Analog Integrated Circuits and Signal Processing</i> , <b>2002</b> , 32, 157-168	1.2	15
3	A novel Q -tuning scheme for continuous time filters. <i>International Journal of Electronics</i> , <b>2002</b> , 89, 477	-49.1	2
2	A novel CMOS first-order all-pass filter. <i>International Journal of Electronics</i> , <b>2002</b> , 89, 739-743	1.2	19
1	Designing with programmable logic arrays. <i>Microprocessors and Microsystems</i> , <b>1987</b> , 11, 475-486	2.4	