

Patrizia Barria

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4274826/patrizia-barria-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

825 papers	18,511 citations	57 h-index	91 g-index
848 ext. papers	22,350 ext. citations	5.1 avg, IF	4.4 L-index

#	Paper	IF	Citations
825	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7.4	709
824	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	364
823	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
822	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
821	Evidence for a mass dependent forward-backward asymmetry in top quark pair production. <i>Physical Review D</i> , 2011 , 83,	4.9	219
820	Evidence for a narrow near-threshold structure in the $J/\psi\varphi$ mass spectrum in $B_{\{+}\} \rightarrow J/\psi\varphi K_{\{+}\}$ decays. <i>Physical Review Letters</i> , 2009 , 102, 242002	7.4	211
819	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
818	Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in higgs boson searches at the tevatron. <i>Physical Review Letters</i> , 2012 , 109, 071804	7.4	175
817	Observation of electroweak single top-quark production. <i>Physical Review Letters</i> , 2009 , 103, 092002	7.4	174
816	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
815	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
814	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
813	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
812	Observation of exclusive charmonium production and $\gamma\gamma \rightarrow \mu^+\mu^-$ in $pp[\overline{p}]$ collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 242001	7.4	126
811	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
810	Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 494-519	4.2	113
809	First measurement of the $t\overline{t}$ differential cross section $d\sigma/dM_{t\overline{t}}$ in $pp[\overline{p}]$ collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 222003	7.4	113

808	Invariant mass distribution of jet pairs produced in association with a W boson in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 171801	7.4	105
807	Combination of Tevatron searches for the standard model Higgs boson in the $W+W^-$ decay mode. <i>Physical Review Letters</i> , 2010 , 104, 061802	7.4	104
806	Combination of the top-quark mass measurements from the Tevatron collider. <i>Physical Review D</i> , 2012 , 86,	4.9	104
805	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
804	Observation of $t\bar{t} \rightarrow H$ Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
803	Measurement of the top quark forward-backward production asymmetry and its dependence on event kinematic properties. <i>Physical Review D</i> , 2013 , 87,	4.9	96
802	Observation of the baryonic flavor-changing neutral current decay $B(0) \rightarrow \mu^+ \mu^-$. <i>Physical Review Letters</i> , 2011 , 107, 201802	7.4	95
801	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
800	Measurements of the angular distributions in the decays $B \rightarrow K^{(*)} \ell^+ \ell^-$ at CDF. <i>Physical Review Letters</i> , 2012 , 108, 081807	7.4	89
799	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
798	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
797	Observation of the Higgs boson decay to a pair of ℓ leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
796	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
795	Measurement of the difference in CP-violating asymmetries in $D(0) \rightarrow K^{(*)} K^{(*)}$ and $D(0) \rightarrow \ell^+ \ell^-$ decays at CDF. <i>Physical Review Letters</i> , 2012 , 109, 111801	7.4	77
794	Reconstruction and identification of ℓ lepton decays to hadrons and B_t CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
793	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
792	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
791	Precise measurement of the W-boson mass with the CDF II detector. <i>Physical Review Letters</i> , 2012 , 108, 151803	7.4	74

790	Observation of single top quark production and measurement of $ V_{tb} $ with CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	74
789	Higgs boson studies at the Tevatron. <i>Physical Review D</i> , 2013 , 88,	4.9	73
788	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
787	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
786	Precision measurement of the $X(3872)$ mass in $J/\psi \pi^+ \pi^-$ decays. <i>Physical Review Letters</i> , 2009 , 103, 152001	7.4	71
785	Search for new bottomlike quark pair decays $Q\bar{Q} \rightarrow (tW^+)(-)(tW^+)(-)$ in same-charge dilepton events. <i>Physical Review Letters</i> , 2010 , 104, 091801	7.4	70
784	Measurement of the top quark mass using proton-proton data at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
783	Direct measurement of the W production charge asymmetry in pp collisions at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 181801	7.4	67
782	Search for vectorlike charge $2/3$ T quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	66
781	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
780	Search for $B(s)(0) \rightarrow \mu^+ \mu^-$ and $B(0) \rightarrow \mu^+ \mu^-$ decays with CDF II. <i>Physical Review Letters</i> , 2011 , 107, 191801	7.4	64
779	Search for dark matter in events with one jet and missing transverse energy in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 211804	7.4	63
778	Measurement of α_s . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 692, 232-239	4.2	63
777	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
776	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
775	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
774	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61
773	Search for a charged Higgs boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61

772	Nuclear modification factor of D0 mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
771	Angular analysis of the decay $B^0 \rightarrow K^* \ell^+ \ell^-$ from pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4.2	59
770	Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the CMS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 489-511	4.2	58
769	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
768	Suppression of $\chi(1S)$, $\chi(2S)$, and $\chi(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57
767	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
766	Measurement of CP-violating asymmetries in $D^0 \rightarrow \pi^+ \pi^-$ and $D^0 \rightarrow K^+ K^-$ decays at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	57
765	Search for long-lived massive charged particles in 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2009 , 103, 021802	7.4	56
764	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
763	Measurement of the $W^+ W^-$ production cross section and search for anomalous WW and WWZ couplings in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 104, 201801	7.4	55
762	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
761	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
760	Measurement of the ratio $\sigma(t\bar{t})/\sigma(Z/\gamma^*) \rightarrow \ell\bar{\ell}$ and precise extraction of the $t\bar{t}$ cross section. <i>Physical Review Letters</i> , 2010 , 105, 012001	7.4	54
759	Search for exclusive Z-boson production and observation of high-mass $pp \rightarrow \gamma^* \rightarrow p\gamma \gamma$ events in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 222002	7.4	54
758	A search for pair production of new light bosons decaying into muons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 146-168	4.2	51
757	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	51
756	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
755	Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	50

754	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
753	Search for the production of narrow $t\bar{b}$ resonances in 1.9 fb^{-1} of pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 041801	7.4	50
752	Search for heavy bottomlike quarks decaying to an electron or muon and jets in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 141803	7.4	50
751	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50
750	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	48
749	Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $b\bar{b}\gamma$ final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 221-243	4.2	48
748	Combination of measurements of the top-quark pair production cross section from the Tevatron Collider. <i>Physical Review D</i> , 2014 , 89,	4.9	47
747	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
746	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh , in the final states with $h \rightarrow \gamma\gamma$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
745	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
744	Measurement of branching ratio and B_s^0 lifetime in the decay $B_s^0 \rightarrow J/\psi \phi(980)$ at CDF. <i>Physical Review D</i> , 2011 , 84,	4.9	46
743	Measurement of the bottom-strange meson mixing phase in the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 171802	7.4	46
742	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
741	Studying the underlying event in Drell-Yan and high transverse momentum jet production at the Tevatron. <i>Physical Review D</i> , 2010 , 82,	4.9	45
740	Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	44
739	Measurement of angular parameters from the decay $B^0 \rightarrow K^{*0} \pi^0$ in proton-proton collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 517-541 ²	4.2	44
738	Measurement of particle production and inclusive differential cross sections in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	43
737	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42

736	Measurements of the properties of $\Lambda(2595)$, $\Lambda(2625)$, $\Lambda(2455)$, and $\Lambda(2520)$ baryons. <i>Physical Review D</i> , 2011 , 84,	4.9	42
735	Measurement of tt -spin correlation in pp -collisions using the CDF II detector at the Tevatron. <i>Physical Review D</i> , 2011 , 83,	4.9	42
734	Search for additional neutral MSSM Higgs bosons in the ll -final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
733	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
732	Observation of the Λ_b -baryon and measurement of the properties of the Λ_b and Λ_b -baryons. <i>Physical Review D</i> , 2009 , 80,	4.9	41
731	Measurements of direct CP violating asymmetries in charmless decays of strange bottom mesons and bottom baryons. <i>Physical Review Letters</i> , 2011 , 106, 181802	7.4	41
730	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
729	Measurement of nuclear modification factors of $\rho(1S)$, $\rho(2S)$, and $\rho(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4.2	40
728	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
727	Observation of s-channel production of single top quarks at the Tevatron. <i>Physical Review Letters</i> , 2014 , 112, 231803	7.4	40
726	Study of orbitally excited B mesons and evidence for a new B_c -resonance. <i>Physical Review D</i> , 2014 , 90,	4.9	40
725	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
724	Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39
723	Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	39
722	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s}=13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
721	Combination of CDF and D0 W-Boson mass measurements. <i>Physical Review D</i> , 2013 , 88,	4.9	39
720	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
719	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39

7 ¹⁸	First measurement of the angular coefficients of Drell-Yan $e^{+}e^{-}$ pairs in the Z mass region from pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 241801	7.4	38
7 ¹⁷	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
7 ¹⁶	Measurement of the $B^{\{0\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
7 ¹⁵	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
7 ¹⁴	Search for the standard model Higgs boson produced through vector boson fusion and decaying to bb . <i>Physical Review D</i> , 2015 , 92,	4.9	37
7 ¹³	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
7 ¹²	Production of $\chi(2S)$ mesons in pp collisions at 1.96 TeV. <i>Physical Review D</i> , 2009 , 80,	4.9	37
7 ¹¹	Measurement of the forward-backward asymmetry in the $B \rightarrow K^{*}(\ell^{+})\ell^{-}$ decay and first observation of the $B(s)0 \rightarrow \ell^{+}\ell^{-}$ decay. <i>Physical Review Letters</i> , 2011 , 106, 161801	7.4	37
7 ¹⁰	Measurements of the angular distributions of muons from B decays in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 151802	7.4	37
7 ⁰⁹	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
7 ⁰⁸	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
7 ⁰⁷	Search for the $X(5568)$ State Decaying into $B_{s}^{0}\eta'$ in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
7 ⁰⁶	Precision top-quark mass measurement at CDF. <i>Physical Review Letters</i> , 2012 , 109, 152003	7.4	36
7 ⁰⁵	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
7 ⁰⁴	Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134826	4.2	35
7 ⁰³	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
7 ⁰²	Search for pair-produced vectorlike B quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	35
7 ⁰¹	Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4.2	35

700	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
699	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
698	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
697	Inclusive search for standard model Higgs boson production in the WW decay channel using the CDF II detector. <i>Physical Review Letters</i> , 2010 , 104, 061803	7.4	35
696	First search for multijet resonances in $\sqrt{s} = 1.96$ TeV pp collisions. <i>Physical Review Letters</i> , 2011 , 107, 042001	7.4	35
695	Search for lepton flavour violating decays of the Higgs boson to $e\bar{\mu}$ and $e\mu$ in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4.2	35
694	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
693	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
692	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
691	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
690	Top quark mass measurement in the lepton + jets channel using a matrix element method and in situ jet energy calibration. <i>Physical Review Letters</i> , 2010 , 105, 252001	7.4	34
689	Publisher's Note: Search for $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ Decays with CDF II [Phys. Rev. Lett. 107, 191801 (2011)]. <i>Physical Review Letters</i> , 2011 , 107,	7.4	34
688	Combination of CDF and D0 measurements of the W boson helicity in top quark decays. <i>Physical Review D</i> , 2012 , 85,	4.9	34
687	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
686	Measurement of charged pion, kaon, and proton production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	33
685	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
684	Search for a light charged Higgs boson decaying to ($\overline{\text{charm}} \text{ charm}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
683	Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2009 , 103, 201801	7.4	33

682	Search for neutral resonances decaying into a Z boson and a pair of b jets or $\ell\ell$ leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4.2	33
681	Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
680	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
679	Measurement of the CP-violating phase $\arg(V_{ub}/V_{ub'})$ in $B_s^0 \rightarrow J/\psi$ decays with the CDF II detector. <i>Physical Review D</i> , 2012 , 85,	4.9	32
678	First measurement of the b-jet cross section in events with a W boson in pp collisions at square root $\sqrt{s} = 1.96\text{ TeV}$. <i>Physical Review Letters</i> , 2010 , 104, 131801	7.4	32
677	Evidence for the charmless annihilation decay mode $B(s)(0) \rightarrow \ell^+ \ell^-$. <i>Physical Review Letters</i> , 2012 , 108, 211803	7.4	32
676	Observation of Two Excited $B_{\{c\}^+}$ States and Measurement of the $B_{\{c\}^+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31
675	Search for supersymmetry with gauge-mediated breaking in diphoton events with missing transverse energy at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 011801	7.4	31
674	Combined Tevatron upper limit on $gg \rightarrow H \rightarrow W+W$ and constraints on the Higgs boson mass in fourth-generation fermion models. <i>Physical Review D</i> , 2010 , 82,	4.9	31
673	Search for the decays $B_{\{s\}}(0) \rightarrow e^+ \mu^-$ and $B_{\{s\}}(0) \rightarrow e^+ e^-$ in CDF run II. <i>Physical Review Letters</i> , 2009 , 102, 201801	7.4	31
672	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
671	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the $e\ell$ channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
670	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
669	Measurement of W-boson polarization in Top-Quark Decay in pp collisions at $\sqrt{s}=1.96\text{ TeV}$. <i>Physical Review Letters</i> , 2010 , 105, 042002	7.4	30
668	Search for a standard model Higgs boson in $WH \rightarrow \ell\nu b\bar{b}$ in pp collisions at square root $\sqrt{s} = 1.96\text{ TeV}$. <i>Physical Review Letters</i> , 2009 , 103, 101802	7.4	30
667	Observation of exclusive ℓ production in pp collisions at $\sqrt{s}=1.96\text{ TeV}$. <i>Physical Review Letters</i> , 2012 , 108, 081801	7.4	30
666	Search for an L_{ℓ} gauge boson using $Z \rightarrow 4\ell$ events in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
665	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29

664	Search for pair production of vector-like quarks in the bWb^*W channel from proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4.2	29
663	Observation of $Y(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
662	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 682-705	4.2	29
661	Measurement of the leptonic asymmetry in $t\bar{t}$ events produced in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	29
660	Performance of reconstruction and identification of leptons decaying to hadrons and ν in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
659	Search for vector-like T and B quark pairs in final states with leptons at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
658	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
657	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
656	Combined search for anomalous pseudoscalar HVV couplings in $VH(H\rightarrow b\bar{b})$ production and $H\rightarrow VV$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-696	4.2	28
655	Search for heavy Majorana neutrinos in $e^+e^-\rightarrow \mu^+\mu^- + \text{jets}$ and $e^+e^-\rightarrow \tau^+\tau^- + \text{jets}$ events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
654	Measurement of the top pair production cross section in the dilepton decay channel in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	28
653	Search for a heavy topleike quark in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 261801	7.4	28
652	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two leptons in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
651	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
650	Observation of the $Y(4140)$ structure in the J/ψ mass spectrum in $B^0\rightarrow J/\psi K^0$ decays. <i>Modern Physics Letters A</i> , 2017 , 32, 1750139	1.3	27
649	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4.2	27
648	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
647	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and $p+\text{Pb}$ Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27

646	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
645	Evidence for exclusive $B \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
644	Direct measurement of the total decay width of the top quark. <i>Physical Review Letters</i> , 2013 , 111, 202001	7.4	27
643	Search for pair production of supersymmetric top quarks in dilepton events from pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 104, 251801	7.4	27
642	Azimuthal anisotropy of charged particles with transverse momentum up to 100 GeV/c in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
641	Search for the Exotic Meson X(5568) with the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 2018 , 120, 202006	7.4	27
640	Measurement of prompt and nonprompt $[Formula: see text]$ production in $[Formula: see text]$ and $[Formula: see text]$ collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
639	Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma$ using the $B_s^0 \rightarrow J/\psi(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26
638	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	26
637	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
636	Search for WW and WZ resonances decaying to electron, missing $E(T)$, and two jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 241801	7.4	26
635	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s}=1.96$ TeV using the CDF detector. <i>Physical Review D</i> , 2009 , 80,	4.9	26
634	Search for high mass resonances decaying to muon pairs in $\sqrt{s}=1.96$ TeV pp collisions. <i>Physical Review Letters</i> , 2011 , 106, 121801	7.4	26
633	Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	26
632	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
631	Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
630	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
629	Search for pair production of strongly interacting particles decaying to pairs of jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 031802	7.4	25

628	Measurement of the top quark mass and $pp \rightarrow t\bar{t}$ cross section in the all-hadronic mode with the CDF II detector. <i>Physical Review D</i> , 2010 , 81,	4.9	25
627	Search for the standard model Higgs boson decaying to a $b\bar{b}$ pair in events with two oppositely charged leptons using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111803	7.4	25
626	Search for the standard model Higgs boson decaying to a $b\bar{b}$ pair in events with one charged lepton and large missing transverse energy using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111804	7.4	25
625	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
624	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
623	Search for charged Higgs bosons in the $H^\pm \rightarrow \tau^\pm \nu$ decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
622	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 140-166	4.2	24
621	Search for long-lived particles decaying into displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	24
620	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
619	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
618	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24
617	Search for heavy gauge W' bosons in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 278-301	4.2	24
616	Evidence for a bottom baryon resonance Λ_b^*0 in CDF data. <i>Physical Review D</i> , 2013 , 88,	4.9	24
615	Measurement of the Λ_b^0 lifetime in $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ decays in pp collisions at square root of $s = 1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 104, 102002	7.4	24
614	Search for a fermiophobic Higgs boson decaying into diphotons in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 061803	7.4	24
613	Measurement of polarization and search for CP violation in $B(s)0 \rightarrow \tau^\pm \nu$ decays. <i>Physical Review Letters</i> , 2011 , 107, 261802	7.4	24
612	Limits on anomalous trilinear gauge couplings in $Z \rightarrow \tau^+ \tau^-$ events from pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 051802	7.4	24
611	Observation of the $\Lambda_b(0)$ baryon. <i>Physical Review Letters</i> , 2011 , 107, 102001	7.4	24

610	Measurement of the mass difference between t and \bar{t} quarks. <i>Physical Review Letters</i> , 2011 , 106, 152001	7.4	24
609	Transverse momentum cross section of e^+e^- pairs in the Z-boson region from pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	24
608	Measurement of the WZ cross section and triple gauge couplings in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	24
607	Search for Higgs boson pair production in the $B\bar{B}^*$ final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 7-36	4.2	24
606	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
605	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 021802	7.4	23
604	Multiplicity and rapidity dependence of strange hadron production in pp , pPb , and $PbPb$ collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23
603	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
602	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
601	Tevatron Combination of Single-Top-Quark Cross Sections and Determination of the Magnitude of the Cabibbo-Kobayashi-Maskawa Matrix Element V_{tb} . <i>Physical Review Letters</i> , 2015 , 115, 152003	7.4	23
600	Measurements of direct CP-violating asymmetries in charmless decays of bottom baryons. <i>Physical Review Letters</i> , 2014 , 113, 242001	7.4	23
599	Search for Higgs bosons produced in association with b quarks. <i>Physical Review D</i> , 2012 , 85,	4.9	23
598	Search for the production of scalar bottom quarks in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 081802	7.4	23
597	Diffractional W and Z production at the Fermilab Tevatron. <i>Physical Review D</i> , 2010 , 82,	4.9	23
596	Direct top-quark width measurement at CDF. <i>Physical Review Letters</i> , 2010 , 105, 232003	7.4	23
595	Measurement of b hadron lifetimes in exclusive decays containing a J/ψ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 121804	7.4	23
594	Search for New T' particles in final states with large jet multiplicities and missing transverse energy in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 191803	7.4	23
593	Search for production of heavy particles decaying to top quarks and invisible particles in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 191801	7.4	23

592	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
591	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
590	Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
589	Measurement of the $[\text{Formula: see text}]$ production cross section using events in the $[\text{Formula: see text}]$ final state in pp collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
588	Measurement of the cross section for electroweak production of $Z\tau\tau$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
587	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
586	Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4.2	22
585	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
584	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
583	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22
582	Search for anomalous couplings in boosted $WW/WZ \rightarrow \tau\tau$ production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
581	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
580	Measurement of the inclusive leptonic asymmetry in top-quark pairs that decay to two charged leptons at CDF. <i>Physical Review Letters</i> , 2014 , 113, 042001	7.4	22
579	Measurement of the masses and widths of the bottom baryons Λ_b^0 and Λ_b^{*0} . <i>Physical Review D</i> , 2012 , 85,	4.9	22
578	Top quark mass measurement using the template method at CDF. <i>Physical Review D</i> , 2011 , 83,	4.9	22
577	Search for a new heavy gauge boson W' with event signature electron+missing transverse energy in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	22
576	Evidence for $t\bar{t}$ production and measurement of $\sigma(t\bar{t})$. <i>Physical Review D</i> , 2011 , 84,	4.9	22
575	Combined search for the standard model Higgs boson decaying to a $b\bar{b}$ pair using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111802	7.4	22

574	Measurement of the ZZ production cross section and $Z \rightarrow \mu\mu$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
573	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
572	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
571	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 320-347	4.2	21
570	Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
569	Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
568	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
567	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
566	Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 14-39	4.2	21
565	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
564	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
563	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
562	Measurement of the cross section for direct-photon production in association with a heavy quark in pp[over \sqrt{s}] collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 042003	7.4	21
561	Measurement of the differential cross section $d\sigma/d(\cos(\theta))$ for Top-Quark Pair Production in pp Collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 182002	7.4	21
560	Measurement of the WW + WZ production cross section using the lepton + jets final state at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 101801	7.4	21
559	Measurement of the top quark mass in the dilepton channel using m_{T2} at CDF. <i>Physical Review D</i> , 2010 , 81,	4.9	21
558	Measurements of branching fraction ratios and CP asymmetries in $B_{\mu} \rightarrow DCPK_{\mu}$ decays in hadron collisions. <i>Physical Review D</i> , 2010 , 81,	4.9	21
557	Study of substructure of high transverse momentum jets produced in proton-antiproton collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	21

556	Measurement of the integrated and differential $t\bar{t}$ production cross sections for high- p_T top quarks in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	21
555	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
554	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
553	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
552	Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
551	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
550	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
549	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4.2	20
548	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
547	Search for new long-lived particles at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
546	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
545	Search for pair production of second-generation leptoquarks at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	20
544	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
543	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
542	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
541	Observation of D^0 - \bar{D}^0 mixing using the CDF II detector. <i>Physical Review Letters</i> , 2013 , 111, 231802	7.4	20
540	Observation of the production of a W boson in association with a single charm quark. <i>Physical Review Letters</i> , 2013 , 110, 071801	7.4	20
539	Study of the associated production of photons and b-quark jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2010 , 81,	4.9	20

538	Observation of $B_s^0 \rightarrow J/\psi(892)^0$ and $B_s^0 \rightarrow J/\psi S^0$ decays. <i>Physical Review D</i> , 2011 , 83,	4.9	20
537	Measurement of ZZ production in leptonic final states at \sqrt{s} of 1.96 TeV at CDF. <i>Physical Review Letters</i> , 2012 , 108, 101801	7.4	20
536	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
535	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20
534	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
533	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
532	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
531	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
530	Measurement of central exclusive $\pi^0\pi^0$ production in pp collisions at $s=0.9$ and 1.96 TeV at CDF. <i>Physical Review D</i> , 2015 , 91,	4.9	19
529	Study of excited B^0 states decaying to $B^0\pi^0$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4.2	19
528	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{b}b\ell\ell$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
527	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
526	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
525	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
524	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
523	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
522	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
521	Search for the supersymmetric partner of the top quark in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	19

520	Measurements of the top-quark mass using charged particle tracking. <i>Physical Review D</i> , 2010 , 81,	4.9	19
519	Search for new dielectron resonances and Randall-Sundrum gravitons at the collider detector at Fermilab. <i>Physical Review Letters</i> , 2011 , 107, 051801	7.4	19
518	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
517	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
516	Search for lepton flavour violating decays of the Higgs boson to $\mu\mu$ and $e\mu$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
515	Measurement and interpretation of differential cross sections for Higgs boson production at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369-396	4.2	18
514	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
513	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18
512	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18
511	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
510	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
509	Relative Modification of Prompt $\mu\mu$ and J/ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
508	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
507	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
506	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
505	Mass and lifetime measurements of bottom and charm baryons in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	18
504	First observation of vector boson pairs in a hadronic final state at the tevatron collider. <i>Physical Review Letters</i> , 2009 , 103, 091803	7.4	18
503	Measurement of the b-hadron production cross section using decays to $D^0 X$ final states in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	18

502	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
501	Search for pair production of vectorlike quarks in the fully hadronic final state. <i>Physical Review D</i> , 2019 , 100,	4.9	18
500	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
499	Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 643-665	4.2	17
498	Search for ($\overline{\text{t}}\text{H}$) production in the (H to $\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
497	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at \sqrt{s} = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
496	Measurement of the inclusive jet cross section in pp collisions at (\sqrt{s}) = 2.76, text {TeV}). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
495	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 398-423	4.2	17
494	Search for ($\overline{\text{t}}\text{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
493	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
492	Search for R-parity violating decays of sneutrinos to $e\tilde{\chi}$ and $e\tilde{\chi}$ pairs in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 191801	7.4	17
491	Measurement of W-boson helicity fractions in top-quark decays using $\cos\theta$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 674, 160-167	4.2	17
490	Diffraction dijet production in $p\bar{p}$ collisions at \sqrt{s} =1.96 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	17
489	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at \sqrt{s} =8TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17
488	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
487	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-154	4.2	16
486	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
485	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at (\sqrt{s})=13 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16

484	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell\ell$ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
483	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
482	Indirect measurement of $\sin^2\theta_W$ (or M_W) using $\mu\mu$ pairs from μ/Z bosons produced in pp collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	16
481	Precise measurement of the W-boson mass with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2014 , 89,	4.9	16
480	Search for scalar top quark production in ($\bar{p}p$) collisions at ($\sqrt{s}=1.96;\mathrm{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
479	Measurement of the cross section for prompt isolated diphoton production using the full CDF run II data sample. <i>Physical Review Letters</i> , 2013 , 110, 101801	7.4	16
478	Search for $B_s^0 \rightarrow \mu\mu$ and $B^0 \rightarrow \mu\mu$ decays with the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	16
477	Exclusion of exotic top-like quarks with $2/3$ electric charge using jet-charge tagging in single-lepton $t\bar{t}$ events at CDF. <i>Physical Review D</i> , 2013 , 88,	4.9	16
476	Search for Randall-Sundrum gravitons in the diphoton channel at CDF. <i>Physical Review D</i> , 2011 , 83,	4.9	16
475	Search for resonant production of $t\bar{t}$ pairs in 4.8 fb of integrated luminosity of pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	16
474	Search for new physics in high p_T like-sign dilepton events at CDF II. <i>Physical Review Letters</i> , 2011 , 107, 181801	7.4	16
473	Search for neutral Higgs bosons in events with multiple bottom quarks at the Tevatron. <i>Physical Review D</i> , 2012 , 86,	4.9	16
472	Search for new color-octet vector particle decaying to $\mu\mu$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 691, 183-190	4.2	16
471	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
470	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
469	A deep neural network to search for new long-lived particles decaying to jets. <i>Machine Learning: Science and Technology</i> , 2020 , 1, 035012	5.1	16
468	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
467	Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16

466	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
465	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
464	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the \not{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
463	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15
462	Search for a $W\gamma$ boson decaying to a lepton and a neutrino in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 107-131	4.2	15
461	Measurements of ($\overline{\text{t}}\text{t}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
460	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
459	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
458	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 154-179	4.2	15
457	Bose-Einstein correlations in pp, pPb, and PbPb collisions at $\sqrt{s_{NN}}=0.9$ TeV. <i>Physical Review C</i> , 2018 , 97,	2.7	15
456	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
455	Search for pair production of first-generation scalar leptoquarks at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	15
454	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
453	Measurement of W-boson polarization in top-quark decay using the full CDF Run II data set. <i>Physical Review D</i> , 2013 , 87,	4.9	15
452	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
451	Measurement of the differential inclusive B^+ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4.2	15
450	Measurement of the top quark mass in the all-hadronic mode at CDF. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 24-31	4.2	15
449	Measurement of the B_c meson lifetime in the decay $B_c \rightarrow J/\psi$. <i>Physical Review D</i> , 2013 , 87,	4.9	15

448	Search for resonant top-antitop production in the lepton plus jets decay mode using the full CDF data set. <i>Physical Review Letters</i> , 2013 , 110, 121802	7.4	15
447	Search for single top quark production in pp collisions at $\sqrt{s}=1.96$ TeV in the missing transverse energy plus jets topology. <i>Physical Review D</i> , 2010 , 81,	4.9	15
446	Measurement of the cross section for prompt isolated diphoton production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	15
445	Measurements of branching fraction ratios and CP-asymmetries in suppressed $B \rightarrow D^{(*)} K^{(*)}$ and $B \rightarrow D^{(*)} K^{(*)}$ decays. <i>Physical Review D</i> , 2011 , 84,	4.9	15
444	Search for a dark matter candidate produced in association with a single top quark in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 201802	7.4	15
443	Measurement of $B_s^0 \rightarrow D_s^{(*)} + D_s^{(*)-}$ branching ratios. <i>Physical Review Letters</i> , 2012 , 108, 201801	7.4	15
442	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
441	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7.4	15
440	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
439	Tevatron Run II combination of the effective leptonic electroweak mixing angle. <i>Physical Review D</i> , 2018 , 97,	4.9	15
438	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
437	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 172-194	4.2	14
436	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
435	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
434	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
433	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
432	Search for $W \rightarrow \tau \nu$ decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 196-216	4.2	14
431	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14

430	Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
429	Indirect measurement of $\sin 2\varphi$ (MW) using e^+e^- pairs in the Z-boson region with pp collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	14
428	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14
427	Search for Higgs boson pair production in the $b\bar{b}$ final state in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	14
426	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section using events with one lepton and at least one jet in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
425	Search for a Higgs boson in the diphoton final state using the full CDF data set from . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 173-181	4.2	14
424	Combination of searches for the Higgs boson using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	14
423	Measurement of $R=B(t\rightarrow Wb)/B(t\rightarrow Wq)$ in top-quark-pair decays using lepton+jets events and the full CDF run II dataset. <i>Physical Review D</i> , 2013 , 87,	4.9	14
422	Exclusion of an exotic top quark with $-4/3$ electric charge using soft lepton tagging. <i>Physical Review Letters</i> , 2010 , 105, 101801	7.4	14
421	Search for heavy metastable particles decaying to jet pairs in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	14
420	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
419	Search for vectorlike leptons in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	14
418	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
417	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
416	Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	14
415	Search for supersymmetry in events with a τ lepton pair and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
414	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
413	High-precision measurement of the boson mass with the CDF II detector.. <i>Science</i> , 2022 , 376, 170-176	33.3	14

4 ¹²	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
4 ¹¹	Search for resonant ($\overline{\mathrm{t}}\mathrm{t}$) production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
4 ¹⁰	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
4 ⁰⁹	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
4 ⁰⁸	Search for a Higgs boson decaying into $\overline{\mathrm{t}}\mathrm{t}$ with low dilepton mass in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 341-362	4.2	13
4 ⁰⁷	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
4 ⁰⁶	Measurement of exclusive γ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
4 ⁰⁵	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
4 ⁰⁴	Evidence for s-channel single-top-quark production in events with one charged lepton and two jets at CDF. <i>Physical Review Letters</i> , 2014 , 112, 231804	7.4	13
4 ⁰³	Search for Gluino-Mediated Bottom Squark Production in pp Collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 221801	7.4	13
4 ⁰²	Measurement of the $\mathrm{t}\overline{\mathrm{t}}$ production cross section in 2 fb of pp collisions at $\sqrt{s}=1.96$ TeV using lepton plus jets events with soft muon b tagging. <i>Physical Review D</i> , 2009 , 79,	4.9	13
4 ⁰¹	Search for resonant production of $\mathrm{t}\overline{\mathrm{t}}$ decaying to jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	13
4 ⁰⁰	Search for the standard model Higgs Boson produced in association with top quarks using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 181802	7.4	13
399	Measurement of ($\overline{\mathrm{t}}\mathrm{t}$) normalised multi-differential cross sections in (pp) collisions at ($\sqrt{s}=13$, TeV), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
398	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
397	Measurement of the top quark polarization and $\mathrm{t}\overline{\mathrm{t}}$ spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13
396	Search for ($\overline{\mathrm{t}}\mathrm{t}\mathrm{H}$) production in the all-jet final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
395	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13

394	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
393	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
392	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
391	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
390	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s}_{NN}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
389	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
388	Measurement of normalized differential ($\overline{\mathrm{t}}\mathrm{t}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
387	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
386	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12
385	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
384	Updated search for the standard model Higgs boson in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 87,	4.9	12
383	Search for anomalous production of events with two photons and additional energetic objects at CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	12
382	Search for the standard model Higgs boson decaying to a $b\bar{b}$ pair in events with no charged leptons and large missing transverse energy using the full CDF data set. <i>Physical Review Letters</i> , 2012 , 109, 111805	7.4	12
381	Search for a low-mass standard model Higgs boson in the $\tau\tau$ decay channel in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 181804	7.4	12
380	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	12
379	Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
378	Measurement of jet substructure observables in $t\bar{t}$ events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
377	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12

376	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
375	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$ TeV). <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
374	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
373	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
372	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11
371	Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 80-105	4.2	11
370	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
369	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
368	Production of Λ^+ baryons in proton-proton and lead-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4.2	11
367	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
366	Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s}=8$ TeV using a template method. <i>Physical Review D</i> , 2016 , 93,	4.9	11
365	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11
364	Search for neutral MSSM Higgs bosons decaying to $\tau\tau$ in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 221-246	4.2	11
363	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4.2	11
362	Search for MSSM Higgs bosons decaying to $\tau\tau$ in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134992	4.2	11
361	Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 634-656	4.2	11
360	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
359	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11

358	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
357	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
356	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
355	Measurement of indirect CP-violating asymmetries in $D^0 \rightarrow K^+ K^-$ and $D^0 \rightarrow \pi^+ \pi^-$ decays at CDF. <i>Physical Review D</i> , 2014 , 90,	4.9	11
354	Measurement of $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in top-quark-pair decays using dilepton events and the full CDF Run II data set. <i>Physical Review Letters</i> , 2014 , 112, 221801	7.4	11
353	Search for high-mass resonances decaying into ZZ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	11
352	Measurement of the top-quark pair-production cross section in events with two leptons and bottom-quark jets using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11
351	Top-quark mass measurement in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013 , 88,	4.9	11
350	Measurement of event shapes in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	11
349	Measurement of the $t\bar{t}$ cross section in pp collisions at $\sqrt{s}=1.96$ TeV using dilepton events with a lepton plus track selection. <i>Physical Review D</i> , 2009 , 79,	4.9	11
348	Measurement of the $B(s)0$ lifetime in fully and partially reconstructed $B(s)0 \rightarrow D(s)(-)(\pi^0)\pi^0$ decays in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 272001	7.4	11
347	Search for a very light CP-odd Higgs boson in top quark decays from pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 031801	7.4	11
346	Measurements of the top-quark mass and the $t\bar{t}$ cross section in the hadronic b -jets decay channel at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 192001	7.4	11
345	Search for a heavy particle decaying to a top quark and a light quark in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 211805	7.4	11
344	Measurements of differential Z boson production cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
343	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
342	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to dilepton pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
341	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}=5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11

340	Search for $Z\ell$ resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
339	Search for the decay of a Higgs boson in the $\ell\bar{\ell}$ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
338	Search for beyond the standard model Higgs bosons decaying into a ($\overline{\mathbf{b}}\mathbf{b}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
337	Measurements of the pp \rightarrow WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
336	Search for new neutral Higgs bosons through the ($\mathbf{H}\rightarrow\mathbf{Z}\mathbf{A}\rightarrow\ell\ell^+\ell\ell^-\overline{\mathbf{b}}\mathbf{b}$) process in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
335	A multi-dimensional search for new heavy resonances decaying to boosted $\ell\ell$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
334	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $\mathbf{H}\rightarrow\mathbf{W}\mathbf{W}$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
333	Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10
332	Search for supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with boosted W bosons and b jets using razor variables. <i>Physical Review D</i> , 2016 , 93,	4.9	10
331	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
330	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the $\mu\text{on}+\text{jets}$ final state in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4.2	10
329	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
328	Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
327	Search for high-mass $Z\ell$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
326	Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10
325	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10
324	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
323	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10

322	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
321	Measurement of the single top quark production cross section and $ V_{tb} $ in events with one charged lepton, large missing transverse energy, and jets at CDF. <i>Physical Review Letters</i> , 2014 , 113, 261804	7.4	10
320	Study of top quark production and decays involving a tau lepton at CDF and limits on a charged Higgs boson contribution. <i>Physical Review D</i> , 2014 , 89,	4.9	10
319	Search for the Higgs boson using neural networks in events with missing energy and b-quark jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 141801	7.4	10
318	Measurement of the top pair production cross section in the lepton+jets channel using a jet flavor discriminant. <i>Physical Review D</i> , 2011 , 84,	4.9	10
317	Measurement of CP-violation asymmetries in $D^0 \rightarrow K_S^0 \pi^+ \pi^-$. <i>Physical Review D</i> , 2012 , 86,	4.9	10
316	Measurement of the top quark mass at CDF using the Beutrino ? weighting template method on a lepton plus isolated track sample. <i>Physical Review D</i> , 2009 , 79,	4.9	10
315	Measurement of properties of ($\mathrm{B}_{\mathrm{s}}^0 \rightarrow \mathrm{B}_{\mathrm{s}}^0 \gamma$) decays and search for $\mathrm{B}^0 \rightarrow \pi^0 \pi^0$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
314	Measurement of the $\mathrm{Z}\mathrm{B}^0$ production cross section in pp collisions at $s=8$ TeV and limits on anomalous $\mathrm{ZZ}\mathrm{B}^0$ and $\mathrm{Z}\mathrm{B}^0$ trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4.2	10
313	Measurement of the inelastic cross section in proton-lead collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 641-662	4.2	10
312	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
311	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
310	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
309	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
308	Inclusive search for supersymmetry using razor variables in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
307	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
306	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
305	Running of the top quark mass from proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135263	4.2	9

304	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	9
303	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4-2	9
302	Measurement of $\sin 2\theta_{\text{eff}}^{\text{lept}}$ using $e+e\bar{\nu}$ pairs from μ/Z bosons produced in pp collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2016 , 93,	4-9	9
301	Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 365-386	4-2	9
300	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
299	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
298	Search for exotic decays of a Higgs boson into undetectable particles and one or more photons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 363-388	4-2	9
297	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4-2	9
296	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at $13\sqrt{\text{TeV}}$. <i>Physical Review Letters</i> , 2018 , 120, 241801	7-4	9
295	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	9
294	Upgrade of the CMS muon system with triple-GEM detectors. <i>Journal of Instrumentation</i> , 2014 , 9, C10036-C10036		
293	Search for new phenomena in events with high jet multiplicity and low missing transverse momentum in proton-proton collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 257-267	4-2	9
292	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\text{b}}\text{b}$) or $t\bar{t}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
291	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
290	Measurement of electroweak-induced production of W with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
289	First search for exotic Z Boson decays into photons and neutral pions in hadron collisions. <i>Physical Review Letters</i> , 2014 , 112, 111803	7-4	9
288	Search for s-channel single-top-quark production in events with missing energy plus jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231805	7-4	9
287	Measurement of the mass difference between top and antitop quarks. <i>Physical Review D</i> , 2013 , 87,	4-9	9

286	Improved search for a Higgs boson produced in association with $Z \rightarrow l^+ l^-$ in pp collisions $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 251802	7.4	9
285	Search for the associated production of the standard-model Higgs Boson in the all-hadronic channel. <i>Physical Review Letters</i> , 2009 , 103, 221801	7.4	9
284	Search for the Higgs boson produced in association with $Z \rightarrow \mu\mu$ Using the matrix element method at CDF II. <i>Physical Review D</i> , 2009 , 80,	4.9	9
283	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
282	Observation of nuclear modifications in W boson production in pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
281	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
280	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
279	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
278	Search for a singly produced third-generation scalar leptoquark decaying to a lepton and a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
277	Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{b\bar{b}}$, M_{T2} , and $M_{b\bar{b}}$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	8
276	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
275	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
274	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
273	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
272	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
271	Search for Higgsino pair production in pp collisions at $\sqrt{s}=13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H \rightarrow b\bar{b}$ <i>Physical Review D</i> , 2018 , 97,	4.9	8
270	Combined Forward-Backward Asymmetry Measurements in Top-Antitop Quark Production at the Tevatron. <i>Physical Review Letters</i> , 2018 , 120, 042001	7.4	8
269	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $(\sqrt{s_{NN}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8

268	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
267	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
266	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
265	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
264	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
263	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
262	Study of the energy dependence of the underlying event in proton-antiproton collisions. <i>Physical Review D</i> , 2015 , 92,	4.9	8
261	Measurement of the WW+WZ production cross section using a matrix element technique in lepton+jets events. <i>Physical Review D</i> , 2010 , 82,	4.9	8
260	Search for new physics with a dijet plus missing E(T) signature in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 131801	7.4	8
259	Measurement of the top quark mass in the lepton+jets channel using the lepton transverse momentum. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 371-379	4.2	8
258	Search for standard model Higgs boson production in association with a W boson using a matrix element technique at CDF in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	8
257	Search for the standard model Higgs boson produced in association with a W boson with 7.5 fb ⁻¹ integrated luminosity at CDF. <i>Physical Review D</i> , 2012 , 86,	4.9	8
256	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
255	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
254	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
253	Trapping in proton irradiated p+-n-n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. <i>Journal of Instrumentation</i> , 2016 , 11, P04023-P04023	1	8
252	Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	8
251	Angular analysis of the decay $B^{+-} \rightarrow K^{*0} \pi^{\pm}$ in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	8

250	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
249	Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s}=13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 114-139	4-2	8
248	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4-9	7
247	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
246	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4-2	7
245	Search for Supersymmetry in pp Collisions at $\sqrt{s}=13$ TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7-4	7
244	Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4-9	7
243	Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7-4	7
242	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7-4	7
241	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$, text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	7
240	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4-2	7
239	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
238	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
237	Measurement of differential production cross sections for Z/ γ bosons in association with jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2015 , 91,	4-9	7
236	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	7
235	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	7
234	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
233	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7

232	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
231	Measurement of the semileptonic ($\mathrm{t}\overline{\mathrm{t}}$) + ℓ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
230	Searches for W γ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
229	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
228	Measurement of the top-quark mass in the all-hadronic channel using the full CDF data set. <i>Physical Review D</i> , 2014 , 90,	4-9	7
227	Measurement of the ZZ production cross section using the full CDF II data set. <i>Physical Review D</i> , 2014 , 89,	4-9	7
226	Measurement of Z ℓ production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2010 , 82,	4-9	7
225	Updated search for the flavor-changing neutral-current decay $D^0 \rightarrow \mu\bar{\mu}$ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2010 , 82,	4-9	7
224	Measurement of the top-quark mass in the lepton+jets channel using a matrix element technique with the CDF II detector. <i>Physical Review D</i> , 2011 , 84,	4-9	7
223	Measurement of the top quark mass using the invariant mass of lepton pairs in soft muon b-tagged events. <i>Physical Review D</i> , 2009 , 80,	4-9	7
222	Measurement of the B lifetime using a simulation free approach for trigger bias correction. <i>Physical Review D</i> , 2011 , 83,	4-9	7
221	Search for new heavy particles decaying to $ZZ \rightarrow llll, lljj$ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2011 , 83,	4-9	7
220	Measurement of the cross section for prompt isolated diphoton production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 102003	7-4	7
219	Top-quark mass measurement using events with missing transverse energy and jets at CDF. <i>Physical Review Letters</i> , 2011 , 107, 232002	7-4	7
218	Novel inclusive search for the Higgs boson in the four-lepton final state at CDF. <i>Physical Review D</i> , 2012 , 86,	4-9	7
217	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
216	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
215	Design of a constant fraction discriminator for the VFAT3 front-end ASIC of the CMS GEM detector. <i>Journal of Instrumentation</i> , 2016 , 11, C01023-C01023	1	7

214	Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with 0 ℓ leptons. <i>Physical Review D</i> , 2016 , 94,	4.9	7
213	Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
212	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
211	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
210	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
209	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
208	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
207	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\ell}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
206	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
205	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with $e\ell\bar{\nu}$ in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
204	Measurement of prompt $\Upsilon(2S)$ production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6
203	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
202	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
201	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
200	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
199	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
198	Constraints on the $\Upsilon\{c1\}$ versus $\Upsilon\{c2\}$ Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
197	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\ell\bar{\ell}$ and $e\bar{\nu}$ in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6

196	Measurement of the B polarization and angular parameters in $B \rightarrow J/\psi$ decays from pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6
195	Measurement of the Bc production cross section in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	6
194	Measurement of the forward-backward asymmetry of top-quark and antiquark pairs using the full CDF Run II data set. <i>Physical Review D</i> , 2016 , 93,	4.9	6
193	Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 479-500	4.2	6
192	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
191	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13$, text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
190	Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 563-584	4.2	6
189	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6
188	Impact of low-dose electron irradiation on n+p silicon strip sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2015 , 803, 100-112	1.2	6
187	Searches for the Higgs boson decaying to $W+W \rightarrow \mu\mu$ with the CDF II detector. <i>Physical Review D</i> , 2013 , 88,	4.9	6
186	Search for technicolor particles produced in association with a W Boson at CDF. <i>Physical Review Letters</i> , 2010 , 104, 111802	7.4	6
185	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV using soft electron b-tagging. <i>Physical Review D</i> , 2010 , 81,	4.9	6
184	Search for narrow resonances lighter than η mesons. <i>European Physical Journal C</i> , 2009 , 62, 319-326	4.2	6
183	Search for standard model Higgs boson production in association with a W boson using a neural network discriminant at CDF. <i>Physical Review D</i> , 2009 , 80,	4.9	6
182	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV using events with large missing transverse energy and jets. <i>Physical Review D</i> , 2011 , 84,	4.9	6
181	Search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV with 137 fb^{-1} in final states with a single lepton using the sum of masses of large-radius jets. <i>Physical Review D</i> , 2020 , 101,	4.9	6
180	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
179	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ($\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6

178	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
177	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
176	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2.7	6
175	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
174	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
173	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7.4	6
172	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\overline{\nu}\overline{\mathrm{q}}\overline{\mathrm{q}}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
171	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
170	R&D on a new type of micropattern gaseous detector: The Fast Timing Micropattern detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017 , 845, 313-317	1.2	5
169	Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	5
168	Measurement of B_s^0 meson production in pp and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 168-190	4.2	5
167	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at (\sqrt{s}) = 7 and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
166	Search for production of an $\Upsilon(1S)$ meson in association with a W or Z boson using the full 1.96 TeV pp collision data set at CDF. <i>Physical Review D</i> , 2015 , 91,	4.9	5
165	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
164	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
163	An embedding technique to determine \mathbb{B} backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
162	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
161	Search for the Higgs boson in the all-hadronic final state using the full CDF data set. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	5

160	The status of the GEM project for CMS high-. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013 , 732, 203-207	1.2	5
159	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
158	Search for supersymmetry with photons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	5
157	Search for Resonances Decaying to Top and Bottom Quarks with the CDF Experiment. <i>Physical Review Letters</i> , 2015 , 115, 061801	7.4	5
156	Comparison of the $Z/\bar{\nu} + \text{jets}$ to $\bar{\nu} + \text{jets}$ cross sections in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
155	Invariant-mass distribution of jet pairs produced in association with a W boson in pp collisions at $\sqrt{s}=1.96$ TeV using the full CDF Run II data set. <i>Physical Review D</i> , 2014 , 89,	4.9	5
154	Production of K_S^0 , $K^*\bar{B}(892)$ and $\phi(1020)$ in minimum bias events and K_S^0 and \bar{B} in jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	5
153	Status of the Triple-GEM project for the upgrade of the CMS Muon System. <i>Journal of Instrumentation</i> , 2013 , 8, C12031-C12031	1	5
152	Measurement of the $t\bar{t}$ production cross section with an in situ calibration of b-jet identification efficiency. <i>Physical Review D</i> , 2011 , 83,	4.9	5
151	Search for a Higgs boson in the diphoton final state in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 011801	7.4	5
150	Search for the rare radiative decay $W \rightarrow \mu \gamma$ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	5
149	Search for anomalous production of multiple leptons in association with W and Z bosons at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	5
148	Searching the inclusive $B \rightarrow T + b$ -quark signature for radiative top quark decay and non-standard-model processes. <i>Physical Review D</i> , 2009 , 80,	4.9	5
147	Observation of the $B^0 \rightarrow J/\psi \gamma$ decay in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
146	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
145	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 6-31	4.2	5
144	$\langle n_S \rangle$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4.2	5
143	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\text{b}})q(\overline{\text{q}})$ final state in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5

142	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{\mathrm{NN}}}=5.44$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 799, 135049	4.2	5
141	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
140	Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135283	4.2	5
139	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}})=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
138	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $(\sqrt{s})=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
137	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
136	Search for excited quarks of light and heavy flavor in 3 -jet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5
135	Search for Higgs and Z boson decays to J/ψ Υ pairs in the four-muon final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134811	4.2	4
134	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
133	Search for the pair production of light top squarks in the e^+e^- final state in proton-proton collisions at $(\sqrt{s})=13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
132	Search for nonresonant Higgs boson pair production in the $(\overline{b}b\overline{b}b)$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
131	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
130	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
129	Evidence for $(W)W$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
128	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
127	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}})=5.02$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
126	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $(\sqrt{s})=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
125	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4.2	4

124	Combination of inclusive and differential ($\overline{\mathrm{t}}\mathrm{t}$) charge asymmetry measurements using ATLAS and CMS data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
123	Search for a W ? boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
122	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
121	Search for high-mass Z resonances in $e+e$ and $\mu+\mu$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
120	Search for CP violation in ($\overline{\mathrm{t}}\mathrm{t}$) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
119	Measurement of the top-quark mass in the $\mathrm{t}\overline{\mathrm{t}}$ dilepton channel using the full CDF Run II data set. <i>Physical Review D</i> , 2015 , 92,	4.9	4
118	First measurement of the forward-backward asymmetry in bottom-quark pair production at high mass. <i>Physical Review D</i> , 2015 , 92,	4.9	4
117	Measurement of the branching fraction $B(\mathrm{B}^0 \rightarrow \mu^+ \mu^-)$ at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	4
116	Search for $WZ+ZZ$ production with missing transverse energy+jets with b enhancement at $s=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	4
115	Search for supersymmetry with like-sign lepton-tau events at CDF. <i>Physical Review Letters</i> , 2013 , 110, 201802	7.4	4
114	Signature-based search for delayed photons in exclusive photon plus missing transverse energy events from pp collisions with $s=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
113	Search for the production of ZW and ZZ boson pairs decaying into charged leptons and jets in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	4
112	Search for a two-Higgs-boson doublet using a simplified model in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 121801	7.4	4
111	Measurement of differential cross sections and charge ratios for s -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
110	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
109	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
108	Search for R-parity violating decays of a top squark in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4
107	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	4

106	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $\ell\ell$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
105	Tevatron constraints on models of the Higgs boson with exotic spin and parity using decays to bottom-antibottom quark pairs. <i>Physical Review Letters</i> , 2015 , 114, 151802	7.4	3
104	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
103	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
102	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft ℓ Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
101	Study of J/ψ meson production inside jets in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135409	4.2	3
100	Measurement of the inclusive $(\overline{\text{t}}\text{t})$ cross section in pp collisions at $(\sqrt{s}=5.02)$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
99	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
98	Measurement of the single top quark production cross section and $ V_{tb} $ in 1.96 TeV pp collisions with missing transverse energy and jets and final CDF combination. <i>Physical Review D</i> , 2016 , 93,	4.9	3
97	Measurement of vector boson plus $D^*(2010)^+$ meson production in p <p <math="" at="" collisions="">s=1.96 TeV. <i>Physical Review D</i>, 2016, 93,</p>	4.9	3
96	Measurement of the WW and WZ production cross section using final states with a charged lepton and heavy-flavor jets in the full CDF Run II data set. <i>Physical Review D</i> , 2016 , 94,	4.9	3
95	Search for the production of $W^\pm W^\mp$ events at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
94	A study of film and foil materials for the GEM detector proposed for the CMS muon system upgrade. <i>Journal of Instrumentation</i> , 2014 , 9, C04022-C04022	1	3
93	Development of the data acquisition system for the Triple-GEM detectors for the upgrade of the CMS forward muon spectrometer. <i>Journal of Instrumentation</i> , 2014 , 9, C03052-C03052	1	3
92	2014 ,		3
91	W-boson polarization measurement in the $t\bar{t}\ell\ell$ dilepton channel using the CDF II detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 48-54	4.2	3
90	Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 391-412	4.2	3
89	Search for top quark partners with charge $5/3$ in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3

88	Measurement of the production and differential cross sections of $W+W$ bosons in association with jets in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	3
87	Quality control and beam test of GEM detectors for future upgrades of the CMS muon high rate region at the LHC. <i>Journal of Instrumentation</i> , 2015 , 10, C03039-C03039	1	3
86	Search for standard model Higgs boson production in association with a W boson at CDF. <i>Physical Review D</i> , 2012 , 85,	4.9	3
85	Search for new phenomena in events with two Z bosons and missing transverse momentum in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	3
84	Development and performance of large scale triple GEM for CMS. <i>Journal of Instrumentation</i> , 2013 , 8, C11017-C11017	1	3
83	Search for the Higgs boson in the all-hadronic final state using the CDF II detector. <i>Physical Review D</i> , 2011 , 84,	4.9	3
82	Measurements of the $(p \rightarrow Z) \rightarrow Z$ production cross section and the $(Z \rightarrow 4\ell)$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{TeV})$ 2018 , 78, 1		3
81	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
80	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	3
79	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
78	Event shape variables measured using multijet final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
77	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
76	Observation of the decay $B^+ \rightarrow (2S)^0(1020)K^+$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4.2	2
75	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
74	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
73	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $(\sqrt{s} = 13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
72	Measurements with silicon photomultipliers of dose-rate effects in the radiation damage of plastic scintillator tiles in the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , 2020 , 15, P06009-P06009	1	2
71	Multiparticle correlation studies in pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2

70	Determination of the strong coupling constant $\alpha_s(m_Z)$ from measurements of inclusive W^\pm and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
69	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
68	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
67	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	2
66	Search for dark matter particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
65	Search for $W^\pm \rightarrow tb$ in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
64	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
63	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 766-767-768	4.2	2
62	Inclusive search for supersymmetry in pp collisions at $(\sqrt{s}=13)$ TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
61	Search for excited leptons in final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
60	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
59	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
58	Studies on the upgrade of the muon system in the forward region of the CMS experiment at LHC with GEMs. <i>Journal of Instrumentation</i> , 2014 , 9, C01053-C01053	1	2
57	Measurements of the $pp \rightarrow W^\pm$ and $pp \rightarrow Z\ell\bar{\ell}$ cross sections and limits on anomalous quartic gauge couplings at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
56	Overview of large area triple-GEM detectors for the CMS forward muon upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017 , 845, 298-303	1.2	2
55	Search for new phenomena with multiple charged leptons in proton-proton collisions at $(\sqrt{s}=13)$ (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
54	Search for new physics in trilepton events and limits on the associated chargino-neutralino production at CDF. <i>Physical Review D</i> , 2014 , 90,	4.9	2
53	Search for the standard model Higgs boson produced in association with a Z boson in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 98-104	4.2	2

52	Search for a dijet resonance in events with jets and missing transverse energy in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	2
51	Search for a heavy vector boson decaying to two gluons in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	2
50	Production of Λ , Λ^0 , Ξ , and Ξ^0 hyperons in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	2
49	Integration of the trigger and data acquisition systems in ATLAS. <i>Journal of Physics: Conference Series</i> , 2008 , 119, 022001	0.3	2
48	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
47	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
46	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2
45	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
44	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
43	Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	2
42	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
41	A novel application of Fiber Bragg Grating (FBG) sensors in MPGD. <i>EPJ Web of Conferences</i> , 2018 , 174, 03002	0.3	2
40	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
39	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1
38	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
37	Constraints on models of the Higgs boson with exotic spin and parity using decays to bottom-antibottom quarks in the full CDF data set. <i>Physical Review Letters</i> , 2015 , 114, 141802	7.4	1
36	Studies of high-transverse momentum jet substructure and top quarks produced in 1.96 TeV proton-antiproton collisions. <i>Physical Review D</i> , 2015 , 91,	4.9	1
35	Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4.2	1

34	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
33	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
32	Measurement of the forward-backward asymmetry in low-mass bottom-quark pairs produced in proton-antiproton collisions. <i>Physical Review D</i> , 2016 , 93,	4.9	1
31	Measurement of the D+-meson production cross section at low transverse momentum in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	1
30	Improved determination of the sample composition of dimuon events produced in $(\bar{p}p)$ collisions at $(\sqrt{s}=1.96)$ TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	1
29	Search for WW and WZ production in lepton plus jets final state at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	1
28	Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s} = 8)$ (,text {Te}text {V}) 2018 , 78, 1		1
27	Study of the $(\mathrm{B}^+ \rightarrow \mathrm{J}/\psi \overline{\Lambda} \mathrm{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
26	Strange hadron production in pp and pPb collisions at $s_{NN}=5.02$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	1
25	Fiber Bragg Grating (FBG) sensors as flatness and mechanical stretching sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 824, 493-495	1.2	1
24	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
23	Observation of the $Z \rightarrow \mu^+ \mu^-$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7.4	1
22	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
21	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
20	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
19	The Triple GEM Detector Control System for CMS forward muon spectrometer upgrade. <i>Journal of Instrumentation</i> , 2017 , 12, P02003-P02003	1	0
18	The ATLAS trigger - commissioning with cosmic rays. <i>Journal of Physics: Conference Series</i> , 2008 , 119, 022014	0.3	0
17	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0

16	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	o
15	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
14	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	o
13	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
12	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
11	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
10	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
9	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
8	An additional study of multi-muon events produced in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 278-283	4.2	
7	Mechanical stability of the CMS strip tracker measured with a laser alignment system. <i>Journal of Instrumentation</i> , 2017 , 12, P04023-P04023	1	
6	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
5	Event reconstruction algorithms for the ATLAS trigger. <i>Journal of Physics: Conference Series</i> , 2008 , 119, 022022	0.3	
4	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
3	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
2	Combined search for supersymmetry with photons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135183	4.2	
1	Quality control for the first large areas of triple-GEM chambers for the CMS endcaps. <i>EPJ Web of Conferences</i> , 2018 , 174, 03003	0.3	