

Hongyu Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4275503/hongyu-chen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

3,781

citations

29

h-index

61

g-index

70

ext. papers

4,708

ext. citations

8.4

avg, IF

5.66

L-index

#	Paper	IF	Citations
66	Activated Triplet Exciton Release for Highly Efficient Room-Temperature Phosphorescence Based on S,N-Doped Polymeric Carbon Nitride.. <i>Journal of Physical Chemistry Letters</i> , 2022 , 726-732	6.4	1
65	Near-infrared photodetectors based on CH ₃ NH ₃ PbI ₃ perovskite single crystals for bioimaging applications. <i>Journal of Materials Chemistry C</i> , 2021 , 10, 274-280	7.1	2
64	Genome-wide analysis of ATP-binding cassette transporter provides insight to genes related to bioactive metabolite transportation in <i>Salvia miltiorrhiza</i> . <i>BMC Genomics</i> , 2021 , 22, 315	4.5	6
63	High-Performance van der Waals Metal-Insulator-Semiconductor Photodetector Optimized with Valence Band Matching. <i>Advanced Functional Materials</i> , 2021 , 31, 2104359	15.6	15
62	2D WS ₂ Based Asymmetric Schottky Photodetector with High Performance. <i>Advanced Electronic Materials</i> , 2021 , 7, 2000964	6.4	24
61	The catalyst-free growth of layer-structured CuInSe ₂ /In ₂ Se ₃ microwires for ultrasensitive self-powered photodetectors based on a lateral p-n junction. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 9484-9491	7.1	2
60	Anti-ambipolar behavior and photovoltaic effect in p-MoTe ₂ /n-InSe heterojunctions. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10372-10380	7.1	8
59	TatD DNases of African trypanosomes confer resistance to host neutrophil extracellular traps. <i>Science China Life Sciences</i> , 2021 , 64, 621-632	8.5	4
58	High performance polarization-sensitive self-powered imaging photodetectors based on a p-Te/n-MoSe van der Waals heterojunction with strong interlayer transition. <i>Materials Horizons</i> , 2021 , 8, 3113-3123	14.4	12
57	A Polarization-Sensitive Self-Powered Photodetector Based on a p-WSe ₂ /TaIrTe/n-MoS van der Waals Heterojunction.. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 61544-61554	9.5	8
56	An Electrically Modulated Single-Color/Dual-Color Imaging Photodetector. <i>Advanced Materials</i> , 2020 , 32, e1907257	24	67
55	Synthesis of High-Quality Multilayer Hexagonal Boron Nitride Films on Au Foils for Ultrahigh Rejection Ratio Solar-Blind Photodetection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28351-28359	9.5	12
54	Metabolic Profiles of Carbohydrates in During pH-Controlled Batch Fermentation. <i>Frontiers in Microbiology</i> , 2020 , 11, 1131	5.7	5
53	Ultrafast and Sensitive Self-Powered Photodetector Featuring Self-Limited Depletion Region and Fully Depleted Channel with van der Waals Contacts. <i>ACS Nano</i> , 2020 , 14, 9098-9106	16.7	57
52	A mixed-dimensional 1D Se-2D InSe van der Waals heterojunction for high responsivity self-powered photodetectors. <i>Nanoscale Horizons</i> , 2020 , 5, 564-572	10.8	43
51	An ultrahigh responsivity self-powered solar-blind photodetector based on a centimeter-sized EGaO/polyaniline heterojunction. <i>Nanoscale</i> , 2020 , 12, 1406-1413	7.7	41
50	Strong Anisotropy and Piezo-Phototronic Effect in SnO ₂ Microwires. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901441	6.4	7

49	Back-to-back asymmetric Schottky-type self-powered UV photodetector based on ternary alloy MgZnO. <i>Journal Physics D: Applied Physics</i> , 2019 , 52, 505112	3	8
48	Characterization of Volatile Compounds by SPME-GC-MS During the Ripening of Kedong Sufu, a Typical Chinese Traditional Bacteria-Fermented Soybean Product. <i>Journal of Food Science</i> , 2019 , 84, 2441-2448 ⁶	3.4	6
47	Transcriptomic and proteomic profiling revealed global changes in <i>Streptococcus thermophilus</i> during pH-controlled batch fermentations. <i>Journal of Microbiology</i> , 2019 , 57, 769-780	3	4
46	The nutrient requirements of <i>Lactobacillus rhamnosus</i> GG and their application to fermented milk. <i>Journal of Dairy Science</i> , 2019 , 102, 5971-5978	4	13
45	Robust Piezo-Phototronic Effect in Multilayer InSe for High-Performance Self-Powered Flexible Photodetectors. <i>ACS Nano</i> , 2019 , 13, 7291-7299	16.7	65
44	Shape evolution of two dimensional hexagonal boron nitride single domains on Cu/Ni alloy and its applications in ultraviolet detection. <i>Nanotechnology</i> , 2019 , 30, 245706	3.4	17
43	High Responsivity and High Rejection Ratio of Self-Powered Solar-Blind Ultraviolet Photodetector Based on PEDOT:PSS/EGaO Organic/Inorganic p-n Junction. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 6850-6856	6.4	62
42	Synchronous Enhancement for Responsivity and Response Speed in InSe Photodetector Modulated by Piezoresistive Effect. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47098-47105	9.5	15
41	Efficiency enhancement of TiO ₂ self-powered UV photodetectors using a transparent Ag nanowire electrode. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3334-3340	7.1	56
40	Hollow Spherical Nanoshell Arrays of 2D Layered Semiconductor for High-Performance Photodetector Device. <i>Advanced Functional Materials</i> , 2018 , 28, 1705153	15.6	39
39	Back-to-back symmetric Schottky type UVA photodetector based on ternary alloy BeZnO. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 7776-7782	7.1	15
38	A Dual-Band Multilayer InSe Self-Powered Photodetector with High Performance Induced by Surface Plasmon Resonance and Asymmetric Schottky Junction. <i>ACS Nano</i> , 2018 , 12, 8739-8747	16.7	120
37	Metabolic profiles of cysteine, methionine, glutamate, glutamine, arginine, aspartate, asparagine, alanine and glutathione in <i>Streptococcus thermophilus</i> during pH-controlled batch fermentations. <i>Scientific Reports</i> , 2018 , 8, 12441	4.9	13
36	Self-Powered n-SnO ₂ /p-CuZnS Core/Shell Microwire UV Photodetector with Optimized Performance. <i>Advanced Optical Materials</i> , 2018 , 6, 1800213	8.1	51
35	Wavelength-Tunable Electroluminescent Light Sources from Individual Ga-Doped ZnO Microwires. <i>Small</i> , 2017 , 13, 1604034	11	50
34	Solution-Growth Strategy for Large-Scale CuGaO ₂ Nanoplate/ZnS Microsphere Heterostructure Arrays with Enhanced UV Adsorption and Optoelectronic Properties. <i>Advanced Functional Materials</i> , 2017 , 27, 1701066	15.6	16
33	Short communication: Nutrient consumption patterns of <i>Lactobacillus acidophilus</i> KLDS 1.0738 in controlled pH batch fermentations. <i>Journal of Dairy Science</i> , 2017 , 100, 5188-5194	4	3
32	An Ultrahigh Responsivity (9.7 mA W ⁻¹) Self-Powered Solar-Blind Photodetector Based on Individual ZnO/CuGaO ₂ Heterostructures. <i>Advanced Functional Materials</i> , 2017 , 27, 1700264	15.6	441

31	Binary response Se/ZnO p-n heterojunction UV photodetector with high on/off ratio and fast speed. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1600257	8.3	142
30	Highly Desirable Photodetectors Derived from Versatile Plasmonic Nanostructures. <i>Advanced Functional Materials</i> , 2017 , 27, 1704181	15.6	35
29	Novel BeZnO Based Self-Powered Dual-Color UV Photodetector Realized via a One-Step Fabrication Method. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700222	8.3	40
28	Novel E-Shaped Core-Shell Photodetector with High Ultraviolet Selectivity and Enhanced Responsivity. <i>Advanced Functional Materials</i> , 2017 , 27, 1704477	15.6	21
27	Self-Powered Ultraviolet Photodetectors Driven by Built-In Electric Field. <i>Small</i> , 2017 , 13, 1701687	11	139
26	Novel p-n Heterojunctions Self-Powered Broadband Photodetectors with Ultrafast Speed and High Responsivity. <i>Advanced Functional Materials</i> , 2017 , 27, 1703166	15.6	101
25	A surface oxide thin layer of copper nanowires enhanced the UV selective response of a ZnO film photodetector. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 8416-8421	7.1	91
24	Broadband Photoresponse Enhancement of a High-Performance t-Se Microtube Photodetector by Plasmonic Metallic Nanoparticles. <i>Advanced Functional Materials</i> , 2016 , 26, 6641-6648	15.6	94
23	Scalable-Production, Self-Powered TiO Nanowell-Organic Hybrid UV Photodetectors with Tunable Performances. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 33924-33932	9.5	97
22	Nanostructured Photodetectors: From Ultraviolet to Terahertz. <i>Advanced Materials</i> , 2016 , 28, 403-33	24	376
21	Fate of hexaconazole and isoprothiolane in rice, soil and water under field conditions. <i>International Journal of Environmental Analytical Chemistry</i> , 2016 , 96, 38-49	1.8	6
20	Ultrasensitive Self-Powered Solar-Blind Deep-Ultraviolet Photodetector Based on All-Solid-State Polyaniline/MgZnO Bilayer. <i>Small</i> , 2016 , 12, 5809-5816	11	186
19	Solar-Blind Avalanche Photodetector Based On Single ZnO-GaN Core-Shell Microwire. <i>Nano Letters</i> , 2015 , 15, 3988-93	11.5	258
18	Determination of Thiophanate-Methyl and Carbendazim in Rapeseed by Solid-Phase Extraction and Ultra-High Performance Chromatography with Photodiode Array Detection. <i>Instrumentation Science and Technology</i> , 2015 , 43, 511-523	1.4	8
17	Dissipation and residue fate of kresoxim-methyl in tobacco leaves and soil under field conditions. <i>International Journal of Environmental Analytical Chemistry</i> , 2015 , 95, 1338-1352	1.8	5
16	Realization of unbiased photoresponse in amorphous InGaZnO ultraviolet detector via a hole-trapping process. <i>Applied Physics Letters</i> , 2015 , 106, 171103	3.4	33
15	New concept ultraviolet photodetectors. <i>Materials Today</i> , 2015 , 18, 493-502	21.8	428
14	Realization of a fast-response flexible ultraviolet photodetector employing a metal-semiconductor-metal structure InGaZnO photodiode. <i>RSC Advances</i> , 2015 , 5, 87993-87997	3.7	28

13	Tunability of hybridized plasmonic waveguide mediated by surface plasmon polaritons. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 16233-40	3.6	10
12	Tunable Hybridized Quadrupole Plasmons and Their Coupling with Excitons in ZnMgO/Ag System. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 679-684	3.8	13
11	Plasmon-enhanced ultraviolet photoluminescence from the hybrid plasmonic Fabry-Perot microcavity of Ag/ZnO microwires. <i>Nanoscale</i> , 2014 , 6, 1354-61	7.7	15
10	Hybrid quadrupolar resonances stimulated at short wavelengths using coupled plasmonic silver nanoparticle aggregation. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 56-63	7.1	37
9	Tunable enhancement of exciton emission from MgZnO by hybridized quadrupole plasmons in Ag nanoparticle aggregation. <i>Applied Physics Letters</i> , 2014 , 104, 091119	3.4	21
8	Enhanced solar-blind responsivity of photodetectors based on cubic MgZnO films via gallium doping. <i>Optics Express</i> , 2014 , 22, 246-53	3.3	30
7	Realization of a self-powered ZnO MSM UV photodetector with high responsivity using an asymmetric pair of Au electrodes. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 9689-9694	7.1	130
6	Mott-type Mg _x Zn _{1-x} O-based visible-blind ultraviolet photodetectors with active anti-reflection layer. <i>Applied Physics Letters</i> , 2013 , 102, 231122	3.4	24
5	Vertical MgZnO Schottky ultraviolet photodetector with Al doped MgZnO transparent electrode. <i>Thin Solid Films</i> , 2013 , 548, 456-459	2.2	17
4	A theoretical study of the dependence of the AS _x Si _{6-x} cluster structures and properties on composition. <i>International Journal of Quantum Chemistry</i> , 2012 , 112, 1499-1506	2.1	
3	Dual-color ultraviolet photodetector based on mixed-phase-MgZnO/i-MgO/p-Si double heterojunction. <i>Applied Physics Letters</i> , 2012 , 101, 081104	3.4	71
2	DENSITY FUNCTIONAL THEORY STUDIES OF CHARGED, COPPER-DOPED, SMALL SILICON CLUSTERS, $\frac{\text{CuSi}_n^{+}}{\text{CuSi}_n^{-}}$ ($n = 1-7$). <i>Journal of Theoretical and Computational Chemistry</i> , 2012 , 11, 185-196	1.8	9
1	Gate-Tunable Photovoltaic Effect in MoTe ₂ Lateral Homojunction. <i>Advanced Electronic Materials</i> , 2011 , 4, 3	4.4	3