

Larry W Robertson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4275650/larry-w-robertson-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

3,762
citations

37
h-index

57
g-index

111
ext. papers

4,017
ext. citations

5.3
avg, IF

5.11
L-index

#	Paper	IF	Citations
108	Transcriptome sequencing of 3,3',4,4',5-Pentachlorobiphenyl (PCB126)-treated human preadipocytes demonstrates progressive changes in pathways associated with inflammation and diabetes.. <i>Toxicology in Vitro</i> , 2022 , 105396	3.6	0
107	PCB126 Induced Toxic Actions on Liver Energy Metabolism is Mediated by AhR in Rats. <i>Toxicology</i> , 2021 , 153054	4.4	0
106	Human hepatic microsomal sulfatase catalyzes the hydrolysis of polychlorinated biphenyl sulfates: A potential mechanism for retention of hydroxylated PCBs. <i>Environmental Toxicology and Pharmacology</i> , 2021 , 88, 103757	5.8	1
105	The Aryl hydrocarbon receptor mediates reproductive toxicity of polychlorinated biphenyl congener 126 in rats. <i>Toxicology and Applied Pharmacology</i> , 2021 , 426, 115639	4.6	4
104	Skeletal Toxicity of Coplanar Polychlorinated Biphenyl Congener 126 in the Rat Is Aryl Hydrocarbon Receptor Dependent. <i>Toxicological Sciences</i> , 2020 , 175, 113-125	4.4	6
103	PCB126 blocks the thermogenic beiging response of adipocytes. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 8897-8904	5.1	4
102	Skeletal toxicity resulting from exposure of growing male rats to coplanar PCB 126 is associated with disruption of calcium homeostasis and the GH-IGF-1 axis and direct effects on bone formation. <i>Archives of Toxicology</i> , 2020 , 94, 389-399	5.8	5
101	Cardiovascular Effects of Polychlorinated Biphenyls and Their Major Metabolites. <i>Environmental Health Perspectives</i> , 2020 , 128, 77008	8.4	15
100	PCB126 Inhibits the Activation of AMPK-CREB Signal Transduction Required for Energy Sensing in Liver. <i>Toxicological Sciences</i> , 2018 , 163, 440-453	4.4	15
99	Hydroxylated and sulfated metabolites of commonly occurring airborne polychlorinated biphenyls inhibit human steroid sulfotransferases SULT1E1 and SULT2A1. <i>Environmental Toxicology and Pharmacology</i> , 2018 , 58, 196-201	5.8	12
98	Authentication of synthetic environmental contaminants and their (bio)transformation products in toxicology: polychlorinated biphenyls as an example. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 16508-16521	5.1	14
97	Spatial distribution of metals within the liver acinus and their perturbation by PCB126. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 16427-16433	5.1	3
96	A delayed proinflammatory response of human preadipocytes to PCB126 is dependent on the aryl hydrocarbon receptor. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 16481-16492	5.1	11
95	Sources and toxicities of phenolic polychlorinated biphenyls (OH-PCBs). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 16277-16290	5.1	41
94	Hydroxylated Metabolites of Common Airborne Polychlorinated Biphenyls and Their Potential for Disrupting Estrogen Homeostasis and Adipogenesis. <i>FASEB Journal</i> , 2018 , 32, 605.8	0.9	
93	Hydroxylated and sulfated metabolites of commonly observed airborne polychlorinated biphenyls display selective uptake and toxicity in N27, SH-SY5Y, and HepG2 cells. <i>Environmental Toxicology and Pharmacology</i> , 2018 , 62, 69-78	5.8	18
92	Polychlorinated biphenyls target Notch/Dll and VEGF R2 in the mouse placenta and human trophoblast cell lines for their anti-angiogenic effects. <i>Scientific Reports</i> , 2017 , 7, 39885	4.9	11

91	Identification of a sulfate metabolite of PCB 11 in human serum. <i>Environment International</i> , 2017 , 98, 120-128	12.9	27
90	3,3R4,4R5-Pentachlorobiphenyl (PCB 126) Decreases Hepatic and Systemic Ratios of Epoxide to Diol Metabolites of Unsaturated Fatty Acids in Male Rats. <i>Toxicological Sciences</i> , 2016 , 152, 309-22	4.4	7
89	PCB126-Induced Disruption in Gluconeogenesis and Fatty Acid Oxidation Precedes Fatty Liver in Male Rats. <i>Toxicological Sciences</i> , 2016 , 149, 98-110	4.4	57
88	Assessment of the Mitigative Capacity of Dietary Zinc on PCB126 Hepatotoxicity and the Contribution of Zinc to Toxicity. <i>Chemical Research in Toxicology</i> , 2016 , 29, 851-9	4	2
87	Dietary Manganese Modulates PCB126 Toxicity, Metal Status, and MnSOD in the Rat. <i>Toxicological Sciences</i> , 2016 , 150, 15-26	4.4	7
86	Cytochrome c adducts with PCB quinoid metabolites. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 2148-59	5.1	5
85	Sulfation of Lower Chlorinated Polychlorinated Biphenyls Increases Their Affinity for the Major Drug-Binding Sites of Human Serum Albumin. <i>Environmental Science & Technology</i> , 2016 , 50, 5320-7 ^{10.3}	10.3	23
84	Diminished Phosphorylation of CREB Is a Key Event in the Dysregulation of Gluconeogenesis and Glycogenolysis in PCB126 Hepatotoxicity. <i>Chemical Research in Toxicology</i> , 2016 , 29, 1504-9	4	8
83	Tissue Distribution, Metabolism, and Excretion of 3,3R4,4R5-Dichloro-4R6-sulfooxy-biphenyl in the Rat. <i>Environmental Science & Technology</i> , 2015 , 49, 8087-95	10.3	31
82	PCB126 inhibits adipogenesis of human preadipocytes. <i>Toxicology in Vitro</i> , 2015 , 29, 132-41	3.6	30
81	Modulating inhibitors of transthyretin fibrillogenesis via sulfation: polychlorinated biphenyl sulfates as models. <i>Chemico-Biological Interactions</i> , 2015 , 228, 1-8	5	8
80	Metabolism and metabolites of polychlorinated biphenyls. <i>Critical Reviews in Toxicology</i> , 2015 , 45, 245-73.7	73.7	237
79	Sustained expression of CYPs and DNA adduct accumulation with continuous exposure to PCB126 and PCB153 through a new delivery method: Polymeric implants. <i>Toxicology Reports</i> , 2014 , 1, 820-833	4.8	4
78	Disposition of phenolic and sulfated metabolites after inhalation exposure to 4-chlorobiphenyl (PCB3) in female rats. <i>Chemical Research in Toxicology</i> , 2014 , 27, 1411-20	4	35
77	Binding interactions of hydroxylated polychlorinated biphenyls (OHPCBs) with human hydroxysteroid sulfotransferase hSULT2A1. <i>Chemico-Biological Interactions</i> , 2014 , 212, 56-64	5	8
76	Toxicity assessment of air-delivered particle-bound polybrominated diphenyl ethers. <i>Toxicology</i> , 2014 , 317, 31-9	4.4	12
75	Dietary antioxidants (selenium and N-acetylcysteine) modulate paraoxonase 1 (PON1) in PCB 126-exposed rats. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 6384-99	5.1	12
74	The effects of 3,3R4,4R5-tetrabromobiphenyl on rats fed diets containing a constant level of copper and varying levels of molybdenum. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 6400-9	5.1	

73	Polychlorinated biphenyls (PCBs) as initiating agents in hepatocellular carcinoma. <i>Cancer Letters</i> , 2013 , 334, 46-55	9.9	54
72	A new player in environmentally induced oxidative stress: polychlorinated biphenyl congener, 3,3-dichlorobiphenyl (PCB11). <i>Toxicological Sciences</i> , 2013 , 136, 39-50	4.4	37
71	Sulfate conjugates are urinary markers of inhalation exposure to 4-chlorobiphenyl (PCB3). <i>Chemical Research in Toxicology</i> , 2013 , 26, 853-5	4	20
70	Chlorinated biphenyl quinones and phenyl-2,5-benzoquinone differentially modify the catalytic activity of human hydroxysteroid sulfotransferase hSULT2A1. <i>Chemical Research in Toxicology</i> , 2013 , 26, 1474-85	4	9
69	Does dietary copper supplementation enhance or diminish PCB126 toxicity in the rodent liver?. <i>Chemical Research in Toxicology</i> , 2013 , 26, 634-44	4	15
68	Biological and tumor-promoting effects of dioxin-like and non-dioxin-like polychlorinated biphenyls in mouse liver after single or combined treatment. <i>Toxicological Sciences</i> , 2013 , 133, 29-41	4.4	23
67	Sulfated metabolites of polychlorinated biphenyls are high-affinity ligands for the thyroid hormone transport protein transthyretin. <i>Environmental Health Perspectives</i> , 2013 , 121, 657-62	8.4	73
66	Identification of sulfated metabolites of 4-chlorobiphenyl (PCB3) in the serum and urine of male rats. <i>Chemical Research in Toxicology</i> , 2012 , 25, 2796-804	4	56
65	N-acetylcysteine (NAC) diminishes the severity of PCB 126-induced fatty liver in male rodents. <i>Toxicology</i> , 2012 , 302, 25-33	4.4	35
64	Physicochemical properties of hydroxylated polychlorinated biphenyls aid in predicting their interactions with rat sulfotransferase 1A1 (rSULT1A1). <i>Chemico-Biological Interactions</i> , 2011 , 189, 153-60 ⁵		12
63	Crystal structure and density functional theory studies of toxic quinone metabolites of polychlorinated biphenyls. <i>Chemosphere</i> , 2011 , 85, 386-92	8.4	4
62	Species difference in the regulation of cytochrome P450 2S1: lack of induction in rats by the aryl hydrocarbon receptor agonist PCB126. <i>Xenobiotica</i> , 2011 , 41, 1031-43	2	13
61	Structure-activity relationships for hydroxylated polychlorinated biphenyls as inhibitors of the sulfation of dehydroepiandrosterone catalyzed by human hydroxysteroid sulfotransferase SULT2A1. <i>Chemical Research in Toxicology</i> , 2011 , 24, 1720-8	4	42
60	Dietary selenium as a modulator of PCB 126-induced hepatotoxicity in male Sprague-Dawley rats. <i>Toxicological Sciences</i> , 2011 , 124, 202-14	4.4	27
59	Polychlorinated Biphenyl (PCB) carcinogenicity with special emphasis on airborne PCBs. <i>Gefahrstoffe Reinhaltung Der Luft</i> , 2011 , 71, 25-32	1.1	31
58	Research recommendations for selected IARC-classified agents. <i>Environmental Health Perspectives</i> , 2010 , 118, 1355-62	8.4	64
57	Improved syntheses of non-dioxin-like polychlorinated biphenyls (PCBs) and some of their sulfur-containing metabolites. <i>Environment International</i> , 2010 , 36, 828-34	12.9	6
56	An efficient approach to sulfate metabolites of polychlorinated biphenyls. <i>Environment International</i> , 2010 , 36, 843-8	12.9	31

55	Protective effects of selenium against DNA adduct formation in Inuit environmentally exposed to PCBs. <i>Environment International</i> , 2010 , 36, 980-6	12.9	20
54	Acute toxicity of 3,3,4,4,5-pentachlorobiphenyl (PCB 126) in male Sprague-Dawley rats: effects on hepatic oxidative stress, glutathione and metals status. <i>Environment International</i> , 2010 , 36, 918-23	12.9	54
53	Investigation of mechanism(s) of DNA damage induced by 4-monochlorobiphenyl (PCB3) metabolites. <i>Environment International</i> , 2010 , 36, 950-61	12.9	15
52	Structure-activity relationships for hydroxylated polychlorinated biphenyls as substrates and inhibitors of rat sulfotransferases and modification of these relationships by changes in thiol status. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1065-72	4	33
51	Oxidation of 4-chlorobiphenyl metabolites to electrophilic species by prostaglandin H synthase. <i>Chemical Research in Toxicology</i> , 2009 , 22, 64-71	4	17
50	Innovative application of fluoro tagging to trace airborne particulate and gas-phase polybrominated diphenyl ether exposures. <i>Chemical Research in Toxicology</i> , 2009 , 22, 179-86	4	5
49	Enantiomeric specificity of (-)-2,2,3,3,6,6-hexachlorobiphenyl toward ryanodine receptor types 1 and 2. <i>Chemical Research in Toxicology</i> , 2009 , 22, 201-7	4	71
48	Receptor interactions by polybrominated diphenyl ethers versus polychlorinated biphenyls: a theoretical Structure-activity assessment. <i>Environmental Toxicology and Pharmacology</i> , 2008 , 25, 202-10	5.8	54
47	Role of oxidative stress in the promoting activities of pcbs. <i>Environmental Toxicology and Pharmacology</i> , 2008 , 25, 247-50	5.8	27
46	Metabolic Activation of PCBs to Carcinogens in Vivo - A Review. <i>Environmental Toxicology and Pharmacology</i> , 2008 , 25, 241-6	5.8	62
45	Chlorination increases the persistence of semiquinone free radicals derived from polychlorinated biphenyl hydroquinones and quinones. <i>Journal of Organic Chemistry</i> , 2008 , 73, 8296-304	4.2	60
44	Glucuronidation of polychlorinated biphenyls and UDP-glucuronic acid concentrations in channel catfish liver and intestine. <i>Drug Metabolism and Disposition</i> , 2008 , 36, 623-30	4	21
43	Effect of dietary selenium on the promotion of hepatocarcinogenesis by 3,3,4,4-tetrachlorobiphenyl and 2,2,4,4,5,5-hexachlorobiphenyl. <i>Experimental Biology and Medicine</i> , 2008 , 233, 366-76	3.7	12
42	Enantiomeric enrichment of 2,2,3,3,6,6-hexachlorobiphenyl (PCB 136) in mice after induction of CYP enzymes. <i>Archives of Environmental Contamination and Toxicology</i> , 2008 , 55, 510-7	3.2	22
41	Enantioselective disposition of PCB 136 (2,2,3,3,6,6-hexachlorobiphenyl) in C57BL/6 mice after oral and intraperitoneal administration. <i>Chirality</i> , 2007 , 19, 56-66	2.1	57
40	Quinoid metabolites of 4-monochlorobiphenyl induce gene mutations in cultured Chinese hamster v79 cells. <i>Toxicological Sciences</i> , 2007 , 100, 88-98	4.4	32
39	4-monochlorobiphenyl (PCB3) induces mutations in the livers of transgenic Fisher 344 rats. <i>Carcinogenesis</i> , 2007 , 28, 471-8	4.6	45
38	Suppression of peroxisomal enzyme activities and cytochrome P450 4A isozyme expression by congeneric polybrominated and polychlorinated biphenyls. <i>PPAR Research</i> , 2007 , 2007, 15481	4.3	10

37	Polychlorobiphenyls are selective inhibitors of human phenol sulfotransferase 1A1 with 4-nitrophenol as a substrate. <i>Chemico-Biological Interactions</i> , 2006 , 159, 235-46	5	39
36	Polychlorinated biphenyl quinone metabolites poison human topoisomerase IIalpha: altering enzyme function by blocking the N-terminal protein gate. <i>Biochemistry</i> , 2006 , 45, 10140-52	3.2	53
35	Tumor promoting potency of PCBs 28 and 101 in rat liver. <i>Toxicology Letters</i> , 2006 , 164, 133-43	4.4	6
34	Hydroxylated polychlorinated biphenyls are substrates and inhibitors of human hydroxysteroid sulfotransferase SULT2A1. <i>Chemical Research in Toxicology</i> , 2006 , 19, 1420-5	4	68
33	Effects of PCB 84 enantiomers on [³ H]-phorbol ester binding in rat cerebellar granule cells and ⁴⁵ Ca ²⁺ -uptake in rat cerebellum. <i>Toxicology Letters</i> , 2005 , 156, 391-400	4.4	62
32	Comparison of the actions of 4-chlorobiphenyl and its hydroxylated metabolites on estradiol secretion by ovarian follicles in primary cells in culture. <i>Reproductive Toxicology</i> , 2005 , 20, 57-64	3.4	31
31	Initiating activity of 4-chlorobiphenyl metabolites in the resistant hepatocyte model. <i>Toxicological Sciences</i> , 2004 , 79, 41-6	4.4	37
30	Toxicity of hydroxylated and quinoid PCB metabolites: inhibition of gap junctional intercellular communication and activation of aryl hydrocarbon and estrogen receptors in hepatic and mammary cells. <i>Chemical Research in Toxicology</i> , 2004 , 17, 340-7	4	79
29	Synthesis of polychlorinated biphenyls and their metabolites with a modified Suzuki-coupling. <i>Chemosphere</i> , 2004 , 56, 735-44	8.4	22
28	Polychlorinated biphenyls as initiators in liver carcinogenesis: resistant hepatocyte model. <i>Toxicology and Applied Pharmacology</i> , 2003 , 186, 55-62	4.6	61
27	Binding of polychlorinated biphenyls/metabolites to hemoglobin. <i>Toxicology Letters</i> , 2003 , 142, 53-60	4.4	13
26	PCB-induced oxidative stress in endothelial cells: modulation by nutrients. <i>International Journal of Hygiene and Environmental Health</i> , 2002 , 205, 95-102	6.9	82
25	DNA adduction by polychlorinated biphenyls: adducts derived from hepatic microsomal activation and from synthetic metabolites. <i>Chemico-Biological Interactions</i> , 2002 , 139, 129-44	5	25
24	Glucuronidation of hydroxylated polychlorinated biphenyls (PCBs). <i>Chemical Research in Toxicology</i> , 2002 , 15, 1259-66	4	67
23	Effects of selected polychlorinated biphenyl (PCB) congeners on hepatic glutathione, glutathione-related enzymes, and selenium status: implications for oxidative stress. <i>Biochemical Pharmacology</i> , 2001 , 62, 273-81	6	83
22	Distribution and macromolecular binding of benzo[a]pyrene and two polychlorinated biphenyl congeners in female mice. <i>Chemico-Biological Interactions</i> , 2001 , 137, 243-58	5	29
21	Synthesis of polychlorinated biphenyls (PCBs) using the Suzuki-coupling. <i>Chemosphere</i> , 2001 , 45, 137-43	8.4	54
20	Synthesis of hydroxylated PCB metabolites with the Suzuki-coupling. <i>Chemosphere</i> , 2001 , 45, 1119-27	8.4	60

19	Redox cycling of 2-(xRmono, -di, -trichlorophenyl)- 1, 4-benzoquinones, oxidation products of polychlorinated biphenyls. <i>Archives of Biochemistry and Biophysics</i> , 2000 , 376, 449-55	4.1	53
18	Identification of catechol and hydroquinone metabolites of 4-monochlorobiphenyl. <i>Chemical Research in Toxicology</i> , 1996 , 9, 158-64	4	129
17	Detection of PCB adducts by the 32P-postlabeling technique. <i>Chemical Research in Toxicology</i> , 1996 , 9, 165-71	4	63
16	Metabolic activation of PCBs to quinones: reactivity toward nitrogen and sulfur nucleophiles and influence of superoxide dismutase. <i>Chemical Research in Toxicology</i> , 1996 , 9, 623-9	4	124
15	Analysis of polychlorinated biphenyl-DNA adducts by 32P-postlabeling. <i>Carcinogenesis</i> , 1996 , 17, 109-14	4.6	68
14	A new strategy for the synthesis of polychlorinated biphenyl metabolites. <i>Chemical Research in Toxicology</i> , 1995 , 8, 92-5	4	47
13	Effect of the peroxisome proliferator perfluorodecanoic acid on the promotion of two-stage hepatocarcinogenesis in rats. <i>Cancer Letters</i> , 1993 , 72, 111-20	9.9	24
12	Differential potency of atropisomers of polychlorinated biphenyls on cytochrome P450 induction and uroporphyrin accumulation in the chick embryo hepatocyte culture. <i>Biochemical Pharmacology</i> , 1991 , 41, 915-22	6	81
11	Microbial biotransformation of retinoic acid by <i>Cunninghamella echinulata</i> and <i>Cunninghamella blakesleeana</i> . <i>Pharmaceutical Research</i> , 1990 , 7, 270-3	4.5	6
10	Effects of two prototypic polychlorinated biphenyls (PCBs) on lipid composition of rat liver and serum. <i>Journal of Nutritional Biochemistry</i> , 1990 , 1, 350-4	6.3	18
9	Carcinogenicity of polyhalogenated biphenyls: PCBs and PBBs. <i>Critical Reviews in Toxicology</i> , 1990 , 20, 440-96	5.7	247
8	A unique approach to the synthesis of 2,3,4,5-substituted polybrominated biphenyls: quantitation in FireMaster FF-1 and FireMaster BP-6. <i>Journal of Agricultural and Food Chemistry</i> , 1989 , 37, 1160-1164	5.7	14
7	Effects of polychlorinated biphenyls on cytochrome P450 induction in the chick embryo hepatocyte culture. <i>Archives of Biochemistry and Biophysics</i> , 1989 , 275, 252-62	4.1	44
6	Laser desorption/fourier transform ion cyclotron resonance mass spectrometry: digoxin, digitoxin, and their reduced and sugar-hydrolyzed metabolites. <i>Biomedical & Environmental Mass Spectrometry</i> , 1988 , 15, 295-302		8
5	Relationship between liquid and gas chromatographic retention behavior and calculated molecular surface area of selected polyhalogenated biphenyls. <i>Journal of Agricultural and Food Chemistry</i> , 1988 , 36, 961-965	5.7	22
4	Enantiomers of Polychlorinated Biphenyls Semipreparative Enrichment by Liquid Chromatography. <i>Liebigs Annalen Der Chemie</i> , 1985 , 1985, 2101-2103		19
3	PCBs and PBBs: biologic and toxic effects on C57BL/6J and DBA/2J inbred mice. <i>Toxicology</i> , 1984 , 31, 191-206	4.4	47
2	Biotransformation of cannabinoids by <i>Syncephalastrum racemosum</i> . <i>Biological Mass Spectrometry</i> , 1975 , 2, 266-271		13

