Julius Burkauskas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4276451/publications.pdf

Version: 2024-02-01

777949 388640 1,521 60 13 36 citations h-index g-index papers 70 70 70 2116 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Knowledge and Use of Over-the-counter Drugs in Italy: An Exploratory Survey-based Study in the General Population. Current Neuropharmacology, 2023, 21, 133-141.	1.4	3
2	Problematic use of the internet during the COVID-19 pandemic: Good practices and mental health recommendations. Comprehensive Psychiatry, 2022, 112, 152279.	1.5	52
3	Validation of the patient health questionnaire-9 and the generalized anxiety disorder-7 in Lithuanian student sample. PLoS ONE, 2022, 17, e0263027.	1.1	24
4	Individual obsessive-compulsive traits are associated with poorer adjustment to the easing of COVID-19 restrictions. Journal of Psychiatric Research, 2022, 148, 21-26.	1.5	5
5	An international cross-sectional investigation on social media, fitspiration content exposure, and related risks during the COVID-19 self-isolation period. Journal of Psychiatric Research, 2022, 148, 34-44.	1.5	11
6	Predictive value of baseline cognitive functioning on health-related quality of life in individuals with coronary artery disease: a 5-year longitudinal study. European Journal of Cardiovascular Nursing, 2022, 21, 473-482.	0.4	3
7	Relationship between subjective fatigue and cognitive functions in individuals with comorbid anxiety and mood disorders., 2022, 1, 100076.		0
8	Association of Internet gaming disorder symptoms with anxiety and depressive symptoms and substance use: an international cross-sectional study. Middle East Current Psychiatry, 2022, 29, .	0.5	4
9	Physical Activity and Exercise Addiction During the Covid-19 Pandemic in Italy. International Journal of Mental Health and Addiction, 2022, , 1-21.	4.4	5
10	Mental Health and Wellbeing in Lithuanian Medical Students and Resident Doctors During COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 871137.	1.3	1
11	Problematic Use of the Internet Mediates the Association between Reduced Mentalization and Suicidal Ideation: A Cross-Sectional Study in Young Adults. Healthcare (Switzerland), 2022, 10, 948.	1.0	6
12	Prevalence of problematic Internet use during the coronavirus disease 2019 pandemic. Current Opinion in Behavioral Sciences, 2022, 46, 101179.	2.0	26
13	Impulsivity Mediates Associations Between Problematic Internet Use, Anxiety, and Depressive Symptoms in Students: A Cross-Sectional COVID-19 Study. Frontiers in Psychiatry, 2021, 12, 634464.	1.3	49
14	Exercise and Use of Enhancement Drugs at the Time of the COVID-19 Pandemic: A Multicultural Study on Coping Strategies During Self-Isolation and Related Risks. Frontiers in Psychiatry, 2021, 12, 648501.	1.3	22
15	Internet Usage Habits and Experienced Levels of Psychopathology: A Pilot Study on Association with Spontaneous Eye Blinking Rate. Journal of Personalized Medicine, 2021, 11, 288.	1.1	1
16	Exploring the Relationship Between Mental Well-Being, Exercise Routines, and the Intake of Image and Performance Enhancing Drugs During the Coronavirus Disease 2019 Pandemic: A Comparison Across Sport Disciplines. Frontiers in Psychology, 2021, 12, 689058.	1.1	7
17	Fatigue Is Associated With Diminished Cardiovascular Response to Anticipatory Stress in Patients With Coronary Artery Disease. Frontiers in Physiology, 2021, 12, 692098.	1.3	4
18	Compulsive Internet Use Scale: Psychometric Properties and Associations With Sleeping Patterns, Mental Health, and Well-Being in Lithuanian Medical Students During the Coronavirus Disease 2019 Pandemic. Frontiers in Psychology, 2021, 12, 685137.	1.1	12

#	Article	IF	CITATIONS
19	Neuropsychological Sequelae of Coronary Heart Disease in Women: A Systematic Review. Neuroscience and Biobehavioral Reviews, 2021, 127, 837-851.	2.9	6
20	Fatigue, Social Support, and Depression in Individuals With Coronary Artery Disease. Frontiers in Psychology, 2021, 12, 732795.	1.1	9
21	Multidimensional Structure of the Alcohol Use Disorders Identification Test: Factorial Validity and Reliability in Patients With Anxiety and Mood Disorders in Lithuania. Alcohol and Alcoholism, 2021, 56, 109-115.	0.9	3
22	Duration of Untreated Disorder and Cannabis Use: An Observational Study on a Cohort of Young Italian Patients Experiencing Psychotic Experiences and Dissociative Symptoms. International Journal of Environmental Research and Public Health, 2021, 18, 12632.	1.2	16
23	Validation and Psychometric Properties of the Minnesota Living With Heart Failure Questionnaire in Individuals With Coronary Artery Disease in Lithuania. Frontiers in Psychology, 2021, 12, 771095.	1.1	1
24	Exercise addiction, body dysmorphic disorder, and use of enhancement drugs during the COVID-19 pandemic confinement period: A transcultural study. European Psychiatry, 2021, 64, S290-S291.	0.1	2
25	P.0644 Validation and factor structure of the Patient Health Questionnaire-9 in individuals with anxiety and mood disorders in Lithuania. European Neuropsychopharmacology, 2021, 53, S474-S475.	0.3	0
26	P.0645 Cortisol Response to psychosocial stress in coronary artery disease: the role of subjective mental distress, fatigue and quality of life. European Neuropsychopharmacology, 2021, 53, S475.	0.3	0
27	P.0897 The role of obstructive sleep apnoea and endocrine biomarkers in the cognitive functioning of males with coronary artery disease. European Neuropsychopharmacology, 2021, 53, S659.	0.3	0
28	P.0070 The associations of thyroid axis hormones with suicidal ideation in individuals with anxiety and mood disorders. European Neuropsychopharmacology, 2021, 53, S50.	0.3	0
29	Deiodinases, organic anion transporter polypeptide polymorphisms and symptoms of anxiety and depression after ischemic stroke. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 105040.	0.7	3
30	Psychometric Properties of the Nine-Item Problematic Internet Use Questionnaire (PIUQ-9) in a Lithuanian Sample of Students. Frontiers in Psychiatry, 2020, 11, 565769.	1.3	10
31	Mental Fatigue, But Not other Fatigue Characteristics, as a Candidate Feature of Obsessive Compulsive Personality Disorder in Patients with Anxiety and Mood Disorders—An Exploratory Study. International Journal of Environmental Research and Public Health, 2020, 17, 8132.	1.2	8
32	Validation of the Multidimensional Fatigue Inventory with Coronary Artery Disease Patients. International Journal of Environmental Research and Public Health, 2020, 17, 8003.	1.2	12
33	Preventing problematic internet use during the COVID-19 pandemic: Consensus guidance. Comprehensive Psychiatry, 2020, 100, 152180.	1.5	522
34	Importance of Thyroid Hormone level and Genetic Variations in Deiodinases for Patients after Acute Myocardial Infarction: A Longitudinal Observational Study. Scientific Reports, 2020, 10, 9169.	1.6	6
35	Neurocognitive markers of suicidal ideation in patients with anxiety and mood disorders. International Journal of Psychiatry in Clinical Practice, 2020, 24, 116-119.	1.2	10
36	P.216 Associations between free triiodothyronine levels and symptoms of depression after ischemic stroke in euthyroid patients. European Neuropsychopharmacology, 2020, 31, S30-S31.	0.3	0

#	Article	IF	Citations
37	Thyroid Hormones, Brain, and Heart., 2020, , 339-360.		2
38	Assessing the symptoms of Internet Gaming Disorder among college/university students: An international validation study of a self-report. Psihologija, 2020, 53, 43-63.	0.2	11
39	Problematic internet use: Media portrayal across eight countries. Psihologija, 2020, 53, 411-430.	0.2	0
40	The association of cardiovascular reactivity during the Trier Social Stress Test with quality of life in coronary artery disease patients. Journal of Psychosomatic Research, 2019, 126, 109824.	1.2	6
41	Pilot study of neurocognitive functioning and health-related quality of life in coronary artery disease patients. European Neuropsychopharmacology, 2019, 29, S317-S318.	0.3	0
42	Lower serum free triiodothyronine levels are associated with symptoms of depression after ischemic stroke. Journal of Psychosomatic Research, 2019, 122, 29-35.	1.2	10
43	Neurocognitive markers of suicidal ideation in patients with anxiety and mood disorders. European Neuropsychopharmacology, 2019, 29, S501-S502.	0.3	0
44	Stressful Life Events Are Associated With Health-Related Quality of Life During Cardiac Rehabilitation and at 2-yr Follow-up in Patients With Heart Failure. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E5-E8.	1.2	8
45	Cardiovascular Reactivity to Acute Mental Stress. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E12-E18.	1.2	14
46	Exploring potential biomarkers associated with health-related quality of life in patients with coronary artery disease and heart failure. European Journal of Cardiovascular Nursing, 2018, 17, 645-651.	0.4	11
47	Deiodinases, Organic Anion Transporter Polypeptide Polymorphisms, and Thyroid Hormones in Patients with Myocardial Infarction. Genetic Testing and Molecular Biomarkers, 2018, 22, 270-278.	0.3	7
48	Mental Distress Factors and Exercise Capacity in Patients with Coronary Artery Disease Attending Cardiac Rehabilitation Program. International Journal of Behavioral Medicine, 2018, 25, 38-48.	0.8	20
49	Manifesto for a European research network into Problematic Usage of the Internet. European Neuropsychopharmacology, 2018, 28, 1232-1246.	0.3	216
50	Cognitive function in patients with coronary artery disease: A literature review. Journal of International Medical Research, 2018, 46, 4019-4031.	0.4	21
51	Cognitive Functioning in Coronary Artery Disease Patients: Associations with Thyroid Hormones, N-Terminal Pro-B-Type Natriuretic Peptide and High-Sensitivity C-Reactive Protein. Archives of Clinical Neuropsychology, 2017, 32, 245-251.	0.3	9
52	Cardiovascular reactions to psychosocial stress, Type D personality and trait anxiety in patients with coronary artery disease. European Neuropsychopharmacology, 2017, 27, S1020-S1021.	0.3	0
53	Exploring Cognitive Concomitants of Mental Fatigue in Patients with Coronary Artery Disease. Neuropsychobiology, 2017, 76, 151-160.	0.9	8
54	Cognitive functioning and health-related quality of life in coronary artery disease patients with heart failure: a longitudinal observational study. European Neuropsychopharmacology, 2016, 26, S339.	0.3	2

#	Article	IF	CITATIONS
55	Association of Depression, Anxiety, and Type D Personality with Cognitive Function in Patients with Coronary Artery Disease. Cognitive and Behavioral Neurology, 2016, 29, 91-99.	0.5	26
56	Relationship and prognostic importance of thyroid hormone and N-terminal pro-B-Type natriuretic peptide for patients after acute coronary syndromes: a longitudinal observational study. BMC Cardiovascular Disorders, 2016, 16, 45.	0.7	47
57	Beta-1–Selective Beta-Blockers and Cognitive Functions in Patients With Coronary Artery Disease: A Cross-Sectional Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, 143-146.	0.9	20
58	P.1.j.027 Inflammatory markers and triiodothyronine concentrations are associated with impaired cognitive functioning after acute cardiac events. European Neuropsychopharmacology, 2015, 25, S348.	0.3	0
59	Type D personality, mental distress, social support and health-related quality of life in coronary artery disease patients with heart failure: a longitudinal observational study. Health and Quality of Life Outcomes, 2015, 13, 1.	1.0	235
60	Contribution of Obstructive Sleep Apnoea to Cognitive Functioning of Males With Coronary Artery Disease: A Relationship With Endocrine and Inflammatory Biomarkers. Frontiers in Neuroscience, 0, 16, .	1.4	1

5