

Ping Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4276541/publications.pdf>

Version: 2024-02-01

40
papers

1,193
citations

430874

18
h-index

395702

33
g-index

41
all docs

41
docs citations

41
times ranked

2013
citing authors

#	ARTICLE	IF	CITATIONS
1	Sodium selenate reduces hyperphosphorylated tau and improves outcomes after traumatic brain injury. <i>Brain</i> , 2015, 138, 1297-1313.	7.6	131
2	The circadian clock gene <i>Bmal1</i> acts as a potential anti-oncogene in pancreatic cancer by activating the p53 tumor suppressor pathway. <i>Cancer Letters</i> , 2016, 371, 314-325.	7.2	124
3	Sodium selenate retards epileptogenesis in acquired epilepsy models reversing changes in protein phosphatase 2A and hyperphosphorylated tau. <i>Brain</i> , 2016, 139, 1919-1938.	7.6	100
4	Dynamic change of neutrophil to lymphocyte ratio and hemorrhagic transformation after thrombolysis in stroke. <i>Journal of Neuroinflammation</i> , 2016, 13, 199.	7.2	98
5	Chronic Kidney Disease in Patients With Lacunar Stroke. <i>Stroke</i> , 2015, 46, 2081-2086.	2.0	65
6	EZH2 inhibits autophagic cell death of aortic vascular smooth muscle cells to affect aortic dissection. <i>Cell Death and Disease</i> , 2018, 9, 180.	6.3	60
7	Decreased expression of long non-coding RNA <i>WT1-AS</i> promotes cell proliferation and invasion in gastric cancer. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 12-19.	3.8	49
8	Hyperphosphorylated Tau is Implicated in Acquired Epilepsy and Neuropsychiatric Comorbidities. <i>Molecular Neurobiology</i> , 2014, 49, 1532-1539.	4.0	46
9	Suppression of NLRP3 attenuates hemorrhagic transformation after delayed rtPA treatment in thromboembolic stroke rats: Involvement of neutrophil recruitment. <i>Brain Research Bulletin</i> , 2018, 137, 229-240.	3.0	38
10	Early CT signs of progressive hemorrhagic injury following acute traumatic brain injury. <i>Neuroradiology</i> , 2011, 53, 305-309.	2.2	32
11	The Histone Methyltransferase Mixed Lineage Leukemia (MLL) 3 May Play a Potential Role in Clinical Dilated Cardiomyopathy. <i>Molecular Medicine</i> , 2017, 23, 196-203.	4.4	32
12	Inhibition of microRNA-103a inhibits the activation of astrocytes in hippocampus tissues and improves the pathological injury of neurons of epilepsy rats by regulating BDNF. <i>Cancer Cell International</i> , 2019, 19, 109.	4.1	31
13	<p>Long noncoding RNA GIHCG induces cancer progression and chemoresistance and indicates poor prognosis in colorectal cancer</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1059-1070.	2.0	31
14	Astrocytic Insulin-Like Growth Factor-1 Protects Neurons Against Excitotoxicity. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 298.	3.7	30
15	Peroxisome proliferator-activated receptor- β is downregulated in ulcerative colitis and is involved in experimental colitis-associated neoplasia. <i>Oncology Letters</i> , 2015, 10, 1259-1266.	1.8	29
16	Current diagnosis and management of Crohn's disease in China: results from a multicenter prospective disease registry. <i>BMC Gastroenterology</i> , 2019, 19, 145.	2.0	29
17	MicroRNA-185 suppresses growth and invasion of colon cancer cells through inhibition of the hypoxia-inducible factor-2 pathway in vitro and in vivo. <i>Molecular Medicine Reports</i> , 2014, 10, 2401-2408.	2.4	24
18	Effects of ketanserin on experimental colitis in mice and macrophage function. <i>International Journal of Molecular Medicine</i> , 2016, 37, 659-668.	4.0	19

#	ARTICLE	IF	CITATIONS
19	Expression Profiles of Long Non-coding RNA and Messenger RNA in Human Traumatic Brain Injury. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 99-113.	5.1	19
20	Decreased risk of acute kidney injury with intracranial pressure monitoring in patients with moderate or severe brain injury. <i>Journal of Neurosurgery</i> , 2013, 119, 1228-1232.	1.6	18
21	Cerebrospinal fluid levels of YKL-40 in prodromal Alzheimer's disease. <i>Neuroscience Letters</i> , 2020, 715, 134658.	2.1	18
22	miR-194 as a Predictor for Adenoma Recurrence in Patients with Advanced Colorectal Adenoma after Polypectomy. <i>Cancer Prevention Research</i> , 2014, 7, 607-616.	1.5	16
23	Isolated superior mesenteric artery dissection: CTA features and clinical relevance. <i>Abdominal Radiology</i> , 2020, 45, 2879-2885.	2.1	15
24	Low-dose and same day use of polyethylene glycol improves image of video capsule endoscopy: A multi-center randomized clinical trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 634-640.	2.8	15
25	The genetic ablation of tau improves long-term, but not short-term, functional outcomes after experimental traumatic brain injury in mice. <i>Brain Injury</i> , 2020, 34, 131-139.	1.2	14
26	Decreased risk of secondary brain herniation with intracranial pressure monitoring in patients with haemorrhagic stroke. <i>BMC Anesthesiology</i> , 2014, 14, 19.	1.8	13
27	Establishing the colitis-associated cancer progression mouse models. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 759-763.	2.1	13
28	Hepatoid Adenocarcinoma Of The Lung Metastasizing To The Gingiva. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 8765-8768.	2.0	11
29	Mitochondrial tRNA ^{Ala} C5601T mutation may modulate the clinical expression of tRNA ^{Met} A4435C mutation in a Han Chinese family with hypertension. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 595-600.	1.3	9
30	circHtra1/miR-3960/GRB10 Axis Promotes Neuronal Loss and Immune Deficiency in Traumatic Brain Injury. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-23.	4.0	8
31	Letter to the Editor Understanding the neurotransmitter changes underlying cognitive dysfunction in traumatic brain injury and possible therapeutic targets: a review. <i>Archives of Medical Science</i> , 2015, 3, 696-698.	0.9	7
32	Efficacy and safety of tumor necrosis factor- α blockers for ulcerative colitis: A systematic review and meta-analysis of published randomized controlled trials. <i>Journal of Food and Drug Analysis</i> , 2015, 23, 1-10.	1.9	7
33	5-Fluorouracil attenuates dextran sodium sulfate-induced acute colitis in mice. <i>Molecular Medicine Reports</i> , 2016, 13, 2821-2828.	2.4	7
34	Astrocytic insulin-like growth factor-1 prevents excitotoxic downregulation of adenosine deaminase acting on RNA in calcium dynamics. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 9097-9103.	2.6	6
35	Neonatal microglia and proteinase inhibitors-treated adult microglia improve traumatic brain injury in rats by resolving the neuroinflammation. <i>Bioengineering and Translational Medicine</i> , 2022, 7, e10249.	7.1	6
36	Leucine-rich repeat neuronal protein 4 (LRRN4) potentially functions in dilated cardiomyopathy. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 9925-9933.	0.5	6

#	ARTICLE	IF	CITATIONS
37	Endovascular Treatment of Cerebral Venous Sinus Stenosis Based on Hemodynamic Assessment Using Pressure Wire. <i>World Neurosurgery</i> , 2020, 136, 323-325.	1.3	5
38	The role of Rho/ROCK in epileptic seizure-related neuronal damage. <i>Metabolic Brain Disease</i> , 2022, 37, 881-887.	2.9	5
39	Nitric Oxide Inhalation Therapy Attenuates Postoperative Hypoxemia in Obese Patients with Acute Type A Aortic Dissection. <i>Computational and Mathematical Methods in Medicine</i> , 2022, 2022, 1-6.	1.3	5
40	DNA Methylation-Related circRNA_0116449 Is Involved in Lipid Peroxidation in Traumatic Brain Injury. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, .	2.9	2