Fredrik Ronquist

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4276934/fredrik-ronquist-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105 papers	68,665 citations	49 h-index	115 g-index
115 ext. papers	77,216 ext. citations	6.4 avg, IF	8.29 L-index

#	Paper	IF	Citations
105	Compiling Universal Probabilistic Programming Languages with Efficient Parallel Sequential Monte Carlo Inference. *Lecture Notes in Computer Science*, **2022**, 29-56	0.9	2
104	Awakening a taxonomist's third eye: exploring the utility of computer vision and deep learning in insect systematics. *Systematic Entomology*, **2021**, 46, 757-766	3.4	2
103	Phylogenetic reconstruction of ancestral ecological networks through time for pierid butterflies and their host plants. *Ecology Letters*, **2021**, 24, 2134-2145	10	1
102	Scuttling towards monophyly: phylogeny of the mega-diverse genus Megaselia (Diptera: Phoridae). *Systematic Entomology*, **2021**, 46, 71-82	3.4	2
101	Universal probabilistic programming offers a powerful approach to statistical phylogenetics. *Communications Biology*, **2021**, 4, 244	6.7	4
100	Connecting high-throughput biodiversity inventories: Opportunities for a site-based genomic framework for global integration and synthesis. *Molecular Ecology*, **2021**, 30, 1120-1135	5.7	8
99	The effect of ethanol concentration on the morphological and molecular preservation of insects for biodiversity studies. *PeerJ*, **2021**, 9, e10799	3.1	7
98	Bayesian Inference of Ancestral Host-Parasite Interactions under a Phylogenetic Model of Host Repertoire Evolution. *Systematic Biology*, **2020**, 69, 1149-1162	8.4	12
97	Completing Linnaeus's inventory of the Swedish insect fauna: Only 5,000 species left?. *PLoS ONE*, **2020**, 15, e0228561	3.7	12
96	The Swedish Malaise Trap Project: A 15 Year Retrospective on a Countrywide Insect Inventory. *Biodiversity Data Journal*, **2020**, 8, e47255	1.8	29
95	The data of the Swedish Malaise Trap Project, a countrywide inventory of Sweden's insect fauna. *Biodiversity Data Journal*, **2020**, 8, e56286	1.8	4
94	Using Parsimony-Guided Tree Proposals to Accelerate Convergence in Bayesian Phylogenetic Inference. *Systematic Biology*, **2020**, 69, 1016-1032	8.4	10
93	From Inquilines to Gall Inducers: Genomic Signature of a Life-Style Transition in Synergus Gall Wasps. *Genome Biology and Evolution*, **2020**, 12, 2060-2073	3.9	3
92	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? **2020**, 15, e0228561		
91	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? **2020**, 15, e0228561		
90	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? **2020**, 15, e0228561		
89	Completing Linnaeus inventory of the Swedish insect fauna: Only 5,000 species left? **2020**, 15, e0228561		

88	Automated Taxonomic Identification of Insects with Expert-Level Accuracy Using Effective Feature Transfer from Convolutional Networks. *Systematic Biology*, **2019**, 68, 876-895	8.4	55
87	Establishing arthropod community composition using metabarcoding: Surprising inconsistencies between soil samples and preservative ethanol and homogenate from Malaise trap catches. *Molecular Ecology Resources*, **2019**, 19, 1516-1530	8.4	30
86	New mitochondrial primers for metabarcoding of insects, designed and evaluated using in silico methods. *Molecular Ecology Resources*, **2019**, 19, 90-104	8.4	33
85	RevBayes: Bayesian Phylogenetic Inference Using Graphical Models and an Interactive Model-Specification Language. *Systematic Biology*, **2016**, 65, 726-36	8.4	295
84	A mixed relaxed clock model. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **2016**, 371,	5.8	36
83	Closing the gap between rocks and clocks using total-evidence dating. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **2016**, 371,	5.8	66
82	An Efficient Independence Sampler for Updating Branches in Bayesian Markov chain Monte Carlo Sampling of Phylogenetic Trees. *Systematic Biology*, **2016**, 65, 161-76	8.4	8
81	Xenacoelomorpha is the sister group to Nephrozoa. *Nature*, **2016**, 530, 89-93	50.4	210
80	Total-Evidence Dating under the Fossilized Birth-Death Process. *Systematic Biology*, **2016**, 65, 228-49	8.4	188
79	A Nonstationary Markov Model Detects Directional Evolution in Hymenopteran Morphology. *Systematic Biology*, **2015**, 64, 1089-103	8.4	40
78	Phylogeny of the parasitic wasp subfamily Euphorinae (Braconidae) and evolution of its host preferences. *Systematic Entomology*, **2015**, 40, 570-591	3.4	28
77	Phylogeny, evolution and classification of gall wasps: the plot thickens. *PLoS ONE*, **2015**, 10, e0123301	3.7	75
76	A new species group in Megaselia, the lucifrons group, with description of a new species (Diptera, Phoridae). *ZooKeys*, **2015**, 89-108	1.2	4
75	Probabilistic graphical model representation in phylogenetics. *Systematic Biology*, **2014**, 63, 753-71	8.4	63
74	Convergent intron gains in hymenopteran elongation factor-1 *Molecular Phylogenetics and Evolution*, **2013**, 67, 266-76	4.1	13
73	"Forms" of water mites (Acari: Hydrachnidia): intraspecific variation or valid species?. *Ecology and Evolution*, **2013**, 3, 3415-35	2.8	22
72	Bayesian tests of topology hypotheses with an example from diving beetles. *Systematic Biology*, **2013**, 62, 660-73	8.4	76
71	The hymenopteran tree of life: evidence from protein-coding genes and objectively aligned ribosomal data. *PLoS ONE*, **2013**, 8, e69344	3.7	84

70	BEAGLE: an application programming interface and high-performance computing library for statistical phylogenetics. *Systematic Biology*, **2012**, 61, 170-3	8.4	374
69	MrBayes 3.2: efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, **2012**, 61, 539-42	8.4	14368
68	A total-evidence approach to dating with fossils, applied to the early radiation of the hymenoptera. *Systematic Biology*, **2012**, 61, 973-99	8.4	547
67	Skeletal morphology of Opius dissitus and Biosteres carbonarius (Hymenoptera: Braconidae), with a discussion of terminology. *PLoS ONE*, **2012**, 7, e32573	3.7	32
66	Phylogenetic relationships among superfamilies of Hymenoptera. *Cladistics*, **2012**, 28, 80-112	3.5	117
65	A hymenopterists guide to the Hymenoptera Anatomy Ontology: utility, clarification, and future directions. *Journal of Hymenoptera Research*, **2012**, 27, 67-88	0	53
64	Phylogenetic Methods in Biogeography. *Annual Review of Ecology, Evolution, and Systematics*, **2011**, 42, 441-464	13.5	176
63	Revision of the Western Palearctic Meteorini (Hymenoptera, Braconidae), with a molecular characterization of hidden Fennoscandian species diversity. *Zootaxa*, **2011**, 3084, 1	0.5	31
62	Evolution of the hymenopteran megaradiation. *Molecular Phylogenetics and Evolution*, **2011**, 60, 73-88	4.1	144
61	Inferring speciation and extinction rates under different sampling schemes. *Molecular Biology and Evolution*, **2011**, 28, 2577-89	8.3	95
60	Bayesian island biogeography in a continental setting: the Rand Flora case. *Biology Letters*, **2010**, 6, 703-7	3.6	67
59	Bayesian phylogenetics and its influence on insect systematics. *Annual Review of Entomology*, **2010**, 55, 189-206	21.8	41
58	Inferring dispersal: a Bayesian approach to phylogeny-based island biogeography, with special reference to the Canary Islands. *Journal of Biogeography*, **2008**, 35, 428-449	4.1	175
57	Quasimodoana, a new Holarctic genus of eucoiline wasps (Hymenoptera, Cynipoidea, Figitidae), with a phylogenetic analysis of related genera. *Systematic Entomology*, **2008**, 33, 301-318	3.4	5
56	Efficiency of Markov chain Monte Carlo tree proposals in Bayesian phylogenetics. *Systematic Biology*, **2008**, 57, 86-103	8.4	94
55	A Bayesian perspective on a non-parsimonious parsimony model. *Systematic Biology*, **2008**, 57, 406-19	8.4	21
54	Bayesian analysis of amino acid substitution models. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **2008**, 363, 3941-53	5.8	39
53	A fully web-illustrated morphological phylogenetic study of relationships among oak gall wasps and their closest relatives (Hymenoptera: Cynipidae). *Zootaxa*, **2008**, 1796, 1	0.5	90

52	Heterotachy processes in rhodophyte-derived secondhand plastid genes: Implications for addressing the origin and evolution of dinoflagellate plastids. *Molecular Biology and Evolution*, **2006** , 23, 1504-15	8.3	48
51	Comment on "Phylogenetic MCMC algorithms are misleading on mixtures of trees". *Science*, **2006**, 312, 367; author reply 367	33.3	15
50	Bayesian Analysis of Molecular Evolution Using MrBayes **2005**, 183-226		127
49	Comparative morphology of terminal-instar larvae of Cynipoidea: phylogenetic implications. *Zoologica Scripta*, **2005**, 34, 15-36	2.5	31
48	Parallel Metropolis coupled Markov chain Monte Carlo for Bayesian phylogenetic inference. *Bioinformatics*, **2004**, 20, 407-15	7.2	803
47	Bayesian inference of the metazoan phylogeny; a combined molecular and morphological approach. *Current Biology*, **2004**, 14, 1644-9	6.3	100
46	Bayesian phylogenetic analysis of combined data. *Systematic Biology*, **2004**, 53, 47-67	8.4	1437
45	Bayesian inference of character evolution. *Trends in Ecology and Evolution*, **2004**, 19, 475-81	10.9	259
44	Southern hemisphere biogeography inferred by event-based models: plant versus animal patterns. *Systematic Biology*, **2004**, 53, 216-43	8.4	700
43	Bayesian Supertrees. *Computational Biology*, **2004**, 193-224	0.7	14
42	Revision of the neotropical Anacharitinae genus Acanthaegilips (Hym., Cynipoidea, Figitidae). *Papeis Avulsos De Zoologia*, **2003**, 43, 11	0.3	9
41	Morphology and evolution of the cynipoid egg (Hymenoptera). *Zoological Journal of the Linnean Society*, **2003**, 139, 247-260	2.4	18
40	MrBayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics*, **2003**, 19, 1572-4	7.2	23258
39	Taxonomy and biodiversity inventories: time to deliver. *Trends in Ecology and Evolution*, **2003**, 18, 269-270	10.9	19
38	A maximum-likelihood analysis of eight phylogenetic markers in gallwasps (Hymenoptera: Cynipidae): implications for insect phylogenetic studies. *Molecular Phylogenetics and Evolution*, **2002**, 22, 206-19	4.1	91
37	Potential applications and pitfalls of Bayesian inference of phylogeny. *Systematic Biology*, **2002**, 51, 673-88	8.4	657
36	Bayesian inference of phylogeny and its impact on evolutionary biology. *Science*, **2001**, 294, 2310-4	33.3	2114
35	Patterns of animal dispersal, vicariance and diversification in the Holarctic. *Biological Journal of the Linnean Society*, **2001**, 73, 345-390	1.9	261

34	A new subfamily of Figitidae (Hymenoptera, Cynipoidea). *Zoological Journal of the Linnean Society*, **2001**, 133, 483-494	2.4	15
33	Phylogeny of Polygonia, Nymphalis and related butterflies (Lepidoptera: Nymphalidae): a total-evidence analysis. *Zoological Journal of the Linnean Society*, **2001**, 132, 441-468	2.4	34
32	Evolution of the gall wasp-host plant association. *Evolution; International Journal of Organic Evolution*, **2001**, 55, 2503-22	3.8	139
31	EVOLUTION OF THE GALL WASP-HOST PLANT ASSOCIATION. *Evolution; International Journal of Organic Evolution*, **2001**, 55, 2503	3.8	98
30	MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics*, **2001**, 17, 754-5	7.2	17826
29	Redescription of Acanthaegilips Ashmead, 1897, with characterization of the Anacharitinae and Aspiceratinae (Hymenoptera: Cynipoidea: Figitidae). *Zoological Journal of the Linnean Society*, **2000**, 129, 467-488	2.4	18
28	The shifting roles of dispersal and vicariance in biogeography. *Proceedings of the Royal Society B: Biological Sciences*, **2000**, 267, 497-503	4.4	107
27	Phylogeny of the Hymenoptera (Insecta): The state of the art. *Zoologica Scripta*, **1999**, 28, 3-11	2.5	43
26	Phylogeny, classification and evolution of the Cynipoidea. *Zoologica Scripta*, **1999**, 28, 139-164	2.5	188
25	Phylogeny of the Hymenoptera: A cladistic reanalysis of Rasnitsyn (1988) data. *Zoologica Scripta*, **1999**, 28, 13-50	2.5	150
24	Three-Dimensional Cost-Matrix Optimization and Maximum Cospeciation.. *Cladistics*, **1998**, 14, 167-172	3.5	30
23	Fast Fitch-Parsimony Algorithms for Large Data Sets.. *Cladistics*, **1998**, 14, 387-400	3.5	26
22	A phylogenetic analysis of higher-level gall wasp relationships (Hymenoptera: Cynipidae). *Systematic Entomology*, **1998**, 23, 229-252	3.4	101
21	Fast Fitch-Parsimony Algorithms for Large Data Sets **1998**, 14, 387		4
20	Dispersal-Vicariance Analysis: A New Approach to the Quantification of Historical Biogeography. *Systematic Biology*, **1997**, 46, 195-203	8.4	1178
19	Phylogenetic approaches in coevolution and biogeography. *Zoologica Scripta*, **1997**, 26, 313-322	2.5	91
18	Phylogeny and historical biogeography of the cynipoid wasp family Ibaliidae (Hymenoptera). *Systematic Entomology*, **1996**, 21, 151-166	3.4	48
17	Matrix Representation of Trees, Redundancy, and Weighting. *Systematic Biology*, **1996**, 45, 247-253	8.4	65

16	Ancestral Areas Revisited. *Systematic Biology*, **1995**, 44, 572-575	8.4	21
15	RECONSTRUCTING THE HISTORY OF HOST-PARASITE ASSOCIATIONS USING GENERALISED PARSIMONY.. *Cladistics*, **1995**, 11, 73-89	3.5	92
14	Phylogeny and early evolution of the Cynipoidea (Hymenoptera). *Systematic Entomology*, **1995**, 20, 309-335	3.4	117
13	Ancestral Areas and Parsimony. *Systematic Biology*, **1994**, 43, 267	8.4	10
12	Ancestral Areas and Parsimony. *Systematic Biology*, **1994**, 43, 267-274	8.4	89
11	Evolution of Parasitism among Closely Related Species: Phylogenetic Relationships and the Origin of Inquilinism in Gall Wasps (Hymenoptera, Cynipidae). *Evolution; International Journal of Organic Evolution*, **1994**, 48, 241	3.8	57
10	EVOLUTION OF PARASITISM AMONG CLOSELY RELATED SPECIES: PHYLOGENETIC RELATIONSHIPS AND THE ORIGIN OF INQUILINISM IN GALL WASPS (HYMENOPTERA, CYNIPIDAE). *Evolution; International Journal of Organic Evolution*, **1994**, 48, 241-266	3.8	69
9	Free amino Acid composition of leaf exudates and Phloem sap : a comparative study in oats and barley. *Plant Physiology*, **1990**, 92, 222-6	6.6	121
8	Process and Pattern in the Evolution of Species Associations. *Systematic Zoology*, **1990**, 39, 323		56
7	Life history of Parnips and the evolutionary origin of gall wasps. *Journal of Hymenoptera Research* ,65, 91-110	0	2
6	Establishing insect community composition using metabarcoding of soil samples, and preservative ethanol and homogenate from Malaise trap catches: surprising inconsistencies between methods		2
5	Bayesian inference of ancestral host-parasite interactions under a phylogenetic model of host repertoire evolution		1
4	The effect of ethanol concentration on the morphological and molecular preservation of insects for biodiversity studies		2
3	Universal probabilistic programming offers a powerful approach to statistical phylogenetics		4
2	Large-scale Integrative Taxonomy (LIT): resolving the data conundrum for dark taxa		6
1	Phylogenetic reconstruction of ancestral ecological networks through time for pierid butterflies and their host plants		1