List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4278377/publications.pdf Version: 2024-02-01



Υποι Νικιτινι

#	Article	IF	CITATIONS
1	Treatment of Hypertension in Patients 80 Years of Age or Older. New England Journal of Medicine, 2008, 358, 1887-1898.	13.9	2,714
2	Fatal and Nonfatal Outcomes, Incidence of Hypertension, and Blood Pressure Changes in Relation to Urinary Sodium Excretion. JAMA - Journal of the American Medical Association, 2011, 305, 1777.	3.8	483
3	Prognostic Value of Reading-to-Reading Blood Pressure Variability Over 24 Hours in 8938 Subjects From 11 Populations. Hypertension, 2010, 55, 1049-1057.	1.3	394
4	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. Journal of Hypertension, 2010, 28, 2036-2045.	0.3	318
5	Prognostic Value of the Morning Blood Pressure Surge in 5645 Subjects From 8 Populations. Hypertension, 2010, 55, 1040-1048.	1.3	258
6	Relation between heavy and binge drinking and all-cause and cardiovascular mortality in Novosibirsk, Russia: a prospective cohort study. Lancet, The, 2002, 360, 1448-1454.	6.3	210
7	Significance of White-Coat Hypertension in Older Persons With Isolated Systolic Hypertension. Hypertension, 2012, 59, 564-571.	1.3	177
8	Psychosocial factors at work and depression in three countries of Central and Eastern Europe. Social Science and Medicine, 2004, 58, 1475-1482.	1.8	161
9	Genomewide Association Study Using a High-Density Single Nucleotide Polymorphism Array and Case-Control Design Identifies a Novel Essential Hypertension Susceptibility Locus in the Promoter Region of Endothelial NO Synthase. Hypertension, 2012, 59, 248-255.	1.3	144
10	Masked Hypertension in Diabetes Mellitus. Hypertension, 2013, 61, 964-971.	1.3	142
11	Setting Thresholds to Varying Blood Pressure Monitoring Intervals Differentially Affects Risk Estimates Associated With White-Coat and Masked Hypertension in the Population. Hypertension, 2014, 64, 935-942.	1.3	137
12	The International Database of Ambulatory blood pressure in relation to Cardiovascular Outcome (IDACO): protocol and research perspectives. Blood Pressure Monitoring, 2007, 12, 255-262.	0.4	130
13	The Cardiovascular Risk of White-CoatÂHypertension. Journal of the American College of Cardiology, 2016, 68, 2033-2043.	1.2	129
14	Seasonality of cardiovascular risk factors: an analysis including over 230â€000 participants in 15 countries. Heart, 2014, 100, 1517-1523.	1.2	113
15	Ambulatory Blood Pressure Monitoring in 9357 Subjects From 11 Populations Highlights Missed Opportunities for Cardiovascular Prevention in Women. Hypertension, 2011, 57, 397-405.	1.3	111
16	Quality control of the blood pressure phenotype in the European Project on Genes in Hypertension. Blood Pressure Monitoring, 2002, 7, 215-224.	0.4	109
17	Ambulatory Hypertension Subtypes and 24-Hour Systolic and Diastolic Blood Pressure as Distinct Outcome Predictors in 8341 Untreated People Recruited From 12 Populations. Circulation, 2014, 130, 466-474.	1.6	84
18	Age-Specific Differences Between Conventional and Ambulatory Daytime Blood Pressure Values. Hypertension, 2014, 64, 1073-1079.	1.3	78

#	Article	IF	CITATIONS
19	Education, marital status, and total and cardiovascular mortality in novosibirsk, Russia: A prospective cohort study. Annals of Epidemiology, 2004, 14, 244-249.	0.9	76
20	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. British Journal of Psychiatry, 2006, 188, 359-365.	1.7	71
21	Left Ventricular Mass in Relation to Genetic Variation in Angiotensin II Receptors, Renin System Genes, and Sodium Excretion. Circulation, 2004, 110, 2644-2650.	1.6	67
22	Widening Gap of Stroke Between East and West. Stroke, 2000, 31, 2-8.	1.0	65
23	Host and environmental determinants of heart rate and heart rate variability in four European populations. Journal of Hypertension, 2003, 21, 525-535.	0.3	61
24	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents. Hypertension, 2017, 70, 50-58.	1.3	56
25	Alcohol consumption and binge drinking in Novosibirsk, Russia, 1985-95. Addiction, 2001, 96, 987-995.	1.7	52
26	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. Journal of Affective Disorders, 2008, 105, 125-136.	2.0	52
27	β-Adducin polymorphisms, blood pressure, and sodium excretion in three European populations. American Journal of Hypertension, 2003, 16, 840-846.	1.0	49
28	TRENDS IN ALCOHOL INTAKE BY EDUCATION AND MARITAL STATUS IN AN URBAN POPULATION IN RUSSIA BETWEEN THE MID 1980s AND THE MID 1990s. Alcohol and Alcoholism, 2004, 39, 64-69.	0.9	49
29	Sympathetic activity, assessed by power spectral analysis of heart rate variability, in white-coat, masked and sustained hypertension versus true normotension. Journal of Hypertension, 2007, 25, 2280-2285.	0.3	49
30	How Many Measurements Are Needed to Estimate Blood Pressure Variability Without Loss of Prognostic Information?. American Journal of Hypertension, 2014, 27, 46-55.	1.0	49
31	Risk Stratification by Ambulatory Blood Pressure Monitoring Across JNC Classes of Conventional Blood Pressure. American Journal of Hypertension, 2014, 27, 956-965.	1.0	49
32	Target Sequencing, Cell Experiments, and a Population Study Establish Endothelial Nitric Oxide Synthase (<i>eNOS</i>) Gene as Hypertension Susceptibility Gene. Hypertension, 2013, 62, 844-852.	1.3	48
33	Genetic Variation in CYP11B2 and AT1R Influences Heart Rate Variability Conditional on Sodium Excretion. Hypertension, 2004, 44, 156-162.	1.3	45
34	Outcome-Driven Thresholds for Ambulatory Pulse Pressure in 9938 Participants Recruited From 11 Populations. Hypertension, 2014, 63, 229-237.	1.3	40
35	Blood Pressure Load Does Not Add to Ambulatory Blood Pressure Level for Cardiovascular Risk Stratification. Hypertension, 2014, 63, 925-933.	1.3	39
36	Main results of the Ouabain and Adducin for Specific Intervention on Sodium in Hypertension Trial (OASIS-HT): a randomized placebo-controlled phase-2 dose-finding study of rostafuroxin. Trials, 2011, 12, 13.	0.7	37

#	Article	IF	CITATIONS
37	Double Product Reflects the Predictive Power of Systolic Pressure in the General Population: Evidence from 9,937 Participants. American Journal of Hypertension, 2013, 26, 665-672.	1.0	37
38	Binge Drinking and Blood Pressure: Cross-Sectional Results of the HAPIEE Study. PLoS ONE, 2013, 8, e65856.	1.1	33
39	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. European Journal of Nutrition, 2016, 55, 547-560.	1.8	32
40	Ambulatory blood pressure of adults in Novosibirsk, Russia: interim report on a population study. Blood Pressure Monitoring, 2000, 5, 291-296.	0.4	31
41	Opposing Age-Related Trends in Absolute and Relative Risk of Adverse Health Outcomes Associated With Out-of-Office Blood Pressure. Hypertension, 2019, 74, 1333-1342.	1.3	31
42	Xanthine oxidase gene variants and their association with blood pressure and incident hypertension. Journal of Hypertension, 2016, 34, 2147-2154.	0.3	30
43	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database. Blood Pressure, 2018, 27, 341-350.	0.7	29
44	Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. Hypertension Research, 2011, 34, 714-721.	1.5	28
45	Alcohol consumption and physical functioning among middle-aged and older adults in Central and Eastern Europe: Results from the HAPIEE study. Age and Ageing, 2015, 44, 84-89.	0.7	26
46	Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. Journal of Hypertension, 2004, 22, 287-295.	0.3	25
47	Blood pressure phenotypes in relation to the ??-adducin C1797T polymorphism in the European Project on Genes in Hypertension(EPOGH). Blood Pressure Monitoring, 2003, 8, 151-154.	0.4	23
48	Sodium excretion as a modulator of genetic associations with cardiovascular phenotypes in the European Project on Genes in Hypertension. Journal of Hypertension, 2006, 24, 235-242.	0.3	23
49	Maternal and Paternal Influences on Left Ventricular Mass of Offspring. Hypertension, 2003, 41, 69-74.	1.3	21
50	Drinking Pattern, Abstention and Problem Drinking as Risk Factors for Depressive Symptoms: Evidence from Three Urban Eastern European Populations. PLoS ONE, 2014, 9, e104384.	1.1	20
51	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209728.	2.0	20
52	OASIS-HT: design of a pharmacogenomic dose-finding study. Pharmacogenomics, 2005, 6, 755-775.	0.6	17
53	Risk Stratification by 24-Hour Ambulatory Blood Pressure and Estimated Glomerular Filtration Rate in 5322 Subjects From 11 Populations. Hypertension, 2013, 61, 18-26.	1.3	17
54	Association between Year of Birth and Cognitive Functions in Russia and the Czech Republic: Cross-Sectional Results of the HAPIEE Study. Neuroepidemiology, 2009, 33, 231-239.	1.1	12

π	ARTICLE	IF	CITATIONS
55	Intrafamilial Correlations of Carotid Intima–Media Thickness and Flow-Mediated Dilation in a Siberian Population. American Journal of Hypertension, 2007, 20, 248-254.	1.0	11
56	SAH gene variants revisited in the European Project On Genes in Hypertension. Journal of Hypertension, 2008, 26, 244-250.	0.3	11
57	Impact of perceived control on all-cause and cardiovascular disease mortality in three urban populations of Central and Eastern Europe: the HAPIEE study. Journal of Epidemiology and Community Health, 2017, 71, 771-778.	2.0	11
58	Non-fatal injuries in three Central and Eastern European urban population samples: the HAPIEE study. European Journal of Public Health, 2010, 20, 695-701.	0.1	10
59	Response to Masked Hypertension in Untreated and Treated Patients With Diabetes Mellitus: Attractive But Questionable Interpretations and Response to Is Masked Hypertension Related to Diabetes Mellitus?. Hypertension, 2013, 62, e23-5.	1.3	9
60	CASCADE GENETIC SCREENING IN DIAGNOSTICS OF HETEROZYGOUS FAMILIAL HYPERCHOLESTEROLEMIA: CLINICAL CASE. Russian Journal of Cardiology, 2017, , 178-179.	0.4	9
61	Socioeconomic circumstances, health behaviours and functional limitations in older persons in four Central and Eastern European populations. Age and Ageing, 2012, 41, 728-735.	0.7	8
62	Baseline characteristics of participants in the Hypertension in the Very Elderly Trial (HYVET). Blood Pressure, 2009, 18, 17-22.	0.7	6
63	Prevalence and Predictors of Carotid Wall Triple Line Pattern in a General Population Sample. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 1682-1688.	1.1	6
64	The relationship between body mass index and 10-year trajectories of physical functioning in middle-aged and older Russians: Prospective results of the Russian HAPIEE study. Journal of Nutrition, Health and Aging, 2017, 21, 381-388.	1.5	5
65	Left ventricular structure in relation to the human SAH gene in the European Project on Genes in Hypertension. Hypertension Research, 2009, 32, 145-151.	1.5	4
66	Context-Dependency of Relations Between Cardiovascular Phenotypes and Genes Involved in Sodium Homeostasis: Findings from the European Project on Genes in Hypertension. Current Hypertension Reviews, 2006, 2, 275-281.	0.5	2
67	Ambulatory blood pressure monitoring for risk stratification in obese and non-obese subjects from 10 populations. Journal of Human Hypertension, 2014, 28, 535-542.	1.0	2
68	Prediabetes and Diabetes Prevention Initiatives in Siberia, Russia. , 2014, , 431-447.		1
69	Sodium excretion as a modulator of genetic influence on arterial stiffness and other cardiovascular phenotypes. Artery Research, 2007, 1, 20.	0.3	0
70	Features of arterial blood pressure in elderly people of different ethnic groups in Yakutia. Advances in Gerontology, 2013, 3, 282-289.	0.1	0
71	Mortality of old-age population (60 years and older) in Yakutia subject to the data of a 7-year prospective cohort study. Advances in Gerontology, 2015, 5, 59-64.	0.1	0