

Yuri Nikitin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4278377/yuri-nikitin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

5,923
citations

32
h-index

73
g-index

73
ext. papers

6,848
ext. citations

6.2
avg, IF

4.34
L-index

#	Paper	IF	Citations
71	Opposing Age-Related Trends in Absolute and Relative Risk of Adverse Health Outcomes Associated With Out-of-Office Blood Pressure. <i>Hypertension</i> , 2019 , 74, 1333-1342	8.5	13
70	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database. <i>Blood Pressure</i> , 2018 , 27, 341-350 ^{1.7}	1.7	17
69	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents. <i>Hypertension</i> , 2017 , 70, 50-58	8.5	49
68	Impact of perceived control on all-cause and cardiovascular disease mortality in three urban populations of Central and Eastern Europe: the HAPIEE study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 771-778	5.1	4
67	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 1210-1216	5.1	14
66	The Relationship between Body Mass Index and 10-Year Trajectories of Physical Functioning in Middle-Aged and Older Russians: Prospective Results of the Russian HAPIEE Study. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 381-388	5.2	4
65	CASCADE GENETIC SCREENING IN DIAGNOSTICS OF HETEROZYGOUS FAMILIAL HYPERCHOLESTEROLEMIA: CLINICAL CASE. <i>Russian Journal of Cardiology</i> , 2017 , 178-179	1.3	6
64	The Cardiovascular Risk of White-Coat Hypertension. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2033-2043	15.1	96
63	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , 2016 , 55, 547-560	5.2	26
62	Xanthine oxidase gene variants and their association with blood pressure and incident hypertension: a population study. <i>Journal of Hypertension</i> , 2016 , 34, 2147-54	1.9	21
61	Alcohol consumption and physical functioning among middle-aged and older adults in Central and Eastern Europe: results from the HAPIEE study. <i>Age and Ageing</i> , 2015 , 44, 84-9	3	18
60	Mortality of old-age population (60 years and older) in Yakutia subject to the data of a 7-year prospective cohort study. <i>Advances in Gerontology</i> , 2015 , 5, 59-64	0.4	
59	Risk stratification by ambulatory blood pressure monitoring across JNC classes of conventional blood pressure. <i>American Journal of Hypertension</i> , 2014 , 27, 956-65	2.3	37
58	Setting thresholds to varying blood pressure monitoring intervals differentially affects risk estimates associated with white-coat and masked hypertension in the population. <i>Hypertension</i> , 2014 , 64, 935-42	8.5	108
57	Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , 2014 , 64, 1073-9	8.5	60
56	Ambulatory hypertension subtypes and 24-hour systolic and diastolic blood pressure as distinct outcome predictors in 8341 untreated people recruited from 12 populations. <i>Circulation</i> , 2014 , 130, 466-74 ^{16.7}	16.7	58
55	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014 , 100, 1517-23	5.1	88

54	Drinking pattern, abstinence and problem drinking as risk factors for depressive symptoms: evidence from three urban Eastern European populations. <i>PLoS ONE</i> , 2014 , 9, e104384	3.7	15
53	How many measurements are needed to estimate blood pressure variability without loss of prognostic information?. <i>American Journal of Hypertension</i> , 2014 , 27, 46-55	2.3	30
52	Ambulatory blood pressure monitoring for risk stratification in obese and non-obese subjects from 10 populations. <i>Journal of Human Hypertension</i> , 2014 , 28, 535-42	2.6	1
51	Outcome-driven thresholds for ambulatory pulse pressure in 9938 participants recruited from 11 populations. <i>Hypertension</i> , 2014 , 63, 229-37	8.5	30
50	Blood pressure load does not add to ambulatory blood pressure level for cardiovascular risk stratification. <i>Hypertension</i> , 2014 , 63, 925-33	8.5	30
49	Prediabetes and Diabetes Prevention Initiatives in Siberia, Russia 2014 , 431-447		1
48	Features of arterial blood pressure in elderly people of different ethnic groups in Yakutia. <i>Advances in Gerontology</i> , 2013 , 3, 282-289	0.4	
47	Masked hypertension in diabetes mellitus: treatment implications for clinical practice. <i>Hypertension</i> , 2013 , 61, 964-71	8.5	114
46	Target sequencing, cell experiments, and a population study establish endothelial nitric oxide synthase (eNOS) gene as hypertension susceptibility gene. <i>Hypertension</i> , 2013 , 62, 844-52	8.5	39
45	Response to Masked hypertension in untreated and treated patients with diabetes mellitus: attractive but questionable interpretations and response to Is masked hypertension related to diabetes mellitus?. <i>Hypertension</i> , 2013 , 62, e23-5	8.5	7
44	Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <i>Hypertension</i> , 2013 , 61, 18-26	8.5	17
43	Double product reflects the predictive power of systolic pressure in the general population: evidence from 9,937 participants. <i>American Journal of Hypertension</i> , 2013 , 26, 665-72	2.3	25
42	Binge drinking and blood pressure: cross-sectional results of the HAPIEE study. <i>PLoS ONE</i> , 2013 , 8, e65856	3.7	28
41	Genomewide association study using a high-density single nucleotide polymorphism array and case-control design identifies a novel essential hypertension susceptibility locus in the promoter region of endothelial NO synthase. <i>Hypertension</i> , 2012 , 59, 248-55	8.5	124
40	Socioeconomic circumstances, health behaviours and functional limitations in older persons in four Central and Eastern European populations. <i>Age and Ageing</i> , 2012 , 41, 728-35	3	6
39	Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. <i>Hypertension</i> , 2012 , 59, 564-71	8.5	146
38	Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. <i>Hypertension Research</i> , 2011 , 34, 714-21	4.7	21
37	Main results of the ouabain and adducin for Specific Intervention on Sodium in Hypertension Trial (OASIS-HT): a randomized placebo-controlled phase-2 dose-finding study of rostaduroxin. <i>Trials</i> , 2011 , 12, 13	2.8	32

36	Prevalence and predictors of carotid wall triple line pattern in a general population sample. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1682-8	9.4	4
35	Fatal and nonfatal outcomes, incidence of hypertension, and blood pressure changes in relation to urinary sodium excretion. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1777-85	27.4	394
34	Ambulatory blood pressure monitoring in 9357 subjects from 11 populations highlights missed opportunities for cardiovascular prevention in women. <i>Hypertension</i> , 2011 , 57, 397-405	8.5	80
33	Prognostic value of reading-to-reading blood pressure variability over 24 hours in 8938 subjects from 11 populations. <i>Hypertension</i> , 2010 , 55, 1049-57	8.5	332
32	Prognostic value of the morning blood pressure surge in 5645 subjects from 8 populations. <i>Hypertension</i> , 2010 , 55, 1040-8	8.5	205
31	Non-fatal injuries in three Central and Eastern European urban population samples: the HAPIEE study. <i>European Journal of Public Health</i> , 2010 , 20, 695-701	2.1	9
30	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , 2010 , 28, 2036-45	1.9	263
29	Association between year of birth and cognitive functions in Russia and the Czech Republic: cross-sectional results of the HAPIEE study. <i>Neuroepidemiology</i> , 2009 , 33, 231-9	5.4	10
28	Left ventricular structure in relation to the human SAH gene in the European Project on Genes in Hypertension. <i>Hypertension Research</i> , 2009 , 32, 145-51	4.7	3
27	Baseline characteristics of participants in the Hypertension in the Very Elderly Trial (HYVET). <i>Blood Pressure</i> , 2009 , 18, 17-22	1.7	6
26	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , 2008 , 105, 125-36	6.6	46
25	Treatment of hypertension in patients 80 years of age or older. <i>New England Journal of Medicine</i> , 2008 , 358, 1887-98	59.2	2083
24	SAH gene variants revisited in the European Project On Genes in Hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 244-50	1.9	10
23	The International Database of Ambulatory Blood Pressure in relation to Cardiovascular Outcome (IDACO): protocol and research perspectives. <i>Blood Pressure Monitoring</i> , 2007 , 12, 255-62	1.3	111
22	Sympathetic activity, assessed by power spectral analysis of heart rate variability, in white-coat, masked and sustained hypertension versus true normotension. <i>Journal of Hypertension</i> , 2007 , 25, 2280-5 ¹⁻⁹		43
21	Intrafamilial correlations of carotid intima-media thickness and flow-mediated dilation in a Siberian population. <i>American Journal of Hypertension</i> , 2007 , 20, 248-54	2.3	8
20	Sodium excretion as a modulator of genetic influence on arterial stiffness and other cardiovascular phenotypes. <i>Artery Research</i> , 2007 , 1, 20	2.2	
19	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. <i>British Journal of Psychiatry</i> , 2006 , 188, 359-65	5.4	64

18	Context-Dependency of Relations Between Cardiovascular Phenotypes and Genes Involved in Sodium Homeostasis: Findings from the European Project on Genes in Hypertension. <i>Current Hypertension Reviews</i> , 2006 , 2, 275-281	2.3	2
17	Sodium excretion as a modulator of genetic associations with cardiovascular phenotypes in the European Project on Genes in Hypertension. <i>Journal of Hypertension</i> , 2006 , 24, 235-42	1.9	23
16	OASIS-HT: design of a pharmacogenomic dose-finding study. <i>Pharmacogenomics</i> , 2005 , 6, 755-75	2.6	17
15	Left ventricular mass in relation to genetic variation in angiotensin II receptors, renin system genes, and sodium excretion. <i>Circulation</i> , 2004 , 110, 2644-50	16.7	59
14	Trends in alcohol intake by education and marital status in urban population in Russia between the mid 1980s and the mid 1990s. <i>Alcohol and Alcoholism</i> , 2004 , 39, 64-9	3.5	43
13	Psychosocial factors at work and depression in three countries of Central and Eastern Europe. <i>Social Science and Medicine</i> , 2004 , 58, 1475-82	5.1	145
12	Education, marital status, and total and cardiovascular mortality in Novosibirsk, Russia: a prospective cohort study. <i>Annals of Epidemiology</i> , 2004 , 14, 244-9	6.4	68
11	Genetic variation in CYP11B2 and AT1R influences heart rate variability conditional on sodium excretion. <i>Hypertension</i> , 2004 , 44, 156-62	8.5	40
10	Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. <i>Journal of Hypertension</i> , 2004 , 22, 287-95	1.9	20
9	Maternal and paternal influences on left ventricular mass of offspring. <i>Hypertension</i> , 2003 , 41, 69-74	8.5	19
8	Blood pressure phenotypes in relation to the beta-adducin C1797T polymorphism in the European Project on Genes in Hypertension (EPOGH). <i>Blood Pressure Monitoring</i> , 2003 , 8, 151-4	1.3	19
7	Host and environmental determinants of heart rate and heart rate variability in four European populations. <i>Journal of Hypertension</i> , 2003 , 21, 525-35	1.9	57
6	beta-Adducin polymorphisms, blood pressure, and sodium excretion in three European populations. <i>American Journal of Hypertension</i> , 2003 , 16, 840-6	2.3	41
5	Quality control of the blood pressure phenotype in the European Project on Genes in Hypertension. <i>Blood Pressure Monitoring</i> , 2002 , 7, 215-24	1.3	103
4	Relation between heavy and binge drinking and all-cause and cardiovascular mortality in Novosibirsk, Russia: a prospective cohort study. <i>Lancet, The</i> , 2002 , 360, 1448-54	4.0	186
3	Alcohol consumption and binge drinking in Novosibirsk, Russia, 1985-95. <i>Addiction</i> , 2001 , 96, 987-95	4.6	44
2	Widening gap of stroke between east and west. Eight-year trends in occurrence and risk factors in Russia and Sweden. <i>Stroke</i> , 2000 , 31, 2-8	6.7	50
1	Ambulatory blood pressure of adults in Novosibirsk, Russia: interim report on a population study. <i>Blood Pressure Monitoring</i> , 2000 , 5, 291-6	1.3	31

