

# Yumin Tang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4278522/publications.pdf>

Version: 2024-02-01

38  
papers

1,952  
citations

279487

23  
h-index

301761

39  
g-index

39  
all docs

39  
docs citations

39  
times ranked

2114  
citing authors

#	ARTICLE	IF	CITATIONS
1	Engineering of dendritic dopant-free hole transport molecules: enabling ultrahigh fill factor in perovskite solar cells with optimized dendron construction. <i>Science China Chemistry</i> , 2021, 64, 41-51.	4.2	55
2	Terpolymer acceptors based on bithiophene imide for all-polymer solar cells. <i>Dyes and Pigments</i> , 2021, 186, 109049.	2.0	5
3	Transition metal-catalysed molecular n-doping of organic semiconductors. <i>Nature</i> , 2021, 599, 67-73.	13.7	152
4	Effects of the Electron-Deficient Third Components in n-Type Terpolymers on Morphology and Performance of All-Polymer Solar Cells. <i>Organic Materials</i> , 2020, 02, 214-222.	1.0	2
5	Teaching an Old Anchoring Group New Tricks: Enabling Low-Cost, Eco-Friendly Hole-Transporting Materials for Efficient and Stable Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 16632-16643.	6.6	154
6	Two Compatible Polymer Donors Enabling Ternary Organic Solar Cells with a Small Nonradiative Energy Loss and Broad Composition Tolerance. <i>Solar Rrl</i> , 2020, 4, 2000396.	3.1	22
7	Imide-functionalized acceptor-acceptor copolymers as efficient electron transport layers for high-performance perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13754-13762.	5.2	28
8	Boosting Efficiency and Stability of Organic Solar Cells Using Ultralow-Cost BiOCl Nanoplates as Hole Transporting Layers. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 33505-33514.	4.0	49
9	Backbone Coplanarity Tuning of 1,4-Di(3-alkoxy-2-thienyl)-2,5-difluorophenylene-Based Wide Bandgap Polymers for Efficient Organic Solar Cells Processed from Nonhalogenated Solvent. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 31119-31128.	4.0	18
10	Thiazolothienyl imide-based wide bandgap copolymers for efficient polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11142-11151.	2.7	18
11	Imide-Functionalized Heteroarene-Based n-Type Terpolymers Incorporating Intramolecular Noncovalent Sulfur <sup>TM</sup> -Oxygen Interactions for Additive-Free All-Polymer Solar Cells. <i>Advanced Functional Materials</i> , 7, 8 2019, 29, 1903970.		53
12	A New Wide Bandgap Donor Polymer for Efficient Nonfullerene Organic Solar Cells with a Large Open-Circuit Voltage. <i>Advanced Science</i> , 2019, 6, 1901773.	5.6	61
13	Fused Bithiophene Imide Oligomer and Diketopyrrolopyrrole Copolymers for n-Type Thin-Film Transistors. <i>Macromolecular Rapid Communications</i> , 2019, 40, e1900394.	2.0	9
14	Additive-Free Non-Fullerene Organic Solar Cells. <i>ChemElectroChem</i> , 2019, 6, 5547-5562.	1.7	11
15	A monothiophene unit incorporating both fluoro and ester substitution enabling high-performance donor polymers for non-fullerene solar cells with 16.4% efficiency. <i>Energy and Environmental Science</i> , 2019, 12, 3328-3337.	15.6	337
16	New Benzo[1,2-d:4,5-d']bis([1,2,3]thiadiazole) (iso-BBT)-Based Polymers for Application in Transistors and Solar Cells. <i>Chemistry of Materials</i> , 2019, 31, 6519-6529.	3.2	31
17	Triimide-Functionalized n-Type Polymer Semiconductors Enabling All-Polymer Solar Cells with Power Conversion Efficiencies Approaching 9%. <i>Solar Rrl</i> , 2019, 3, 1900107.	3.1	43
18	Improved photovoltaic performance of a nonfullerene acceptor based on a benzo[b]thiophene fused end group with extended $\pi$ -conjugation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9822-9830.	5.2	38

#	ARTICLE	IF	CITATIONS
19	Cyano-Substituted Head-to-Head Polythiophenes: Enabling High-Performance n-Type Organic Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 10089-10098.	4.0	29
20	High-Performance All-Polymer Solar Cells Enabled by an n-Type Polymer Based on a Fluorinated Imide-Functionalized Arene. <i>Advanced Materials</i> , 2019, 31, e1807220.	11.1	154
21	Isomerization enabling near-infrared electron acceptors. <i>RSC Advances</i> , 2019, 9, 37287-37291.	1.7	2
22	Backbone Conformation Tuning of Carboxylate-Functionalized Wide Band Gap Polymers for Efficient Non-Fullerene Organic Solar Cells. <i>Macromolecules</i> , 2019, 52, 341-353.	2.2	37
23	Fluorine Substituted Bithiophene Imide-Based n-Type Polymer Semiconductor for High-Performance Organic Thin-Film Transistors and All-Polymer Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1800265.	3.1	42
24	Fine-tuning head-to-head bithiophene-difluorobenzothiadiazole polymers for photovoltaics via side-chain engineering. <i>Organic Electronics</i> , 2019, 68, 135-142.	1.4	5
25	Performance Enhancement of All-Inorganic Perovskite Quantum Dots (CsPbX <sub>3</sub> ) by UV-NIR Laser Irradiation. <i>Journal of Physical Chemistry C</i> , 2019, 123, 4502-4511.	1.5	29
26	(Semi)ladder-Type Bithiophene Imide-Based All-Acceptor Semiconductors: Synthesis, Structure-Property Correlations, and Unipolar n-Type Transistor Performance. <i>Journal of the American Chemical Society</i> , 2018, 140, 6095-6108.	6.6	178
27	Polymer semiconductors incorporating head-to-head linked 4-alkoxy-5-(3-alkylthiophen-2-yl)thiazole. <i>RSC Advances</i> , 2018, 8, 35724-35734.	1.7	6
28	1,4-Di(3-alkoxy-2-thienyl)-2,5-difluorophenylene: A Building Block Enabling High-Performance Polymer Semiconductors with Increased Open-Circuit Voltages. <i>Macromolecules</i> , 2018, 51, 5352-5363.	2.2	19
29	Enhancing Polymer Photovoltaic Performance via Optimized Intramolecular Ester-Based Noncovalent Sulfur-Å-Å-Oxygen Interactions. <i>Macromolecules</i> , 2018, 51, 3874-3885.	2.2	53
30	Aggregation Strength Tuning in Difluorobenzoxadiazole-Based Polymeric Semiconductors for High-Performance Thick-Film Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 21481-21491.	4.0	22
31	Cyano-substituted benzochalcogenadiazole-based polymer semiconductors for balanced ambipolar organic thin-film transistors. <i>Polymer Chemistry</i> , 2018, 9, 3873-3884.	1.9	24
32	Quinoxaline-Based Wide Band Gap Polymers for Efficient Nonfullerene Organic Solar Cells with Large Open-Circuit Voltages. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 23235-23246.	4.0	39
33	Head-to-Head Linkage Containing Dialkoxybithiophene-Based Polymeric Semiconductors for Polymer Solar Cells with Large Open-Circuit Voltages. <i>Macromolecules</i> , 2017, 50, 137-150.	2.2	37
34	Side chain engineering of naphthalene diimide-bithiophene-based polymer acceptors in all-polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3679-3689.	2.5	10
35	Dithienylbenzodiimide: a new electron-deficient unit for n-type polymer semiconductors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9559-9569.	2.7	24
36	2,1,3-Benzothiadiazole-5,6-dicarboxylicimide-Based Polymer Semiconductors for Organic Thin-Film Transistors and Polymer Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 42167-42178.	4.0	25

#	ARTICLE	IF	CITATIONS
37	Phthalimide-Based Wide Bandgap Donor Polymers for Efficient Non-Fullerene Solar Cells. <i>Macromolecules</i> , 2017, 50, 8928-8937.	2.2	31
38	Head-to-Head Linkage Containing Bithiophene-Based Polymeric Semiconductors for Highly Efficient Polymer Solar Cells. <i>Advanced Materials</i> , 2016, 28, 9969-9977.	11.1	93