

Francisco J Cejudo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4280490/francisco-j-cejudo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

4,140
citations

38
h-index

61
g-index

109
ext. papers

4,609
ext. citations

5.6
avg, IF

5.52
L-index

#	Paper	IF	Citations
105	Characterization of CYCLOPHILLIN38 shows that a photosynthesis-derived systemic signal controls lateral root emergence. <i>Plant Physiology</i> , 2021 , 185, 503-518	6.6	3
104	Current Knowledge on Mechanisms Preventing Photosynthesis Redox Imbalance in Plants. <i>Antioxidants</i> , 2021 , 10,	7.1	2
103	Redox regulation of chloroplast metabolism. <i>Plant Physiology</i> , 2021 , 186, 9-21	6.6	9
102	Chloroplast dismantling in leaf senescence. <i>Journal of Experimental Botany</i> , 2021 , 72, 5905-5918	7	6
101	A chloroplast redox relay adapts plastid metabolism to light and affects cytosolic protein quality control. <i>Plant Physiology</i> , 2021 , 187, 88-102	6.6	2
100	Chloroplast Lipids Metabolism and Function. A Redox Perspective. <i>Frontiers in Plant Science</i> , 2021 , 12, 712022	6.2	2
99	Exploring the Functional Relationship between -Type Thioredoxins and 2-Cys Peroxiredoxins in Chloroplasts. <i>Antioxidants</i> , 2020 , 9,	7.1	2
98	Plant responses to fungal volatiles involve global posttranslational thiol redox proteome changes that affect photosynthesis. <i>Plant, Cell and Environment</i> , 2019 , 42, 2627-2644	8.4	18
97	Chloroplast Redox Regulatory Mechanisms in Plant Adaptation to Light and Darkness. <i>Frontiers in Plant Science</i> , 2019 , 10, 380	6.2	30
96	Insights into the function of NADPH thioredoxin reductase C (NTRC) based on identification of NTRC-interacting proteins in vivo. <i>Journal of Experimental Botany</i> , 2019 , 70, 5787-5798	7	15
95	NTRC Plays a Crucial Role in Starch Metabolism, Redox Balance, and Tomato Fruit Growth. <i>Plant Physiology</i> , 2019 , 181, 976-992	6.6	10
94	Markers of Developmentally Regulated Programmed Cell Death and Their Analysis in Cereal Seeds. <i>Methods in Molecular Biology</i> , 2018 , 1743, 21-37	1.4	1
93	On the Elaborate Network of Thioredoxins in Higher Plants. <i>Progress in Botany Fortschritte Der Botanik</i> , 2018 , 223-251	0.6	0
92	The NADPH-Dependent Thioredoxin Reductase C-2-Cys Peroxiredoxin Redox System Modulates the Activity of Thioredoxin x in Arabidopsis Chloroplasts. <i>Plant and Cell Physiology</i> , 2018 , 59, 2155-2164	4.9	13
91	Redox-control of chlorophyll biosynthesis mainly depends on thioredoxins. <i>FEBS Letters</i> , 2018 , 592, 3111-3115	5.3	11
90	2-Cys Peroxiredoxins Participate in the Oxidation of Chloroplast Enzymes in the Dark. <i>Molecular Plant</i> , 2018 , 11, 1377-1388	14.4	41
89	An event of alternative splicing affects the expression of the NTRC gene, encoding NADPH-thioredoxin reductase C, in seed plants. <i>Plant Science</i> , 2017 , 258, 21-28	5.3	13

88	NADPH Thioredoxin Reductase C and Thioredoxins Act Concertedly in Seedling Development. <i>Plant Physiology</i> , 2017 , 174, 1436-1448	6.6	42
87	NTRC-dependent redox balance of 2-Cys peroxiredoxins is needed for optimal function of the photosynthetic apparatus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 12069-12074	11.5	72
86	Photosynthetic activity of cotyledons is critical during post-germinative growth and seedling establishment. <i>Plant Signaling and Behavior</i> , 2017 , 12, e1347244	2.5	3
85	The chloroplast NADPH thioredoxin reductase C, NTRC, controls non-photochemical quenching of light energy and photosynthetic electron transport in Arabidopsis. <i>Plant, Cell and Environment</i> , 2016 , 39, 804-22	8.4	64
84	Type-f thioredoxins have a role in the short-term activation of carbon metabolism and their loss affects growth under short-day conditions in Arabidopsis thaliana. <i>Journal of Experimental Botany</i> , 2016 , 67, 1951-64	7	53
83	Nitric oxide is required for the auxin-induced activation of NADPH-dependent thioredoxin reductase and protein denitrosylation during root growth responses in arabidopsis. <i>Annals of Botany</i> , 2015 , 116, 695-702	4.1	32
82	Nuclear Dismantling Events: Crucial Steps During the Execution of Plant Programmed Cell Death 2015 , 163-189		1
81	Thioredoxin f1 and NADPH-Dependent Thioredoxin Reductase C Have Overlapping Functions in Regulating Photosynthetic Metabolism and Plant Growth in Response to Varying Light Conditions. <i>Plant Physiology</i> , 2015 , 169, 1766-86	6.6	64
80	The contribution of NADPH thioredoxin reductase C (NTRC) and sulfiredoxin to 2-Cys peroxiredoxin overoxidation in Arabidopsis thaliana chloroplasts. <i>Journal of Experimental Botany</i> , 2015 , 66, 2957-66	7	29
79	Molecular recognition in the interaction of chloroplast 2-Cys peroxiredoxin with NADPH-thioredoxin reductase C (NTRC) and thioredoxin x. <i>FEBS Letters</i> , 2014 , 588, 4342-7	3.8	24
78	Thiol-based redox homeostasis and signaling. <i>Frontiers in Plant Science</i> , 2014 , 5, 266	6.2	21
77	Programmed cell death (PCD): an essential process of cereal seed development and germination. <i>Frontiers in Plant Science</i> , 2014 , 5, 366	6.2	87
76	NADPH thioredoxin reductase C is involved in redox regulation of the Mg-chelatase I subunit in Arabidopsis thaliana chloroplasts. <i>Molecular Plant</i> , 2014 , 7, 1252-5	14.4	49
75	Comparative analysis of cyanobacterial and plant peroxiredoxins and their electron donors: peroxidase activity and susceptibility to overoxidation. <i>Methods in Enzymology</i> , 2013 , 527, 257-73	1.7	4
74	Overoxidation of chloroplast 2-Cys peroxiredoxins: balancing toxic and signaling activities of hydrogen peroxide. <i>Frontiers in Plant Science</i> , 2013 , 4, 310	6.2	20
73	Molecular cloning and biochemical characterization of three phosphoglycerate kinase isoforms from developing sunflower (<i>Helianthus annuus</i> L.) seeds. <i>Phytochemistry</i> , 2012 , 79, 27-38	4	13
72	An intermolecular disulfide-based light switch for chloroplast psbD gene expression in <i>Chlamydomonas reinhardtii</i> . <i>Plant Journal</i> , 2012 , 72, 378-89	6.9	23
71	NADPH thioredoxin reductase C is localized in plastids of photosynthetic and nonphotosynthetic tissues and is involved in lateral root formation in Arabidopsis. <i>Plant Cell</i> , 2012 , 24, 1534-48	11.6	74

70	The function of the NADPH thioredoxin reductase C-2-Cys peroxiredoxin system in plastid redox regulation and signalling. <i>FEBS Letters</i> , 2012 , 586, 2974-80	3.8	48
69	A comparison between nuclear dismantling during plant and animal programmed cell death. <i>Plant Science</i> , 2012 , 197, 114-21	5.3	31
68	Electron transfer pathways and dynamics of chloroplast NADPH-dependent thioredoxin reductase C (NTRC). <i>Journal of Biological Chemistry</i> , 2012 , 287, 33865-72	5.4	28
67	Chloroplast redox homeostasis is essential for lateral root formation in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2012 , 7, 1177-9	2.5	11
66	The scutellum of germinated wheat grains undergoes programmed cell death: identification of an acidic nuclease involved in nucleus dismantling. <i>Journal of Experimental Botany</i> , 2012 , 63, 5475-85	7	25
65	A comparative analysis of the NADPH thioredoxin reductase C-2-Cys peroxiredoxin system from plants and cyanobacteria. <i>Plant Physiology</i> , 2011 , 155, 1806-16	6.6	27
64	Peroxiredoxins and NADPH-dependent thioredoxin systems in the model legume Lotus japonicus. <i>Plant Physiology</i> , 2011 , 156, 1535-47	6.6	31
63	Functional analysis of the pathways for 2-Cys peroxiredoxin reduction in Arabidopsis thaliana chloroplasts. <i>Journal of Experimental Botany</i> , 2010 , 61, 4043-54	7	151
62	Overoxidation of 2-Cys peroxiredoxin in prokaryotes: cyanobacterial 2-Cys peroxiredoxins sensitive to oxidative stress. <i>Journal of Biological Chemistry</i> , 2010 , 285, 34485-92	5.4	65
61	Cloning, biochemical characterisation, tissue localisation and possible post-translational regulatory mechanism of the cytosolic phosphoglucose isomerase from developing sunflower seeds. <i>Planta</i> , 2010 , 232, 845-59	4.7	7
60	NTRC links built-in thioredoxin to light and sucrose in regulating starch synthesis in chloroplasts and amyloplasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9908-13	11.5	189
59	NADPH Thioredoxin reductase C controls the redox status of chloroplast 2-Cys peroxiredoxins in Arabidopsis thaliana. <i>Molecular Plant</i> , 2009 , 2, 298-307	14.4	71
58	A hydrogen peroxide detoxification system in the nucleus of wheat seed cells: protection or signaling role?. <i>Plant Signaling and Behavior</i> , 2009 , 4, 23-5	2.5	15
57	The quaternary structure of NADPH thioredoxin reductase C is redox-sensitive. <i>Molecular Plant</i> , 2009 , 2, 457-67	14.4	20
56	A proposed reaction mechanism for rice NADPH thioredoxin reductase C, an enzyme with protein disulfide reductase activity. <i>FEBS Letters</i> , 2009 , 583, 1399-402	3.8	53
55	An antioxidant redox system in the nucleus of wheat seed cells suffering oxidative stress. <i>Plant Journal</i> , 2009 , 57, 132-45	6.9	92
54	Chapter 14 Oxidative Stress and Thiol-Based Antioxidants in Cereal Seeds. <i>Advances in Botanical Research</i> , 2009 , 52, 437-460	2.2	3
53	NTRC new ways of using NADPH in the chloroplast. <i>Physiologia Plantarum</i> , 2008 , 133, 516-24	4.6	58

52	Immunocytochemical localization of <i>Pisum sativum</i> TRXs f and m in non-photosynthetic tissues. <i>Journal of Experimental Botany</i> , 2008 , 59, 1267-77	7	26
51	PsTRXh1 and PsTRXh2 are both pea h-type thioredoxins with antagonistic behavior in redox imbalances. <i>Plant Physiology</i> , 2007 , 143, 300-11	6.6	34
50	Gibberellin-regulated expression of neutral and vacuolar invertase genes in petioles of sugar beet plants. <i>Plant Science</i> , 2007 , 172, 839-846	5.3	17
49	Rice NTRC is a high-efficiency redox system for chloroplast protection against oxidative damage. <i>Plant Cell</i> , 2006 , 18, 2356-68	11.6	253
48	Cloning and characterization of three thioredoxin h isoforms from wheat showing differential expression in seeds. <i>Journal of Experimental Botany</i> , 2006 , 57, 2165-72	7	36
47	Identification of a nuclear-localized nuclease from wheat cells undergoing programmed cell death that is able to trigger DNA fragmentation and apoptotic morphology on nuclei from human cells. <i>Biochemical Journal</i> , 2006 , 397, 529-36	3.8	51
46	Arabidopsis phosphoenolpyruvate carboxylase genes encode immunologically unrelated polypeptides and are differentially expressed in response to drought and salt stress. <i>Planta</i> , 2006 , 223, 901-9	4.7	73
45	Circadian and developmental regulation of vacuolar invertase expression in petioles of sugar beet plants. <i>Planta</i> , 2005 , 222, 386-95	4.7	35
44	A novel NADPH thioredoxin reductase, localized in the chloroplast, which deficiency causes hypersensitivity to abiotic stress in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2004 , 279, 43821-4	5.4	268
43	A gibberellin-induced nuclease is localized in the nucleus of wheat aleurone cells undergoing programmed cell death. <i>Journal of Biological Chemistry</i> , 2004 , 279, 11530-6	5.4	62
42	Abiotic stresses affecting water balance induce phosphoenolpyruvate carboxylase expression in roots of wheat seedlings. <i>Planta</i> , 2003 , 216, 985-92	4.7	62
41	Type-h thioredoxins accumulate in the nucleus of developing wheat seed tissues suffering oxidative stress. <i>Planta</i> , 2003 , 217, 392-9	4.7	93
40	Identification and expression analysis of a gene encoding a bacterial-type phosphoenolpyruvate carboxylase from <i>Arabidopsis</i> and rice. <i>Plant Physiology</i> , 2003 , 132, 949-57	6.6	107
39	Gibberellin regulation of aleurone cell death in germinating wheat seeds. 2003 , 251-257		
38	A germination-related gene encoding a serine carboxypeptidase is expressed during the differentiation of the vascular tissue in wheat grains and seedlings. <i>Planta</i> , 2002 , 215, 727-34	4.7	41
37	Characterization of the expression of a wheat cystatin gene during caryopsis development. <i>Plant Molecular Biology</i> , 2002 , 50, 687-98	4.6	49
36	A role for the DOF transcription factor BPBF in the regulation of gibberellin-responsive genes in barley aleurone. <i>Plant Physiology</i> , 2002 , 130, 111-9	6.6	135
35	Cloning of thioredoxin h reductase and characterization of the thioredoxin reductase-thioredoxin h system from wheat. <i>Biochemical Journal</i> , 2002 , 367, 491-7	3.8	49

34	Isolation and characterisation of a wheat phosphoenolpyruvate carboxylase gene. Modelling of the encoded protein. <i>Plant Science</i> , 2002 , 162, 233-238	5.3	20
33	The nucellus degenerates by a process of programmed cell death during the early stages of wheat grain development. <i>Planta</i> , 2001 , 213, 352-60	4.7	93
32	Characterization of two thioredoxins h with predominant localization in the nucleus of aleurone and scutellum cells of germinating wheat seeds. <i>Plant Molecular Biology</i> , 2001 , 46, 361-71	4.6	61
31	Patterns of starchy endosperm acidification and protease gene expression in wheat grains following germination. <i>Plant Physiology</i> , 1999 , 119, 81-8	6.6	39
30	Evidence for a slow-turnover form of the Ca ²⁺ -independent phosphoenolpyruvate carboxylase kinase in the aleurone-endosperm tissue of germinating barley seeds. <i>Plant Physiology</i> , 1999 , 119, 511-20	6.6	28
29	Salt-specific regulation of the cytosolic O-acetylserine(thiol)lyase gene from <i>Arabidopsis thaliana</i> is dependent on abscisic acid. <i>Plant Molecular Biology</i> , 1999 , 40, 729-36	4.6	71
28	Germination-related genes encoding proteolytic enzymes are expressed in the nucellus of developing wheat grains. <i>Plant Journal</i> , 1998 , 15, 569-574	6.9	36
27	Expression and localization of phosphoenolpyruvate carboxylase in developing and germinating wheat grains. <i>Plant Physiology</i> , 1998 , 116, 1249-58	6.6	76
26	Tissue-specific expression of ATCYS-3A, a gene encoding the cytosolic isoform of O-acetylserine(thiol)lyase in <i>Arabidopsis</i> . <i>Plant Journal</i> , 1997 , 11, 347-52	6.9	34
25	Posttranslational regulation of nitrogenase activity by fixed nitrogen in <i>Azotobacter chroococcum</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1996 , 1291, 67-74	4	8
24	A sensor protein involved in induction of nitrate assimilation in <i>Azotobacter chroococcum</i> . <i>FEBS Letters</i> , 1996 , 393, 7-12	3.8	2
23	In Vivo and in Vitro Phosphorylation of the Phosphoenolpyruvate Carboxylase from Wheat Seeds during Germination. <i>Plant Physiology</i> , 1996 , 111, 551-558	6.6	46
22	Isolation and analysis of the soybean SGA2 gene (cDNA), encoding a new member of the plant G-protein family of signal transducers. <i>Plant Molecular Biology</i> , 1996 , 32, 1227-34	4.6	28
21	Cyanate is transported by the nitrate permease in <i>Azotobacter chroococcum</i> . <i>FEMS Microbiology Letters</i> , 1996 , 137, 91-94	2.9	5
20	Characterization of the Endoproteases Appearing during Wheat Grain Development. <i>Plant Physiology</i> , 1996 , 112, 1211-1217	6.6	47
19	Pattern of endoproteolysis following wheat grain germination. <i>Physiologia Plantarum</i> , 1995 , 95, 253-259	4.6	34
18	Amyl expression during wheat seed germination. <i>Plant Science</i> , 1995 , 106, 207-213	5.3	15
17	The <i>Azotobacter chroococcum</i> nitrate permease is a multicomponent system. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993 , 1141, 75-80	4.6	8

16	Import and processing of the precursor of the Rieske FeS protein of tobacco chloroplasts. <i>Plant Molecular Biology</i> , 1992 , 20, 289-99	4.6	38
15	Analysis of the gibberellin-responsive promoter of a cathepsin B-like gene from wheat. <i>Plant Molecular Biology</i> , 1992 , 20, 849-56	4.6	31
14	A gibberellin-regulated gene from wheat with sequence homology to cathepsin B of mammalian cells. <i>Plant Journal</i> , 1992 , 2, 937-948	6.9	45
13	Purification and properties of an extracellular invertase from <i>Azotobacter chroococcum</i> . <i>Enzyme and Microbial Technology</i> , 1991 , 13, 267-271	3.8	13
12	Production of exocellular polysaccharide by <i>Azotobacter chroococcum</i> . <i>Applied Biochemistry and Biotechnology</i> , 1991 , 30, 273-84	3.2	10
11	Regulation of <i>Azotobacter chroococcum</i> invertase. <i>Archives of Microbiology</i> , 1991 , 155, 309-311	3	2
10	Isolation and characterization of an <i>Azotobacter chroococcum</i> mutant deficient in nitrate transport. <i>FEMS Microbiology Letters</i> , 1990 , 67, 211-214	2.9	4
9	Effect of divalent cations on the short-term NH ₄ ⁺ inhibition of nitrogen fixation in <i>Azotobacter chroococcum</i> . <i>Archives of Microbiology</i> , 1990 , 154, 313-316	3	2
8	Nucleotide sequence of wild-type and mutant nifR4 (ntrA) genes of <i>Rhodobacter capsulatus</i> : identification of an essential glycine residue. <i>Nucleic Acids Research</i> , 1989 , 17, 5377	20.1	28
7	Role of Mn(II) as regulator of nitrate assimilation in <i>Azotobacter chroococcum</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1989 , 993, 36-41	4	3
6	Effect of nitrogen starvation on ammonium-inhibition of nitrogenase activity in <i>Azotobacter chroococcum</i> . <i>Archives of Microbiology</i> , 1988 , 149, 481-484	3	7
5	Short-term nitrate (nitrite) inhibition of nitrogen fixation in <i>Azotobacter chroococcum</i> . <i>Journal of Bacteriology</i> , 1986 , 165, 240-3	3.5	32
4	Short-term ammonium inhibition of nitrate uptake by <i>Azotobacter chroococcum</i> . <i>Archives of Microbiology</i> , 1986 , 144, 187-190	3	11
3	Molecular and regulatory properties of glutamine synthetase from the phototrophic bacterium <i>Rhodospseudomonas capsulata</i> E1F1. <i>Journal of Bacteriology</i> , 1985 , 162, 804-9	3.5	26
2	Short-term ammonium inhibition of nitrogen fixation in <i>Azotobacter</i> . <i>Biochemical and Biophysical Research Communications</i> , 1984 , 123, 431-7	3.4	34
1	Ammonia assimilation pathways in <i>Rhodospseudomonas capsulata</i> E1F1. <i>Archives of Microbiology</i> , 1983 , 136, 147-151	3	26