

# Ming Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4281957/publications.pdf>

Version: 2024-02-01

91  
papers

2,569  
citations

201674

27  
h-index

223800

46  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2038  
citing authors

#	ARTICLE	IF	CITATIONS
1	The combined toxicity of binary mixtures of antibiotics against the cyanobacterium <i>Microcystis</i> is dose-dependent: insight from a theoretical nonlinear combined toxicity assessment method. <i>Environmental Science and Pollution Research</i> , 2022, 29, 11612-11624.	5.3	4
2	Disentangling the drivers of phytoplankton community composition in a heavily sediment-laden transcontinental river. <i>Journal of Environmental Management</i> , 2022, 302, 113939.	7.8	8
3	Spatial variation in bacterial community and dissolved organic matter composition in groundwater near a eutrophic lake. <i>Aquatic Ecology</i> , 2022, 56, 555-571.	1.5	4
4	Relationship among water quality and hydrochemical indices reveals nutrient dynamics and sources in the most sediment-laden river across the continent. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107110.	6.7	6
5	Relationship between non-point source pollution and fluorescence fingerprint of riverine dissolved organic matter is season dependent. <i>Science of the Total Environment</i> , 2022, 823, 153617.	8.0	28
6	Emerging investigator series: effects of sediment particle size on the spatial distributions of contaminants and bacterial communities in the reservoir sediments. <i>Environmental Science: Water Research and Technology</i> , 2022, 8, 957-967.	2.4	2
7	Will a heavy sediment load affect responses of phytoplankton functional groups to aquatic environmental changes in different water body types?. <i>Science of the Total Environment</i> , 2022, 837, 155863.	8.0	6
8	DOM stratification and characteristics versus thermal stratification – A case study in the Panjiakou Reservoir, China. <i>Journal of Hydrology: Regional Studies</i> , 2022, 42, 101160.	2.4	5
9	Effects of iron and humic acid on competition between <i>Microcystis aeruginosa</i> and <i>Scenedesmus obliquus</i> revealed by HPLC analysis of pigments. <i>Journal of Oceanology and Limnology</i> , 2021, 39, 525-535.	1.3	3
10	Roles of bacterial biomass, physiology and community in sediment phosphorus solubilizing at varying hydrostatic pressures. <i>Journal of Cleaner Production</i> , 2021, 282, 124531.	9.3	9
11	Flocculation of <i>Microcystis</i> unicells induced by pH regulation: Mechanism and potential application. <i>Chemosphere</i> , 2021, 263, 127708.	8.2	8
12	Fluorescence characteristics of dissolved organic matter in several independent water bodies: possible sources and land-use effects. <i>Environmental Science and Pollution Research</i> , 2021, 28, 33241-33253.	5.3	16
13	Spatial and environmental factors contributing to phytoplankton biogeography and biodiversity in mountain ponds across a large geographic area. <i>Aquatic Ecology</i> , 2021, 55, 721-735.	1.5	8
14	Predicting the effects of reservoir impoundment on phytoplankton and shoreline vegetation communities using the space-time substitution method. <i>Water Quality Research Journal of Canada</i> , 2021, 56, 100-110.	2.7	3
15	Life-cycle cost analysis of a hybrid algae-based biological desalination – low pressure reverse osmosis system. <i>Water Research</i> , 2021, 195, 116957.	11.3	30
16	Algae-Based Approach for Desalination: An Emerging Energy-Passive and Environmentally Friendly Desalination Technology. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 8663-8678.	6.7	23
17	Two-year moving aeration controls cyanobacterial blooms in an extremely eutrophic shallow pond: Variation in phytoplankton community and <i>Microcystis</i> colony size. <i>Journal of Water Process Engineering</i> , 2021, 42, 102192.	5.6	9
18	Micrometer scale polystyrene plastics of varying concentrations and particle sizes inhibit growth and upregulate microcystin-related gene expression in <i>Microcystis aeruginosa</i> . <i>Journal of Hazardous Materials</i> , 2021, 420, 126591.	12.4	43

#	ARTICLE	IF	CITATIONS
19	Humic acid inhibits colony formation of the cyanobacterium <i>Microcystis</i> at high level of iron. <i>Chemosphere</i> , 2021, 281, 130742.	8.2	4
20	Multi-proxy approaches to investigate cyanobacteria invasion from a eutrophic lake into the circumjacent groundwater. <i>Water Research</i> , 2021, 204, 117578.	11.3	10
21	Geo-climatic factors weaken the effectiveness of phytoplankton diversity as a water quality indicator in a large sediment-laden river. <i>Science of the Total Environment</i> , 2021, 792, 148346.	8.0	19
22	Variation in the content and fluorescent composition of dissolved organic matter in soil water during rainfall-induced wetting and extract of dried soil. <i>Science of the Total Environment</i> , 2021, 791, 148296.	8.0	21
23	Assessing the potential to use CDOM as an indicator of water quality for the sediment-laden Yellow river, China. <i>Environmental Pollution</i> , 2021, 289, 117970.	7.5	14
24	Quantitative and Qualitative Responses of Soil Water-Extractable Organic Matter to Carbon and Nitrogen Management Practices in Loess Soil. <i>Agronomy</i> , 2021, 11, 2025.	3.0	0
25	Evaluating combined toxicity of binary heavy metals to the cyanobacterium <i>Microcystis</i> : A theoretical non-linear combined toxicity assessment method. <i>Ecotoxicology and Environmental Safety</i> , 2020, 187, 109809.	6.0	17
26	Characterization of phytoplankton community in a river ecosystem using pigment composition: a feasibility study. <i>Environmental Science and Pollution Research</i> , 2020, 27, 42210-42220.	5.3	7
27	The role of adsorption in microalgae biological desalination: Salt removal from brackish water using <i>Scenedesmus obliquus</i> . <i>Desalination</i> , 2020, 493, 114616.	8.2	38
28	Exploration and application of hydrochemical characteristics method for quantification of pollution sources in the Danjiangkou Reservoir area. <i>Journal of Hydrology</i> , 2020, 590, 125291.	5.4	10
29	Editorial special issue on cyanobacterial blooms and water ecological restoration. <i>Environmental Science and Pollution Research</i> , 2020, 27, 42195-42197.	5.3	0
30	Seasonal succession of phytoplankton in two temperate artificial lakes with different water sources. <i>Environmental Science and Pollution Research</i> , 2020, 27, 42324-42334.	5.3	13
31	Recommended turbulent energy dissipation rate for biomass and lipid production of <i>Scenedesmus obliquus</i> in an aerated photosynthetic culture system. <i>Environmental Science and Pollution Research</i> , 2020, 27, 26473-26483.	5.3	8
32	Connecting soil dissolved organic matter to soil bacterial community structure in a long-term grass-mulching apple orchard. <i>Industrial Crops and Products</i> , 2020, 149, 112344.	5.2	31
33	Effects of Nitrogen Forms and Supply Mode on Lipid Production of Microalga <i>Scenedesmus obliquus</i> . <i>Energies</i> , 2020, 13, 697.	3.1	38
34	Simultaneous wastewater treatment and lipid production by <i>Scenedesmus</i> sp. HXY2. <i>Bioresource Technology</i> , 2020, 302, 122903.	9.6	61
35	Revealing hydrodynamic effects on flocculation performance and surface properties of sludge by comparing aeration and stirring systems via computational fluid dynamics aided calculation. <i>Water Research</i> , 2020, 172, 115500.	11.3	21
36	Insight into the vertical characteristics of dissolved organic matter in 5-m soil profiles under different land-use types on the Loess Plateau. <i>Science of the Total Environment</i> , 2019, 692, 613-621.	8.0	60

#	ARTICLE	IF	CITATIONS
37	Alternate succession of aggregate-forming cyanobacterial genera correlated with their attached bacteria by co-pathways. <i>Science of the Total Environment</i> , 2019, 688, 867-879.	8.0	32
38	Effects of land use on characteristics of water-extracted organic matter in soils of arid and semi-arid regions. <i>Environmental Science and Pollution Research</i> , 2019, 26, 26052-26059.	5.3	9
39	Influence of turbulent mixing on the composition of extracellular polymeric substances (EPS) and aggregate size of aerated activated sludge. <i>Chemical Engineering Journal</i> , 2019, 378, 122123.	12.7	29
40	Effects of intercropping mulch on the content and composition of soil dissolved organic matter in apple orchard on the loess plateau. <i>Journal of Environmental Management</i> , 2019, 250, 109531.	7.8	43
41	Comparison of monoculture and mixed culture ( <i>Scenedesmus obliquus</i> and wild algae) for C, N, and P removal and lipid production. <i>Environmental Science and Pollution Research</i> , 2019, 26, 20961-20968.	5.3	25
42	Variation in spectral characteristics of dissolved organic matter in inland rivers in various trophic states, and their relationship with phytoplankton. <i>Ecological Indicators</i> , 2019, 104, 321-332.	6.3	37
43	Effects of dissolved organic matter from different sources on <i>Microcystis aeruginosa</i> growth and physiological characteristics. <i>Ecotoxicology and Environmental Safety</i> , 2019, 176, 125-131.	6.0	23
44	Insights into the relationship between colony formation and extracellular polymeric substances (EPS) composition of the cyanobacterium <i>Microcystis</i> spp. <i>Harmful Algae</i> , 2019, 83, 34-41.	4.8	42
45	Afforestation of loess soils: Old and new organic carbon in aggregates and density fractions. <i>Catena</i> , 2019, 177, 49-56.	5.0	22
46	Colony formation in the cyanobacterium <i>Microcystis</i> . <i>Biological Reviews</i> , 2018, 93, 1399-1420.	10.4	257
47	Effects of nitrogen forms and supply modes on colony formation in <i>Microcystis aeruginosa</i> . <i>Journal of Applied Phycology</i> , 2018, 30, 831-837.	2.8	9
48	Variations in cyanobacterial and algal communities and soil characteristics under biocrust development under similar environmental conditions. <i>Plant and Soil</i> , 2018, 429, 241-251.	3.7	25
49	Morphospecies-dependent disaggregation of colonies of the cyanobacterium <i>Microcystis</i> under high turbulent mixing. <i>Water Research</i> , 2018, 141, 340-348.	11.3	45
50	Overvalued allelopathy and overlooked effects of humic acid-like substances on <i>Microcystis aeruginosa</i> and <i>Scenedesmus obliquus</i> competition. <i>Harmful Algae</i> , 2018, 78, 18-26.	4.8	12
51	Sequence of <i>Microcystis</i> colony formation during recruitment under natural conditions. <i>Hydrobiologia</i> , 2018, 823, 39-48.	2.0	8
52	Nitrogen removal and nitrous oxide emission in surface flow constructed wetlands for treating sewage treatment plant effluent: Effect of C/N ratios. <i>Bioresource Technology</i> , 2017, 240, 157-164.	9.6	87
53	Linear alkylbenzene sulfonate (LAS) promotes sedimentation and lipid accumulation in <i>Scenedesmus obliquus</i> . <i>RSC Advances</i> , 2017, 7, 9244-9250.	3.6	6
54	Composition of Extracellular and Intracellular Polymeric Substances Produced by <i>Scenedesmus</i> and <i>Microcystis</i> . <i>Environmental Engineering Science</i> , 2017, 34, 887-894.	1.6	15

#	ARTICLE	IF	CITATIONS
55	Changes and relations of photosynthesis and iron cycling in anoxic paddy soil amended with high concentrations of sulfate. <i>Environmental Science and Pollution Research</i> , 2017, 24, 11425-11434.	5.3	5
56	Predicting potential release of dissolved organic matter from biochars derived from agricultural residues using fluorescence and ultraviolet absorbance. <i>Journal of Hazardous Materials</i> , 2017, 334, 86-92.	12.4	117
57	Sources, composition, and spectroscopic characteristics of dissolved organic matter extracted from sediments in an anthropogenic-impacted river in Southeastern China. <i>Environmental Science and Pollution Research</i> , 2017, 24, 25431-25440.	5.3	18
58	Species-dependent variation in sensitivity of <i>Microcystis</i> species to copper sulfate: implication in algal toxicity of copper and controls of blooms. <i>Scientific Reports</i> , 2017, 7, 40393.	3.3	22
59	Impacts of biochar addition on soil dissolved organic matter characteristics in a wheat-maize rotation system in Loess Plateau of China. <i>Chemosphere</i> , 2017, 186, 986-993.	8.2	61
60	Heavy-metal pollution alters dissolved organic matter released by bloom-forming <i>Microcystis aeruginosa</i> . <i>RSC Advances</i> , 2017, 7, 18421-18427.	3.6	11
61	Review: a meta-analysis comparing cell-division and cell-adhesion in <i>Microcystis</i> colony formation. <i>Harmful Algae</i> , 2017, 67, 85-91.	4.8	55
62	Numerical simulation of the vertical migration of <i>Microcystis</i> (cyanobacteria) colonies based on turbulence drag. <i>Journal of Limnology</i> , 2016, , .	1.1	3
63	Polysaccharide biosynthesis-related genes explain phenotype-genotype correlation of <i>Microcystis</i> colonies in Meiliang Bay of Lake Taihu, China. <i>Scientific Reports</i> , 2016, 6, 35551.	3.3	9
64	Environmental factors related to the dominance of <i>Microcystis wesenbergii</i> and <i>Microcystis aeruginosa</i> in a eutrophic lake. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	2.7	5
65	To increase size or decrease density? Different <i>Microcystis</i> species has different choice to form blooms. <i>Scientific Reports</i> , 2016, 6, 37056.	3.3	29
66	Simultaneous biological desalination and lipid production by <i>Scenedesmus obliquus</i> cultured with brackish water. <i>Desalination</i> , 2016, 400, 1-6.	8.2	43
67	Interspecific variation in extracellular polysaccharide content and colony formation of <i>Microcystis</i> spp. cultured under different light intensities and temperatures. <i>Journal of Applied Phycology</i> , 2016, 28, 1533-1541.	2.8	28
68	Effects of linear alkylbenzene sulfonate (LAS) on the interspecific competition between <i>Microcystis</i> and <i>Scenedesmus</i> . <i>Environmental Science and Pollution Research</i> , 2016, 23, 16194-16200.	5.3	13
69	High nutrient concentration and temperature alleviated formation of large colonies of <i>Microcystis</i> : Evidence from field investigations and laboratory experiments. <i>Water Research</i> , 2016, 101, 167-175.	11.3	75
70	Plastic film mulching on soil water and maize ( <i>Zea mays</i> L.) yield in a ridge cultivation system on Loess Plateau of China. <i>Soil Science and Plant Nutrition</i> , 2016, 62, 1-12.	1.9	43
71	Using interval maxima regression (IMR) to determine environmental optima controlling <i>Microcystis</i> spp. growth in Lake Taihu. <i>Environmental Science and Pollution Research</i> , 2016, 23, 774-784.	5.3	8
72	Specific growth rate, colonial morphology and extracellular polysaccharides (EPS) content of <i>Scenedesmus obliquus</i> grown under different levels of light limitation. <i>Annales De Limnologie</i> , 2015, 51, 329-334.	0.6	19

#	ARTICLE	IF	CITATIONS
73	Differences in vertical distribution of <i>Microcystis</i> morphospecies composition in a shallow hypertrophic lake (Lake Taihu, China). <i>Environmental Earth Sciences</i> , 2015, 73, 5721-5730.	2.7	20
74	Cellular N:P ratio of <i>Microcystis</i> as an indicator of nutrient limitation—implications and applications. <i>Environmental Earth Sciences</i> , 2015, 74, 4023-4030.	2.7	10
75	Different tolerances to chemical contaminants between unicellular and colonial morph of <i>Microcystis aeruginosa</i> : Excluding the differences among different strains. <i>Journal of Hazardous Materials</i> , 2015, 285, 245-249.	12.4	30
76	Emission characteristics of PCDD/Fs, PAHs and PCBs during the combustion of sludge-coal water slurry. <i>Journal of the Energy Institute</i> , 2015, 88, 105-111.	5.3	41
77	Using a laser particle analyzer to demonstrate relationships between wind strength and <i>Microcystis</i> colony size distribution in Lake Taihu, China. <i>Journal of Freshwater Ecology</i> , 2015, 30, 425-433.	1.2	10
78	Biochemical composition of <i>Microcystis aeruginosa</i> related to specific growth rate: insight into the effects of abiotic factors. <i>Inland Waters</i> , 2014, 4, 357-362.	2.2	28
79	Solubilisation of mucilage induces changes in <i>Microcystis</i> colonial morphology. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2014, 48, 38-47.	2.0	29
80	Vertical distribution of <i>Microcystis</i> colony size in Lake Taihu: Its role in algal blooms. <i>Journal of Great Lakes Research</i> , 2014, 40, 949-955.	1.9	65
81	<i>Lycium ruthenicum</i> polysaccharide attenuates inflammation through inhibiting TLR4/NF- $\kappa$ B signaling pathway. <i>International Journal of Biological Macromolecules</i> , 2014, 67, 330-335.	7.5	91
82	Structure and immunobiological activity of a new polysaccharide from <i>Bletilla striata</i> . <i>Carbohydrate Polymers</i> , 2014, 107, 119-123.	10.2	93
83	Analysis of Cell Concentration, Volume Concentration, and Colony Size of <i>Microcystis</i> Via Laser Particle Analyzer. <i>Environmental Management</i> , 2014, 53, 947-958.	2.7	38
84	Relationship between extracellular polysaccharide (EPS) content and colony size of <i>Microcystis</i> is colonial morphology dependent. <i>Biochemical Systematics and Ecology</i> , 2014, 55, 346-350.	1.3	44
85	Morphospecies and genospecies of <i>Microcystis</i> during blooms in eutrophic Lake Taihu (China) in autumn. <i>Biochemical Systematics and Ecology</i> , 2014, 57, 322-327.	1.3	5
86	Size-dependent growth of <i>Microcystis</i> colonies in a shallow, hypertrophic lake: use of the RNA-to-total organic carbon ratio. <i>Aquatic Ecology</i> , 2014, 48, 207-217.	1.5	16
87	Changes in extracellular polysaccharide content and morphology of <i>Microcystis aeruginosa</i> at different specific growth rates. <i>Journal of Applied Phycology</i> , 2013, 25, 1023-1030.	2.8	121
88	Effects of Ca and Mg levels on colony formation and EPS content of cultured <i>M. aeruginosa</i> . <i>Procedia Environmental Sciences</i> , 2011, 10, 1452-1458.	1.4	32
89	Morphological changes of <i>Microcystis aeruginosa</i> colonies in culture. <i>Journal of Limnology</i> , 0, , .	1.1	5
90	Influences of aeration induced turbulence on growth and competition of <i>Microcystis</i> and <i>Scenedesmus</i> in the presence of sediments with varying particle sizes. <i>Journal of Oceanology and Limnology</i> , 0, , 1.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Effect of nutrient regimes on desalination rate and lipid production of <i>Scenedesmus obliquus</i> in saline water. , 0, 93, 93-99.		2