Laura Pistelli

List of Publications by Citations

Source: https://exaly.com/author-pdf/4283694/laura-pistelli-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,268 90 31 21 h-index g-index citations papers 4.36 1,552 3.5 97 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
90	Localization of glyoxylate-cycle marker enzymes in peroxisomes of senescent leaves and green cotyledons. <i>Planta</i> , 1990 , 180, 435-439	4.7	90
89	Peroxisomal enzyme activities in attached senescing leaves. <i>Planta</i> , 1991 , 184, 151-3	4.7	62
88	Hairy root cultures for secondary metabolites production. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 698, 167-84	3.6	59
87	Drought stress adaptation modulates plant secondary metabolite production in Salvia dolomitica Codd. <i>Industrial Crops and Products</i> , 2019 , 129, 85-96	5.9	52
86	Plant cell cultures: bioreactors for industrial production. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 698, 203-21	3.6	49
85	Ozone-elicited secondary metabolites in shoot cultures of Melissa officinalis L <i>Plant Cell, Tissue and Organ Culture</i> , 2015 , 120, 617-629	2.7	43
84	Antibacterial activity of essential oils, their blends and mixtures of their main constituents against some strains supporting livestock mastitis. <i>Floterap</i> [32014, 96, 1-7	3.2	40
83	Ecophysiological and phytochemical responses of Salvia sinaloensis Fern. to drought stress. <i>Plant Growth Regulation</i> , 2018 , 84, 383-394	3.2	34
82	The flavonoid compound apigenin prevents colonic inflammation and motor dysfunctions associated with high fat diet-induced obesity. <i>PLoS ONE</i> , 2018 , 13, e0195502	3.7	33
81	Aroma characterisation and UV elicitation of purple basil from different plant tissue cultures. <i>Food Chemistry</i> , 2013 , 141, 776-87	8.5	33
80	Agronomic and phytochemical evaluation of lavandin and lavender cultivars cultivated in the Tyrrhenian area of Tuscany (Italy). <i>Industrial Crops and Products</i> , 2017 , 109, 37-44	5.9	33
79	Luteolin Prevents Cardiometabolic Alterations and Vascular Dysfunction in Mice With HFD-Induced Obesity. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1094	5.6	33
78	Anti-clastogenic activity of two structurally related pterocarpans purified from Bituminaria bituminosa in cultured human lymphocytes. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2004 , 561, 75-81	3	32
77	Characterization of two Arabidopsis thaliana fructokinases. <i>Plant Science</i> , 2001 , 160, 1107-1114	5.3	32
76	Water deficit regimes trigger changes in valuable physiological and phytochemical parameters in Helichrysum petiolare Hilliard & B.L. Burtt. <i>Industrial Crops and Products</i> , 2016 , 83, 680-692	5.9	31
75	Novel Prunus rootstock somaclonal variants with divergent ability to tolerate waterlogging. <i>Tree Physiology</i> , 2012 , 32, 355-68	4.2	26
74	In vitro and in vivo antifungal activity of some essential oils against feline isolates of Microsporum canis. <i>Journal De Mycologie Medicale</i> , 2012 , 22, 179-84	3	26

73	Temporal dynamics in the evolution of the sunflower genome as revealed by sequencing and annotation of three large genomic regions. <i>Theoretical and Applied Genetics</i> , 2011 , 123, 779-91	6	26	
72	Tissue culture and aromatic profile in Salvia dolomitica Codd. <i>Plant Cell, Tissue and Organ Culture</i> , 2015 , 121, 83-95	2.7	25	
71	Glycoxylate cycle enzyme activities are induced in senescent pumpkin fruits. <i>Plant Science</i> , 1996 , 119, 23-29	5.3	24	
70	Response of spontaneous plants from an ex-mining site of Elba island (Tuscany, Italy) to metal(loid) contamination. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 7809-7820	5.1	22	
69	Gibberellin-like activity in suspensors of Tropaeolum majus L. and Cytisus laburnum L. <i>Planta</i> , 1984 , 162, 566-8	4.7	21	
68	Localization of glyoxylate-cycle marker enzymes in peroxisomes of senescent leaves and green cotyledons. <i>Planta</i> , 1990 , 180, 435-9	4.7	19	
67	Metal contamination in urban street sediment in Pisa (Italy) can affect the production of antioxidant metabolites in Taraxacum officinale Weber. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 2325-2333	5.1	18	
66	Salinity in Autumn-Winter Season and Fruit Quality of Tomato Landraces. <i>Frontiers in Plant Science</i> , 2019 , 10, 1078	6.2	17	
65	Bioactive Compounds and Aroma Profile of Some Lamiaceae Edible Flowers. <i>Plants</i> , 2020 , 9,	4.5	16	
64	Growth, development and steviol glycosides content in the relation to the photosynthetic activity of several Stevia rebaudiana Bertoni strains cultivated under temperate climate conditions. <i>Scientia Horticulturae</i> , 2018 , 234, 10-18	4.1	16	
63	Composition of volatile in micropropagated and field grown aromatic plants from Tuscany Islands <i>Acta Biochimica Polonica</i> , 2013 , 60,	2	16	
62	Effect of Iodine treatments on Ocimum basilicum L.: Biofortification, phenolics production and essential oil composition. <i>PLoS ONE</i> , 2019 , 14, e0226559	3.7	16	
61	Accumulation of rosmarinic acid and behaviour of ROS processing systems in Melissa officinalis L. under heat stress. <i>Industrial Crops and Products</i> , 2019 , 138, 111469	5.9	15	
60	Molecular cloning of SoHPPR encoding a hydroxyphenylpyruvate reductase, and its expression in cell suspension cultures of Salvia officinalis. <i>Plant Cell, Tissue and Organ Culture</i> , 2013 , 114, 131-138	2.7	14	
59	HACRE1, a recently inserted copia-like retrotransposon of sunflower (Helianthus annuus L.). <i>Genome</i> , 2009 , 52, 904-11	2.4	14	
58	Glyoxylate cycle enzymes in seedlings and in mature plants of tomato (Lycopersicon esculentum Mill.). <i>Plant Science</i> , 1997 , 129, 39-47	5.3	13	
57	NADP+-isocitrate dehydrogenase in germinating cucumber cotyledons: Purification and characterization of a cytosolic isoenzyme. <i>Physiologia Plantarum</i> , 1996 , 98, 13-19	4.6	13	
56	Localisation of Ebxidation enzymes in peroxisomes of rice coleoptiles. <i>Physiologia Plantarum</i> , 1989 , 76, 144-148	4.6	13	

55	Effect of Leaf Senescence on Glyoxylate Cycle Enzyme Activities. Functional Plant Biology, 1992, 19, 723	3 2.7	13
54	Volatilomic Analysis of Four Edible Flowers from Genus. <i>Molecules</i> , 2019 , 24,	4.8	13
53	Arbuscular mycorrhizal fungi alter the content and composition of secondary metabolites in Bituminaria bituminosa L. <i>Plant Biology</i> , 2017 , 19, 926-933	3.7	12
52	Day-night changes in the levels of adenine nucleotides, phosphoenolpyruvate and inorganic pyrophosphate in leaves of plants having Crassulacean acid metabolism. <i>Planta</i> , 1987 , 172, 479-86	4.7	11
51	Small Functional Foods: Comparative Phytochemical and Nutritional Analyses of Five Microgreens of the Brassicaceae Family. <i>Foods</i> , 2021 , 10,	4.9	11
50	Aroma profile and bitter acid characterization of hop cones (Humulus lupulus L.) of five healthy and infected Polish cultivars. <i>Industrial Crops and Products</i> , 2018 , 124, 653-662	5.9	10
49	Evidences of glyoxylate cycle in peroxisomes of senescent cotyledons. <i>Plant Science</i> , 1995 , 109, 13-21	5.3	10
48	Essential Oil Composition and Biological Activity of "Pompia", a Sardinian Citrus Ecotype. <i>Molecules</i> , 2019 , 24,	4.8	9
47	Molecular analysis of a sunflower gene encoding an homologous of the B subunit of a CAAT binding factor. <i>Molecular Biology Reports</i> , 2012 , 39, 6449-65	2.8	9
46	Yield and qualitative characterisation of seeds of Amaranthus hypochondriacus L. and Amaranthus cruentus L. grown in central Italy. <i>Italian Journal of Agronomy</i> , 2017 , 63-73	1.4	8
45	Analytical methods for the extraction and identification of secondary metabolite production in S n vitroSplant cell cultures. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 698, 250-66	3.6	8
44	Screening of trace metal elements for pollution tolerance of freshwater and marine microalgal strains: Overview and perspectives. <i>Algal Research</i> , 2020 , 45, 101751	5	8
43	Essential oils and volatile emission of eight South African species of Helichrysum grown in uniform environmental conditions. <i>South African Journal of Botany</i> , 2019 , 124, 178-187	2.9	7
42	Steviol glycosides profile in Stevia rebaudiana Bertoni hairy roots cultured under oxidative stress-inducing conditions. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 5929-5941	5.7	7
41	Micropropagation of Salvia wagneriana Polak and hairy root cultures with rosmarinic acid production. <i>Natural Product Research</i> , 2016 , 30, 2538-2544	2.3	7
40	NADP+-isocitrate dehydrogenase in germinating cucumber cotyledons: Purification and characterization of a cytosolic isoenzyme. <i>Physiologia Plantarum</i> , 1996 , 98, 13-19	4.6	7
39	Establishment of Highly Efficient Agrobacterium Rhizogenes-mediated Transformation for Stevia Rebaudiana Bertoni Explants. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2016 , 58, 113-118		6
38	Composition of volatile in micropropagated and field grown aromatic plants from Tuscany Islands. <i>Acta Biochimica Polonica</i> , 2013 , 60, 43-50	2	6

(2020-1996)

37	EDxidation of fatty acids by the unspecialized peroxisomes from rice coleoptile. <i>Plant Science</i> , 1996 , 118, 25-30	5.3	5	
36	Peroxisomes in Rice Coleoptiles Grown in Air and in Anoxia. <i>Botanica Acta</i> , 1989 , 102, 129-133		5	
35	Growth, Yield and Chemical Composition of Essential Oil of Mentha piperita var. multimentha Grown Under Different Agro-ecological Locations in Egypt. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2018 , 21, 23-39	1.7	4	
34	Hibiscus rosa-sinensis as Flavoring Agent for Alcoholic Beverages. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9864	2.6	4	
33	Chemical composition of essential oil from plants of abandoned mining site of Elba island. <i>Natural Product Research</i> , 2019 , 33, 143-147	2.3	4	
32	Extract Acts as Biostimulant and Modulates Metabolites and Hormone Balance in Basil (L.) and Parsley (L.). <i>Plants</i> , 2021 , 10,	4.5	4	
31	Production of Curcuminoids in different in vitro organs of Curcuma longa. <i>Natural Product Communications</i> , 2012 , 7, 1037-42	0.9	4	
30	Biological and Agronomic Traits of the Main Halophytes Widespread in the Mediterranean Region as Potential New Vegetable Crops. <i>Horticulturae</i> , 2022 , 8, 195	2.5	4	
29	In vitro Cultures of Bituminaria bituminosa: Pterocarpan, Furanocoumarin and Isoflavone Production and Cytotoxic Activity Evaluation. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400	986	3	
28	The Effects of Post-Harvest Treatments on the Quality of Agastache aurantiaca Edible Flowers. <i>Horticulturae</i> , 2021 , 7, 83	2.5	3	
27	Day-Length Is Involved in Flooding Tolerance Response in Wild Type and Variant Genotypes of Rootstock L. <i>Frontiers in Plant Science</i> , 2019 , 10, 546	6.2	2	
26	Phytonutritional Content and Aroma Profile Changes During Postharvest Storage of Edible Flowers. <i>Frontiers in Plant Science</i> , 2020 , 11, 590968	6.2	2	
25	Strategies for Optimization of the Production of Rosmarinic Acid in Salvia officinalis L. and Salvia dolomitica Codd Biomass with Several Biotechnological Approaches 2017 , 209-239		2	
24	CONTAMINATION DURING MICROPROPAGATION: ANALYSIS OF THE BACTERIAL LINES AND TREATMENT WITH SAGE EXTRACT. <i>Acta Horticulturae</i> , 2012 , 81-88	0.3	2	
23	Production of Curcuminoids in Different in vitro Organs of Curcuma longa. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	2	
22	Rosmarinic Acid and Ulvan from Terrestrial and Marine Sources in Anti-Microbial Bionanosystems and Biomaterials. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9249	2.6	2	
21	Plant Production and Leaf Anatomy of Mertensia maritima (L.) Gray: Comparison of In Vitro Culture Methods to Improve Acclimatization. <i>Horticulturae</i> , 2021 , 7, 111	2.5	2	
20	Growing basil in the underwater biospheres of NemoS Garden : Phytochemical, physiological and micromorphological analyses. <i>Scientia Horticulturae</i> , 2020 , 259, 108851	4.1	2	

19	Antioxidant Activity of Several Essential Oils from Different Rosmarinus officinalis Cultivars Grown in Sanremo (Italy). <i>Natural Product Communications</i> , 2018 , 13, 1934578X1801300	0.9	2
18	Essential oil composition of six Helichrysum species grown in Italy. <i>Biochemical Systematics and Ecology</i> , 2018 , 79, 15-20	1.4	2
17	Combined effect of silicon and non-thermal plasma treatments on yield, mineral content, and nutraceutical proprieties of edible flowers of Begonia cucullata. <i>Plant Physiology and Biochemistry</i> , 2021 , 166, 1014-1021	5.4	2
16	Can Ozone Alter the Terpenoid Composition and Membrane Integrity of in vitro Melissa officinalis Shoots?. <i>Natural Product Communications</i> , 2015 , 10, 1055-8	0.9	2
15	Postharvest Treatments on Sensorial and Biochemical Characteristics of Begonia cucullata Willd Edible Flowers. <i>Foods</i> , 2022 , 11, 1481	4.9	2
14	Establishment of in vitro plants selected from heavy metal contaminated soils for further phytoremediation use. <i>Acta Horticulturae</i> , 2017 , 599-606	0.3	1
13	Salinity-Induced Changes of Photosynthetic Performance, Lawsone, VOCs, and Antioxidant Metabolism in L. <i>Plants</i> , 2020 , 9,	4.5	1
12	GAMMA IRRADIATION INDUCES NEO-ORGANOGENESIS IN A ROSMARINUS OFFICINALIS CALLUS LINE SELECTED FOR SECONDARY METABOLITES PRODUCTION. <i>Acta Horticulturae</i> , 2015 , 535-539	0.3	1
11	Can Ozone Alter the Terpenoid Composition and Membrane Integrity of in vitro Melissa officinalis Shoots?. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	1
10	HPLC-DAD-MS Analysis and Antiviral Activity of Different Extracts and Isolated Constituents from Bituminaria bituminosa. <i>Chemistry of Natural Compounds</i> , 2014 , 50, 726-729	0.7	1
9	Cloning and characterization of barley long chain acyl-CoA oxidase and its possible regulation by glucose. <i>Physiologia Plantarum</i> , 2003 , 117, 22-32	4.6	1
8	Edible roses as novel food with healthy value. <i>Acta Horticulturae</i> , 2021 , 239-244	0.3	1
7	Phytochemical Characterization of Citrus-Based Products Supporting Their Antioxidant Effect and Sensory Quality. <i>Foods</i> , 2022 , 11, 1550	4.9	1
6	Daidzein Production and HeLa Cytotoxicity of Bituminaria bituminosa Hairy Root Cultures. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701201	0.9	O
5	The influence of ripeness stage and growth area on myrtle-leaved orange (chinotto) peel essential oil composition. <i>Biochemical Systematics and Ecology</i> , 2020 , 91, 104071	1.4	0
4	Physiological and Biochemical Adaptive Traits in Leaves of Four Citrus Species Grown in an Italian Charterhouse. <i>Horticulturae</i> , 2022 , 8, 324	2.5	O
3	Rhizobium rhizogenes-Mediated Genetic Transformation of Antidiabetic Plants 2021 , 341-382		
2	The flavonoid compound luteolin prevents endothelial dysfunction in a mouse model of high fat diet-induced obesity. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO4-2-47	Ο	

Preliminary results on basil grown in the NemoS Garden . Planta Medica, 2016, 81, S1-S381

3.1