

Liona C Poon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4284249/liona-c-poon-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

246
papers

11,478
citations

57
h-index

100
g-index

274
ext. papers

14,503
ext. citations

4.5
avg, IF

6.71
L-index

#	Paper	IF	Citations
246	TEMPORARY REMOVAL: The diagnosis and management of suspected fetal growth restriction: an evidence-based approach.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 ,	6.4	3
245	Screening for spontaneous preterm birth by cervical length and shear-wave elastography in the first-trimester of pregnancy.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 ,	6.4	1
244	Transperineal ultrasound assessment of fetal head elevation by maneuvers used for managing umbilical cord prolapse. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 603-608	5.8	2
243	Single-molecule sequencing reveals a large population of long cell-free DNA molecules in maternal plasma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	6
242	Assessment of embryo morphology following perinatal exposure to aspirin, ibuprofen and paracetamol using whole embryo culture system. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-8	2	0
241	The use of ultrasound, fibronectin and other parameters to predict the success of labour induction. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021 , 79, 27-27	4.6	1
240	The 2021 International Society for the Study of Hypertension in Pregnancy classification, diagnosis & management recommendations for international practice.. <i>Pregnancy Hypertension</i> , 2021 , 27, 148-169	2.6	12
239	Prospective Evaluation of International Prediction of Pregnancy Complications Collaborative Network Models for Prediction of Preeclampsia: Role of Serum sFlt-1 at 11-13 Weeks Gestation. <i>Hypertension</i> , 2021 , HYPERTENSIONAHA12118021	8.5	1
238	Comorbidities, poverty and social vulnerability as risk factors for mortality in pregnant women with confirmed SARS-CoV-2 infection: analysis of 13 062 positive pregnancies including 176 maternal deaths in Mexico. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 ,	5.8	3
237	Outcome of radiofrequency ablation for selective fetal reduction before vs at or after 16 gestational weeks in complicated monochorionic pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 214-220	5.8	3
236	Incidence of pre-eclampsia and other perinatal complications among pregnant women with congenital heart disease: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 519-528	5.8	3
235	Bronchopulmonary sequestration successfully treated with prenatal radiofrequency ablation of feeding artery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 325-327	5.8	
234	FIGO (international Federation of Gynecology and obstetrics) initiative on fetal growth: best practice advice for screening, diagnosis, and management of fetal growth restriction. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152 Suppl 1, 3-57	4	28
233	First Trimester Screening for Preeclampsia: An Asian Perspective. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 116-123	123	0
232	The significance of low first trimester serum progesterone in ongoing early pregnancies presenting as pregnancies of unknown location. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 258, 294-298	2.4	
231	Prediction of spontaneous preterm birth by cervical length in the first trimester of pregnancy: Comparison of two measurement methods. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1305-1312	3.8	2
230	How Different Are Diverse Populations in Screening for Preeclampsia?. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 87-90	0.6	

229	Preeclampsia: Universal Screening or Universal Prevention for Low and Middle-Income Settings?. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2021 , 43, 334-338	1.1	
228	Young pregnant women are also at an increased risk of mortality and severe illness due to coronavirus disease 2019: analysis of the Mexican National Surveillance Program. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 404-407	6.4	6
227	Impact of replacing or adding placental growth factor on Down syndrome screening: A prospective cohort study. <i>Prenatal Diagnosis</i> , 2021 , 41, 1111-1117	3.2	0
226	Relationship between viral load, infection-to-delivery interval and mother-to-child transfer of anti-SARS-CoV-2 antibodies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 974-978	5.8	4
225	The usefulness of ultrasound before induction of labor. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 3, 100423	7.4	0
224	A literature review and best practice advice for second and third trimester risk stratification, monitoring, and management of pre-eclampsia: Compiled by the Pregnancy and Non-Communicable Diseases Committee of FIGO (the International Federation of Gynecology and Obstetrics). <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 151, 6, 1-23	4	6
223	Effective Aspirin Treatment of Women at Risk for Preeclampsia Delays the Metabolic Clock of Gestation. <i>Hypertension</i> , 2021 , 78, 1398-1410	8.5	3
222	Application of an individualized nomogram in first-trimester screening for trisomy 21. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 56-66	5.8	3
221	Doppler-based predictive model for methotrexate resistance in low-risk gestational trophoblastic neoplasia with myometrial invasion: prospective study of 147 patients. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 829-839	5.8	0
220	Accuracy of the FMF Bayes theorem-based model for predicting preeclampsia at 11-13 weeks of gestation in a Japanese population. <i>Hypertension Research</i> , 2021 , 44, 685-691	4.7	4
219	Pregnant women with SARS-CoV-2 infection are at higher risk of death and pneumonia: propensity score matched analysis of a nationwide prospective cohort (COV19Mx). <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 224-231	5.8	54
218	Comparison of uterine artery Doppler measurements at 6 weeks of pregnancy after IVF between pregnancies that resulted in miscarriage and ongoing pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152, 249-255	4	0
217	Bradycardia-to-delivery interval and fetal outcomes in umbilical cord prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 170-177	3.8	9
216	Single-cell RNA expression profiling of SARS-CoV-2-related ACE2 and TMPRSS2 in human trophoblast and placenta. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 248-256	5.8	30
215	The Use of Somatex Shunt for Fetal Pleural Effusion: A Cohort of 8 Procedures. <i>Fetal Diagnosis and Therapy</i> , 2021 , 48, 440-447	2.4	0
214	How has COVID-19 impacted obstetrics? 2021 , 21, 9-11		0
213	Scientific effort in combating COVID-19 in obstetrics and gynecology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 189-194	5.8	0
212	Cost-utility of a first-trimester screening strategy versus the standard of care for nulliparous women to prevent pre-term pre-eclampsia in Belgium. <i>Pregnancy Hypertension</i> , 2021 , 25, 219-224	2.6	2

211	Novel Ratio Soluble Fms-like Tyrosine Kinase-1/Angiotensin-II (sFlt-1/ANG-II) in Pregnant Women Is Associated with Critical Illness in COVID-19. <i>Viruses</i> , 2021 , 13,	6.2	4
210	Perspectives on administration of COVID-19 vaccine to pregnant and lactating women: a challenge for low- and middle-income countries. <i>AJOG Global Reports</i> , 2021 , 1, 100020		1
209	Evidence of possible SARS-CoV-2 vertical transmission according to World Health Organization criteria in asymptomatic pregnant women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 900-908	5.8	1
208	ASPRE trial: risk factors for development of preterm pre-eclampsia despite aspirin prophylaxis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 546-552	5.8	4
207	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 643-644	5.8	
206	Effect of coronavirus disease 2019 (COVID-19) on maternal, perinatal and neonatal outcome: systematic review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 15-27	5.8	243
205	Plasma DNA End-Motif Profiling as a Fragmentomic Marker in Cancer, Pregnancy, and Transplantation. <i>Cancer Discovery</i> , 2020 , 10, 664-673	24.4	42
204	ISUOG Interim Guidance on 2019 novel coronavirus infection during pregnancy and puerperium: information for healthcare professionals. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 700-708	5.8	122
203	Maternal cardiac function in women at high risk for pre-eclampsia treated with 150 mg aspirin or placebo: an observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1018-1025	3.7	3
202	ISUOG Safety Committee Position Statement on safe performance of obstetric and gynecological scans and equipment cleaning in context of COVID-19. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 709-712	5.8	30
201	Novel coronavirus infection and pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 435-437	5.8	83
200	Whole genome miRNA profiling revealed miR-199a as potential placental pathogenesis of selective fetal growth restriction in monochorionic twin pregnancies. <i>Placenta</i> , 2020 , 92, 44-53	3.4	5
199	Shear-wave sonoelastographic assessment of cervix in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 1458-1468	3.8	4
198	ISUOG Interim Guidance on coronavirus disease 2019 (COVID-19) during pregnancy and puerperium: information for healthcare professionals - an update. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 848-862	5.8	52
197	Global interim guidance on coronavirus disease 2019 (COVID-19) during pregnancy and puerperium from FIGO and allied partners: Information for healthcare professionals. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 149, 273-286	4	145
196	ISUOG Consensus Statement on organization of routine and specialist obstetric ultrasound services in context of COVID-19. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 863-870	5.8	29
195	ISUOG Safety Committee Position Statement on use of personal protective equipment and hazard mitigation in relation to SARS-CoV-2 for practitioners undertaking obstetric and gynecological ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 886-891	5.8	25
194	Intrauterine vertical transmission of SARS-CoV-2: what we know so far. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 724-725	5.8	48

193	Placental microRNA dataset of monochorionic twin pregnancies with and without selective fetal growth restriction. <i>Data in Brief</i> , 2020 , 30, 105403	1.2	0
192	Coronavirus disease 2019 in pregnant women: a report based on 116 cases. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 111.e1-111.e14	6.4	341
191	Monochorionic twins with selective fetal growth restriction: insight from placental whole-transcriptome analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 749.e1-749.e16	6.4	0
190	Mini-combined test compared with NICE guidelines for early risk-assessment for pre-eclampsia: the SPREE diagnostic accuracy study. <i>Efficacy and Mechanism Evaluation</i> , 2020 , 7, 1-156	1.7	1
189	The predictive value of cervical shear wave elastography in the outcome of labor induction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 59-68	3.8	13
188	First-trimester pre-eclampsia biomarker profiles in Asian population: multicenter cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 206-214	5.8	10
187	Effect of race on longitudinal central hemodynamics in pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 37-43	5.8	0
186	First trimester preeclampsia screening and prediction. <i>American Journal of Obstetrics and Gynecology</i> , 2020 ,	6.4	30
185	Feasibility, Reliability, and Agreement of Transperineal Ultrasound Measurement: Results from a Longitudinal Cohort Study. <i>Fetal Diagnosis and Therapy</i> , 2020 , 1-10	2.4	1
184	ISUOG Practice Guidelines: diagnosis and management of small-for-gestational-age fetus and fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 298-312	5.8	114
183	Risk factors for anxiety and depression among pregnant women during the COVID-19 pandemic: A web-based cross-sectional survey. <i>Medicine (United States)</i> , 2020 , 99, e21279	1.8	31
182	Detection and characterization of jagged ends of double-stranded DNA in plasma. <i>Genome Research</i> , 2020 , 30, 1144-1153	9.7	23
181	Prevention of preeclampsia with aspirin. <i>American Journal of Obstetrics and Gynecology</i> , 2020 ,	6.4	37
180	Does low-dose aspirin initiated before 11 weeks of gestation reduce the rate of preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 437-450	6.4	20
179	From first-trimester screening to risk stratification of evolving pre-eclampsia in second and third trimesters of pregnancy: comprehensive approach. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 5-12	5.8	13
178	Why we should not stop giving aspirin to pregnant women during the COVID-19 pandemic. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 841-843	5.8	20
177	Prelabor short-term variability in fetal heart rate by computerized cardiotocogram and maternal fetal doppler indices for the prediction of labor outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-10	2	1
176	Clinical evaluation of a first trimester pregnancy algorithm predicting the risk of small for gestational age neonates. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 670-676	1.7	3

175	Good clinical practice advice: Iron deficiency anemia in pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 322-324	4	7
174	Good clinical practice advice: Management of twin pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 330-337	4	13
173	Predictive performance of the competing risk model in screening for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 199.e1-199.e13	6.4	83
172	Good clinical practice advice: Micronutrients in the periconceptional period and pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 317-321	4	6
171	Good clinical practice advice: First trimester screening and prevention of pre-eclampsia in singleton pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 325-329	4	7
170	Good clinical practice advice: Role of ultrasound in the management of twin pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 338-339	4	4
169	Good clinical practice advice: Prediction of preterm labor and preterm premature rupture of membranes. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 340-346	4	16
168	Good clinical practice advice: Thyroid and pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 347-351	4	6
167	Good clinical practice advice: Antenatal corticosteroids for fetal lung maturation. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 144, 352-355	4	18
166	The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: A pragmatic guide for first-trimester screening and prevention. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145 Suppl 1, 1-33	4	209
165	The effect of parity on longitudinal maternal hemodynamics. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 249.e1-249.e14	6.4	7
164	Factors that affect ultrasound-determined labor progress in women undergoing induction of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 592.e1-592.e15	6.4	10
163	Genetic association of retroesophageal left brachiocephalic vein. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 836-837	5.8	0
162	Do specific ultrasonography features identified at the time of early pregnancy loss predict fetal chromosomal abnormality? - A systematic review and meta-analysis. <i>Genes and Diseases</i> , 2019 , 6, 129-137	6.6	1
161	Pre-Induction Transperineal Ultrasound Assessment for the Prediction of Labor Outcome. <i>Fetal Diagnosis and Therapy</i> , 2019 , 45, 256-267	2.4	11
160	Inter-manufacturer comparison of automated immunoassays for the measurement of soluble FMS-like tyrosine kinase-1 and placental growth factor. <i>Pregnancy Hypertension</i> , 2019 , 17, 165-171	2.6	10
159	Reasons for accepting or declining participation in the ASPRE trial: A qualitative study with women at high risk of preterm pre-eclampsia. <i>Prenatal Diagnosis</i> , 2019 , 39, 1127-1135	3.2	4
158	Prospective evaluation of screening performance of first-trimester prediction models for preterm preeclampsia in an Asian population. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 650.e1-650.e16	6.4	33

157	FIGO (International Federation of Gynecology and Obstetrics) Postpregnancy Initiative: Long-term Maternal Implications of Pregnancy Complications-Follow-up Considerations. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 147 Suppl 1, 1-31	4	28
156	Labor progress determined by ultrasound is different in women requiring cesarean delivery from those who experience a vaginal delivery following induction of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 335.e1-335.e18	6.4	21
155	Prenatal visualization of paraumbilical veins in fetus with intra-abdominal umbilical vein stricture and intrauterine growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 697-698	5.8	
154	Screening and Prevention of Preeclampsia. <i>Maternal-Fetal Medicine</i> , 2019 , 1, 25-30	0.6	9
153	Impact of preimplantation genetic testing for aneuploidy on obstetrical practice. <i>Current Opinion in Obstetrics and Gynecology</i> , 2019 , 31, 127-131	2.4	1
152	Reproductive outcomes after surgical treatment of asherman syndrome: A systematic review. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019 , 59, 98-114	4.6	19
151	Objective assessment of the fetal facial profile at second and third trimester of pregnancy. <i>Prenatal Diagnosis</i> , 2019 , 39, 107-115	3.2	8
150	Transvaginal three-dimensional ultrasound assessment of Sylvian fissures at 18-30 weeksO gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 190-198	5.8	16
149	Increased Sylvian fissure angle as early sonographic sign of malformation of cortical development. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 199-206	5.8	14
148	Maternal hemodynamics in screen-positive and screen-negative women of the ASPRE trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 51-57	5.8	12
147	Prediction of labor outcome using serial transperineal ultrasound in the first stage of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 31-37	2	12
146	Body mass index at 11-13 weeksO gestation and pregnancy complications in a Southern Chinese population: a retrospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2056 ² -2068 ⁹		
145	Maternal hemodynamics, fetal biometry and Doppler indices in pregnancies followed up for suspected fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 507-514	5.8	25
144	Comparison of diagnostic accuracy of early screening for pre-eclampsia by NICE guidelines and a method combining maternal factors and biomarkers: results of SPREE. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 743-750	5.8	131
143	ASPRE trial: incidence of preterm pre-eclampsia in patients fulfilling ACOG and NICE criteria according to risk by FMF algorithm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 738-742	5.8	38
142	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 464-465	6.4	
141	Aspirin Versus Placebo in Pregnancies at High Risk for Preterm Preeclampsia. <i>Obstetrical and Gynecological Survey</i> , 2018 , 73, 11-12	2.4	2
140	Maternal sildenafil for severe fetal growth restriction (STRIDER): a multicentre, randomised, placebo-controlled, double-blind trial. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 93-102	14.5	95

139	Prediction and prevention of small-for-gestational-age neonates: evidence from SPREE and ASPRE. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 52-59	5.8	62
138	Aspirin for Evidence-Based Preeclampsia Prevention trial: effect of aspirin on length of stay in the neonatal intensive care unit. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 612.e1-612.e6	6.4	54
137	Effect of change in posture on maternal functional hemodynamics at 35-37 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 368-374	5.8	8
136	Uterine artery pulsatility index in the first trimester: assessment of intersonographer and intersampling site measurement differences. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 2276-2283	2	10
135	Predicting the Risk to Develop Preeclampsia in the First Trimester Combining Promoter Variant -98A/C of LGALS13 (Placental Protein 13), Black Ethnicity, Previous Preeclampsia, Obesity, and Maternal Age. <i>Fetal Diagnosis and Therapy</i> , 2018 , 43, 250-265	2.4	8
134	Transverse technique: complementary approach to measurement of first-trimester uterine artery Doppler. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 639-647	5.8	7
133	Screening for pre-eclampsia by maternal factors and biomarkers at 11-13 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 186-195	5.8	118
132	Comment on "First Trimester screening for early and late preeclampsia based on maternal characteristics, biophysical parameters, and angiogenic factors". <i>Prenatal Diagnosis</i> , 2018 , 38, 891	3.2	
131	The first-trimester of pregnancy - A window of opportunity for prediction and prevention of pregnancy complications and future life. <i>Diabetes Research and Clinical Practice</i> , 2018 , 145, 20-30	7.4	47
130	Accuracy of competing-risks model in screening for pre-eclampsia by maternal factors and biomarkers at 11-13 weeks of gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 751-755	5.8	138
129	Multicenter screening for pre-eclampsia by maternal factors and biomarkers at 11-13 weeks of gestation: comparison with NICE guidelines and ACOG recommendations. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 756-760	5.8	150
128	Re: Impact of aspirin on trophoblastic invasion in women with abnormal uterine artery Doppler at 11-14 weeks: a randomized controlled study. E. Scazzocchio, D. Oros, D. Diaz, J. C. Ramirez, M. Ricart, E. Meler, R. González de Agüero, E. Gratacos and F. Figueras. <i>Ultrasound Obstet Gynecol</i> 2017; 49: 125-134. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 125	5.8	
127	Protocol for the prospective validation study: Screening programme for pre-eclampsia (SPREE). <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 175-179	5.8	8
126	STRIDER (Sildenafil Therapy in dismal prognosis early onset fetal growth restriction): an international consortium of randomised placebo-controlled trials. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 440	3.2	32
125	Integrative single-cell and cell-free plasma RNA transcriptomics elucidates placental cellular dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7786-E7795	11.5	137
124	Aspirin for Evidence-Based Preeclampsia Prevention trial: influence of compliance on beneficial effect of aspirin in prevention of preterm preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 685.e1-685.e5	6.4	59
123	ASPRE trial: performance of screening for preterm pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 492-495	5.8	161
122	Protocol for measurement of mean arterial pressure at 10-40 weeks of gestation. <i>Pregnancy Hypertension</i> , 2017 , 10, 155-160	2.6	14

121	Aspirin for Evidence-Based Preeclampsia Prevention trial: effect of aspirin in prevention of preterm preeclampsia in subgroups of women according to their characteristics and medical and obstetrical history. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 585.e1-585.e5	6.4	85
120	Aspirin versus Placebo in Pregnancies at High Risk for Preterm Preeclampsia. <i>New England Journal of Medicine</i> , 2017 , 377, 613-622	59.2	926
119	Metabolomic determination of pathogenesis of late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 658-664	2	20
118	Maternal cardiovascular function at 35-37 weeksGestation: relation to maternal characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 39-45	5.8	11
117	Maternal cardiac function at 35-37 weeksGestation: relationship with birth weight. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 67-72	5.8	12
116	Maternal cardiac function at 35-37 weeksGestation: prediction of pre-eclampsia and gestational hypertension. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 49, 61-66	5.8	16
115	Integrated Proteomic and Metabolomic prediction of Term Preeclampsia. <i>Scientific Reports</i> , 2017 , 7, 16189	4.9	27
114	Cervical pessary placement for prevention of preterm birth in unselected twin pregnancies: a randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 3.e1-9	6.4	90
113	Competing risks model in screening for preeclampsia by maternal factors and biomarkers at 11-13 weeks gestation. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 103.e1-103.e12	6.4	251
112	Birth weight in live births and stillbirths. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 602-606	5.8	74
111	A Randomized Trial of a Cervical Pessary to Prevent Preterm Singleton Birth. <i>Obstetrical and Gynecological Survey</i> , 2016 , 71, 392-393	2.4	1
110	Clinical implementation of routine screening for fetal trisomies in the UK NHS: cell-free DNA test contingent on results from first-trimester combined test. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 45-52	5.8	79
109	Risk of preterm birth following surgical treatment for cervical disease: executive summary of a recent symposium. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1426-9	3.7	37
108	A Randomized Trial of a Cervical Pessary to Prevent Preterm Singleton Birth. <i>New England Journal of Medicine</i> , 2016 , 374, 1044-52	59.2	111
107	Current controversies in prenatal diagnosis 3: is there still a value in a nuchal translucency screening ultrasound in conjunction with maternal plasma non-invasive cell-free DNA testing?. <i>Prenatal Diagnosis</i> , 2016 , 36, 20-4	3.2	5
106	The use of ultrasound and other markers for early detection of preeclampsia. <i>Womens Health</i> , 2016 , 12, 199-207	3	17
105	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 789	5.8	
104	The effect of gestational age and cervical length measurements in the prediction of spontaneous preterm birth in twin pregnancies: an individual patient level meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 877-84	3.7	34

103	First trimester prediction of HELLP syndrome. <i>Prenatal Diagnosis</i> , 2016 , 36, 29-33	3.2	6
102	IONA test for first-trimester detection of trisomies 21, 18 and 13. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 184-7	5.8	7
101	Prediction of large-for-gestational-age neonates: screening by maternal factors and biomarkers in the three trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 332-9	5.8	31
100	Cervical cerclage for preterm birth prevention in twin gestation with short cervix: a retrospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 752-756	5.8	28
99	Study protocol for the randomised controlled trial: combined multimarker screening and randomised patient treatment with ASpirin for evidence-based PREeclampsia prevention (ASPRE). <i>BMJ Open</i> , 2016 , 6, e011801	3	42
98	Competing risks model in screening for preeclampsia by maternal characteristics and medical history. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 62.e1-62.e10	6.4	198
97	Prediction of small-for-gestational-age neonates: screening by uterine artery Doppler and mean arterial pressure at 30-34 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 707-14	5.8	21
96	Prediction of small-for-gestational-age neonates: screening by fetal biometry at 35-37 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 559-65	5.8	42
95	Prediction of small-for-gestational-age neonates: screening by fetal biometry at 19-24 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 198-207	5.8	22
94	Umbilical and fetal middle cerebral artery Doppler at 35-37 weeks of gestation in the prediction of adverse perinatal outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 82-92	5.8	70
93	UK NHS pilot study on cell-free DNA testing in screening for fetal trisomies: factors affecting uptake. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 67-73	5.8	32
92	Maternal plasma cell-free DNA in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 106-11	5.8	37
91	Management of hypertriglyceridaemia-induced acute pancreatitis in pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 954-8	2	5
90	Fetal fraction of cell-free DNA in maternal plasma in the prediction of spontaneous preterm delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 101-5	5.8	26
89	Mean arterial pressure in the three trimesters of pregnancy: effects of maternal characteristics and medical history. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 698-706	5.8	70
88	Prediction of small-for-gestational-age neonates: screening by uterine artery Doppler and mean arterial pressure at 35-37 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 715-21	5.8	20
87	Prediction of small-for-gestational-age neonates: screening by uterine artery Doppler and mean arterial pressure at 19-24 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 332-40	5.8	16
86	Prediction of small-for-gestational-age neonates: screening by biophysical and biochemical markers at 19-24 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 437-45	5.8	41

85	Prediction of small-for-gestational-age neonates: screening by maternal serum biochemical markers at 19-24 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 341-9	5.8	24
84	Re: Prediction of early- and late-onset pregnancy-induced hypertension using placental volume on three-dimensional ultrasound and uterine artery Doppler. T. Arakaki, J. Hasegawa, M. Nakamura, S. Hamada, M. Muramoto, H. Takita, K. Ichizuka and A. Sekizawa. <i>Ultrasound Obstet Gynecol</i> 2015; 45: 539-543. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 513	5.8	1
83	Prediction of small-for-gestational-age neonates: screening by biophysical and biochemical markers at 30-34 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 446-51	5.8	32
82	Prediction of small-for-gestational-age neonates: screening by maternal biochemical markers at 30-34 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 208-15	5.8	16
81	Umbilical and fetal middle cerebral artery Doppler at 30-34 weeks of gestation in the prediction of adverse perinatal outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 409-20	5.8	50
80	Prediction of small-for-gestational-age neonates: screening by placental growth factor and soluble fms-like tyrosine kinase-1 at 35-37 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 191-7	5.8	21
79	Prediction of small-for-gestational-age neonates: screening by fetal biometry at 30-34 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 551-8	5.8	55
78	Maternal serum anti-Müllerian hormone at 11-13 weeks of gestation in the prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 865-8	2	8
77	Demographic factors that can be used to predict early-onset pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 535-9	2	5
76	Successful induction of labor: prediction by preinduction cervical length, angle of progression and cervical elastography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 468-75	5.8	58
75	First-trimester maternal factors and biomarker screening for preeclampsia. <i>Prenatal Diagnosis</i> , 2014 , 34, 618-27	3.2	87
74	First-trimester contingent screening for trisomies 21, 18 and 13 by biomarkers and maternal blood cell-free DNA testing. <i>Fetal Diagnosis and Therapy</i> , 2014 , 35, 185-92	2.4	40
73	How feasible is expectant management of interstitial ectopic pregnancy?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 317-21	5.8	22
72	Competing risk model in screening for preeclampsia by mean arterial pressure and uterine artery pulsatility index at 30-33 weeks of gestation. <i>Fetal Diagnosis and Therapy</i> , 2014 , 36, 18-27	2.4	19
71	Maternal serum placental growth factor isoforms 1 and 2 at 11-13, 20-24 and 30-34 weeks of gestation in late-onset pre-eclampsia and small for gestational age neonates. <i>Fetal Diagnosis and Therapy</i> , 2014 , 35, 249-57	2.4	11
70	Early prediction of preeclampsia. <i>Obstetrics and Gynecology International</i> , 2014 , 2014, 297397	2	135
69	Is high fetal nuchal translucency associated with submicroscopic chromosomal abnormalities on array CGH?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 620-4	5.8	38
68	Prediction of preeclampsia by mean arterial pressure at 11-13 and 20-24 weeks of gestation. <i>Fetal Diagnosis and Therapy</i> , 2014 , 36, 28-37	2.4	29

67	Competing risks model in screening for preeclampsia by biophysical and biochemical markers at 30-33 weeks gestation. <i>Fetal Diagnosis and Therapy</i> , 2014 , 36, 9-17	2.4	28
66	Optimal method and timing of intrauterine intervention in twin reversed arterial perfusion sequence: case study and meta-analysis. <i>Fetal Diagnosis and Therapy</i> , 2014 , 35, 267-79	2.4	44
65	Maternal serum placental growth factor (PLGF) isoforms 1 and 2 at 11-13 weeks gestation in normal and pathological pregnancies. <i>Fetal Diagnosis and Therapy</i> , 2014 , 36, 106-16	2.4	28
64	Competing risks model in screening for preeclampsia by serum placental growth factor and soluble fms-like tyrosine kinase-1 at 30-33 weeks gestation. <i>Fetal Diagnosis and Therapy</i> , 2014 , 35, 240-8	2.4	45
63	Association of placental perfusion, as assessed by magnetic resonance imaging and uterine artery Doppler ultrasound, and its relationship to pregnancy outcome. <i>Placenta</i> , 2013 , 34, 885-91	3.4	71
62	Clinical evaluation of a first trimester algorithm predicting the risk of hypertensive disease of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 532-9	1.7	97
61	Maternal serum soluble endoglin at 30-33 weeks in the prediction of preeclampsia. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 149-55	2.4	12
60	Fetal fraction in maternal plasma cell-free DNA at 11-13 weeks gestation: relation to maternal and fetal characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 26-32	5.8	244
59	Maternal serum retinol-binding protein-4 at 11-13 weeks gestation in normal and pathological pregnancies. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 814-9	12.7	27
58	Maternal serum placental growth factor, pregnancy-associated plasma protein-a and free human chorionic gonadotrophin at 30-33 weeks in the prediction of pre-eclampsia. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 164-72	2.4	24
57	Maternal serum cytokines at 30-33 weeks in the prediction of preeclampsia. <i>Prenatal Diagnosis</i> , 2013 , 33, 823-30	3.2	14
56	Association of placental T2 relaxation times and uterine artery Doppler ultrasound measures of placental blood flow. <i>Placenta</i> , 2013 , 34, 474-9	3.4	43
55	Systolic, diastolic and mean arterial pressure at 30-33 weeks in the prediction of preeclampsia. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 173-81	2.4	23
54	Uterine artery Doppler at 30-33 weeks gestation in the prediction of preeclampsia. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 156-63	2.4	34
53	Meta-analysis of second-trimester markers for trisomy 21. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 247-61	5.8	164
52	Competing risks model in early screening for preeclampsia by biophysical and biochemical markers. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 8-15	2.4	359
51	Combined screening for preeclampsia and small for gestational age at 11-13 weeks. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 16-27	2.4	159
50	Second-trimester uterine artery Doppler in the prediction of stillbirths. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 28-35	2.4	36

49	Prediction of preeclampsia by uterine artery Doppler at 20-24 weeks gestation. <i>Fetal Diagnosis and Therapy</i> , 2013 , 34, 241-7	2.4	24
48	First-trimester contingent screening for trisomy 21 by biomarkers and maternal blood cell-free DNA testing. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 41-50	5.8	83
47	Second-trimester screening for trisomy-21 using prefrontal space ratio. <i>Fetal Diagnosis and Therapy</i> , 2013 , 34, 50-5	2.4	9
46	Maternal plasma cell-free fetal and maternal DNA at 11-13 weeks gestation: relation to fetal and maternal characteristics and pregnancy outcomes. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 215-23	2.4	80
45	Trichorionic and dichorionic triplet pregnancies at 10-14 weeks: outcome after embryo reduction compared to expectant management. <i>Fetal Diagnosis and Therapy</i> , 2013 , 34, 199-205	2.4	42
44	Maternal serum tumour necrosis factor receptor 1 (TNF-R1) at 30-33 weeks in the prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 763-7	2	3
43	Maternal serum activin-A at 30-33 weeks in the prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 733-7	2	7
42	Maternal thyroid function at gestational weeks 11-13 in twin pregnancies. <i>Thyroid</i> , 2013 , 23, 1165-71	6.2	11
41	Maternal serum resistin at 11 to 13 weeks gestation in normal and pathological pregnancies. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 699-705	12.7	24
40	Fetal fraction in maternal plasma cell-free DNA at 11-13 weeks gestation: effect of maternal and fetal factors. <i>Fetal Diagnosis and Therapy</i> , 2012 , 31, 237-43	2.4	111
39	Maternal serum ferritin at 11- to 13-week gestation in spontaneous early preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1852-5	2	4
38	Large loop excision of transformation zone and cervical length in the prediction of spontaneous preterm delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 692-8	3.7	41
37	Protocol for measurement of mean arterial pressure at 11-13 weeks gestation. <i>Fetal Diagnosis and Therapy</i> , 2012 , 31, 42-8	2.4	144
36	A competing risks model in early screening for preeclampsia. <i>Fetal Diagnosis and Therapy</i> , 2012 , 32, 171-8	2.4	144
35	C-reactive protein at 11-13 weeks gestation in spontaneous early preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2475-8	2	8
34	First-trimester screening for neural tube defects using alpha-fetoprotein. <i>Fetal Diagnosis and Therapy</i> , 2012 , 31, 109-14	2.4	33
33	Birthweight with gestation and maternal characteristics in live births and stillbirths. <i>Fetal Diagnosis and Therapy</i> , 2012 , 32, 156-65	2.4	96
32	First-trimester screening for spontaneous preterm delivery with maternal characteristics and cervical length. <i>Fetal Diagnosis and Therapy</i> , 2012 , 31, 154-61	2.4	77

31	Reference range of birth weight with gestation and first-trimester prediction of small-for-gestation neonates. <i>Prenatal Diagnosis</i> , 2011 , 31, 58-65	3.2	85
30	First-trimester prediction of macrosomia. <i>Fetal Diagnosis and Therapy</i> , 2011 , 29, 139-47	2.4	43
29	Hypertensive disorders in pregnancy: screening by systolic diastolic and mean arterial pressure at 11-13 weeks. <i>Hypertension in Pregnancy</i> , 2011 , 30, 93-107	2	53
28	Normal ranges of embryonic length, embryonic heart rate, gestational sac diameter and yolk sac diameter at 6-10 weeks. <i>Fetal Diagnosis and Therapy</i> , 2010 , 28, 207-19	2.4	63
27	Maternal risk factors for hypertensive disorders in pregnancy: a multivariate approach. <i>Journal of Human Hypertension</i> , 2010 , 24, 104-10	2.6	218
26	Hypertensive disorders in pregnancy: screening by biophysical and biochemical markers at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 662-70	5.8	106
25	Hypertensive disorders in pregnancy: combined screening by uterine artery Doppler, blood pressure and serum PAPP-A at 11-13 weeks. <i>Prenatal Diagnosis</i> , 2010 , 30, 216-23	3.2	93
24	Maternal serum ADAM12 (A disintegrin and metalloprotease) in chromosomally abnormal pregnancy at 11-13 weeks. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 508.e1-6	6.4	26
23	First-trimester maternal serum matrix metalloproteinase-9 (MMP-9) and adverse pregnancy outcome. <i>Prenatal Diagnosis</i> , 2009 , 29, 553-9	3.2	45
22	First trimester urinary placental growth factor and development of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 643-7	3.7	23
21	First-trimester maternal serum tumor necrosis factor receptor-1 and pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 135-41	5.8	28
20	First-trimester maternal serum pregnancy-associated plasma protein-A and pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 23-33	5.8	173
19	Maternal serum placental growth factor at 11-13 weeks in chromosomally abnormal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 382-6	5.8	36
18	Hypertensive disorders in pregnancy: screening by uterine artery Doppler at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 142-8	5.8	98
17	OC20.03: Hypertensive disorders in pregnancy: screening by uterine artery Doppler and blood pressure at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 37-37	5.8	
16	Hypertensive disorders in pregnancy: screening by uterine artery Doppler imaging and blood pressure at 11-13 weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 497-502	5.8	93
15	First-trimester prediction of hypertensive disorders in pregnancy. <i>Hypertension</i> , 2009 , 53, 812-8	8.5	325
14	Urine albumin concentration and albumin-to-creatinine ratio at 11(+0) to 13(+6) weeks in the prediction of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 866-73	3.7	27

13	Inter-arm blood pressure differences in pregnant women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 1122-30	3.7	25
12	First-trimester maternal serum a disintegrin and metalloprotease 12 (ADAM12) and adverse pregnancy outcome. <i>Obstetrics and Gynecology</i> , 2008 , 112, 1082-90	4.9	56
11	Mean arterial pressure at 11(+0) to 13(+6) weeks in the prediction of preeclampsia. <i>Hypertension</i> , 2008 , 51, 1027-33	8.5	90
10	Blood pressure levels correlate with intra-individual variability using an automated device in early pregnancy. <i>Journal of Human Hypertension</i> , 2008 , 22, 438-40	2.6	2
9	Maternal serum placental growth factor (PlGF) in small for gestational age pregnancy at 11(+0) to 13(+6) weeks of gestation. <i>Prenatal Diagnosis</i> , 2008 , 28, 1110-5	3.2	88
8	Uterine artery Doppler at 11 + 0 to 13 + 6 weeks and 21 + 0 to 24 + 6 weeks in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 138-46	5.8	125
7	Prediction of pre-eclampsia by a combination of maternal history, uterine artery Doppler and mean arterial pressure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 877-83	5.8	91
6	Cervical length and maternal factors in expectantly managed prolonged pregnancy: prediction of onset of labor and mode of delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 646-51	5.8	33
5	Maternal serum placental growth factor at 11 + 0 to 13 + 6 weeks of gestation in the prediction of pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 732-9	5.8	195
4	Audit of the effectiveness of cervical preparation with Dilapan prior to late second-trimester (20-24 weeks) surgical termination of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007 , 114, 485-8	3.7	12
3	Tetralogy of Fallot in the fetus in the current era. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 625-38	3.8	45
2	OP04.10: Tetralogy of Fallot in the fetus in the current era. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 441-441	5.8	
1	Effects of Coronavirus Disease 2019 (COVID-19) on Maternal, Perinatal and Neonatal Outcomes: a Systematic Review of 266 Pregnancies		2