

Ryusuke Yoshimi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4284683/publications.pdf>

Version: 2024-02-01

87
papers

1,686
citations

257101

24
h-index

315357

38
g-index

90
all docs

90
docs citations

90
times ranked

2477
citing authors

#	ARTICLE	IF	CITATIONS
1	Behçet's disease and activities of daily living. <i>Rheumatology</i> , 2022, 61, 1133-1140.	0.9	1
2	Rituximab and mepolizumab combination therapy for glucocorticoid-resistant myocarditis related to eosinophilic granulomatosis with polyangiitis. <i>Modern Rheumatology Case Reports</i> , 2022, 6, 87-92.	0.3	12
3	Beneficial effects of apremilast on genital ulcers, skin lesions, and arthritis in patients with Behçet's disease: A systematic review and meta-analysis. <i>Modern Rheumatology</i> , 2022, 32, 1153-1162.	0.9	5
4	Current State and Issues of Regenerative Medicine for Rheumatic Diseases. <i>Frontiers in Medicine</i> , 2022, 9, 813952.	1.2	3
5	The Roles of Monocytes and Macrophages in Behçet's Disease With Focus on M1 and M2 Polarization. <i>Frontiers in Immunology</i> , 2022, 13, 852297.	2.2	12
6	Efficacy and safety of apremilast for 3 months in Behçet's disease: A prospective observational study. <i>Modern Rheumatology</i> , 2021, 31, 856-861.	0.9	10
7	HLA-A26 is a risk factor for Behçet's disease ocular lesions. <i>Modern Rheumatology</i> , 2021, 31, 214-218.	0.9	11
8	OGT Regulates Hematopoietic Stem Cell Maintenance via PINK1-Dependent Mitophagy. <i>Cell Reports</i> , 2021, 34, 108579.	2.9	27
9	Initial hydroxychloroquine monotherapy in systemic lupus erythematosus: report of three cases. <i>Modern Rheumatology Case Reports</i> , 2021, 5, 259-264.	0.3	0
10	Elevated serum gasdermin D N-terminal implicates monocyte and macrophage pyroptosis in adult-onset Still's disease. <i>Rheumatology</i> , 2021, 60, 3888-3895.	0.9	14
11	Changes in the proportion of clinical clusters contribute to the phenotypic evolution of Behçet's disease in Japan. <i>Arthritis Research and Therapy</i> , 2021, 23, 49.	1.6	35
12	Pathogenic <i>UBA1</i> variants associated with VEXAS syndrome in Japanese patients with relapsing polychondritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1057-1061.	0.5	88
13	Association of glucocorticoid doses and emotional health in lupus low disease activity state (LLDAS): a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2021, 23, 79.	1.6	11
14	Prevalence and treatment conditions for hypertension and dyslipidaemia complicated with systemic lupus erythematosus: A multi-centre cross-sectional study. <i>Lupus</i> , 2021, 30, 1146-1153.	0.8	7
15	Tocilizumab in VEXAS relapsing polychondritis: a single-center pilot study in Japan. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1501-1502.	0.5	55
16	Genetic and chemical inhibition of IRF5 suppresses pre-existing mouse lupus-like disease. <i>Nature Communications</i> , 2021, 12, 4379.	5.8	24
17	Anti-TRIM21 antibody is associated with aberrant B-cell function and type I interferon production in systemic lupus erythematosus. <i>Lupus</i> , 2021, 30, 2054-2065.	0.8	3
18	Exploratory investigation on antibodies to GluN1 and cognitive dysfunction in patients with chronic autoimmune psychosis. <i>Neuroscience Letters</i> , 2021, 743, 135588.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Rationale and Design of the Oencia Atherosclerosis and Rheumatoid Arthritis Study (ORACLE) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Complications, Subclinical Atherosclerosis. <i>Methods and Protocols</i> , 2021, 4, 83.	0.9	0
20	The PRY/SPRY domain of pyrin/TRIM20 interacts with Î²2-microglobulin to promote inflammasome formation. <i>Scientific Reports</i> , 2021, 11, 23613.	1.6	10
21	Refractory optic perineuritis related to granulomatosis with polyangiitis treated with intensive immunosuppressive therapy combined with plasma exchange. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 84-89.	0.3	3
22	The influence of HLA-B51 on clinical manifestations among Japanese patients with Behçet's disease: A nationwide survey. <i>Modern Rheumatology</i> , 2020, 30, 708-714.	0.9	15
23	miR-1 is a novel biomarker for polymyositis/dermatomyositis-associated interstitial lung disease. <i>Modern Rheumatology</i> , 2020, 30, 878-883.	0.9	6
24	Preliminary Report: The Relevance of Tumor Necrosis Factor-Î± in Acquired Primary Lymphedema's A Histopathological Investigation. <i>Lymphatic Research and Biology</i> , 2020, 18, 232-238.	0.5	3
25	TRIM21 Dysfunction Enhances Aberrant B-Cell Differentiation in Autoimmune Pathogenesis. <i>Frontiers in Immunology</i> , 2020, 11, 98.	2.2	27
26	Clinical features of early-stage possible Behçet's disease patients with a variant-type major organ involvement in Japan. <i>Modern Rheumatology</i> , 2019, 29, 640-646.	0.9	9
27	Dose down-titration of biological disease-modifying antirheumatic drugs in daily clinical practice: Shared decision-making and patient treatment preferences in Japanese patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 2009-2016.	0.9	2
28	Impact of Therapeutic Angiogenesis Using Autologous Bone Marrow-Derived Mononuclear Cells Implantation in Critical Limb Ischemia With Scleroderma's Subanalysis of the Long-Term Clinical Outcomes Survey. <i>Circulation Journal</i> , 2019, 83, 662-671.	0.7	6
29	13...The association between the dose of glucocorticoids and health-related quality of life in patients with systemic lupus erythematosus: a cross-sectional study. , 2019, , .		0
30	The Diagnosis and Management of Vasculo-Behçet's Disease. <i>Internal Medicine</i> , 2019, 58, 3-4.	0.3	9
31	The ocular involvement did not accompany with the genital ulcer or the gastrointestinal symptoms at the early stage of Behçet's disease. <i>Modern Rheumatology</i> , 2019, 29, 357-362.	0.9	14
32	Dysfunction of TRIM21 in interferon signature of systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2018, 28, 993-1003.	0.9	15
33	Successful treatment of extensive venous thrombosis with combination of immunosuppressants and a direct Xa inhibitor in Behçet's disease. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 204-208.	0.3	0
34	Diagnostic test accuracy of ultrasound for synovitis in rheumatoid arthritis: systematic review and meta-analysis. <i>Rheumatology</i> , 2018, 57, 49-58.	0.9	55
35	Metabolic Regulation of Hematopoietic Stem Cells by O-Linked N-Acetylglucosamine Transferase. <i>Experimental Hematology</i> , 2018, 64, S89.	0.2	0
36	GWAS-identified CCR1 and IL10 loci contribute to M1 macrophage-predominant inflammation in Behçet's disease. <i>Arthritis Research and Therapy</i> , 2018, 20, 124.	1.6	30

#	ARTICLE	IF	CITATIONS
37	Dysregulated heme oxygenase-1low M2-like macrophages augment lupus nephritis via Bach1 induced by type I interferons. <i>Arthritis Research and Therapy</i> , 2018, 20, 64.	1.6	42
38	The predictive prognostic factors for polymyositis/dermatomyositis-associated interstitial lung disease. <i>Arthritis Research and Therapy</i> , 2018, 20, 7.	1.6	54
39	Regulation of Mitophagy By O-Linked N-Acetylglucosamine Transferase Is Essential for Hematopoietic Stem Cell Maintenance. <i>Blood</i> , 2018, 132, 171-171.	0.6	2
40	Successful treatment of a patient with refractory haemophagocytic syndrome in systemic lupus erythematosus with mycophenolate mofetil. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 79-83.	0.3	2
41	Achieving simplified disease activity index remission in patients with active rheumatoid arthritis is associated with subsequent good functional and structural outcomes in a real-world clinical setting under a treat-to-target strategy. <i>Modern Rheumatology</i> , 2017, 27, 811-819.	0.9	10
42	Distinct clinical features between acute and chronic progressive parenchymal neuro-Behçet disease: meta-analysis. <i>Scientific Reports</i> , 2017, 7, 10196.	1.6	26
43	Clinical manifestations of Behçet's disease depending on sex and age: results from Japanese nationwide registration. <i>Rheumatology</i> , 2017, 56, 1918-1927.	0.9	60
44	On-demand ultrasonography assessment in the most symptomatic joint supports the 8-joint score system for management of rheumatoid arthritis patients. <i>Modern Rheumatology</i> , 2017, 27, 257-265.	0.9	2
45	Musculoskeletal ultrasonography delineates ankle symptoms in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 425-429.	0.9	5
46	FRIO305...Relative fdg accumulation of the aortic wall lesions to aortic blood pool in 18F-FDG-PET and PET/CT could be a useful parameter for the prediction of disease relapse after successful treatment in takayasu arteritis. , 2017, , .		0
47	FRIO419...The predictive prognostic factors for clinical course of polymyositis/dermatomyositis-associated interstitial lung disease. , 2017, , .		0
48	THU0170...Outcomes of the rapid dose escalation of methotrexate in Japanese patients with early rheumatoid arthritis; results from a randomized controlled trial. , 2017, , .		1
49	AB0416...Which factors predict the responsiveness to tocilizumab in rheumatoid arthritis? the difference between the usage as the first biologic and as the second biologic. , 2017, , .		0
50	Regional cerebral glucose metabolism in systemic lupus erythematosus patients with major depressive disorder. <i>Journal of the Neurological Sciences</i> , 2017, 379, 127-130.	0.3	15
51	Non-IgG4-related Multifocal Fibrosclerosis. <i>Internal Medicine</i> , 2016, 55, 2497-2502.	0.3	3
52	Continuous evolution of clinical phenotype in 578 Japanese patients with Behçet's disease: a retrospective observational study. <i>Arthritis Research and Therapy</i> , 2016, 18, 217.	1.6	51
53	AB0973...The 8-Joint Ultrasound Score Is Useful for Monitoring Response To Treatment for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1234.1-1234.	0.5	1
54	Deep-inspiration breath-hold ^{>18</sup>F-FDG-PET/CT is useful for assessment of connective tissue disease associated interstitial pneumonia. <i>Modern Rheumatology</i>, 2016, 26, 121-127.}	0.9	29

#	ARTICLE	IF	CITATIONS
55	¹⁸ F-FDG and ¹⁸ F-NaF PET/CT demonstrate coupling of inflammation and accelerated bone turnover in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 180-187.	0.9	31
56	AB0278â€¦Early Termination of the First Biological Disease-Modifying Antirheumatic Drugs Therapy Leads to Radiological Progression in Patients with Rheumatoid Arthritis, Irrespective of Subsequent Therapies. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 985.2-985.	0.5	0
57	FRI0610â€¦Ultrasonographic Assessment Covers a Pitfall of Physical Examination in the Ankle Joints in Patients with Rheumatoid Arthritis: Table 1.. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 649.2-649.	0.5	0
58	SAT0214â€¦Comparison of Response to Tocilizumab Between Biologic-Naïve Patients and Non-Responder to TNF Inhibitor Failure in Rheumatoid Arthritis: A Retrospective Study Using the Y-Curd Registry. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 734.3-735.	0.5	0
59	SAT0620â€¦Wrist PD Signal Detected by Ultrasonography Relates to Joint Destruction in Rheumatoid Arthritis Under Biologics Therapy in Real World: Table 1.. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 885.3-886.	0.5	1
60	FRI0561â€¦The Availability of On-Demand Ultrasonography Assessment in the Most Affected Joint for Management of RA Patients in Daily Practice. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 630.2-631.	0.5	0
61	Tripartite Motif (TRIM) 12c, a Mouse Homolog of TRIM5, Is a Ubiquitin Ligase That Stimulates Type I IFN and NF-ÎB Pathways along with TNFR-Associated Factor 6. <i>Journal of Immunology</i> , 2015, 195, 5367-5379.	0.4	28
62	A novel 8-joint ultrasound score is useful in daily practice for rheumatoid arthritis. <i>Modern Rheumatology</i> , 2015, 25, 379-385.	0.9	20
63	Predicting joint destruction in rheumatoid arthritis with power Doppler, anti-citrullinated peptide antibody, and joint swelling. <i>Modern Rheumatology</i> , 2015, 25, 842-848.	0.9	7
64	Correction: A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. <i>Journal of Immunology</i> , 2014, 193, 4749-4749.	0.4	1
65	A Reporter Mouse Reveals Lineage-Specific and Heterogeneous Expression of IRF8 during Lymphoid and Myeloid Cell Differentiation. <i>Journal of Immunology</i> , 2014, 193, 1766-1777.	0.4	65
66	Ultrasonography predicts achievement of Boolean remission after DAS28-based clinical remission of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2014, 24, 590-598.	0.9	8
67	The Transcription Factor IRF8 Activates Integrin-Mediated TGF-Î2 Signaling and Promotes Neuroinflammation. <i>Immunity</i> , 2014, 40, 187-198.	6.6	111
68	OP0052â€¦Prospective Evaluation of ¹⁸ F-FDG and ¹⁸ F-NaF Pet/Ct: Imaging Analysis of Inflammation and Bone Metabolism in Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 80.2-80.	0.5	0
69	AB0050â€¦Irf8 Promotes TH17 Differentiation via Activation of Integrin-Mediated Tgfbeta Signaling in Neuroinflammation. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 820.2-820.	0.5	0
70	SAT0263â€¦Comparison between TOCILIZUMAB and Alternative TNF Inhibitor as A Second Line following TNF Inhibitor Failure in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 688.2-689.	0.5	0
71	Ultrasonography is a potent tool for the prediction of progressive joint destruction during clinical remission of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, 23, 456-465.	0.9	63
72	FRI0104â€¦Cohort study of infectious disease risk management in RA patients receiving tocilizumab at 48 weeks (ACT4U-study48). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 344.3-345.	0.5	0

#	ARTICLE	IF	CITATIONS
73	FRI0065â€¦Residual power doppler signals during clinical remission determine joint prognosis in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 331.1-331.	0.5	0
74	SAT0403â€¦Ultrasound in the diagnosis of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 608.2-608.	0.5	0
75	Ultrasonography is a potent tool for the prediction of progressive joint destruction during clinical remission of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, 23, 456-465.	0.9	30
76	Clinical and Pathological Roles of Ro/SSA Autoantibody System. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-12.	3.3	85
77	Autoantigen TRIM21/Ro52 as a Possible Target for Treatment of Systemic Lupus Erythematosus. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-11.	0.9	44
78	Bach1 regulates osteoclastogenesis in a mouse model via both heme oxygenase 1â€“dependent and heme oxygenase 1â€“independent pathways. <i>Arthritis and Rheumatism</i> , 2012, 64, 1518-1528.	6.7	25
79	Alloimmunization against RBC or PLT antigens is independent of TRIM21 expression in a murine model. <i>Molecular Immunology</i> , 2011, 48, 909-913.	1.0	9
80	Comment on â€œGene Disruption Study Reveals a Nonredundant Role for TRIM21/Ro52 in NF-Î±B-Dependent Cytokine Expression in Fibroblastsâ€• <i>Journal of Immunology</i> , 2009, 183, 7619-7619.	0.4	16
81	Gene Disruption Study Reveals a Nonredundant Role for TRIM21/Ro52 in NF-Î±B-Dependent Cytokine Expression in Fibroblasts. <i>Journal of Immunology</i> , 2009, 182, 7527-7538.	0.4	139
82	Systemic sclerosis and pseudomesotheliomatous adenocarcinoma of the lung. <i>Modern Rheumatology</i> , 2006, 16, 165-168.	0.9	1
83	The Î³-Parvin-Integrin-Linked Kinase Complex Is Critically Involved in Leukocyte-Substrate Interaction. <i>Journal of Immunology</i> , 2006, 176, 3611-3624.	0.4	29
84	Systemic sclerosis and pseudomesotheliomatous adenocarcinoma of the lung. <i>Modern Rheumatology</i> , 2006, 16, 165-168.	0.9	2
85	Affixin interacts with Î±-actinin and mediates integrin signaling for reorganization of F-actin induced by initial cellâ€“substrate interaction. <i>Journal of Cell Biology</i> , 2004, 165, 539-551.	2.3	71
86	The first CH domain of affixin activates Cdc42 and Rac1 through Î±PIX, a Cdc42/Rac1-specific guanine nucleotide exchanging factor. <i>Genes To Cells</i> , 2004, 9, 193-204.	0.5	48
87	Case Report: Tocilizumab Treatment for VEXAS Syndrome With Relapsing Polychondritis: A Single-Center, 1-Year Longitudinal Observational Study In Japan. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	24