

Slavica Marinkovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4286222/publications.pdf>

Version: 2024-02-01

13
papers

53
citations

1937685

4
h-index

1720034

7
g-index

13
all docs

13
docs citations

13
times ranked

86
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic Diversity of Flavescence Doreae Phytoplasmas in Vineyards of Serbia: From the Widespread Occurrence of Autochthonous Map-M51 to the Emergence of Endemic Map-FD2 (Vectotype II) and New Map-FD3 (Vectotype III) Epidemic Genotypes. <i>Agronomy</i> , 2022, 12, 448.	3.0	6
2	Symptomatology, (Co)occurrence and Differential Diagnostic PCR Identification of <i>Ca. Phytoplasma solani</i> and <i>Ca. Phytoplasma convolvuli</i> in Field Bindweed. <i>Pathogens</i> , 2021, 10, 160.	2.8	4
3	The <i>code red</i> for Balkan vineyards: occurrence of <i>Orientus ishidae</i> (Matsumura, 1902) (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.1	2
4	Diversity of phytoplasmas identified in the polyphagous leafhopper <i>Euscelis incisus</i> (Cicadellidae, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 European Journal of Plant Pathology, 2020, 156, 201-221.	1.7	14
5	Supplementary description of five species from the genus <i>Cecidophyopsis</i> (Eriophyoidea: Eriophyidae: Cecidophyinae). <i>Systematic and Applied Acarology</i> , 2019, 24, 1555-1578.	0.5	1
6	Can polyphagous insect vectors contribute to phytoplasma inventory in diverse ecosystems?. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 103.	0.1	0
7	Three new species and new records of eriophyid mites (Acari, Eriophyoidea) from Karadag Nature Reserve, Crimea. <i>Systematic and Applied Acarology</i> , 2018, 23, 628.	0.5	3
8	Supplementary description of three species from the subfamily Cecidophyinae (Eriophyoidea: Eriophyidae) from the Nalepa collection. <i>Systematic and Applied Acarology</i> , 2018, 23, 838.	0.5	3
9	New species and records of phytoptids (Eriophyoidea, Phytoptidae) from cinquefoils (Rosaceae, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.5	2
10	Eriophyid mite <i>Aceria artemisiifoliae</i> sp.nov. (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>artemisiifolia</i> L. (Asteraceae) in Serbia. <i>Systematic and Applied Acarology</i> , 2016, 21, 919.	0.5	4
11	Geometric morphometric study of geographic and host-related variability in <i>Aceria</i> spp. (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 321-335.	1.6	9
12	Comparative morphological analysis of apple blister mite, <i>Eriophyes mali</i> Nal., a new pest in Serbia. <i>Pesticidi i Fitomedicina = Pesticides and Phytomedicine</i> , 2014, 29, 123-130.	0.2	2
13	Framework for risk assessment of <i>Candidatus Phytoplasma solani</i> associated diseases outbreaks in agroecosystems in Serbia. <i>Journal of Plant Pathology</i> , 0, , 1.	1.2	3