Dani Prieto-Alhambra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4287272/publications.pdf Version: 2024-02-01

| | | 31902 | 49773 |
|----------|----------------|--------------|----------------|
| 324 | 11,404 | 53 | 87 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 376 | 376 | 376 | 13325 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Incidence and risk factors for clinically diagnosed knee, hip and hand osteoarthritis: influences of age, gender and osteoarthritis affecting other joints. Annals of the Rheumatic Diseases, 2014, 73, 1659-1664. | 0.5 | 559 |
| 2 | The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. Lancet, The, 2017, 389, 1424-1430. | 6.3 | 518 |
| 3 | Future projections of total hip and knee arthroplasty in the UK: results from the UK Clinical Practice Research Datalink. Osteoarthritis and Cartilage, 2015, 23, 594-600. | 0.6 | 363 |
| 4 | Association Between Overweight and Obesity and Risk of Clinically Diagnosed Knee, Hip, and Hand Osteoarthritis: A Populationâ€Based Cohort Study. Arthritis and Rheumatology, 2016, 68, 1869-1875. | 2.9 | 287 |
| 5 | The association between fracture and obesity is site-dependent: A population-based study in postmenopausal women. Journal of Bone and Mineral Research, 2012, 27, 294-300. | 3.1 | 261 |
| 6 | Impact of hip fracture on hospital care costs: a population-based study. Osteoporosis International, 2016, 27, 549-558. | 1.3 | 249 |
| 7 | Algorithm for the management of patients at low, high and very high risk of osteoporotic fractures. Osteoporosis International, 2020, 31, 1-12. | 1.3 | 220 |
| 8 | Risks and clinical predictors of cirrhosis and hepatocellular carcinoma diagnoses in adults with diagnosed NAFLD: real-world study of 18 million patients in four European cohorts. BMC Medicine, 2019, 17, 95. | 2.3 | 192 |
| 9 | Real-world data reveal a diagnostic gap in non-alcoholic fatty liver disease. BMC Medicine, 2018, 16, 130. | 2.3 | 177 |
| 10 | Non-alcoholic fatty liver disease and risk of incident acute myocardial infarction and stroke: findings from matched cohort study of 18 million European adults. BMJ: British Medical Journal, 2019, 367, l5367. | 2.4 | 175 |
| 11 | Validez del Sistema de Información para el Desarrollo de la Investigación en Atención Primaria (SIDIAP) en el estudio de enfermedades vasculares: estudio EMMA. Revista Espanola De Cardiologia, 2012, 65, 29-37. | 0.6 | 125 |
| 12 | Construction and validation of a scoring system for the selection of high-quality data in a Spanish population primary care database (SIDIAP). Journal of Innovation in Health Informatics, 2011, 19, 135-145. | 0.9 | 125 |
| 13 | Propensity Score Methods in Health Technology Assessment: Principles, Extended Applications, and Recent Advances. Frontiers in Pharmacology, 2019, 10, 973. | 1.6 | 124 |
| 14 | Clinical effectiveness of orthogeriatric and fracture liaison service models of care for hip fracture patients: population-based longitudinal study. Age and Ageing, 2016, 45, 236-242. | 0.7 | 123 |
| 15 | Risk of hydroxychloroquine alone and in combination with azithromycin in the treatment of rheumatoid arthritis: a multinational, retrospective study. Lancet Rheumatology, The, 2020, 2, e698-e711. | 2.2 | 117 |
| 16 | HIV infection is strongly associated with hip fracture risk, independently of age, gender, and comorbidities: A population-based cohort study. Journal of Bone and Mineral Research, 2013, 28, 1259-1263. | 3.1 | 115 |
| 17 | International Osteoporosis Foundation and European Calcified Tissue Society Working Group. Recommendations for the screening of adherence to oral bisphosphonates. Osteoporosis International, 2017, 28, 767-774. | 1.3 | 113 |
| 18 | Characterising the background incidence rates of adverse events of special interest for covid-19 vaccines in eight countries: multinational network cohort study. BMJ, The, 0, , n1435. | 3.0 | 112 |

Dani Prieto-Alhambra

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Risks and Benefits of Bisphosphonate Therapies. Journal of Cellular Biochemistry, 2016, 117, 20-28. | 1.2 | 108 |
| 20 | European Consensus Statement on the diagnosis and management of osteoporosis in chronic kidney disease stages G4–G5D. Nephrology Dialysis Transplantation, 2021, 36, 42-59. | 0.4 | 107 |
| 21 | Association between bisphosphonate use and implant survival after primary total arthroplasty of the knee or hip: population based retrospective cohort study. BMJ: British Medical Journal, 2011, 343, d7222-d7222. | 2.4 | 103 |
| 22 | The association between fracture site and obesity in men: A population-Based cohort study. Journal of Bone and Mineral Research, 2013, 28, 1771-1777. | 3.1 | 103 |
| 23 | Trends and determinants of length of stay and hospital reimbursement following knee and hip replacement: evidence from linked primary care and NHS hospital records from 1997 to 2014. BMJ Open, 2018, 8, e019146. | 0.8 | 97 |
| 24 | Renin–angiotensin system blockers and susceptibility to COVID-19: an international, open science, cohort analysis. The Lancet Digital Health, 2021, 3, e98-e114. | 5.9 | 94 |
| 25 | The effect of body mass index on the risk of post-operative complications during the 6 months following total hip replacement orÂtotal knee replacement surgery. Osteoarthritis and Cartilage, 2014, 22, 918-927. | 0.6 | 92 |
| 26 | Mapping existing hip and knee replacement registries in Europe. Health Policy, 2018, 122, 548-557. | 1.4 | 89 |
| 27 | Deep phenotyping of 34,128 adult patients hospitalised with COVID-19 in an international network study. Nature Communications, 2020, 11, 5009. | 5.8 | 86 |
| 28 | The need for an independent evaluation of the COVID-19 response in Spain. Lancet, The, 2020, 396, 529-530. | 6.3 | 81 |
| 29 | Vitamin D threshold to prevent aromatase inhibitor-induced arthralgia: a prospective cohort study. Breast Cancer Research and Treatment, 2011, 125, 869-878. | 1.1 | 80 |
| 30 | HIV Infection and Its Association With an Excess Risk of Clinical Fractures. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 90-95. | 0.9 | 78 |
| 31 | Bone Tissue Properties Measurement by Reference Point Indentation in Glucocorticoid-Induced Osteoporosis. Journal of Bone and Mineral Research, 2015, 30, 1651-1656. | 3.1 | 78 |
| 32 | An increased rate of falling leads to a rise in fracture risk in postmenopausal women with self-reported osteoarthritis: a prospective multinational cohort study (GLOW). Annals of the Rheumatic Diseases, 2013, 72, 911-917. | 0.5 | 76 |
| 33 | Is there a role for menopausal hormone therapy in the management of postmenopausal osteoporosis?. Osteoporosis International, 2020, 31, 2271-2286. | 1.3 | 76 |
| 34 | Risk of hip, subtrochanteric, and femoral shaft fractures among mid and long term users of alendronate: nationwide cohort and nested case-control study. BMJ, The, 2016, 353, i3365. | 3.0 | 73 |
| 35 | Ankylosing Spondylitis Is Associated With an Increased Risk of Vertebral and Nonvertebral Clinical Fractures: A Population-Based Cohort Study. Journal of Bone and Mineral Research, 2014, 29, 1770-1776. | 3.1 | 70 |
| 36 | Incidence of shoulder dislocations in the UK, 1995–2015: a population-based cohort study. BMJ Open, 2017, 7, e016112. | 0.8 | 70 |

Dani Prieto-Alhambra

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Ankylosing spondylitis confers substantially increased risk of clinical spine fractures: a nationwide case-control study. Osteoporosis International, 2015, 26, 85-91. | 1.3 | 69 |
| 38 | Burden of pelvis fracture: a population-based study of incidence, hospitalisation and mortality. Osteoporosis International, 2012, 23, 2797-2803. | 1.3 | 68 |
| 39 | Incident type 2 diabetes and hip fracture risk: a population-based matched cohort study. Osteoporosis International, 2015, 26, 827-833. | 1.3 | 65 |
| 40 | Associations of BNT162b2 vaccination with SARS-CoV-2 infection and hospital admission and death with covid-19 in nursing homes and healthcare workers in Catalonia: prospective cohort study. BMJ, The, 2021, 374, n1868. | 3.0 | 65 |
| 41 | Type 2 Diabetes Mellitus Treatment Patterns Across Europe: A Population-based Multi-database Study. Clinical Therapeutics, 2017, 39, 759-770. | 1.1 | 64 |
| 42 | Association between chronic immune-mediated inflammatory diseases and cardiovascular risk. Heart, 2018, 104, 119-126. | 1.2 | 63 |
| 43 | Cost-Effectiveness of Orthogeriatric and Fracture Liaison Service Models of Care for Hip Fracture Patients: A Population-Based Study. Journal of Bone and Mineral Research, 2017, 32, 203-211. | 3.1 | 62 |
| 44 | ACL and meniscal injuries increase the risk of primary total knee replacement for osteoarthritis: a matched case–control study using the Clinical Practice Research Datalink (CPRD). British Journal of Sports Medicine, 2019, 53, 965-968. | 3.1 | 62 |
| 45 | Obesity and the Relative Risk of Knee Replacement Surgery in Patients With Knee Osteoarthritis: A Prospective Cohort Study. Arthritis and Rheumatology, 2016, 68, 817-825. | 2.9 | 61 |
| 46 | Anti-Osteoporosis Medication Prescriptions and Incidence of Subsequent Fracture Among Primary Hip Fracture Patients in England and Wales: An Interrupted Time-Series Analysis. Journal of Bone and Mineral Research, 2016, 31, 2008-2015. | 3.1 | 61 |
| 47 | Venous or arterial thrombosis and deaths among COVID-19 cases: a European network cohort study. Lancet Infectious Diseases, The, 2022, 22, 1142-1152. | 4.6 | 60 |
| 48 | Socio-economic status and the risk of developing hand, hip or knee osteoarthritis: a region-wide ecological study. Osteoarthritis and Cartilage, 2015, 23, 1323-1329. | 0.6 | 59 |
| 49 | Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992–2013. Rheumatology, 2017, 56, 1902-1917. | 0.9 | 59 |
| 50 | <p>Sample size and power considerations for ordinary least squares interrupted time series analysis: a simulation study</p> . Clinical Epidemiology, 2019, Volume 11, 197-205. | 1.5 | 59 |
| 51 | Mortality rates at 10 years after metal-on-metal hip resurfacing compared with total hip replacement in England: retrospective cohort analysis of hospital episode statistics. BMJ, The, 2013, 347, f6549-f6549. | 3.0 | 58 |
| 52 | "Burden of osteoporotic fractures in primary health care in Catalonia (Spain): a population-based study― BMC Musculoskeletal Disorders, 2012, 13, 79. | 0.8 | 57 |
| 53 | The impact of common co-morbidities (as measured using the Charlson index) on hip fracture risk in elderly men: a population-based cohort study. Osteoporosis International, 2014, 25, 1751-1758. | 1.3 | 56 |
| 54 | Bone Fracture Risk is Not Associated with the Use of Glucagon-Like Peptide-1 Receptor Agonists: A Population-Based Cohort Analysis. Calcified Tissue International, 2015, 97, 104-112. | 1.5 | 56 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Association between covid-19 vaccination, SARS-CoV-2 infection, and risk of immune mediated neurological events: population based cohort and self-controlled case series analysis. BMJ, The, 2022, 376, e068373. | 3.0 | 56 |
| 56 | Primary hip replacement prostheses and their evidence base: systematic review of literature. BMJ, The, 2013, 347, f6956-f6956. | 3.0 | 55 |
| 57 | Protective effect of antirheumatic drugs on dementia in rheumatoid arthritis patients. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 612-621. | 1.8 | 55 |
| 58 | Spanish National Hip Fracture Registry (RNFC): analysis of its first annual report and international comparison with other established registries. Osteoporosis International, 2019, 30, 1243-1254. | 1.3 | 53 |
| 59 | The natural history of symptomatic COVID-19 during the first wave in Catalonia. Nature Communications, 2021, 12, 777. | 5.8 | 53 |
| 60 | Incidence of hip and knee replacement in patients with rheumatoid arthritis following the introduction of biological DMARDs: an interrupted time-series analysis using nationwide Danish healthcare registers. Annals of the Rheumatic Diseases, 2018, 77, 684-689. | 0.5 | 52 |
| 61 | Timing, Complications, and Safety of Tracheotomy in Critically Ill Patients With COVID-19. JAMA Otolaryngology - Head and Neck Surgery, 2021, 147, 41. | 1.2 | 52 |
| 62 | Vitamin D deficiency and bone mineral density in postmenopausal women receiving aromatase inhibitors for early breast cancer. Maturitas, 2010, 66, 291-297. | 1.0 | 50 |
| 63 | <i>GCPS1</i> Mutation and Atypical Femoral Fractures with Bisphosphonates. New England Journal of Medicine, 2017, 376, 1794-1795. | 13.9 | 50 |
| 64 | Opioid use in knee or hip osteoarthritis: a region-wide population-based cohort study. Osteoarthritis and Cartilage, 2019, 27, 871-877. | 0.6 | 50 |
| 65 | Use of repurposed and adjuvant drugs in hospital patients with covid-19: multinational network cohort study. BMJ, The, 2021, 373, n1038. | 3.0 | 50 |
| 66 | Linking of Primary Care Records to Census Data to Study the Association between Socioeconomic Status and Cancer Incidence in Southern Europe: A Nation-Wide Ecological Study. PLoS ONE, 2014, 9, e109706. | 1.1 | 49 |
| 67 | Predictors of Fracture While on Treatment With Oral Bisphosphonates: A Population-Based Cohort Study. Journal of Bone and Mineral Research, 2014, 29, 268-274. | 3.1 | 48 |
| 68 | Knee osteoarthritis and time-to all-cause mortality in six community-based cohorts: an international meta-analysis of individual participant-level data. Aging Clinical and Experimental Research, 2021, 33, 529-545. | 1.4 | 48 |
| 69 | One and two-year persistence with different anti-osteoporosis medications: a retrospective cohort study. Osteoporosis International, 2017, 28, 2997-3004. | 1.3 | 47 |
| 70 | Safety of Oral Bisphosphonates in Moderate-to-Severe Chronic Kidney Disease: A Binational Cohort Analysis. Journal of Bone and Mineral Research, 2020, 36, 820-832. | 3.1 | 46 |
| 71 | Relationship Between Mortality and BMI After Fracture: A Population-Based Study of Men and Women Aged ≥40 Years. Journal of Bone and Mineral Research, 2014, 29, 1737-1744. | 3.1 | 45 |
| 72 | Insulin use and Excess Fracture Risk in Patients with Type 2 Diabetes: A Propensity-Matched cohort analysis. Scientific Reports, 2017, 7, 3781. | 1.6 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Prevalence and Mortality of Individuals With X-Linked Hypophosphatemia: A United Kingdom Real-World Data Analysis. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e871-e878. | 1.8 | 44 |
| 74 | Atopic eczema and fracture risk in adults: AÂpopulation-based cohort study. Journal of Allergy and Clinical Immunology, 2020, 145, 563-571.e8. | 1.5 | 44 |
| 75 | Serum Lipid Levels and Risk Of Hand Osteoarthritis: The Chingford Prospective Cohort Study. Scientific Reports, 2017, 7, 3147. | 1.6 | 42 |
| 76 | The association between type 2 diabetes mellitus, hip fracture, and post-hip fracture mortality: a multi-state cohort analysis. Osteoporosis International, 2019, 30, 2407-2415. | 1.3 | 42 |
| 77 | Bone health in a prospective cohort of postmenopausal women receiving aromatase inhibitors for early breast cancer. Breast, 2012, 21, 95-101. | 0.9 | 40 |
| 78 | Assessment of Cardiovascular Safety of Anti-Osteoporosis Drugs. Drugs, 2020, 80, 1537-1552. | 4.9 | 40 |
| 79 | Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. Rheumatology, 2021, 60, 4327-4339. | 0.9 | 40 |
| 80 | Oral Bisphosphonate Use and Total Knee/Hip Implant Survival: Validation of Results in an External Populationâ€Based Cohort. Arthritis and Rheumatology, 2014, 66, 3233-3240. | 2.9 | 39 |
| 81 | Bone density, microarchitecture, and material strength in chronic kidney disease patients at the time of kidney transplantation. Osteoporosis International, 2017, 28, 2723-2727. | 1.3 | 39 |
| 82 | Fracture risk following intermission of osteoporosis therapy. Osteoporosis International, 2019, 30, 1733-1743. | 1.3 | 38 |
| 83 | Association of Tramadol vs Codeine Prescription Dispensation With Mortality and Other Adverse Clinical Outcomes. JAMA - Journal of the American Medical Association, 2021, 326, 1504. | 3.8 | 38 |
| 84 | Genetic determinants of aromatase inhibitor-related arthralgia: the B-ABLE cohort study. Breast Cancer Research and Treatment, 2013, 140, 385-395. | 1.1 | 37 |
| 85 | Real-world antidiabetic drug use and fracture risk in 12,277 patients with type 2 diabetes mellitus: a nested case–control study. Osteoporosis International, 2018, 29, 2079-2086. | 1.3 | 37 |
| 86 | COVID-19 in patients with autoimmune diseases: characteristics and outcomes in a multinational network of cohorts across three countries. Rheumatology, 2021, 60, SI37-SI50. | 0.9 | 37 |
| 87 | Prevalence and predictors of vitamin D deficiency in non-supplemented women with systemic lupus erythematosus in the Mediterranean region: a cohort study. Scandinavian Journal of Rheumatology, 2012, 41, 472-475. | 0.6 | 36 |
| 88 | Fractures in users of antidepressants and anxiolytics and sedatives: effects of age and dose. Osteoporosis International, 2013, 24, 671-680. | 1.3 | 36 |
| 89 | Hormone replacement therapy and mid-term implant survival following knee or hip arthroplasty for osteoarthritis: a population-based cohort study. Annals of the Rheumatic Diseases, 2015, 74, 557-563. | 0.5 | 36 |
| 90 | In-hospital care, complications, and 4-month mortality following a hip or proximal femur fracture: the Spanish registry of osteoporotic femur fractures prospective cohort study. Archives of Osteoporosis, 2018, 13, 96. | 1.0 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Lower limb arthroplasty: can we produce a tool to predict outcome and failure, and is it cost-effective? An epidemiological study. Programme Grants for Applied Research, 2017, 5, 1-246. | 0.4 | 36 |
| 92 | Brief Report: HIV Infection Is Associated With Worse Bone Material Properties, Independently of Bone Mineral Density. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 314-318. | 0.9 | 35 |
| 93 | Thirty-Day Outcomes of Children and Adolescents With COVID-19: An International Experience. Pediatrics, 2021, 148, . | 1.0 | 35 |
| 94 | Vitamin D threshold to prevent aromatase inhibitor-related bone loss: the B-ABLE prospective cohort study. Breast Cancer Research and Treatment, 2012, 133, 1159-1167. | 1.1 | 34 |
| 95 | Drug utilization in patients with OA: a population-based study. Rheumatology, 2015, 54, 860-867. | 0.9 | 33 |
| 96 | Heterologous vaccine regimens against COVID-19. Lancet, The, 2021, 398, 94-95. | 6.3 | 33 |
| 97 | Changes in hip fracture rate before and after total knee replacement due to osteoarthritis: a population-based cohort study. Annals of the Rheumatic Diseases, 2011, 70, 134-138. | 0.5 | 32 |
| 98 | Filling the gaps in the characterization of the clinical management of COVID-19: 30-day hospital admission and fatality rates in a cohort of 118 150 cases diagnosed in outpatient settings in Spain. International Journal of Epidemiology, 2021, 49, 1930-1939. | 0.9 | 32 |
| 99 | Background rates of five thrombosis with thrombocytopenia syndromes of special interest for <scp>COVID</scp> â€19 vaccine safety surveillance: Incidence between 2017 and 2019 and patient profiles from 38.6 million people in six European countries. Pharmacoepidemiology and Drug Safety, 2022, 31, 495-510. | 0.9 | 32 |
| 100 | Fracture risk before and after total hip replacement in patients with osteoarthritis: Potential benefits of bisphosphonate use. Arthritis and Rheumatism, 2011, 63, 992-1001. | 6.7 | 31 |
| 101 | Increased hip fracture and mortality in chronic kidney disease individuals: The importance of competing risks. Bone, 2015, 73, 154-159. | 1.4 | 31 |
| 102 | Bone Density, Microarchitecture, and Tissue Quality Long-term After Kidney Transplant. Transplantation, 2017, 101, 1290-1294. | 0.5 | 31 |
| 103 | Development and validation of prediction models to estimate risk of primary total hip and knee replacements using data from the UK: two prospective open cohorts using the UK Clinical Practice Research Datalink. Annals of the Rheumatic Diseases, 2019, 78, 91-99. | 0.5 | 31 |
| 104 | Secular trends in the initiation of therapy in secondary fracture prevention in Europe: a multi-national cohort study including data from Denmark, Catalonia, and the UnitedÂKingdom. Osteoporosis International, 2020, 31, 1535-1544. | 1.3 | 31 |
| 105 | Multinational cohort study of mortality in patients with asthma and severe asthma. Respiratory Medicine, 2020, 165, 105919. | 1.3 | 31 |
| 106 | Excess risk of hip fractures attributable to the use of antidepressants in five European countries and the USA. Osteoporosis International, 2014, 25, 847-855. | 1.3 | 30 |
| 107 | Real-Life and RCT Participants: Alendronate Users Versus FITs' Trial Eligibility Criterion. Calcified Tissue International, 2016, 99, 243-249. | 1.5 | 29 |
| 108 | Surrogate markers of long-term outcome in primary total hip arthroplasty. Bone and Joint Research, 2016, 5, 206-214. | 1.3 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Increased risk of mortality after postoperative infection in hip fracture patients. Bone, 2019, 127, 563-570. | 1.4 | 28 |
| 110 | Somatostatin for prevention of post-ERCP pancreatitis: a randomized, double-blind trial. Endoscopy, 2014, 46, 851-856. | 1.0 | 27 |
| 111 | Fracture prevention in patients with cognitive impairment presenting with a hip fracture: secondary analysis of data from the HORIZON Recurrent Fracture Trial. Osteoporosis International, 2014, 25, 77-83. | 1.3 | 27 |
| 112 | Socioeconomic status and its association with the risk of developing hip fractures: A region-wide ecological study. Bone, 2015, 73, 127-131. | 1.4 | 27 |
| 113 | Surgically treated osteonecrosis and osteomyelitis of the jaw and oral cavity in patients highly adherent to alendronate treatment: a nationwide user-only cohort study including over 60,000 alendronate users. Osteoporosis International, 2017, 28, 2921-2928. | 1.3 | 27 |
| 114 | The role of national registries in improving patient safety for hip and knee replacements. BMC Musculoskeletal Disorders, 2017, 18, 414. | 0.8 | 27 |
| 115 | Differential Mortality and the Excess Rates of Hip Fracture Associated With Type 2 Diabetes: Accounting for Competing Risks in Fracture Prediction Matters. Journal of Bone and Mineral Research, 2018, 33, 1417-1421. | 3.1 | 27 |
| 116 | Preschool Obesity Is Associated With an Increased Risk of Childhood Fracture: A Longitudinal Cohort Study of 466,997 Children and Up to 11 Years of Followâ€up in Catalonia, Spain. Journal of Bone and Mineral Research, 2020, 35, 1022-1030. | 3.1 | 27 |
| 117 | Imminent fracture risk assessments in the UK FLS setting: implications and challenges. Archives of Osteoporosis, 2019, 14, 12. | 1.0 | 27 |
| 118 | Geographic variation in secondary fracture prevention after a hip fracture during 1999–2013: a UK study. Osteoporosis International, 2017, 28, 169-178. | 1.3 | 26 |
| 119 | The descriptive epidemiology of rheumatoid arthritis in Catalonia: a retrospective study using routinely collected data. Clinical Rheumatology, 2016, 35, 751-757. | 1.0 | 25 |
| 120 | Guidelines for the conduct of pharmacological clinical trials in hand osteoarthritis: Consensus of a Working Group of the European Society on Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). Seminars in Arthritis and Rheumatism, 2018, 48, 1-8. | 1.6 | 25 |
| 121 | Lifetime risk of knee and hip replacement following a GP diagnosis of osteoarthritis: a real-world cohort study. Osteoarthritis and Cartilage, 2019, 27, 1627-1635. | 0.6 | 25 |
| 122 | Incidence, risk factors and reâ€exacerbation rate of severe asthma exacerbations in a multinational, multidatabase pediatric cohort study. Pediatric Allergy and Immunology, 2020, 31, 496-505. | 1.1 | 25 |
| 123 | Models of care for the delivery of secondary fracture prevention after hip fracture: a health service cost, clinical outcomes and cost-effectiveness study within a region of England. Health Services and Delivery Research, 2016, 4, 1-170. | 1.4 | 25 |
| 124 | Skeletal adverse effects with aromatase inhibitors in early breast cancer: evidence to date and clinical guidance. Therapeutic Advances in Medical Oncology, 2015, 7, 291-296. | 1.4 | 24 |
| 125 | Cancer and the risk of coronavirus disease 2019 diagnosis, hospitalisation and death: A populationâ€based multistate cohort study including 4 618 377 adults in Catalonia, Spain. International Journal of Cancer, 2022, 150, 782-794. | 2.3 | 24 |
| 126 | Excess of all-cause mortality after a fracture in type 2 diabetic patients: a population-based cohort study. Osteoporosis International, 2017, 28, 2573-2581. | 1.3 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Bisphosphonate use and risk of post-operative fracture among patients undergoing a total knee replacement for knee osteoarthritis: a propensity score analysis. Osteoporosis International, 2011, 22, 1555-1571. | 1.3 | 22 |
| 128 | Geographical Variation in Outcomes of Primary Hip and Knee Replacement. JAMA Network Open, 2019, 2, e1914325. | 2.8 | 22 |
| 129 | Prescribing and adherence to bone protection medications following hip fracture in the United Kingdom. Bone and Joint Journal, 2019, 101-B, 1402-1407. | 1.9 | 22 |
| 130 | CYP11A1 expression in bone is associated with aromatase inhibitor-related bone loss. Journal of Molecular Endocrinology, 2015, 55, 69-79. | 1,1 | 21 |
| 131 | Spanish National Hip Fracture Registry (SNHFR): a description of its objectives, methodology and implementation. Revista Espanola De Geriatria Y Gerontologia, 2018, 53, 188-195. | 0.2 | 21 |
| 132 | Association between NICE guidance on biologic therapies with rates of hip and knee replacement among rheumatoid arthritis patients in England and Wales: An interrupted time-series analysis. Seminars in Arthritis and Rheumatism, 2018, 47, 605-610. | 1.6 | 21 |
| 133 | Functional Characterization of a GGPPS Variant Identified in Atypical Femoral Fracture Patients and Delineation of the Role of GGPPS in Bone-Relevant Cell Types. Journal of Bone and Mineral Research, 2018, 33, 2091-2098. | 3.1 | 21 |
| 134 | Comparison of Risk of Osteoporotic Fracture in Denosumab vs Alendronate Treatment Within 3 Years of Initiation. JAMA Network Open, 2019, 2, e192416. | 2.8 | 21 |
| 135 | Validation of hip osteoarthritis diagnosis recording in the UK Clinical Practice Research Datalink. Pharmacoepidemiology and Drug Safety, 2019, 28, 187-193. | 0.9 | 21 |
| 136 | Prevalence of vertebral fracture and densitometric osteoporosis in Spanish adult men: The Camargo Cohort Study. Journal of Bone and Mineral Metabolism, 2018, 36, 103-110. | 1.3 | 20 |
| 137 | Impact of a national enhanced recovery after surgery programme on patient outcomes of primary total knee replacement: an interrupted time series analysis from "The National Joint Registry of England, Wales, Northern Ireland and the Isle of Man― Osteoarthritis and Cartilage, 2019, 27, 1280-1293. | 0.6 | 20 |
| 138 | Serious postoperative complications and reoperation after carpal tunnel decompression surgery in England: a nationwide cohort analysis. Lancet Rheumatology, The, 2021, 3, e49-e57. | 2.2 | 20 |
| 139 | Body Mass Index and Risk of COVID-19 Diagnosis, Hospitalization, and Death: A Cohort Study of 2 524 926 Catalans. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e5030-e5042. | 1.8 | 20 |
| 140 | Characteristics and outcomes of 627 044 COVID-19 patients living with and without obesity in the United States, Spain, and the United Kingdom. International Journal of Obesity, 2021, 45, 2347-2357. | 1.6 | 20 |
| 141 | Risk of depression, suicide and psychosis with hydroxychloroquine treatment for rheumatoid arthritis: a multinational network cohort study. Rheumatology, 2021, 60, 3222-3234. | 0.9 | 20 |
| 142 | Development and validation of a model for predicting mortality in patients with hip fracture. Age and Ageing, 2022, 51, . | 0.7 | 20 |
| 143 | Fracture during oral bisphosphonate therapy is associated with deteriorated bone material strength index. Bone, 2017, 103, 64-69. | 1.4 | 19 |
| 144 | Encounters for foot and ankle pain in UK primary care: a population-based cohort study of CPRD data. British Journal of General Practice, 2019, 69, e422-e429. | 0.7 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Characterization of Asthma by Age of Onset: A Multi-Database Cohort Study. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 1825-1834.e8. | 2.0 | 19 |
| 146 | Early (1-year) Discontinuation of Different Anti-osteoporosis Medications Compared: A Population-Based Cohort Study. Calcified Tissue International, 2015, 97, 535-541. | 1.5 | 18 |
| 147 | Secular trends of use of anti-osteoporotic treatments in Spain: A population-based cohort study including over 1.5 million people and more than 12 years of follow-up. Bone, 2017, 105, 292-298. | 1.4 | 18 |
| 148 | Analgesic Use and Risk for Acute Coronary Events in Patients With Osteoarthritis: A Population-based, Nested Case-control Study. Clinical Therapeutics, 2018, 40, 270-283. | 1.1 | 18 |
| 149 | The impact of rheumatoid arthritis on the risk of adverse events following joint replacement: a real-world cohort study. Clinical Epidemiology, 2018, Volume 10, 697-704. | 1.5 | 18 |
| 150 | Opioid use, postoperative complications, and implant survival after unicompartmental versus total knee replacement: a population-based network study. Lancet Rheumatology, The, 2019, 1, e229-e236. | 2.2 | 18 |
| 151 | CPRD GOLD and linked ONS mortality records: Reconciling guidelines. International Journal of Medical Informatics, 2020, 136, 104038. | 1.6 | 18 |
| 152 | Osteoporosis epidemiology using international cohorts. Current Opinion in Rheumatology, 2020, 32, 387-393. | 2.0 | 18 |
| 153 | Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. Alzheimer's Research and Therapy, 2020, 12, 38. | 3.0 | 18 |
| 154 | Mortality, Falls, and Fracture Risk Are Positively Associated With Frailty: A SIDIAP Cohort Study of 890 000 Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 148-154. | 1.7 | 18 |
| 155 | Diagnosis and management of osteoporosis in chronic kidney disease stages 4 to 5D: a call for a shift from nihilism to pragmatism. Osteoporosis International, 2021, 32, 2397-2405. | 1.3 | 18 |
| 156 | Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. BMJ Open, 2021, 11, e047258. | 0.8 | 18 |
| 157 | Knee Arthroplasty and Risk of Hip Fracture: A Population-Based, Case–Control Study. Calcified Tissue International, 2012, 90, 144-150. | 1.5 | 17 |
| 158 | The impact of BMI and smoking on risk of revision following knee and hip replacement surgery: evidence from routinely collected data. Osteoarthritis and Cartilage, 2019, 27, 1294-1300. | 0.6 | 17 |
| 159 | Inappropriate opioid dispensing in patients with knee and hip osteoarthritis: a population-based cohort study. Osteoarthritis and Cartilage, 2020, 28, 146-153. | 0.6 | 17 |
| 160 | Oral Bisphosphonate use Reduces Cardiovascular Events in a Cohort of Danish Patients Referred for Bone Mineral Density. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 3215-3225. | 1.8 | 17 |
| 161 | Risk of Comorbidities Following <scp>Physicianâ€Diagnosed</scp> Knee or Hip Osteoarthritis: A <scp>Registerâ€Based</scp> Cohort Study. Arthritis Care and Research, 2022, 74, 1689-1695. | 1.5 | 17 |
| 162 | Incidence and Predictors of Multiple Fractures Despite High Adherence to Oral Bisphosphonates: A Binational Population-Based Cohort Study. Journal of Bone and Mineral Research, 2016, 31, 234-244. | 3.1 | 16 |

DANI PRIETO-ALHAMBRA

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Evidence for current recommendations concerning the management of foot health for people with chronic longâ€term conditions: a systematic review. Journal of Foot and Ankle Research, 2017, 10, 51. | 0.7 | 16 |
| 164 | The impact of hip fracture on health-related quality of life and activities of daily living: the SPARE-HIP prospective cohort study. Archives of Osteoporosis, 2019, 14, 56. | 1.0 | 16 |
| 165 | Impact of Rheumatoid Arthritis and Its Management on Falls, Fracture and Bone Mineral Density in UK Biobank. Frontiers in Endocrinology, 2019, 10, 817. | 1.5 | 16 |
| 166 | Serious complications and risk of re-operation after Dupuytren's disease surgery: a population-based cohort study of 121,488 patients in England. Scientific Reports, 2020, 10, 16520. | 1.6 | 16 |
| 167 | Impact of comorbidity on the short- and medium-term risk of revision in total hip and knee arthroplasty. BMC Musculoskeletal Disorders, 2020, 21, 447. | 0.8 | 16 |
| 168 | Evaluation of the COVID-19 response in Spain: principles and requirements. Lancet Public Health, The, 2020, 5, e575. | 4.7 | 16 |
| 169 | Factors Associated with Type 2 Diabetes Mellitus Treatment Choice Across Four European Countries. Clinical Therapeutics, 2017, 39, 2296-2310.e14. | 1.1 | 15 |
| 170 | Risk of venous thromboembolism among users of different anti-osteoporosis drugs: a population-based cohort analysis including over 200,000 participants from Spain and the UK. Osteoporosis International, 2018, 29, 467-478. | 1.3 | 15 |
| 171 | Unplanned admissions for patients with myeloma in the UK: Low frequency but high costs. Journal of Bone Oncology, 2019, 17, 100243. | 1.0 | 15 |
| 172 | Lifetime risk of knee and hip replacement following a diagnosis of RA: findings from a cohort of 13 961 patients from England. Rheumatology, 2019, 58, 1950-1954. | 0.9 | 15 |
| 173 | Increased Fracture Risk in Women Treated With Aromatase Inhibitors Versus Tamoxifen: Beneficial Effect of Bisphosphonates. Journal of Bone and Mineral Research, 2020, 35, 291-297. | 3.1 | 15 |
| 174 | Smoking and Alcohol Intake but Not Muscle Strength in Young Men Increase Fracture Risk at Middle Age: A Cohort Study Linked to the Swedish National Patient Registry. Journal of Bone and Mineral Research, 2020, 35, 498-504. | 3.1 | 15 |
| 175 | Excess cases of influenza and the coronavirus epidemic in Catalonia: a time-series analysis of primary-care electronic medical records covering over 6 million people. BMJ Open, 2020, 10, e039369. | 0.8 | 15 |
| 176 | Smoking and COVID-19 Infection and Related Mortality: A Prospective Cohort Analysis of UK Biobank Data. Clinical Epidemiology, 2021, Volume 13, 357-365. | 1.5 | 15 |
| 177 | HIV infection, bone metabolism, and fractures. Arquivos Brasileiros De Endocrinologia E Metabologia, 2014, 58, 478-483. | 1.3 | 14 |
| 178 | Cessation rate of anti-osteoporosis treatments and risk factors in Spanish primary care settings: a population-based cohort analysis. Archives of Osteoporosis, 2017, 12, 39. | 1.0 | 14 |
| 179 | Validation of fragility fractures in primary care electronic medical records: A population-based study. ReumatologÃa ClÃnica, 2019, 15, e1-e4. | 0.2 | 14 |
| 180 | Assessment of Bone Health in Patients With Type 1 Gaucher Disease Using Impact Microindentation. Journal of Bone and Mineral Research, 2017, 32, 1575-1581. | 3.1 | 13 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Comparative anti-fracture effectiveness of different oral anti-osteoporosis therapies based on & & amp;ldquo;real-world" data: a meta-analysis of propensity-matched cohort findings from the UK Clinical Practice Research Database and the Catalan SIDIAP Database. Clinical Epidemiology, 2018, Volume 10, 1417-1431. | 1.5 | 13 |
| 182 | Machine Learning for Feature Selection and Cluster Analysis in Drug Utilisation Research. Current Epidemiology Reports, 2019, 6, 364-372. | 1.1 | 13 |
| 183 | Impact of TNF inhibitor therapy on joint replacement rates in rheumatoid arthritis: a matched cohort analysis of BSRBR-RA UK registry data. Rheumatology, 2019, 58, 1168-1175. | 0.9 | 13 |
| 184 | The treatment gap after major osteoporotic fractures in Denmark 2005-2014: a combined analysis including both prescription-based and hospital-administered anti-osteoporosis medications. Osteoporosis International, 2021, 32, 1961-1971. | 1.3 | 13 |
| 185 | The impact of prioritisation and dosing intervals on the effects of COVID-19 vaccination in Europe: an agent-based cohort model. Scientific Reports, 2021, 11, 18812. | 1.6 | 13 |
| 186 | Bias, Precision and Timeliness of Historical (Background) Rate Comparison Methods for Vaccine Safety Monitoring: An Empirical Multi-Database Analysis. Frontiers in Pharmacology, 2021, 12, 773875. | 1.6 | 13 |
| 187 | Seek COVER: using a disease proxy to rapidly develop and validate a personalized risk calculator for COVID-19 outcomes in an international network. BMC Medical Research Methodology, 2022, 22, 35. | 1.4 | 13 |
| 188 | Comparative effectiveness of the BNT162b2 and ChAdOx1 vaccines against Covid-19 in people over 50. Nature Communications, 2022, 13, 1519. | 5.8 | 13 |
| 189 | Self-reported weight at birth predicts measures of femoral size but not volumetric BMD in eldery men: MrOS. Journal of Bone and Mineral Research, 2011, 26, 1802-1807. | 3.1 | 12 |
| 190 | The impact of different strategies to handle missing data on both precision and bias in a drug safety study: a multidatabase multinational population-based cohort study. Clinical Epidemiology, 2018, Volume 10, 643-654. | 1.5 | 12 |
| 191 | Descriptive epidemiology of hip and knee replacement in rheumatoid arthritis: An analysis of UK electronic medical records. Seminars in Arthritis and Rheumatism, 2020, 50, 237-244. | 1.6 | 12 |
| 192 | Best Practice Framework of Fracture Liaison Services in Spain and their coordination with Primary Care. Archives of Osteoporosis, 2020, 15, 63. | 1.0 | 12 |
| 193 | Treatment of first-time traumatic anterior shoulder dislocation: the UK TASH-D cohort study. Health Technology Assessment, 2019, 23, 1-104. | 1.3 | 12 |
| 194 | Analyses of <i>RANK</i> and <i>RANKL</i> in the Post-GWAS Context: Functional Evidence of Vitamin D Stimulation Through a <i>RANKL</i> Distal Region. Journal of Bone and Mineral Research, 2013, 28, 2550-2560. | 3.1 | 11 |
| 195 | Can the publication of guidelines change the management of early rheumatoid arthritis? An interrupted time series analysis from the United Kingdom. Rheumatology, 2015, 54, kev268. | 0.9 | 11 |
| 196 | The effect of rheumatoid arthritis on patient-reported outcomes following knee and hip replacement: evidence from routinely collected data. Rheumatology, 2019, 58, 1016-1024. | 0.9 | 11 |
| 197 | Increasing Risk of Hospital-Treated Infections and Community-Based Antibiotic Use After Hip Fracture Surgery: A Nationwide Study 2005–2016. Journal of Bone and Mineral Research, 2019, 34, 437-446. | 3.1 | 11 |
| 198 | Dupuytren's Disease Predicts Increased All-Cause and Cancer-Specific Mortality: Analysis of a Large Cohort from the U.K. Clinical Practice Research Datalink. Plastic and Reconstructive Surgery, 2020, 145, 574e-582e. | 0.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Costs of Joint Replacement in Osteoarthritis: A Study Using the National Joint Registry and Clinical Practice Research Datalink Data Sets. Arthritis Care and Research, 2022, 74, 392-402. | 1.5 | 11 |
| 200 | Childhood overweight and obesity and back pain risk: a cohort study of 466 997 children. BMJ Open, 2020, 10, e036023. | 0.8 | 11 |
| 201 | Implementation of the COVID-19 Vulnerability Index Across an International Network of Health Care Data Sets: Collaborative External Validation Study. JMIR Medical Informatics, 2021, 9, e21547. | 1.3 | 11 |
| 202 | Does pre-existing morbidity influences risks and benefits of total hip replacement for osteoarthritis: a prospective study of 6682 patients from linked national datasets in England. BMJ Open, 2021, 11, e046712. | 0.8 | 11 |
| 203 | Unraveling COVID-19: A Large-Scale Characterization of 4.5 Million COVID-19 Cases Using CHARYBDIS. Clinical Epidemiology, 2022, Volume 14, 369-384. | 1.5 | 11 |
| 204 | Thromboembolic, cardiovascular and overall mortality risks of aromatase inhibitors, compared with tamoxifen treatment: an outpatient-register-based retrospective cohort study. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592090966. | 1.4 | 10 |
| 205 | Low rates of serious complications and further procedures following surgery for base of thumb osteoarthritis: analysis of a national cohort of 43 076 surgeries. BMJ Open, 2021, 11, e045614. | 0.8 | 10 |
| 206 | Incidence of Total Hip and Knee Replacement in UK Patients with Ankylosing Spondylitis. Journal of Rheumatology, 2018, 45, 1334-1336. | 1.0 | 9 |
| 207 | UK podiatrists' experiences of podiatry services for people living with arthritis: a qualitative investigation. Journal of Foot and Ankle Research, 2018, 11, 27. | 0.7 | 9 |
| 208 | Maintenance low dose systemic glucocorticoids have limited impact on bone strength and mineral density among incident renal allograft recipients: A pilot prospective cohort study. Bone, 2018, 116, 290-294. | 1.4 | 9 |
| 209 | Reduction in Upper Limb Joint Surgery Among Rheumatoid Arthritis Patients: An Interrupted Timeâ€Series Analysis Using Danish Health Care Registers. Arthritis Care and Research, 2020, 72, 274-282. | 1.5 | 9 |
| 210 | Impact of risk minimisation measures on the use of strontium ranelate in Europe: a multi-national cohort study in 5 EU countries by the EU-ADR Alliance. Osteoporosis International, 2020, 31, 721-755. | 1.3 | 9 |
| 211 | Comparative cardiovascular safety of strontium ranelate and bisphosphonates: a multi-database study in 5 EU countries by the EU-ADR Alliance. Osteoporosis International, 2020, 31, 2425-2438. | 1.3 | 9 |
| 212 | Bariatric surgery increases the rate of major fracture: self-controlled case series study in UK Clinical Practice Research Datalink. Journal of Bone and Mineral Research, 2021, 36, 2153-2161. | 3.1 | 9 |
| 213 | Incidence and prevalence of rheumatoid arthritis in Denmark from 1998 to 2018: a nationwide register-based study. Scandinavian Journal of Rheumatology, 2022, 51, 481-489. | 0.6 | 9 |
| 214 | Higher prevalence of non-skeletal comorbidity related to X-linked hypophosphataemia: a UK parallel cohort study using CPRD. Rheumatology, 2021, 60, 4055-4062. | 0.9 | 8 |
| 215 | Oral Bisphosphonate Use and Allâ€Cause Mortality in Patients With Moderate–Severe (Grade 3Bâ€5D) Chronic Kidney Disease: A Populationâ€Based Cohort Study. Journal of Bone and Mineral Research, 2020, 35, 894-900. | 3.1 | 8 |
| 216 | The association between renal function and BMD response to bisphosphonate treatment: Real-world cohort study using linked national registers. Bone, 2020, 137, 115371. | 1.4 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Risk Diagrams Based on Primary Care Electronic Medical Records and Linked Real-Time PCR Data to Monitor Local COVID-19 Outbreaks During the Summer 2020: A Prospective Study Including 7,671,862 People in Catalonia. Frontiers in Public Health, 2021, 9, 693956. | 1.3 | 8 |
| 218 | Timing of elective tracheotomy and duration of mechanical ventilation among patients admitted to intensive care with severe <scp>COVID</scp> â€19: A multicenter prospective cohort study. Head and Neck, 2021, 43, 3743-3756. | 0.9 | 8 |
| 219 | Comparative effectiveness and safety of homologous two-dose ChAdOx1 versus heterologous vaccination with ChAdOx1 and BNT162b2. Nature Communications, 2022, 13, 1639. | 5.8 | 8 |
| 220 | Current Approaches to Vaccine Safety Using Observational Data: A Rationale for the EUMAEUS (Evaluating Use of Methods for Adverse Events Under Surveillance-for Vaccines) Study Design. Frontiers in Pharmacology, 2022, 13, 837632. | 1.6 | 8 |
| 221 | Factors Influencing Background Incidence Rate Calculation: Systematic Empirical Evaluation Across an International Network of Observational Databases. Frontiers in Pharmacology, 2022, 13, 814198. | 1.6 | 8 |
| 222 | Development and external validation of prediction models for adverse health outcomes in rheumatoid arthritis: A multinational real-world cohort analysis. Seminars in Arthritis and Rheumatism, 2022, 56, 152050. | 1.6 | 8 |
| 223 | Fracture risk in type 2 diabetic patients: A clinical prediction tool based on a large population-based cohort. PLoS ONE, 2018, 13, e0203533. | 1.1 | 7 |
| 224 | Antibiotic treatment and flares of rheumatoid arthritis: a self-controlled case series study analysis using CPRD GOLD. Scientific Reports, 2019, 9, 8941. | 1.6 | 7 |
| 225 | Threshold for Computer- and Robot-Assisted Knee and Hip Replacements in the English National Health Service. Value in Health, 2020, 23, 719-726. | 0.1 | 7 |
| 226 | One- and 2-year incidence of osteoporotic fracture: a multi-cohort observational study using routinely collected real-world data. Osteoporosis International, 2022, 33, 123-137. | 1.3 | 7 |
| 227 | Elevated blood pressure, antihypertensive medications and bone health in the population: revisiting old hypotheses and exploring future research directions. Osteoporosis International, 2022, 33, 315-326. | 1.3 | 7 |
| 228 | Cost-Effectiveness Analysis of Fracture Liaison Services Compared with Standard of Care in the Secondary Prevention of Fragility Fractures in Spain. ClinicoEconomics and Outcomes Research, 2022, Volume 14, 249-264. | 0.7 | 7 |
| 229 | Phenotype Algorithms for the Identification and Characterization of Vaccine-Induced Thrombotic Thrombocytopenia in Real World Data: A Multinational Network Cohort Study. Drug Safety, 2022, 45, 685-698. | 1.4 | 7 |
| 230 | Patients With Atypical Femur Fractures Have the Same Mortality as the Background Population—Drug-Channeling Bias, Bisphosphonate Effects, and Public Health Implications. Journal of Bone and Mineral Research, 2016, 31, 488-490. | 3.1 | 6 |
| 231 | The Challenges and Opportunities of Pharmacoepidemiology in Bone Diseases. JBMR Plus, 2018, 2, 187-194. | 1.3 | 6 |
| 232 | Risk of hand osteoarthritis in new users of hormone replacement therapy: A nested case-control analysis. Maturitas, 2020, 132, 17-23. | 1.0 | 6 |
| 233 | Characteristics and Outcomes of Over 300,000 Patients with COVID-19 and History of Cancer in the United States and Spain. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1884-1894. | 1.1 | 6 |
| 234 | Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. Health Technology Assessment, 2021, 25, 1-126. | 1.3 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Influence of information provided prior to switching from Humira to biosimilar adalimumab on UK patients' satisfaction: a cross-sectional survey by patient organisations. BMJ Open, 2022, 12, e050949. | 0.8 | 6 |
| 236 | 90-Day all-cause mortality can be predicted following a total knee replacement: an international, network study to develop and validate a prediction model. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3068-3075. | 2.3 | 6 |
| 237 | Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, case–control and cohort study using large electronic health records in four European countries. BMJ Open, 2022, 12, e052816. | 0.8 | 6 |
| 238 | Oral Bisphosphonates Are Associated With Increased Risk of Severe Acute Kidney Injury in Elderly Patients With Complex Health Needs: A Self-Controlled Case Series in the United Kingdom. Journal of Bone and Mineral Research, 2020, 37, 1270-1278. | 3.1 | 6 |
| 239 | Aromatase inhibitor-induced arthralgia: Is vitamin D deficiency responsible?. Maturitas, 2011, 69, 3-4. | 1.0 | 5 |
| 240 | Cluster Analysis to Detect Patterns of Drug Use from Routinely Collected Medical Data. , 2018, , . | | 5 |
| 241 | Bone tissue quality in patients with monoclonal gammopathy of uncertain significance. Journal of Bone and Mineral Metabolism, 2020, 38, 563-569. | 1.3 | 5 |
| 242 | Estimating the population health burden of musculoskeletal conditions using primary care electronic health records. Rheumatology, 2021, 60, 4832-4843. | 0.9 | 5 |
| 243 | Predicting Imminent Fractures in Patients With a Recent Fracture or Starting Oral Bisphosphonate Therapy: Development and International Validation of Prognostic Models. Journal of Bone and Mineral Research, 2021, 36, 2162-2176. | 3.1 | 5 |
| 244 | The impact of the enhanced recovery pathway and other factors on outcomes and costs following hip and knee replacement: routine data study. Health Services and Delivery Research, 2020, 8, 1-188. | 1.4 | 5 |
| 245 | Applying Machine Learning in Distributed Data Networks for Pharmacoepidemiologic and Pharmacovigilance Studies: Opportunities, Challenges, and Considerations. Drug Safety, 2022, 45, 493-510. | 1.4 | 5 |
| 246 | Primary hip replacement prostheses and their evidence base: systematic review of literature. British Journal of Sports Medicine, 2014, 48, 1198-1198. | 3.1 | 4 |
| 247 | Mortality rates at 10 years after metal-on-metal hip resurfacing compared with total hip replacement in England. British Journal of Sports Medicine, 2016, 50, 187-187. | 3.1 | 4 |
| 248 | Al-related BMD variation in actual practice conditions: A prospective cohort study. Endocrine-Related Cancer, 2016, 23, 303-312. | 1.6 | 4 |
| 249 | Oral bisphosphonate use and ageâ€related macular degeneration: retrospective cohort and nested case–control study. Annals of the New York Academy of Sciences, 2018, 1415, 34-46. | 1.8 | 4 |
| 250 | Effectiveness of Statins as Primary Prevention in People With Gout: A Population-Based Cohort Study. Journal of Cardiovascular Pharmacology and Therapeutics, 2019, 24, 542-550. | 1.0 | 4 |
| 251 | Assessment on patient outcomes of primary hip replacement: an interrupted time series analysis from †The National Joint Registry of England and Wales'. BMJ Open, 2019, 9, e031599. | 0.8 | 4 |
| 252 | <p>Evaluating the Effectiveness of an Additional Risk Minimization Measure to Reduce the Risk of Prescribing Mirabegron to Patients with Severe Uncontrolled Hypertension in Four European Countries</p> . Clinical Epidemiology, 2020, Volume 12, 423-433. | 1.5 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Influence of pre-existing multimorbidity on receiving a hip arthroplasty: cohort study of 28 025 elderly subjects from UK primary care. BMJ Open, 2021, 11, e046713. | 0.8 | 4 |
| 254 | Characteristics and outcomes of COVID-19 patients with and without asthma from the United States, South Korea, and Europe. Journal of Asthma, 2023, 60, 76-86. | 0.9 | 4 |
| 255 | Avances en la valoración de la salud ósea en el trasplantado renal. Nefrologia, 2018, 38, 27-33. | 0.2 | 3 |
| 256 | Knee and hip osteoarthritis and risk of nine cancers in a large real-world matched cohort study. Rheumatology, 2022, 61, 2325-2334. | 0.9 | 3 |
| 257 | Low rate of subsequent surgery and serious complications following intra-articular steroid injection for base of thumb osteoarthritis: national cohort analysis. Rheumatology, 2021, 60, 4262-4271. | 0.9 | 3 |
| 258 | Bisphosphonates to reduce bone fractures in stage 3B+ chronic kidney disease: a propensity score-matched cohort study. Health Technology Assessment, 2021, 25, 1-106. | 1.3 | 3 |
| 259 | Fractures following pregnancy in Osteogenesis imperfecta – A self-controlled case series using Danish Health Registers. Bone, 2022, 154, 116177. | 1.4 | 3 |
| 260 | Atopic Eczema–Associated Fracture Risk and Oral Corticosteroids: A Population-Based Cohort Study. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 257-266.e8. | 2.0 | 3 |
| 261 | Trends of Dispensed Opioids in Catalonia, Spain, 2007–19: A Population-Based Cohort Study of Over 5 Million Individuals. Frontiers in Pharmacology, 0, 13, . | 1.6 | 3 |
| 262 | Development and external validation of a 1- and 5-year fracture prediction tool based on electronic medical records data: The EPIC risk algorithm. Bone, 2022, 162, 116469. | 1.4 | 3 |
| 263 | Advances in the evaluation of bone health in kidney transplant patients. Nefrologia, 2018, 38, 27-33. | 0.2 | 2 |
| 264 | Rheumatoid factor testing in Spanish primary care: A population-based cohort study including 4.8 million subjects and almost half a million measurements. ReumatologÃa ClÃnica, 2019, 15, 350-354. | 0.2 | 2 |
| 265 | Alendronate use and bone mineral density gains in women with moderate-severe (stages 3B–5) chronic kidney disease: an open cohort multivariable and propensity score analysis from Funen, Denmark. Archives of Osteoporosis, 2020, 15, 81. | 1.0 | 2 |
| 266 | Risk factors for a second nonsimultaneous hip fracture in a prospective cohort study. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 2611-2617. | 1.3 | 2 |
| 267 | Age at first major osteoporotic fracture in Danes aged 50 and over: influence of diabetes on mean age at fracture and 1 year mortality. Endocrine Abstracts, 0, , . | 0.0 | 2 |
| 268 | Riesgo de fractura asociado a los estadios previos al diagnóstico de diabetes mellitus tipo 2: estudio de casos-controles anidados (cohorte DIAFOS). Revista De Osteoporosis Y Metabolismo Mineral, 2013, 5, 73-78. | 0.3 | 2 |
| 269 | The association between smoking and the development of rheumatoid arthritis: a population-based case-control study. ReumatologÃa ClÃnica, 2021, 17, 566-569. | 0.2 | 2 |
| 270 | Does osteoarthritis modify the association between NSAID use and risk of comorbidities and adverse events?. Osteoarthritis and Cartilage Open, 2022, 4, 100253. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | The association between preexisting conditions and osteoarthritis development in peripheral joints: A population based nested case-control study. Osteoarthritis and Cartilage Open, 2022, 4, 100265. | 0.9 | 2 |
| 272 | Mortality following elective total hip replacement and hip resurfacing. Osteoarthritis and Cartilage, 2013, 21, S162. | 0.6 | 1 |
| 273 | Bisphosphonate use and improved implant survival: A Nation-Wide Cohort Study. Osteoarthritis and Cartilage, 2013, 21, S155-S156. | 0.6 | 1 |
| 274 | Trends of use of different SYSADOA in patients with osteoarthritis: a population-based cohort study. Osteoarthritis and Cartilage, 2013, 21, S164-S165. | 0.6 | 1 |
| 275 | PRM77 - VALIDATION OF COPD ICD10 DIAGNOSTIC CODES IN THE SIDIAP PRIMARY HEALTH CARE RESEARCH DATABASE USING A COMBINATION OF SPIROMETRY MEASURES, SYMPTOMS, DRUG USE, AND FREE TEXT REVIEW Value in Health, 2018, 21, S368. | 0.1 | 1 |
| 276 | Non-alcoholic fatty liver disease and relative risk of incident steatohepatitis, cirrhosis and hepatocellular carcinoma events in four European primary care databases. Journal of Hepatology, 2018, 68, S57-S58. | 1.8 | 1 |
| 277 | High inappropriate use of prescribed opioids in patients with incident knee or hip osteoarthritis. Osteoarthritis and Cartilage, 2019, 27, S49. | 0.6 | 1 |
| 278 | OP0174â€PARTIAL KNEE REPLACEMENT IS ASSOCIATED WITH A LOWER RISK OF VENOUS THROMBOEMBOLIS AND OPIOID USE THAN TOTAL KNEE REPLACEMENT BUT INCREASED RISK OF LONG-TERM REVISION: A MULTINATIONAL, MULTI-DATABASE, PROPENSITY SCORE-MATCHED, COHORT ANALYSIS INCLUDING OVER 280,000 PATIENTS. , 2019, , . | M | 1 |
| 279 | Subsequent risk of consultaton for other diseases after incident doctor-diagnosed knee or hip osteoarthritis: a population-based cohort study. Osteoarthritis and Cartilage, 2020, 28, S411-S412. | 0.6 | 1 |
| 280 | Knee osteoarthritis and risk of ten cancers in a large real-world matched cohort study. Osteoarthritis and Cartilage, 2020, 28, S421-S422. | 0.6 | 1 |
| 281 | Revision and 90-day mortality following hip arthroplasty in patients with inflammatory arthritis and ankylosing spondylitis enrolled in the National Joint Registry for England and Wales. HIP International, 2021, , 112070002199059. | 0.9 | 1 |
| 282 | Elective Vs Non-Elective Hospital Admissions By Patients with Multiple Myeloma in England 2014 - 2018. Blood, 2018, 132, 4743-4743. | 0.6 | 1 |
| 283 | THU0212â€FIRST LINE TREATMENT WITH CONVENTIONAL SYNTHETIC DISEASE MODIFYING ANTIRHEUMATIC DRUGS IN RHEUMATOID ARTHRITIS: A MULTINATIONAL POPULATION-BASED COHORT FROM 14 REAL WORLD HEALTHCARE DATABASES AND 9 COUNTRIES - REALITY VERSUS GUIDELINES. Annals of the Rheumatic Diseases. 2020. 79. 331.1-331. | 0.5 | 1 |
| 284 | OP0184â€RISK OF COMORBIDITIES FOLLOWING INCIDENT CLINICIAN-DIAGNOSED KNEE OR HIP OSTEOARTHRITIS: A REGISTRY-BASED COHORT STUDY. Annals of the Rheumatic Diseases, 2020, 79, 114.1-114. | 0.5 | 1 |
| 285 | Filling the Gaps in the Natural History of COVID-19: A Cohort Analysis of 121,263 Cases Followed from Primary Care to Admission and/or Death in Catalonia. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 286 | The association between smoking and the development of rheumatoid arthritis: a population-based case-control study. ReumatologAa ClAnica (English Edition), 2021, 17, 566-569. | 0.2 | 1 |
| 287 | Persistencia a los inhibidores de la aromatasa en la cohorte SIDIAP: mortalidad e influencia de los bifosfonatos. Revista De Osteoporosis Y Metabolismo Mineral, 2020, 12, 87-91. | 0.3 | 1 |
| 288 | Characteristics and outcomes of COVID-19 patients with COPD from the United States, South Korea, and Europe. Wellcome Open Research, 0, 7, 22. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|------------|-----------|
| 289 | Hand and Wrist Trauma: Antimicrobials and Infection (HAWAII). Bone & Joint Open, 2022, 3, 529-535. | 1.1 | 1 |
| 290 | High-Dose Oral Vitamin D Supplementation and Risk of Falls in Older Women. JAMA - Journal of the American Medical Association, 2010, 304, 854. | 3.8 | 0 |
| 291 | Hormone replacement therapy prevents failure after total knee (TKA) and hip (THA) arthroplasty: a population-based retrospective cohort study. Osteoarthritis and Cartilage, 2012, 20, S176-S177. | 0.6 | 0 |
| 292 | Use of non-steroidal anti-inflammatory drugs in year 1 following total knee arthroplasty and implant survival: a register-based cohort study. Osteoarthritis and Cartilage, 2013, 21, S154. | 0.6 | 0 |
| 293 | SNPs en el 3'UTR de gen RANK determinan la fractura osteoporótica sitio-dependiente. Revista De Osteoporosis Y Metabolismo Mineral, 2013, 5, 85-92. | 0.3 | 0 |
| 294 | SAT0322â€Trends of Use of Different Sysadoa Drugs in Patients with Osteoarthritis from 2006 to 2011: a Population-Based Cohort Study Annals of the Rheumatic Diseases, 2013, 72, A692.3-A692. | 0.5 | 0 |
| 295 | UK temporal trends for time from diagnosis of hip/knee osteoarthritis to joint replacement. Osteoarthritis and Cartilage, 2014, 22, S213. | 0.6 | 0 |
| 296 | Evolución de la DMO durante el tratamiento con inhibidores de aromatasa y su relación con el gen CYP11A1: estudio prospectivo de la cohorte B-ABLE. Revista De Osteoporosis Y Metabolismo Mineral, 2015, 7, 98-105. | 0.3 | 0 |
| 297 | Reply. Arthritis and Rheumatology, 2016, 68, 1567-1568. | 2.9 | 0 |
| 298 | Worse off after knee replacements: How likely is it and what role does the pre-operative oxford knee score play? evidence from the english NHS. Osteoarthritis and Cartilage, 2016, 24, S35-S36. | 0.6 | 0 |
| 299 | RHEUMATOID ARTHRITIS: TREATMENT207.â€∱IMPACT OF BIOLOGIC THERAPIES ON NEED FOR HIP AND KNEE REPLACEMENT AMONG RHEUMATOID ARTHRITIS AND NON-RHEUMATOID ARTHRITIS PATIENTS IN ONTARIO, CANADA: AN INTERRUPTED TIME-SERIES ANALYSIS. Rheumatology, 2017, 56, . | 0.9 | 0 |
| 300 | OP0251â€Incidence of knee and hip replacements in rheumatoid arthritis patients following introduction of biological dmards: an interrupted time series analysis using nationwide health care registers. , 2017, , . | | 0 |
| 301 | EPIDEMIOLOGYE20. REVISION RATES AND POSTOPERATIVE MORTALITY FOLLOWING TOTAL HIP REPLACEMEN IN PATIENTS WITH RHEUMATOID COMPARED TO OSTEOARTHRITIS: AN ANALYSIS OF DATA FROM THE NATIONAL JOINT REGISTRY FOR ENGLAND, WALES AND NORTHERN IRELAND. Rheumatology, 2017, 56, . | NT 0.9 | 0 |
| 302 | 156. DESCRIPTIVE EPIDEMIOLOGY OF HIP AND KNEE REPLACEMENT AMONG RHEUMATOID ARTHRITIS PATIEN IN ENGLAND AND WALES: VARIATION BY AGE, SEX, GEOGRAPHY AND SOCIO-ECONOMIC STATUS. Rheumatology, 2017, 56, . | ITS 0.9 | 0 |
| 303 | PMS14 - CHILDHOOD OBESITY AND FRACTURE RISK: A REGION-WIDE LONGITUDINAL COHORT STUDY OF 466,000 CHILDREN AND UP TO 11 YEARS OF FOLLOW-UP. Value in Health, 2018, 21, S289-S290. | 0.1 | 0 |
| 304 | Non-invasive liver tests in electronic health records of patients with non-alcoholic fatty liver disease: combined analysis from four European countries. Journal of Hepatology, 2018, 68, S551-S552. | 1.8 | 0 |
| 305 | Knee and hip replacements and the risk of revision. Lancet, The, 2019, 394, e28. | 6.3 | 0 |
| 306 | OP0306â€GEOGRAPHICAL VARIATION IN PATIENT OUTCOMES OF PRIMARY KNEE REPLACEMENT ACROSS CLINICAL COMMISSIONING GROUPS: STUDY FROM "THE NATIONAL JOINT REGISTRY OF ENGLAND, WALES, NORTHERN IRELAND AND THE ISLE OF MANâ€, , 2019, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Validation of fragility fractures in primary care electronic medical records: A population-based study. ReumatologÃa ClÃnica (English Edition), 2019, 15, e1-e4. | 0.2 | 0 |
| 308 | Rheumatoid factor testing in Spanish primary care: A population-based cohort study including 4.8 million subjects and almost half a million measurements. ReumatologÃa ClÃnica (English Edition), 2019, 15, 350-354. | 0.2 | 0 |
| 309 | What Systematic Reviews Exist for the Effectiveness of Orthopaedic Interventions. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2019, 3, e098. | 0.4 | 0 |
| 310 | The Impact of Prioritisation and Dosing Intervals on the Effects of COVID-19 Vaccination in Europe: An Agent-Based Cohort Model. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 311 | Temporal Trends and Geographical Variation in Dupuytren Disease Surgery in England. Annals of Plastic Surgery, 2021, 87, 265-270. | 0.5 | 0 |
| 312 | The case for an academic discipline of medical device science. EFORT Open Reviews, 2021, 6, 160-163. | 1.8 | 0 |
| 313 | Incidence of adverse events and comorbidities after incident NSAIDS use among people with oteoarthritis. Osteoarthritis and Cartilage, 2021, 29, S425-S426. | 0.6 | Ο |
| 314 | Reply: Dupuytren's Disease Predicts Increased All-Cause and Cancer-Specific Mortality: Analysis of a Large Cohort from the U.K. Clinical Practice Research Datalink. Plastic and Reconstructive Surgery, 2021, 147, 891e-892e. | 0.7 | 0 |
| 315 | POS1098â€PREVALENT COMORBIDITIES ASSOCIATED WITH CLINICALLY DIAGNOSED OSTEOARTHRITIS: A CASE-CONTROL ANALYSIS INCLUDING 1,936,792 PEOPLE. Annals of the Rheumatic Diseases, 2021, 80, 829.1-829. | 0.5 | 0 |
| 316 | Treatment Failure. , 2016, , 85-94. | | 0 |
| 317 | SAT0081â€Changes in incidence of shoulder, elbow, wrist and finger replacement surgery among rheumatoid arthritis patients following the introduction of biological dmards: an interrupted time series analysis using danish health care registers. , 2018, , . | | Ο |
| 318 | El papel de la determinación de un marcador de resorción, el telopéptido carboxiterminal del colágeno I, en la valoración del cumplimiento terapéutico en pacientes tratadas con bifosfonatos orales. Revista De Osteoporosis Y Metabolismo Mineral, 2019, 11, 19-24. | 0.3 | 0 |
| 319 | Is there a need for review-a-thons? – Authors' reply. Lancet Rheumatology, The, 2020, 2, e205-e207. | 2.2 | Ο |
| 320 | Characteristics and outcomes of COVID-19 patients with COPD from the United States, South Korea, and Europe. Wellcome Open Research, 0, 7, 22. | 0.9 | 0 |
| 321 | Association of Tramadol vs Codeine Prescriptions With Mortality and Other Adverse Clinical Outcomes—Reply. JAMA - Journal of the American Medical Association, 2022, 327, 489. | 3.8 | 0 |
| 322 | Unsupervised Learning to Understand Patterns of Comorbidity in 633,330 Patients Diagnosed with Osteoarthritis. , 2022, , . | | 0 |
| 323 | COMORBIDITIES AND RISK OF OSTEOARTHRITIS IN THE KNEE, HIP AND OTHER PERIPHERAL JOINTS: A POPULATION-BASED NESTED CASE-CONTROL STUDY. Osteoarthritis and Cartilage, 2022, 30, S248. | 0.6 | 0 |
| 324 | Antimicrobial sutures for the prevention of surgical site infection. The Cochrane Library, 2022, 2022, . | 1.5 | 0 |