
## Turco Laura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4287857/publications.pdf Version: 2024-02-01



ΤυρεοΙλυρλ

#	Article	IF	CITATIONS
1	An Inter-laboratory Study to Evaluate the Effects of Medium Composition on the Differentiation and Barrier Function of Caco-2 Cell Lines. ATLA Alternatives To Laboratory Animals, 2005, 33, 603-618.	1.0	101
2	Cacoâ€2 Cells as a Model for Intestinal Absorption. Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al ], 2011, 47, Unit20.6.	1.1	89
3	Caco-2/TC7 cell line characterization for intestinal absorption: How reliable is this in vitro model for the prediction of the oral dose fraction absorbed in human?. Toxicology in Vitro, 2011, 25, 13-20.	2.4	83
4	Effects of the pesticide clorpyrifos on an in vitro model of intestinal barrier. Toxicology in Vitro, 2007, 21, 308-313.	2.4	53
5	Toxicological profile of cereulide, the Bacillus cereus emetic toxin, in functional assays with human, animal and bacterial cells. Toxicon, 2007, 49, 351-367.	1.6	51
6	Phenolic Antioxidants and the Protection of Low Density Lipoprotein from Peroxynitrite-Mediated Oxidations at Physiologic CO2. Journal of Agricultural and Food Chemistry, 2004, 52, 2866-2874.	5.2	34
7	Human variability in glutathione-S-transferase activities, tissue distribution and major polymorphic variants: Meta-analysis and implication for chemical risk assessment. Toxicology Letters, 2021, 337, 78-90.	0.8	27
8	On-line EPR study of free radicals induced by peroxidase/H2O2 in human low-density lipoprotein. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2002, 1583, 176-184.	2.4	19
9	Inter-ethnic differences in CYP3A4 metabolism: A Bayesian meta-analysis for the refinement of uncertainty factors in chemical risk assessment. Computational Toxicology, 2019, 12, 100092.	3.3	12
10	OpenCYP: An open source database exploring human variability in activities and frequencies of polymophisms for major cytochrome P-450 isoforms across world populations. Toxicology Letters, 2021, 350, 267-282.	0.8	7