Manuel Criado

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4288396/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Immunocytochemical localization of the ?7 subunit of the nicotinic acetylcholine receptor in the rat central nervous system. Journal of Comparative Neurology, 1994, 349, 325-342.	0.9	237
2	Effects of lipids on acetylcholine receptor. Essential need of cholesterol for maintenance of agonist-induced state transitions in lipid vesicles. Biochemistry, 1982, 21, 3622-3629.	1.2	186
3	Conservation within the RIC-3 Gene Family. Journal of Biological Chemistry, 2003, 278, 34411-34417.	1.6	161
4	Location of antigenic determinants of primary sequences of the subunits of nicotinic acetylcholine receptor by peptide mapping. Biochemistry, 1986, 25, 2621-2632.	1.2	153
5	A membrane fusion strategy for single-channel recordings of membranes usually non-accessible to patch-clamp pipette electrodes. FEBS Letters, 1987, 224, 172-176.	1.3	147
6	Developmental regulation of five subunit specific mRNAs encoding acetylcholine receptor subtypes in rat muscle. FEBS Letters, 1989, 242, 419-424.	1.3	131
7	Size dependence of the translational diffusion of large integral membrane proteins in liquid-crystalline phase lipid bilayers. A study using fluorescence recovery after photobleaching. Biochemistry, 1982, 21, 5608-5612.	1.2	126
8	Primary structure and functional expression of the alpha-, beta-, gamma-, delta- and e-subunits of the acetylcholine receptor from rat muscle. FEBS Journal, 1990, 194, 437-448.	0.2	108
9	α-Bungarotoxin-sensitive Nicotinic Receptors on Bovine Chromaffin Cells: Molecular Cloning, Functional Expression and Alternative Splicing of the α7 Subunit. European Journal of Neuroscience, 1995, 7, 647-655.	1.2	101
10	Evidence for unpredicted transmembrane domains in acetylcholine receptor subunits Proceedings of the United States of America, 1985, 82, 2004-2008.	3.3	99
11	Dual Role of the RIC-3 Protein in Trafficking of Serotonin and Nicotinic Acetylcholine Receptors. Journal of Biological Chemistry, 2005, 280, 27062-27068.	1.6	89
12	A single residue in the M2-M3 loop is a major determinant of coupling between binding and gating in neuronal nicotinic receptors Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 6118-6123.	3.3	87
13	A single amino acid near the C terminus of the synaptosomeassociated protein of 25 kDa (SNAP-25) is essential for exocytosis in chromaffin cells. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 7256-7261.	3.3	87
14	Effects of Ginsenoside Rg2 on Human Neuronal Nicotinic Acetylcholine Receptors. Journal of Pharmacology and Experimental Therapeutics, 2002, 301, 1052-1059.	1.3	77
15	Immunochemical tests of acetylcholine receptor subunit models. Nature, 1984, 311, 573-575.	13.7	75
16	Nicotinic acetylcholine receptors of adrenal chromaffin cells. Acta Physiologica, 2008, 192, 203-212.	1.8	74
17	Intragranular pH rapidly modulates exocytosis in adrenal chromaffin cells. Journal of Neurochemistry, 2006, 96, 324-334.	2.1	73
18	Primary structure of an agonist binding subunit of the nicotinic acetylcholine receptor from bovine adrenal chromaffin cells. Neurochemical Research, 1992, 17, 281-287.	1.6	71

#	Article	IF	CITATIONS
19	Differential Expression of α-Bungarotoxin-Sensitive Neuronal Nicotinic Receptors in Adrenergic Chromaffin Cells: A Role for Transcription Factor Egr-1. Journal of Neuroscience, 1997, 17, 6554-6564.	1.7	65
20	Evidence that the acetylcholine binding site is not formed by the sequence .alpha.127-143 of the acetylcholine receptor. Biochemistry, 1986, 25, 2839-2846.	1.2	61
21	Single channel recordings of reconstituted ion channel proteins: an improved technique. Pflugers Archiv European Journal of Physiology, 1988, 411, 94-100.	1.3	58
22	Effects of ginsenosides, active components of ginseng, on nicotinic acetylcholine receptors expressed in Xenopus oocytes. European Journal of Pharmacology, 2002, 442, 37-45.	1.7	57
23	Role of Two Acetylcholine Receptor Subunit Domains in Homomer Formation and Intersubunit Recognition, as Revealed by .alpha.3 and .alpha.7 Subunit Chimeras. Biochemistry, 1994, 33, 15198-15203.	1.2	55
24	Potentiation of human α4β2 neuronal nicotinic receptors by a Flustra foliacea metabolite. Neuroscience Letters, 2005, 373, 144-149.	1.0	53
25	Translational diffusion of acetylcholine receptor (monomeric and dimeric forms) of Torpedo marmorata reconstituted into phospholipid bilayers studied by fluorescence recovery after photobleaching. Biochemistry, 1982, 21, 5750-5755.	1.2	51
26	Modifications in the C Terminus of the Synaptosome-associated Protein of 25 kDa (SNAP-25) and in the Complementary Region of Synaptobrevin Affect the Final Steps of Exocytosis. Journal of Biological Chemistry, 2002, 277, 9904-9910.	1.6	51
27	Ric-3 Promotes Â7 Nicotinic Receptor Assembly and Trafficking through the ER Subcompartment of Dendrites. Journal of Neuroscience, 2010, 30, 10112-10126.	1.7	48
28	Expression of α 7 neuronal nicotinic receptors during postnatal development of the rat cerebellum. Developmental Brain Research, 1997, 98, 125-133.	2.1	47
29	Charged Amino Acids of the N-terminal Domain Are Involved in Coupling Binding and Gating in α7 Nicotinic Receptors. Journal of Biological Chemistry, 2005, 280, 6642-6647.	1.6	42
30	GC- and E-box Motifs as Regulatory Elements in the Proximal Promoter Region of the Neuronal Nicotinic Receptor α7 Subunit Gene. Journal of Biological Chemistry, 1998, 273, 20021-20028.	1.6	34
31	Multiple Functional Sp1 Domains in the Minimal Promoter Region of the Neuronal Nicotinic Receptor α5 Subunit Gene. Journal of Biological Chemistry, 1999, 274, 4693-4701.	1.6	34
32	Immunohistochemical localization of the voltage-gated potassium channel subunit Kv1.4 in the central nervous system of the adult rat. Journal of Chemical Neuroanatomy, 2003, 26, 209-224.	1.0	34
33	Role of the Large Cytoplasmic Loop of the α7 Neuronal Nicotinic Acetylcholine Receptor Subunit in Receptor Expression and Functionâ€. Biochemistry, 2002, 41, 7931-7938.	1.2	32
34	Using Monoclonal Antibodies to Determine the Structures of Acetylcholine Receptors from Electric Organs, Muscles, and Neurons. Annals of the New York Academy of Sciences, 1987, 505, 208-225.	1.8	30
35	A residue in the middle of the M2-M3 loop of the β4subunit specifically affects gating of neuronal nicotinic receptors. FEBS Letters, 1998, 433, 89-92.	1.3	30
36	Structural heterogeneity of the .alpha. subunits of the nicotinic acetylcholine receptor in relation to agonist affinity alkylation and antagonist binding. Biochemistry, 1986, 25, 4268-4275.	1.2	29

#	Article	IF	CITATIONS
37	Structural localization of the sequence α235–242 of the nicotinic acetylcholine receptor. Biochemical and Biophysical Research Communications, 1985, 128, 864-871.	1.0	28
38	Molecular characterization and localization of the RICâ€3 protein, an effector of nicotinic acetylcholine receptor expression. Journal of Neurochemistry, 2008, 105, 617-627.	2.1	28
39	Role of the Putative Transmembrane Segment M3 in Gating of Neuronal Nicotinic Receptorsâ€. Biochemistry, 1997, 36, 2709-2715.	1.2	27
40	The cysteine-rich with EGF-Like domains 2 (CRELD2) protein interacts with the large cytoplasmic domain of human neuronal nicotinic acetylcholine receptor alpha4 and beta2 subunits. Journal of Neurochemistry, 2005, 95, 1585-1596.	2.1	27
41	Glucocorticoid activation of the neuronal nicotinic acetylcholine receptor α7 subunit gene: involvement of transcription factor Egr-1. FEBS Letters, 2004, 566, 247-250.	1.3	26
42	Pre- and postsynaptic localization of central muscarinic receptors. European Journal of Pharmacology, 1979, 57, 227-230.	1.7	25
43	Inhibition by local anesthetics, phentolamine and propranolol of [3H]Quinuclydinyl benzylate binding to central muscarinic receptors. European Journal of Pharmacology, 1980, 68, 317-326.	1.7	24
44	Nucleotide sequence of the rat muscle acetylcholine receptor Â-subunit. Nucleic Acids Research, 1988, 16, 10920-10920.	6.5	24
45	Phorbol Ester Activation of the Neuronal Nicotinic Acetylcholine Receptor α7 Subunit Gene. Journal of Neurochemistry, 2000, 74, 932-939.	2.1	24
46	Chalcones as positive allosteric modulators of α7 nicotinic acetylcholine receptors: A new target for a privileged structure. European Journal of Medicinal Chemistry, 2014, 86, 724-739.	2.6	23
47	Acetylcholine nicotinic receptor subtypes in chromaffin cells. Pflugers Archiv European Journal of Physiology, 2018, 470, 13-20.	1.3	22
48	Transcription Factors NF-Y and Sp1 Are Important Determinants of the Promoter Activity of the Bovine and Human Neuronal Nicotinic Receptor β4 Subunit Genes. Journal of Biological Chemistry, 2002, 277, 8866-8876.	1.6	21
49	A cholineâ€evoked [Ca 2+] C signal causes catecholamine release and hyperpolarization of chromaffin cells. FASEB Journal, 2004, 18, 1468-1470.	0.2	21
50	Mutations of a Conserved Lysine Residue in the N-Terminal Domain of α7 Nicotinic Receptors Affect Gating and Binding of Nicotinic Agonists. Molecular Pharmacology, 2005, 68, 1669-1677.	1.0	21
51	Role of the RIC-3 Protein in Trafficking of Serotonin and Nicotinic Acetylcholine Receptors. Journal of Molecular Neuroscience, 2006, 30, 153-156.	1.1	20
52	Role of the Nâ€ŧerminal αâ€helix in biogenesis of α7 nicotinic receptors. Journal of Neurochemistry, 2009, 108, 1399-1409.	2.1	20
53	Expression and functional properties of $\hat{I}\pm7$ acetylcholine nicotinic receptors are modified in the presence of other receptor subunits. Journal of Neurochemistry, 2012, 123, 504-514.	2.1	20
54	Multiple Roles of the Conserved Key Residue Arginine 209 in Neuronal Nicotinic Receptorsâ€. Biochemistry, 2001, 40, 8300-8306.	1.2	19

#	Article	IF	CITATIONS
55	Gating of α 3 β 4 neuronal nicotinic receptor can be controlled by the loop M2-M3 of both α 3 and β 4 subunits. Pflugers Archiv European Journal of Physiology, 1999, 439, 86-92.	1.3	18
56	Protection by atropine of the inhibition caused by triton X-100 on central muscarinic receptors. European Journal of Pharmacology, 1980, 63, 251-257.	1.7	17
57	Molecular cloning and permanent expression in a neuroblastoma cell line of a fast inactivating potassium channel from bovine adrenal medulla. FEBS Letters, 1992, 308, 283-289.	1.3	17
58	Activity of the Nicotinic Acetylcholine Receptorα5 andα7 Subunit Promoters in Muscle Cells. DNA and Cell Biology, 2001, 20, 657-666.	0.9	17
59	Transcriptional Regulation by Activation and Repression Elements Located at the 5â€2-Noncoding Region of the Human α9 Nicotinic Receptor Subunit Gene. Journal of Biological Chemistry, 2003, 278, 37249-37255.	1.6	16
60	Cytoplasmic regions adjacent to the M3 and M4 transmembrane segments influence expression and function of ?7 nicotinic acetylcholine receptors. A study with single amino acid mutants. Journal of Neurochemistry, 2007, 100, 406-415.	2.1	16
61	Method for Lyophilizing Brain Proteolipid Preparation That Increases Subsequent Solubilization by Detergent. Journal of Neurochemistry, 1982, 39, 1733-1736.	2.1	15
62	Improved gating of a chimeric α7-5HT3Areceptor upon mutations at the M2-M3 extracellular loop. FEBS Letters, 2006, 580, 256-260.	1.3	15
63	Effects of benzothiazepines on human neuronal nicotinic receptors expressed in Xenopus oocytes. British Journal of Pharmacology, 2002, 136, 183-192.	2.7	13
64	Conversion of acetylcholine receptor dimers to monomers upon depletion of non-receptor peripheral proteins. Biochimica Et Biophysica Acta - General Subjects, 1984, 798, 374-381.	1.1	12
65	Acetylcholine receptor subunit homomer formation requires compatibility between amino acid residues of the M 1 and M2 transmembrane segments. FEBS Letters, 1996, 399, 83-86.	1.3	12
66	Effects of periodate oxidation and glycosidases on structural and functional properties of the acetylcholine receptor and the non-receptor, peripheral ν-polypeptide (Mr 43,000). Neurochemistry International, 1982, 4, 289-302.	1.9	11
67	The Delipidation of Brain Proteolipid Protein by Ultrafiltration. Journal of Neurochemistry, 1983, 40, 585-588.	2.1	11
68	A comparison of the translational diffusion of a monomer and an oligomer of the acetylcholine receptor protein reconstituted into soybean lipid bilayers. Biochimica Et Biophysica Acta - Biomembranes, 1985, 819, 18-22.	1.4	11
69	Assembly of an adult type acetylcholine receptor in a mouse cell line transfected with rat muscle ϵ-subunit DNA. FEBS Letters, 1990, 270, 95-99.	1.3	11
70	Action of detergents on 3H-dihydroergokriptine binding and localization of α-adrenoceptors in synaptosomal membranes. European Journal of Pharmacology, 1980, 61, 47-53.	1.7	10
71	A Single Neuronal Nicotinic Receptor α3α7β4* Is Present in the Bovine Chromaffin Cell. Annals of the New York Academy of Sciences, 2002, 971, 165-167.	1.8	10
72	Activation and blockade by choline of bovine α7 and α3β4 nicotinic receptors expressed in oocytes. European Journal of Pharmacology, 2006, 535, 53-60.	1.7	9

#	Article	IF	CITATIONS
73	Nonâ€charged amino acids from three different domains contribute to link agonist binding to channel gating in α7 nicotinic acetylcholine receptors. Journal of Neurochemistry, 2007, 103, 725-735.	2.1	9
74	Functional evidence for the inflammatory reflex in teleosts: A novel α7 nicotinic acetylcholine receptor modulates the macrophage response to dsRNA. Developmental and Comparative Immunology, 2018, 84, 279-291.	1.0	9
75	The loop between βâ€strands β2 and β3 and its interaction with the Nâ€ŧerminal αâ€helix is essential for biogenesis of α7 nicotinic receptors. Journal of Neurochemistry, 2010, 112, 103-111.	2.1	8
76	Purification and Chemical Characterization of a W2 Protein from Brain Myelin. Journal of Neurochemistry, 1982, 39, 507-511.	2.1	7
77	Muscarinic receptor subtypes in bovine adrenal medulla. Neurochemical Research, 1992, 17, 1235-1239.	1.6	7
78	Interactions between loop 5 and β-strand β6' are involved in α7 nicotinic acetylcholine receptors channel gating. Journal of Neurochemistry, 2007, 104, 071027034430001-???.	2.1	7
79	Investigating the role of protein folding and assembly in cell-type dependent expression of α7 nicotinic receptors using a green fluorescent protein chimera. Brain Research, 2009, 1259, 7-16.	1.1	7
80	<i>N</i> -Benzylpiperidine Derivatives as α7 Nicotinic Receptor Antagonists. ACS Chemical Neuroscience, 2016, 7, 1157-1165.	1.7	7
81	Action of detergents and pre- and postsynaptic localization of3H-naloxone binding in synaptosomal membranes. A structural approach. Journal of Neurobiology, 1981, 12, 259-267.	3.7	6
82	A delayed rectifier potassium channel cloned from bovine adrenal medulla Functional analysis after expression in Xenopus oocytes and in a neuroblastoma cell line. FEBS Letters, 1994, 354, 173-176.	1.3	6
83	Role of the extracellular transmembrane domain interface in gating and pharmacology of a heteromeric neuronal nicotinic receptor. Journal of Neurochemistry, 2010, 113, 1036-1045.	2.1	6
84	Natural Polyhydroxy Flavonoids, Curcuminoids, and Synthetic Curcumin Analogs as α7 nAChRs Positive Allosteric Modulators. International Journal of Molecular Sciences, 2021, 22, 973.	1.8	6
85	The use of p-toluene sulfonate to dissolve synaptosomal membrane proteins into organic solvents. Analytical Biochemistry, 1980, 103, 289-294.	1.1	5
86	Subcellular compartmentalization of a potassium channel (Kv1.4): preferential distribution in dendrites and dendritic spines of neurons in the dorsal cochlear nucleus. European Journal of Neuroscience, 2000, 12, 4345-4356.	1.2	5
87	A small cytoplasmic region adjacent to the fourth transmembrane segment of the α7 nicotinic receptor is essential for its biogenesis. FEBS Letters, 2011, 585, 2477-2480.	1.3	5
88	Effect of Triazine Derivatives on Neuronal Nicotinic Receptors. ACS Chemical Neuroscience, 2014, 5, 683-689.	1.7	5
89	Substitutions of amino acids in the pore domain of homomeric α7 nicotinic receptors for analogous residues present in heteromeric receptors modify gating, rectification and binding properties. Journal of Neurochemistry, 2011, 119, 40-49.	2.1	4
90	Binding–gating coupling in a nondesensitizing α7 nicotinic receptor. Biochimica Et Biophysica Acta - Biomembranes, 2009, 1788, 410-416.	1.4	3

#	Article	IF	CITATIONS
91	Role of loop 9 on the function of neuronal nicotinic receptors. Biochimica Et Biophysica Acta - Biomembranes, 2010, 1798, 654-659.	1.4	3
92	Cholinergic Binding to the Receptor Proteolipid fromTorpedoElectroplax Separated by Ion Exchange Chromatography. Journal of Receptors and Signal Transduction, 1980, 1, 169-198.	1.2	2
93	Use of monoclonal antibodies in exploring the structure of the acetylcholine receptor. Biochemical Society Transactions, 1985, 13, 14-16.	1.6	2
94	Singleâ€channel study of the binding–gating coupling in the slowly desensitizing chimeric α7â€5HT3A receptor. FEBS Letters, 2009, 583, 1045-1051.	1.3	2
95	Mutants of βâ€strand β3 and the loop B in the interface between α7 subunits of a homomeric acetylcholine receptor show functional and pharmacological alterations. Journal of Neurochemistry, 2011, 118, 968-978.	2.1	1
96	Subcellular compartmentalization of a potassium channel (Kv1.4): preferential distribution in dendrites and dendritic spines of neurons in the dorsal cochlear nucleus. European Journal of Neuroscience, 2000, 12, 4345-4356.	1.2	1
97	Sulphydryl groups and iodo-[3H]acetic acid labeling in proteolipids from Torpedo electroplax. Neurochemical Research, 1983, 8, 629-635.	1.6	0
98	Molecular cloning and functional expression of potassium channels from the adrenal medulla. Biochemical Society Transactions, 1994, 22, 817-821.	1.6	0
99	Documentation of coomassie-stained protein gels using a UV transilluminator. Trends in Genetics, 1995, 11, 40.	2.9	0
100	Corrigendum to "Improved gating of a chimeric α7-5HT3Areceptor upon mutations at the M2-M3 extracellular loop―[FEBS Lett. 580 (2006) 256-260]. FEBS Letters, 2006, 580, 6518-6518.	1.3	0