

# Manuel M Pieiro

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4289490/manuel-m-pineiro-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

3,870  
citations

35  
h-index

56  
g-index

144  
ext. papers

4,263  
ext. citations

3.5  
avg, IF

5.38  
L-index

#	Paper	IF	Citations
142	CuO in water nanofluid: Influence of particle size and polydispersity on volumetric behaviour and viscosity. <i>Fluid Phase Equilibria</i> , <b>2011</b> , 300, 188-196	2.5	182
141	Thermal conductivity and viscosity measurements of ethylene glycol-based Al <sub>2</sub> O <sub>3</sub> nanofluids. <i>Nanoscale Research Letters</i> , <b>2011</b> , 6, 221	5	145
140	Simultaneous estimation of phase behavior and second-derivative properties using the statistical associating fluid theory with variable range approach. <i>Journal of Chemical Physics</i> , <b>2006</b> , 124, 024509	3.9	145
139	A study on stability and thermophysical properties (density and viscosity) of Al <sub>2</sub> O <sub>3</sub> in water nanofluid. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 064301	2.5	134
138	Thermal conductivity and specific heat capacity measurements of Al <sub>2</sub> O <sub>3</sub> nanofluids. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2013</b> , 111, 1615-1625	4.1	102
137	Rheological and volumetric properties of TiO <sub>2</sub> -ethylene glycol nanofluids. <i>Nanoscale Research Letters</i> , <b>2013</b> , 8, 286	5	101
136	Simultaneous application of the gradient theory and Monte Carlo molecular simulation for the investigation of methane/water interfacial properties. <i>Journal of Physical Chemistry B</i> , <b>2011</b> , 115, 9618-254	3.4	96
135	Thermal conductivity, rheological behaviour and density of non-Newtonian ethylene glycol-based SnO <sub>2</sub> nanofluids. <i>Fluid Phase Equilibria</i> , <b>2013</b> , 337, 119-124	2.5	90
134	Rheological non-Newtonian behaviour of ethylene glycol-based Fe <sub>2</sub> O <sub>3</sub> nanofluids. <i>Nanoscale Research Letters</i> , <b>2011</b> , 6, 560	5	89
133	Enhancement of thermal conductivity and volumetric behavior of Fe <sub>x</sub> O <sub>y</sub> nanofluids. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 014309	2.5	87
132	Co <sub>3</sub> O <sub>4</sub> ethylene glycol-based nanofluids: Thermal conductivity, viscosity and high pressure density. <i>International Journal of Heat and Mass Transfer</i> , <b>2015</b> , 85, 54-60	4.9	86
131	Interfacial properties of water/CO <sub>2</sub> : a comprehensive description through a Gradient Theory-SAFT-VR Mie approach. <i>Journal of Physical Chemistry B</i> , <b>2010</b> , 114, 11110-6	3.4	85
130	Thermophysical profile of ethylene glycol-based ZnO nanofluids. <i>Journal of Chemical Thermodynamics</i> , <b>2014</b> , 73, 23-30	2.9	84
129	On the formation of a third, nanostructured domain in ionic liquids. <i>Journal of Physical Chemistry B</i> , <b>2013</b> , 117, 10826-33	3.4	84
128	A comprehensive description of chemical association effects on second derivative properties of alcohols through a SAFT-VR approach. <i>Journal of Physical Chemistry B</i> , <b>2007</b> , 111, 3447-61	3.4	76
127	Thermal conductivity of dry anatase and rutile nano-powders and ethylene and propylene glycol-based TiO <sub>2</sub> nanofluids. <i>Journal of Chemical Thermodynamics</i> , <b>2015</b> , 83, 67-76	2.9	67
126	High-Pressure Biodiesel Density: Experimental Measurements, Correlation, and Cubic-Plus-Association Equation of State (CPA EoS) Modeling. <i>Energy &amp; Fuels</i> , <b>2011</b> , 25, 3806-3814	4.1	64

125	Interfacial properties of the Mie n-6 fluid: Molecular simulations and gradient theory results. <i>Journal of Chemical Physics</i> , <b>2009</b> , 130, 104704	3.9	62
124	Molecular dynamics simulation of CO <sub>2</sub> hydrates: Prediction of three phase coexistence line. <i>Journal of Chemical Physics</i> , <b>2015</b> , 142, 124505	3.9	61
123	Density and Surface Tension Variation with Temperature for Heptane + 1-Alkanol. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2006</b> , 51, 1778-1782	2.8	61
122	Densities and Vapor Pressures of Highly Fluorinated Compounds. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2005</b> , 50, 1328-1333	2.8	58
121	Description of PVT behaviour of hydrofluoroethers using the PC-SAFT EOS. <i>Physical Chemistry Chemical Physics</i> , <b>2004</b> , 6, 766-770	3.6	57
120	Characterization and measurements of thermal conductivity, density and rheological properties of zinc oxide nanoparticles dispersed in (ethane-1,2-diol+water) mixture. <i>Journal of Chemical Thermodynamics</i> , <b>2013</b> , 58, 405-415	2.9	53
119	Interfacial tensions of industrial fluids from a molecular-based square gradient theory. <i>AIChE Journal</i> , <b>2016</b> , 62, 1781-1794	3.6	49
118	Aggregation behavior and total miscibility of fluorinated ionic liquids in water. <i>Langmuir</i> , <b>2015</b> , 31, 1283-1295	3.7	49
117	Influence of the long-range corrections on the interfacial properties of molecular models using Monte Carlo simulation. <i>Journal of Chemical Physics</i> , <b>2013</b> , 138, 034707	3.9	48
116	Thermodynamic properties of perfluoro-n-octane. <i>Fluid Phase Equilibria</i> , <b>2004</b> , 225, 39-47	2.5	47
115	Comprehensive Characterization of Interfacial Behavior for the Mixture CO <sub>2</sub> + H <sub>2</sub> O + CH <sub>4</sub> : Comparison between Atomistic and Coarse Grained Molecular Simulation Models and Density Gradient Theory. <i>Journal of Physical Chemistry C</i> , <b>2014</b> , 118, 24504-24519	3.8	45
114	Thermodynamics of (anisole + benzene, or toluene, or n-hexane, or cyclohexane, or 1-butanol, or 1-pentanol) at T = 298.15 K. <i>Journal of Chemical Thermodynamics</i> , <b>2000</b> , 32, 617-629	2.9	43
113	PVT Measurements of Nonfluorobutyl Methyl Ether and Nonfluorobutyl Ethyl Ether Between 283.15 and 323.15 K at Pressures Up to 40 MPa. <i>International Journal of Thermophysics</i> , <b>2003</b> , 24, 1265-1276	2.7	40
112	Measurements and Correlation of High-Pressure Densities of Phosphonium Based Ionic Liquids. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 2205-2217	2.8	37
111	Thermophysical properties of (diphenyl ether+biphenyl) mixtures for their use as heat transfer fluids. <i>Journal of Chemical Thermodynamics</i> , <b>2012</b> , 50, 80-88	2.9	36
110	Influence of Nanosegregation on the Phase Behavior of Fluorinated Ionic Liquids. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 5415-5427	3.8	35
109	Group-Contribution Method for the Molecular Parameters of the PC-SAFT Equation of State Taking into Account the Proximity Effect. Application to Nonassociated Compounds. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2010</b> , 49, 9394-9406	3.9	35
108	Refractive indices and speeds of sound of binary mixtures of n-hexane with 1-alkanol at the temperature 298.15 K. <i>Journal of Chemical Thermodynamics</i> , <b>1998</b> , 30, 1147-1157	2.9	35

107	Surface ordering and capillary phenomena of confined hard cut-sphere particles. <i>Soft Matter</i> , <b>2007</b> , 3, 768-778	3.6	34
106	Temperature Dependence of Binary Mixing Properties for Acetone, Methanol, and Linear Aliphatic Alkanes (C <sub>6</sub> -C <sub>8</sub> ). <i>Journal of Chemical &amp; Engineering Data</i> , <b>2001</b> , 46, 728-734	2.8	34
105	Thermodynamic properties of the mixture benzene+cyclohexane+2-methyl-2-butanol at the temperature 298.15 K: excess molar volumes prediction by application of cubic equations of state. <i>Fluid Phase Equilibria</i> , <b>1999</b> , 154, 123-138	2.5	34
104	Thermodynamic behaviour of mixtures containing methyl acetate, methanol, and 1-butanol at 298.15 K: application of the ERAS model. <i>Fluid Phase Equilibria</i> , <b>1998</b> , 147, 285-300	2.5	33
103	Determination of high-pressure liquid density for n-perfluorohexane and n-perfluorononane. <i>Fluid Phase Equilibria</i> , <b>2004</b> , 220, 127-136	2.5	32
102	Experimental evaluation of the effect in the stability and thermophysical properties of water-Al <sub>2</sub> O <sub>3</sub> based nanofluids using SDBS as dispersant agent. <i>Advanced Powder Technology</i> , <b>2020</b> , 31, 560-570	4.6	32
101	Calculation of interfacial properties using molecular simulation with the reaction field method: Results for different water models. <i>Journal of Chemical Physics</i> , <b>2010</b> , 132, 184102	3.9	31
100	Density and surface tension variation with temperature for n-nonane + 1-hexanol. <i>Fluid Phase Equilibria</i> , <b>2006</b> , 245, 32-36	2.5	29
99	An examination of the ternary methane + carbon dioxide + water phase diagram using the SAFT-VR approach. <i>Journal of Physical Chemistry B</i> , <b>2011</b> , 115, 9604-17	3.4	28
98	Thermodynamic properties of mixing for (1-alkanol + an-alkane+ a cyclic alkane) at T= 298.15 K. I. (n-Hexane + cyclohexane + 1-butanol). <i>Journal of Chemical Thermodynamics</i> , <b>2001</b> , 33, 269-285	2.9	27
97	Temperature Dependence of Thermophysical Properties of Hexane + 1-Hexanol. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2001</b> , 46, 1206-1210	2.8	27
96	A combined pressure-controlled scanning calorimetry and Monte Carlo determination of the Joule-Thomson inversion curve. Application to methane. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 5659-64	3.4	26
95	DFT calculation of the potential energy landscape topology and Raman spectra of type I CH <sub>4</sub> and CO <sub>2</sub> hydrates. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 6963-75	3.6	23
94	Evidence of viscoplastic behavior of exfoliated graphite nanofluids. <i>Soft Matter</i> , <b>2016</b> , 12, 2264-75	3.6	23
93	Temperature dependence of thermophysical properties of octane+1-butanol system. <i>Magyar Árvad Kémlelyek</i> , <b>2002</b> , 70, 217-227	0	23
92	Mixing Properties for the Ternary Mixture Methyltert-Butyl Ether + 1-Butanol + Decane at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2003</b> , 48, 758-762	2.8	23
91	Density, speed of sound and refractive index of (n-hexane + cyclohexane + 1-hexanol) at T= 298.15 K. <i>Journal of Chemical Thermodynamics</i> , <b>2001</b> , 33, 1081-1096	2.9	23
90	Study on Excess Molar Enthalpies and Excess Molar Volumes of the Binary Systems 1,2-Dichlorobenzene + (Benzene, Hexane, 1-Chlorohexane) and 1,3-Dichlorobenzene + (Benzene, Hexane, 1-Chlorohexane) at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2002</b> , 47, 4-7	2.8	23

89	Thermodynamic response functions of fluids: a microscopic approach based on NpT Monte Carlo. <i>Journal of Chemical Physics</i> , <b>2008</b> , 129, 014511	3.9	22
88	Relative permittivities of binary mixtures of 1-butanol + n-alkane AT 298.15 k. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2003</b> , 72, 129-133	4.1	22
87	Direct transition mechanism for molecular diffusion in gas hydrates. <i>RSC Advances</i> , <b>2016</b> , 6, 1966-1972	3.7	20
86	Thermodynamic Properties of the Ternary Mixture Acetone + Methanol + Ethanol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1998</b> , 43, 776-780	2.8	20
85	A fully consistent experimental and molecular simulation study of methane adsorption on activated carbon. <i>Adsorption</i> , <b>2014</b> , 20, 649-656	2.6	19
84	Vapor-liquid interfacial properties of rigid-linear Lennard-Jones chains. <i>Journal of Chemical Physics</i> , <b>2012</b> , 137, 084706	3.9	19
83	Behavior of the Environmentally Compatible Absorbent 1-Butyl-3-methylimidazolium Tetrafluoroborate with 2,2,2-Trifluoroethanol: Experimental Densities at High Pressures and Modeling of PVT and Phase Equilibria Behavior with PC-SAFT EoS. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2011</b> , 50, 4065-4076	3.9	19
82	Thermodynamic properties of the system (acetone + methanol+n -heptane) atT= 298.15 K. <i>Journal of Chemical Thermodynamics</i> , <b>2000</b> , 32, 483-497	2.9	18
81	Thermophysical Characterization of Ionic Liquids Based on the Perfluorobutanesulfonate Anion: Experimental and Soft-SAFT Modeling Results. <i>ChemPhysChem</i> , <b>2017</b> , 18, 2012-2023	3.2	17
80	Study of viscoelastic properties of magnetic nanofluids: an insight into their internal structure. <i>Soft Matter</i> , <b>2013</b> , 9, 11690	3.6	17
79	Thermodynamic Properties on Mixing for Hexane + Cyclohexane + 1-Octanol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2000</b> , 45, 1154-1159	2.8	17
78	Nonlocal Density Functional Theory and Grand Canonical Monte Carlo Molecular Simulations of Water Adsorption in Confined Media. <i>Journal of Physical Chemistry C</i> , <b>2014</b> , 118, 24905-24914	3.8	16
77	Fluid-solid equilibrium of carbon dioxide as obtained from computer simulations of several popular potential models: the role of the quadrupole. <i>Journal of Chemical Physics</i> , <b>2013</b> , 138, 084506	3.9	16
76	Analysis of Surface Tension, Density, and Speed of Sound for the Ternary Mixture Dimethyl Carbonate + p-Xylene + n-Octane. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2009</b> , 54, 1056-1062	2.8	16
75	Excess enthalpy, density, and speed of sound determination for the ternary mixture (methyl tert-butyl ether + 1-butanol + n-hexane). <i>Journal of Chemical Thermodynamics</i> , <b>2007</b> , 39, 1247-1256	2.9	16
74	Liquid-Liquid Equilibria, and Thermodynamic Properties of the System Methyl Acetate + Methanol + Water at 298.15 K. <i>Physics and Chemistry of Liquids</i> , <b>1999</b> , 37, 193-213	1.5	16
73	Understanding the Phase Behavior of Tetrahydrofuran + Carbon Dioxide, + Methane, and + Water Binary Mixtures from the SAFT-VR Approach. <i>Journal of Physical Chemistry B</i> , <b>2015</b> , 119, 14288-302	3.4	15
72	Adsorption of fluorinated greenhouse gases on activated carbons: evaluation of their potential for gas separation. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2020</b> , 95, 1892-1905	3.5	15

71	On the Physical Insight into the Barotropic Effect in the Interfacial Behavior for the H <sub>2</sub> O + CO <sub>2</sub> Mixture. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 28123-28130	3.8	15
70	Analysis of the orientational order effect on n-alkanes: Evidences on experimental response functions and description using Monte Carlo molecular simulation. <i>Journal of Chemical Physics</i> , <b>2010</b> , 133, 074507	3.9	15
69	Accurate Global Thermophysical Characterization of Hydrofluoroethers through a Statistical Associating Fluid Theory Variable Range Approach, Based on New Experimental High-Pressure Volumetric and Acoustic Data. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2007</b> , 46, 6998-7007	3.9	15
68	Aggregation and phase equilibria of fluorinated ionic liquids. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 285, 386-396	6	14
67	Understanding the interfacial behavior in isopycnic Lennard-Jones mixtures by computer simulations. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 1114-24	3.6	14
66	On the phase and interface behavior along the three-phase line of ternary Lennard-Jones mixtures: a collaborative approach based on square gradient theory and molecular dynamics simulations. <i>Journal of Chemical Physics</i> , <b>2014</b> , 141, 014503	3.9	14
65	Computational study of the interplay between intermolecular interactions and CO orientations in type I hydrates. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 3384-3393	3.6	13
64	Group-Contribution Method with Proximity Effect for PC-SAFT Molecular Parameters. 2. Application to Association Parameters: Primary Alcohols and Amines. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 909-919	3.9	13
63	Mixing properties of benzene+2-methyl-2-butanol+1-pentanol at 298.15 K. Experimental results and comparison between ERAS model and cubic EOS estimations for excess molar volumes. <i>Fluid Phase Equilibria</i> , <b>2000</b> , 170, 151-163	2.5	13
62	Temperature Dependence of the Refractive Index for the Mixtures {CH <sub>3</sub> (CH <sub>2</sub> ) <sub>x</sub> OH, x=1, 2}+ {(CH <sub>3</sub> ) <sub>2</sub> CH(CH <sub>2</sub> ) <sub>y</sub> OH, y=0, 1, 2} and Estimation by Means of Cubic Equations of State. <i>Magyar Árvad Kémlelyek</i> , <b>1999</b> , 56, 381-394	0	13
61	Refractive Indices and Speeds of Sound of Binary Mixtures of N-Octane with 1-Alkanol at the Temperature 298.15 K. <i>Physics and Chemistry of Liquids</i> , <b>1999</b> , 37, 683-699	1.5	13
60	On interfacial properties of tetrahydrofuran: Atomistic and coarse-grained models from molecular dynamics simulation. <i>Journal of Chemical Physics</i> , <b>2016</b> , 144, 144702	3.9	13
59	Determination of Transport Properties of Glycol-Based NanoFluids Derived from Surface Functionalized Graphene. <i>Nanomaterials</i> , <b>2019</b> , 9,	5.4	12
58	High-pressure speed of sound measurements in methyl nonafluorobutyl ether and ethyl nonafluorobutyl ether. <i>Fluid Phase Equilibria</i> , <b>2004</b> , 222-223, 297-302	2.5	12
57	Graphene IoNanoFluids, Thermal and Structural Characterization. <i>Nanomaterials</i> , <b>2019</b> , 9,	5.4	12
56	Three-phase equilibrium curve shift for methane hydrate in oceanic conditions calculated from Molecular Dynamics simulations. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 274, 426-433	6	12
55	Tailoring NanoFluid Thermophysical Profile through Graphene Nanoplatelets Surface Functionalization. <i>ACS Omega</i> , <b>2018</b> , 3, 744-752	3.9	11
54	Measurement and Prediction of Densities of Vegetable Oils at Pressures up to 45 MPa. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 3046-3053	2.8	11



53	Thermodynamic Properties of the Mixture Acetone + Methanol + n-Octane at 25°C. <i>Journal of Solution Chemistry</i> , <b>2001</b> , 30, 133-148	1.8	11
52	Calibration of a low temperature calorimeter and application in the determination of isobaric heat capacity of 2-propanol. <i>Thermochimica Acta</i> , <b>2010</b> , 507-508, 123-126	2.9	10
51	Application of Different Group Contribution Models and Empirical Methods to Excess Enthalpies of Ternary Mixtures. <i>Magyar Árvad Kélemléyek</i> , <b>1998</b> , 52, 799-814	0	10
50	Volumetric properties prediction by cubic EOS for non-ideal mixtures: application to the ternary system acetone+methanol+n-hexane. <i>Thermochimica Acta</i> , <b>1999</b> , 328, 265-275	2.9	10
49	On interfacial tension calculation from the test-area methodology in the grand canonical ensemble. <i>Journal of Chemical Physics</i> , <b>2012</b> , 136, 114707	3.9	8
48	Excess molar enthalpies of the ternary system (propyl propanoate+1-hexanol+n-hexane) at 298.15 K. <i>Fluid Phase Equilibria</i> , <b>1998</b> , 148, 201-208	2.5	8
47	Temperature dependence of volumetric behaviour for methyl tert-butylether+1-butanol system. <i>Magyar Árvad Kélemléyek</i> , <b>2002</b> , 70, 235-241	0	8
46	Excess molar enthalpies for propyl propanoate + cyclohexane + benzene at 298.15 and 308.15 K. <i>Fluid Phase Equilibria</i> , <b>2001</b> , 182, 279-288	2.5	8
45	Simulation of Capture and Release Processes of Hydrogen by Hydroquinone Clathrate. <i>ACS Omega</i> , <b>2018</b> , 3, 18771-18782	3.9	8
44	Insights into the Crystal Structure and Clathration Selectivity of Organic Clathrates Formed with Hydroquinone and (CO <sub>2</sub> + CH <sub>4</sub> ) Gas Mixtures. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 14582-14590	3.8	7
43	Excess Enthalpy, Density, and Speed of Sound for the Ternary Mixture Methyl tert-Butyl Ether (1) + Butan-1-ol (2) + Octane (3) <i>Journal of Chemical &amp; Engineering Data</i> , <b>2009</b> , 54, 453-458	2.8	7
42	High-Pressure Densities of the Binary Mixture Methyl Nonfluorobutyl Ether + Hexane. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2004</b> , 49, 1368-1372	2.8	7
41	Experimental and predicted excess molar volumes and excess molar enthalpies for di-n-butyl ether + 1-propanol + n-octane at 298.15 and 308.15 K. <i>Fluid Phase Equilibria</i> , <b>2001</b> , 179, 363-383	2.5	7
40	A description of hydroquinone clathrates using molecular dynamics: Molecular model and crystalline structures for CH and CO guests. <i>Journal of Chemical Physics</i> , <b>2018</b> , 148, 244502	3.9	7
39	An examination of the excess thermodynamic properties of flexible molecules from a molecular modelling perspective. <i>Fluid Phase Equilibria</i> , <b>2014</b> , 361, 93-103	2.5	6
38	Loci of extrema of thermodynamic response functions for the Lennard-Jones fluid. <i>Molecular Physics</i> , <b>2011</b> , 109, 2443-2449	1.7	6
37	Excess molar volume of dimethyl carbonate +p-xylene + n-decane at 288.15 and 298.15 k. <i>Magyar Árvad Kélemléyek</i> , <b>2002</b> , 70, 255-261	0	6
36	Experimental (P, V, T, x) Data for the Mixture Ethyl Nonfluorobutyl Ether + n-Hexane. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2006</b> , 51, 577-581	2.8	5

35	Experimental and theoretically estimated excess molar enthalpies for (ethyl propionate+n -hexane + 1-pentanol) atT= 298.15 K. <i>Journal of Chemical Thermodynamics</i> , <b>2002</b> , 34, 961-972	2.9	5
34	Estimation of carbonatealcohol interaction parameters for NittaChao group contribution model: application of a Genetic Algorithm. <i>Fluid Phase Equilibria</i> , <b>2003</b> , 212, 165-174	2.5	5
33	Experimental and Theoretical Study of Excess Molar Enthalpies of Ethyl Propionate + n-Hexane + 1-Butanol at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>1999</b> , 44, 860-864	2.8	5
32	Characterization of Gelatin and Hydrolysates from Valorization of Farmed Salmon Skin By-Products. <i>Polymers</i> , <b>2021</b> , 13,	4.5	5
31	Production and Physicochemical Characterization of Gelatin and Collagen Hydrolysates from Turbot Skin Waste Generated by Aquaculture Activities. <i>Marine Drugs</i> , <b>2021</b> , 19,	6	5
30	Characterization of Tuna Gelatin-Based Hydrogels as a Matrix for Drug Delivery.. <i>Gels</i> , <b>2022</b> , 8,	4.2	5
29	Tuning the electrical conductivity of exfoliated graphite nanosheets nanofluids by surface functionalization. <i>Soft Matter</i> , <b>2017</b> , 13, 3395-3403	3.6	4
28	Measurement and modeling of high pressure density and interfacial tension of carbon dioxide + tetrahydrofuran mixture. <i>Journal of Supercritical Fluids</i> , <b>2017</b> , 128, 359-369	4.2	4
27	Modelling of PVT for some poly alkylene glycol lubricants using SakouWuBraunsnitz EOS. <i>Fluid Phase Equilibria</i> , <b>2002</b> , 199, 23-31	2.5	4
26	Excess Molar Volumes and Enthalpies of Mixing for the Ternary System (Butyl Butyrate + 1-Octanol + Dodecane) at the Temperature 308.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2003</b> , 48, 768-773	2.8	4
25	Analysis of the interaction between cycloalkanes and 1-alkanols by means of Nitta Chao group contribution model. <i>Fluid Phase Equilibria</i> , <b>2001</b> , 179, 319-337	2.5	4
24	Temperature dependence of the thermophysical properties of binary mixtures of n-hexane+1-butanol. <i>High Temperatures - High Pressures</i> , <b>2000</b> , 32, 653-661	1.3	4
23	Computational simulation of fluorinated methane derivatives in type I clathrate hydrate. <i>Journal of Molecular Liquids</i> , <b>2020</b> , 314, 113783	6	4
22	Integration of Stable Ionic Liquid-Based Nanofluids into Polymer Membranes. Part II: Gas Separation Properties toward Fluorinated Greenhouse Gases. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	4
21	Review on phase change material emulsions for advanced thermal management: Design, characterization and thermal performance. <i>Renewable and Sustainable Energy Reviews</i> , <b>2022</b> , 159, 112238	16.2	4
20	Generalization of the Fundamental-Measure Theory Beyond Hard Potentials: The Square-Well Fluid Case. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 6184-6190	3.8	3
19	Magnetorheological behaviour of propylene glycol-based hematite nanofluids. <i>Rheologica Acta</i> , <b>2015</b> , 54, 757-769	2.3	3
18	Effect of structural considerations on the development of free energy functionals for the square-well fluid. <i>Molecular Physics</i> , <b>2018</b> , 116, 1977-1989	1.7	3



17	Extraction and Characterization of Gelatin from Skin By-Products of Seabream, Seabass and Rainbow Trout Reared in Aquaculture. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
16	Extremely Slow Diffusion of Argon Atoms in Clathrate Cages: Implications for Gas Storage in Solid Materials. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 7479-7488	8.3	3
15	Computational study of the hydrolysis of carbonyl sulphide: Thermodynamics and kinetic constants estimation using ab initio calculations. <i>Journal of Chemical Thermodynamics</i> , <b>2017</b> , 110, 154-161	2.9	2
14	A 3D non-local density functional theory for any pore geometry. <i>Molecular Physics</i> , <b>2020</b> , 118, e1767308	1.7	2
13	Phase Equilibria and Excess Properties of Short-Alkane Mixtures Estimated Using the SAFT-VR Equation of State. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2014</b> , 59, 3242-3249	2.8	2
12	Experimental enthalpies of mixtures of alkylfluoroethers + n-alkanes at 298.15 K. <i>Fluid Phase Equilibria</i> , <b>2004</b> , 218, 41-45	2.5	2
11	Sakouwu Prausnitz equation of state for modelling phase equilibria and high-pressure PVT of mixtures containing dialkyl carbonate and alkane. <i>Fluid Phase Equilibria</i> , <b>2003</b> , 210, 77-89	2.5	2
10	Excess Molar Enthalpies of the Ternary System $\{x_1\text{CH}_3\text{CH}_2\text{COOCH}_2\text{CH}_3+x_2\text{CH}_3(\text{CH}_2)_4\text{CH}_3+(1-x_1-x_2)\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}\}$ at 298.15 K, and Prediction Using Different Theoric Methods. <i>Physics and Chemistry of Liquids</i> , <b>2000</b> , 38, 481-493	1.5	2
9	Excess molar volumes of ternary mixtures di-n-butyl ether+1-pentanol+n-dodecane at 298.15 K. <i>Thermochimica Acta</i> , <b>1999</b> , 328, 259-263	2.9	2
8	Integration of Stable Ionic Liquid-Based Nanofluids into Polymer Membranes. Part I: Membrane Synthesis and Characterization. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	2
7	Molecular dynamics of fluoromethane type I hydrates. <i>Journal of Molecular Liquids</i> , <b>2021</b> , 339, 116720	6	2
6	Adsorption and interfacial phenomena of a Lennard-Jones fluid adsorbed in slit pores: DFT and GCMC simulations. <i>Molecular Physics</i> , <b>2018</b> , 116, 3417-3424	1.7	1
5	Combined gelatin-chondroitin sulfate hydrogels with graphene nanoparticles. <i>Emergent Materials</i> , <b>2021</b> , 11,	3.5	1
4	Development and Thermophysical Profile of Cetyl Alcohol-in-Water Nanoemulsions for Thermal Management. <i>Fluids</i> , <b>2022</b> , 7, 11	1.6	1
3	Multifunctional PLA/Gelatin Bionanocomposites for Tailored Drug Delivery Systems. <i>Pharmaceutics</i> , <b>2022</b> , 14, 1138	6.4	1
2	Evaluation of hydrogen storage ability of hydroquinone clathrates using molecular simulations. <i>Journal of Molecular Liquids</i> , <b>2022</b> , 360, 119487	6	0
1	Experimental and predicted enthalpies of mixing of mixtures formed from alcohols and sunflower oil at 298.15 K. <i>JAOCs, Journal of the American Oil Chemists Society</i> , <b>2005</b> , 82, 141-146	1.8	