

# Rory J Mccrimmon

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4290359/rory-j-mccrimmon-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

7,925  
citations

44  
h-index

87  
g-index

175  
ext. papers

9,849  
ext. citations

7.3  
avg, IF

6.02  
L-index

#	Paper	IF	Citations
159	Investigating the day-to-day impact of hypoglycaemia in adults with type 1 or type 2 diabetes: design and validation protocol of the Hypo-METRICS application.. <i>BMJ Open</i> , <b>2022</b> , 12, e051651	3	0
158	Flash monitor initiation is associated with improvements in HbA levels and DKA rates among people with type 1 diabetes in Scotland: a retrospective nationwide observational study. <i>Diabetologia</i> , <b>2022</b> , 65, 159-172	10.3	2
157	Central deficiency of IL-6Ra in mice impairs glucose-stimulated insulin secretion.. <i>Molecular Metabolism</i> , <b>2022</b> , 101488	8.8	
156	Heterogeneity in phenotype, disease progression and drug response in type 2 diabetes.. <i>Nature Medicine</i> , <b>2022</b> , 28, 982-988	50.5	3
155	Foot Ulcer and Risk of Lower Limb Amputation or Death in People With Diabetes: A National Population-Based Retrospective Cohort Study. <i>Diabetes Care</i> , <b>2021</b> ,	14.6	6
154	Cost-Effectiveness of iGlarLixi Versus iDegLira in Type 2 Diabetes Mellitus Inadequately Controlled by GLP-1 Receptor Agonists and Oral Antihyperglycemic Therapy. <i>Diabetes Therapy</i> , <b>2021</b> , 12, 3231-3241	3.6	1
153	Cost-Effectiveness of iGlarLixi in People with Type 2 Diabetes Mellitus Suboptimally Controlled on Basal Insulin Plus Metformin in the UK. <i>Diabetes Therapy</i> , <b>2021</b> , 12, 3217-3230	3.6	0
152	Cold-induced dishabituation in rodents exposed to recurrent hypoglycaemia. <i>Diabetologia</i> , <b>2021</b> , 64, 1436-1441	10.3	2
151	Marked improvements in glycaemic outcomes following insulin pump therapy initiation in people with type 1 diabetes: a nationwide observational study in Scotland. <i>Diabetologia</i> , <b>2021</b> , 64, 1320-1331	10.3	9
150	Consequences of recurrent hypoglycaemia on brain function in diabetes. <i>Diabetologia</i> , <b>2021</b> , 64, 971-977	10.3	8
149	Advancing therapy with iGlarLixi versus premix BIAsp 30 in basal insulin-treated type 2 diabetes: Design and baseline characteristics of the SoliMix randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> , 23, 1221-1231	6.7	4
148	Advancing Therapy in Suboptimally Controlled Basal Insulin-Treated Type 2 Diabetes: Clinical Outcomes With iGlarLixi Versus Premix BIAsp 30 in the SoliMix Randomized Controlled Trial. <i>Diabetes Care</i> , <b>2021</b> ,	14.6	3
147	Rising Rates and Widening Socioeconomic Disparities in Diabetic Ketoacidosis in Type 1 Diabetes in Scotland: A Nationwide Retrospective Cohort Observational Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 2010-2017	14.6	4
146	Dapagliflozin Improves Left Ventricular Myocardial Longitudinal Function in Patients With Type 2 Diabetes. <i>JACC: Cardiovascular Imaging</i> , <b>2021</b> , 14, 503-504	8.4	3
145	High-intensity training as a novel treatment for impaired awareness of hypoglycaemia in type 1 diabetes [HIT4HYPOS]: Protocol for a randomized parallel-group study. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2021</b> , 4, e00166	2.7	1
144	Hyperinsulinaemic-hypoglycaemic glucose clamps in human research: a systematic review of the literature. <i>Diabetologia</i> , <b>2021</b> , 64, 727-736	10.3	0
143	Risks of and risk factors for COVID-19 disease in people with diabetes: a cohort study of the total population of Scotland. <i>Lancet Diabetes and Endocrinology</i> , <b>2021</b> , 9, 82-93	18.1	112

142	The association of polypharmacy and high-risk drug classes with adverse health outcomes in the Scottish population with type 1 diabetes. <i>Diabetologia</i> , <b>2021</b> , 64, 1309-1319	10.3	1
141	The suitability of patient-reported outcome measures used to assess the impact of hypoglycaemia on quality of life in people with diabetes: a systematic review using COSMIN methods. <i>Diabetologia</i> , <b>2021</b> , 64, 1213-1225	10.3	4
140	Adipocyte integrin-linked kinase plays a key role in the development of diet-induced adipose insulin resistance in male mice. <i>Molecular Metabolism</i> , <b>2021</b> , 49, 101197	8.8	4
139	The genetic association of the transcription factor NPAT with glycemic response to metformin involves regulation of fuel selection. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253533	3.7	
138	Loss of O-GlcNAcase catalytic activity leads to defects in mouse embryogenesis. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100439	5.4	6
137	Clinical approaches to treat impaired awareness of hypoglycaemia. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2021</b> , 12, 20420188211000248	4.5	4
136	Time trends in deaths before age 50 years in people with type 1 diabetes: a nationwide analysis from Scotland 2004-2017. <i>Diabetologia</i> , <b>2020</b> , 63, 1626-1636	10.3	4
135	Experimental Models of Impaired Hypoglycaemia-Associated Counter-Regulation. <i>Trends in Endocrinology and Metabolism</i> , <b>2020</b> , 31, 691-703	8.8	2
134	Inhibition of NFAT Signaling Restores Microvascular Endothelial Function in Diabetic Mice. <i>Diabetes</i> , <b>2020</b> , 69, 424-435	0.9	12
133	A randomized controlled trial of dapagliflozin on left ventricular hypertrophy in people with type two diabetes: the DAPA-LVH trial. <i>European Heart Journal</i> , <b>2020</b> , 41, 3421-3432	9.5	55
132	Prescribing Paradigm Shift? Applying the 2019 European Society of Cardiology-Led Guidelines on Diabetes, Prediabetes, and Cardiovascular Disease to Assess Eligibility for Sodium-Glucose Cotransporter 2 Inhibitors or Glucagon-Like Peptide 1 Receptor Agonists as First-Line Monotherapy (or Add-on to Metformin Monotherapy) in Type 2 Diabetes in Scotland. <i>Diabetes Care</i> <b>2020</b> , 43, 2034-2041	14.6	5
131	A randomised controlled study of high intensity exercise as a dishabituating stimulus to improve hypoglycaemia awareness in people with type 1 diabetes: a proof-of-concept study. <i>Diabetologia</i> , <b>2020</b> , 63, 853-863	10.3	10
130	Reducing the burden of hypoglycaemia in people with diabetes through increased understanding: design of the Hypoglycaemia REdefining SOLutions for better liVEs (Hypo-RESOLVE) project. <i>Diabetic Medicine</i> , <b>2020</b> , 37, 1066-1073	3.5	12
129	Microvascular disease and heart failure with reduced and preserved ejection fraction in type 2 diabetes. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 1168-1177	3.7	7
128	960-P: Characteristics of U.S. Patients with Type 2 Diabetes Prescribed GLP-1RA+SGLT2i in Combination during 2018. <i>Diabetes</i> , <b>2020</b> , 69, 960-P	0.9	
127	Effects of once-weekly semaglutide vs once-daily canagliflozin on body composition in type 2 diabetes: a substudy of the SUSTAIN 8 randomised controlled clinical trial. <i>Diabetologia</i> , <b>2020</b> , 63, 473-485	10.3	11
126	Reducing Glut2 throughout the body does not result in cognitive behaviour differences in aged male mice. <i>BMC Research Notes</i> , <b>2020</b> , 13, 438	2.3	0
125	Socio-economic status and mortality in people with type 1 diabetes in Scotland 2006-2015: a retrospective cohort study. <i>Diabetic Medicine</i> , <b>2020</b> , 37, 2081-2088	3.5	6

124	Renal and Cardiovascular Effects of SGLT2 Inhibition in Combination With Loop Diuretics in Patients With Type 2 Diabetes and Chronic Heart Failure: The RECEDE-CHF Trial. <i>Circulation</i> , <b>2020</b> , 142, 1713-1724	16.7	62
123	Glycemic Control Following GLP-1 RA or Basal Insulin Initiation in Real-World Practice: A Retrospective, Observational, Longitudinal Cohort Study. <i>Diabetes Therapy</i> , <b>2020</b> , 11, 2629-2645	3.6	6
122	Real-time Continuous Glucose Monitoring During a Hyperinsulinemic-Hypoglycemic Clamp Significantly Underestimates the Degree of Hypoglycemia. <i>Diabetes Care</i> , <b>2020</b> , 43, e142-e143	14.6	7
121	Investigating the Relationship Between Type 2 Diabetes and Dementia Using Electronic Medical Records in the GoDARTS Bioresource. <i>Diabetes Care</i> , <b>2019</b> , 42, 1973-1980	14.6	5
120	CD44 contributes to hyaluronan-mediated insulin resistance in skeletal muscle of high-fat-fed C57BL/6 mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E973-E983	6	6
119	Efficacy and safety of once-weekly semaglutide versus daily canagliflozin as add-on to metformin in patients with type 2 diabetes (SUSTAIN 8): a double-blind, phase 3b, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , <b>2019</b> , 7, 834-844	18.1	81
118	Glycaemic benefit of iGlarLixi in insulin-naïve type 2 diabetes patients with high HbA1c or those with inadequate glycaemic control on two oral antihyperglycaemic drugs in the LixiLan-O randomized trial. <i>Diabetes, Obesity and Metabolism</i> , <b>2019</b> , 21, 1967-1972	6.7	11
117	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , <b>2019</b> , 394, 121-130	40	917
116	Glycaemic control trends in people with type 1 diabetes in Scotland 2004-2016. <i>Diabetologia</i> , <b>2019</b> , 62, 1375-1384	10.3	25
115	Implementation of Basal-Bolus Therapy in Type 2 Diabetes: A Randomized Controlled Trial Comparing Bolus Insulin Delivery Using an Insulin Patch with an Insulin Pen. <i>Diabetes Technology and Therapeutics</i> , <b>2019</b> , 21, 273-285	8.1	14
114	Effect of Hypoglycemia on Inflammatory Responses and the Response to Low-Dose Endotoxemia in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 1187-1199	5.6	38
113	Hypoglycaemia, cardiovascular disease, and mortality in diabetes: epidemiology, pathogenesis, and management. <i>Lancet Diabetes and Endocrinology</i> , <b>2019</b> , 7, 385-396	18.1	127
112	113-OR: ADA PresidentsTSelect Abstract: Dishabituation with High Intensity Exercise Improves Epinephrine Response and Symptomatic Awareness to Hypoglycemia in People with Type 1 Diabetes and Impaired Awareness of Hypoglycemia. <i>Diabetes</i> , <b>2019</b> , 68, 113-OR	0.9	2
111	Loss of CRMP2 O-GlcNAcylation leads to reduced novel object recognition performance in mice. <i>Open Biology</i> , <b>2019</b> , 9, 190192	7	9
110	In-vivo correlations between skin metabolic oscillations and vasomotion in wild-type mice and in a model of oxidative stress. <i>Scientific Reports</i> , <b>2019</b> , 9, 186	4.9	4
109	The effect of dapagliflozin on glycaemic control and other cardiovascular disease risk factors in type 2 diabetes mellitus: a real-world observational study. <i>Diabetologia</i> , <b>2019</b> , 62, 621-632	10.3	21
108	Cardiovascular disease prevalence and risk factor prevalence in Type 2 diabetes: a contemporary analysis. <i>Diabetic Medicine</i> , <b>2019</b> , 36, 718-725	3.5	26
107	Impaired hypoglycaemia awareness in type 1 diabetes: lessons from the lab. <i>Diabetologia</i> , <b>2018</b> , 61, 743-750	15	15

106	Experimental Nonalcoholic Steatohepatitis and Liver Fibrosis Are Ameliorated by Pharmacologic Activation of Nrf2 (NF-E2 p45-Related Factor 2). <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2018</b> , 5, 367-398	7.9	101
105	Bace1-dependent amyloid processing regulates hypothalamic leptin sensitivity in obese mice. <i>Scientific Reports</i> , <b>2018</b> , 8, 55	4.9	20
104	Probability of Achieving Glycemic Control with Basal Insulin in Patients with Type 2 Diabetes in Real-World Practice in the USA. <i>Diabetes Therapy</i> , <b>2018</b> , 9, 1347-1358	3.6	36
103	Incident ischaemic stroke and Type 2 diabetes: trends in incidence and case fatality in Scotland 2004-2013. <i>Diabetic Medicine</i> , <b>2018</b> , 35, 99-106	3.5	11
102	Type 2 diabetes, socioeconomic status and life expectancy in Scotland (2012-2014): a population-based observational study. <i>Diabetologia</i> , <b>2018</b> , 61, 108-116	10.3	29
101	SGLT inhibitor adjunct therapy in type 1 diabetes. <i>Diabetologia</i> , <b>2018</b> , 61, 2126-2133	10.3	56
100	Cardiovascular Disease, Cancer, and Mortality Among People With Type 2 Diabetes and Alcoholic or Nonalcoholic Fatty Liver Disease Hospital Admission. <i>Diabetes Care</i> , <b>2018</b> , 41, 341-347	14.6	56
99	Efficacy and Safety of Dapagliflozin in Patients With Inadequately Controlled Type 1 Diabetes: The DEPICT-1 52-Week Study. <i>Diabetes Care</i> , <b>2018</b> , 41, 2552-2559	14.6	109
98	Amputation-free survival in 17,353 people at high risk for foot ulceration in diabetes: a national observational study. <i>Diabetologia</i> , <b>2018</b> , 61, 2590-2597	10.3	29
97	Exercise management in type 1 diabetes: a consensus statement. <i>Lancet Diabetes and Endocrinology</i> , <b>2017</b> , 5, 377-390	18.1	391
96	AMP-activated protein kinase (AMPK) activator A-769662 increases intracellular calcium and ATP release from astrocytes in an AMPK-independent manner. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 997-1005	6.7	16
95	High-Intensity Exercise as a Dishabituating Stimulus Restores Counterregulatory Responses in Recurrently Hypoglycemic Rodents. <i>Diabetes</i> , <b>2017</b> , 66, 1696-1702	0.9	16
94	Risk of acute kidney injury and survival in patients treated with Metformin: an observational cohort study. <i>BMC Nephrology</i> , <b>2017</b> , 18, 163	2.7	43
93	Oleate induces K channel-dependent hyperpolarization in mouse hypothalamic glucose-excited neurons without altering cellular energy charge. <i>Neuroscience</i> , <b>2017</b> , 346, 29-42	3.9	9
92	Glucose concentrations of less than 3.0 mmol/l (54 mg/dl) should be reported in clinical trials: a joint position statement of the American Diabetes Association and the European Association for the Study of Diabetes. <i>Diabetologia</i> , <b>2017</b> , 60, 3-6	10.3	56
91	Renal and Cardiovascular Effects of sodium-glucose cotransporter 2 (SGLT2) inhibition in combination with loop Diuretics in diabetic patients with Chronic Heart Failure (RECEDE-CHF): protocol for a randomised controlled double-blind cross-over trial. <i>BMJ Open</i> , <b>2017</b> , 7, e018097	3	31
90	Does dapagliflozin regress left ventricular hypertrophy in patients with type 2 diabetes? A prospective, double-blind, randomised, placebo-controlled study. <i>BMC Cardiovascular Disorders</i> , <b>2017</b> , 17, 229	2.3	18
89	Efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes (DEPICT-1): 24 week results from a multicentre, double-blind, phase 3, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , <b>2017</b> , 5, 864-876	18.1	174

88	RD Lawrence Lecture 2015 Old habits are hard to break: lessons from the study of hypoglycaemia. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 148-155	3.5	7
87	Nrf2-Mediated Neuroprotection Against Recurrent Hypoglycemia Is Insufficient to Prevent Cognitive Impairment in a Rodent Model of Type 1 Diabetes. <i>Diabetes</i> , <b>2016</b> , 65, 3151-60	0.9	24
86	Saxagliptin co-therapy in C-peptide negative Type 1 diabetes does not improve counter-regulatory responses to hypoglycaemia. <i>Diabetic Medicine</i> , <b>2016</b> , 33, 1283-90	3.5	7
85	Patterns of weight change after the diagnosis of type 2 diabetes in Scotland and their relationship with glycaemic control, mortality and cardiovascular outcomes: a retrospective cohort study. <i>BMJ Open</i> , <b>2016</b> , 6, e010836	3	29
84	Chronic Activation of $\alpha$ AMPK Induces Obesity and Reduces $\beta$ Cell Function. <i>Cell Metabolism</i> , <b>2016</b> , 23, 821-36	24.6	66
83	Chronic exposure to K channel openers results in attenuated glucose sensing in hypothalamic GT1-7 neurons. <i>Neuropharmacology</i> , <b>2016</b> , 111, 212-222	5.5	3
82	Trends in type 2 diabetes incidence and mortality in Scotland between 2004 and 2013. <i>Diabetologia</i> , <b>2016</b> , 59, 2106-13	10.3	58
81	Testing the accelerator hypothesis: a new approach to type 1 diabetes prevention (adAPT 1). <i>Diabetes, Obesity and Metabolism</i> , <b>2016</b> , 18, 3-5	6.7	11
80	Ethnicity and risk of cardiovascular disease (CVD): 4.8 year follow-up of patients with type 2 diabetes living in Scotland. <i>Diabetologia</i> , <b>2015</b> , 58, 716-25	10.3	18
79	The Scylla and Charybdis of glucose control in childhood type 1 diabetes?. <i>Pediatric Diabetes</i> , <b>2015</b> , 16, 235-41	3.6	12
78	Estimated life expectancy in a Scottish cohort with type 1 diabetes, 2008-2010. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 313, 37-44	27.4	326
77	Diazoxide improves hormonal counterregulatory responses to acute hypoglycemia in long-standing type 1 diabetes. <i>Diabetes</i> , <b>2015</b> , 64, 2234-41	0.9	13
76	Susceptibility of Nrf2-null mice to steatohepatitis and cirrhosis upon consumption of a high-fat diet is associated with oxidative stress, perturbation of the unfolded protein response, and disturbance in the expression of metabolic enzymes but not with insulin resistance. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 3305-20	4.8	141
75	AMPK modulates glucose-sensing in insulin-secreting cells by altered phosphotransfer to KATP channels. <i>Journal of Bioenergetics and Biomembranes</i> , <b>2013</b> , 45, 229-41	3.7	16
74	Continuous hypothalamic K(ATP) activation blunts glucose counter-regulation in vivo in rats and suppresses K(ATP) conductance in vitro. <i>Diabetologia</i> , <b>2013</b> , 56, 2088-92	10.3	3
73	Neurological Sequelae of Hypoglycaemia <b>2013</b> , 305-322		
72	Long-Term Effects of Hypoglycaemia on Cognitive Function in Diabetes <b>2013</b> , 285-304		1
71	Potential role of non-insulin adjunct therapy in Type 1 diabetes. <i>Diabetic Medicine</i> , <b>2013</b> , 30, 179-88	3.5	36

70	Long-term, intermittent, insulin-induced hypoglycemia produces marked obesity without hyperphagia or insulin resistance: a model for weight gain with intensive insulin therapy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2013</b> , 304, E131-8	6	23
69	An interesting case of new-onset ketosis-prone diabetes in a Scottish teaching hospital. <i>British Journal of Diabetes and Vascular Disease</i> , <b>2013</b> , 13, 265-268		
68	Diabetes and cognitive dysfunction. <i>Lancet, The</i> , <b>2012</b> , 379, 2291-9	40	557
67	Hypoglycaemia: exercise for the brain?. <i>Journal of Neuroendocrinology</i> , <b>2012</b> , 24, 1365-6	3.8	
66	Mouse hypothalamic GT1-7 cells demonstrate AMPK-dependent intrinsic glucose-sensing behaviour. <i>Diabetologia</i> , <b>2012</b> , 55, 2432-44	10.3	41
65	Hypothalamic Fkbp51 is induced by fasting, and elevated hypothalamic expression promotes obese phenotypes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2012</b> , 302, E987-91	6	19
64	Update in the CNS response to hypoglycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 1-8	5.6	69
63	The physiology and pathophysiology of the neural control of the counterregulatory response. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2012</b> , 302, R215-23	3.2	41
62	3. Cerebral Adaptation to Recurrent Hypoglycemia. <i>Translational Endocrinology &amp; Metabolism</i> , <b>2012</b> , 89-114		4
61	An Estimate of Lifetime Cognitive Change and Its Relationship with Diabetes Health in Older Adults with Type 1 Diabetes: Preliminary Results. <i>Behavioural Neurology</i> , <b>2010</b> , 23, 165-167	3	6
60	Hypoglycemia in type 1 diabetes. <i>Diabetes</i> , <b>2010</b> , 59, 2333-9	0.9	129
59	Radix astragali (huangqi) as a treatment for defective hypoglycemia counterregulation in diabetes. <i>The American Journal of Chinese Medicine</i> , <b>2010</b> , 38, 1027-38	6	16
58	Ventromedial hypothalamic nitric oxide production is necessary for hypoglycemia detection and counterregulation. <i>Diabetes</i> , <b>2010</b> , 59, 519-28	0.9	71
57	Influence of insulin in the ventromedial hypothalamus on pancreatic glucagon secretion in vivo. <i>Diabetes</i> , <b>2010</b> , 59, 1521-7	0.9	70
56	The medial amygdalar nucleus: a novel glucose-sensing region that modulates the counterregulatory response to hypoglycemia. <i>Diabetes</i> , <b>2010</b> , 59, 2646-52	0.9	50
55	Hippocampal memory processes are modulated by insulin and high-fat-induced insulin resistance. <i>Neurobiology of Learning and Memory</i> , <b>2010</b> , 93, 546-53	3.1	272
54	Medium-chain fatty acids improve cognitive function in intensively treated type 1 diabetic patients and support in vitro synaptic transmission during acute hypoglycemia. <i>Diabetes</i> , <b>2009</b> , 58, 1237-44	0.9	92
53	Hypothalamic AMP-activated protein kinase activation with AICAR amplifies counterregulatory responses to hypoglycemia in a rodent model of type 1 diabetes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2009</b> , 296, R1702-8	3.2	33

52	The mechanisms that underlie glucose sensing during hypoglycaemia in diabetes. <i>Diabetic Medicine</i> , <b>2008</b> , 25, 513-22	3.5	49
51	Increased GABAergic tone in the ventromedial hypothalamus contributes to suppression of counterregulatory responses after antecedent hypoglycemia. <i>Diabetes</i> , <b>2008</b> , 57, 1363-70	0.9	78
50	Amplified hormonal counterregulatory responses to hypoglycemia in rats after systemic delivery of a SUR-1-selective K(+) channel opener?. <i>Diabetes</i> , <b>2008</b> , 57, 3327-34	0.9	13
49	Key role for AMP-activated protein kinase in the ventromedial hypothalamus in regulating counterregulatory hormone responses to acute hypoglycemia. <i>Diabetes</i> , <b>2008</b> , 57, 444-50	0.9	132
48	AMP-activated protein kinase alpha deficiency enhances stress-induced apoptosis in BHK and PC12 cells. <i>Journal of Cellular and Molecular Medicine</i> , <b>2007</b> , 11, 286-98	5.6	22
47	Type 1 corticotropin-releasing factor receptors in the ventromedial hypothalamus promote hypoglycemia-induced hormonal counterregulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 293, E705-12	6	26
46	Synaptic glutamate release by ventromedial hypothalamic neurons is part of the neurocircuitry that prevents hypoglycemia. <i>Cell Metabolism</i> , <b>2007</b> , 5, 383-93	24.6	286
45	Serotonin 2C receptor agonists improve type 2 diabetes via melanocortin-4 receptor signaling pathways. <i>Cell Metabolism</i> , <b>2007</b> , 6, 398-405	24.6	170
44	Activation of AMP-activated protein kinase within the ventromedial hypothalamus amplifies counterregulatory hormone responses in rats with defective counterregulation. <i>Diabetes</i> , <b>2006</b> , 55, 1755-60	0.9	92
43	Antecedent hypercortisolemia is not primarily responsible for generating hypoglycemia-associated autonomic failure. <i>Diabetes</i> , <b>2006</b> , 55, 1121-6	0.9	31
42	Cognitive and neural hippocampal effects of long-term moderate recurrent hypoglycemia. <i>Diabetes</i> , <b>2006</b> , 55, 1088-95	0.9	85
41	Blockade of GABA(A) receptors in the ventromedial hypothalamus further stimulates glucagon and sympathoadrenal but not the hypothalamo-pituitary-adrenal response to hypoglycemia. <i>Diabetes</i> , <b>2006</b> , 55, 1080-7	0.9	90
40	Corticotrophin-releasing factor receptors within the ventromedial hypothalamus regulate hypoglycemia-induced hormonal counterregulation. <i>Journal of Clinical Investigation</i> , <b>2006</b> , 116, 1723-30	15.9	72
39	Activation of ATP-sensitive K+ channels in the ventromedial hypothalamus amplifies counterregulatory hormone responses to hypoglycemia in normal and recurrently hypoglycemic rats. <i>Diabetes</i> , <b>2005</b> , 54, 3169-74	0.9	93
38	Influence of an early-onset age of type 1 diabetes on cerebral structure and cognitive function. <i>Diabetes Care</i> , <b>2005</b> , 28, 1431-7	14.6	177
37	Potential role for AMP-activated protein kinase in hypoglycemia sensing in the ventromedial hypothalamus. <i>Diabetes</i> , <b>2004</b> , 53, 1953-8	0.9	129
36	Hypothalamic ATP-sensitive K + channels play a key role in sensing hypoglycemia and triggering counterregulatory epinephrine and glucagon responses. <i>Diabetes</i> , <b>2004</b> , 53, 2542-51	0.9	129
35	Effects of acute hypoglycaemia on auditory information processing in adults with Type I diabetes. <i>Diabetologia</i> , <b>2003</b> , 46, 97-105	10.3	32



34	Effects of recurrent antecedent hypoglycaemia and chronic hyperglycaemia on brainstem extra-cellular glucose concentrations during acute hypoglycaemia in conscious diabetic BB rats. <i>Diabetologia</i> , <b>2003</b> , 46, 1658-61	10.3	12
33	Symptoms reported during experimental hypoglycaemia: effect of method of induction of hypoglycaemia and of diabetes per se. <i>Diabetic Medicine</i> , <b>2003</b> , 20, 507-9	3.5	13
32	Cognitive ability and brain structure in type 1 diabetes: relation to microangiopathy and preceding severe hypoglycemia. <i>Diabetes</i> , <b>2003</b> , 52, 149-56	0.9	232
31	AICAR and phlorizin reverse the hypoglycemia-specific defect in glucagon secretion in the diabetic BB rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2002</b> , 283, E1076-83	6	37
30	Effect of pancreatic transplantation on counterregulatory hormonal responses to hypoglycaemia. <i>Acta Diabetologica</i> , <b>1999</b> , 36, 11-20	3.9	5
29	Appraisal of mood and personality during hypoglycaemia in human subjects. <i>Physiology and Behavior</i> , <b>1999</b> , 67, 27-33	3.5	38
28	Anger state during acute insulin-induced hypoglycaemia. <i>Physiology and Behavior</i> , <b>1999</b> , 67, 35-9	3.5	23
27	Perceived symptoms of hypoglycaemia in elderly type 2 diabetic patients treated with insulin. <i>Diabetic Medicine</i> , <b>1998</b> , 15, 398-401	3.5	89
26	Hypoglycaemic symptoms reported by children with type 1 diabetes mellitus and by their parents. <i>Diabetic Medicine</i> , <b>1998</b> , 15, 836-43	3.5	19
25	Effect of acute hypoglycemia on visual information processing in adults with type 1 diabetes mellitus. <i>Physiology and Behavior</i> , <b>1998</b> , 64, 653-60	3.5	62
24	Visual information processing and intelligence. <i>Intelligence</i> , <b>1997</b> , 24, 461-479	3	23
23	Auditory information processing during acute insulin-induced hypoglycaemia in non-diabetic human subjects. <i>Neuropsychologia</i> , <b>1997</b> , 35, 1547-53	3.2	29
22	Symptomatic and physiological responses to hypoglycaemia induced by human soluble insulin and the analogue Lispro human insulin. <i>Diabetic Medicine</i> , <b>1997</b> , 14, 929-36	3.5	19
21	Visual information processing during controlled hypoglycaemia in humans. <i>Brain</i> , <b>1996</b> , 119 ( Pt 4), 1277-87	11.2	83
20	Symptoms of hypoglycemia in children with IDDM. <i>Diabetes Care</i> , <b>1995</b> , 18, 858-61	14.6	50
19	Frequency of thyroid dysfunction in diabetic patients: value of annual screening. <i>Diabetic Medicine</i> , <b>1995</b> , 12, 622-7	3.5	231
18	Hypoglycaemia, the most feared complication of insulin therapy. <i>Diabète &amp; Métabolisme</i> , <b>1994</b> , 20, 503-12		42
17	Dominantly inherited syndrome comprising partially absent eye muscles, hydrocephaly, skeletal abnormalities, and a distinctive facial phenotype. <i>American Journal of Medical Genetics Part A</i> , <b>1991</b> , 40, 417-20		16

16	Living with Hypoglycaemia347-368	1
15	Hypoglycaemia in Children with Diabetes197-217	
14	Psychological Effects of Hypoglycaemia323-333	2
13	Technology for Hypoglycaemia: CSII and CGM184-196	
12	Management of Acute and Recurrent Hypoglycaemia165-183	
11	Exercise Management and Hypoglycaemia in Type 1 Diabetes334-346	
10	Nocturnal Hypoglycaemia96-113	
9	Counterregulatory Deficiencies in Diabetes46-62	
8	Risks of Intensive Therapy145-164	
7	Hypoglycaemia During Pregnancy in Women with Pregestational Diabetes218-229	
6	Mortality, Cardiovascular Morbidity and Possible Effects of Hypoglycaemia on Diabetic Complications263-284	
5	Normal Glucose Metabolism and Responses to Hypoglycaemia1-22	1
4	Hypoglycaemia in Type 2 Diabetes and in Elderly People230-262	2
3	Symptoms of Hypoglycaemia and Effects on Mental Performance and Emotions23-45	2
2	Frequency, Causes and Risk Factors for Hypoglycaemia in Type 1 Diabetes63-95	1
1	Impaired Awareness of Hypoglycaemia114-144	8