## Maria Ilaria Del Principe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4290780/publications.pdf

Version: 2024-02-01

62 papers 3,078 citations

186209 28 h-index 54 g-index

63 all docs

63 docs citations

63 times ranked

3646 citing authors

| #  | Article   | IF                  | CITATIONS              |
|----|---|---------------------|------------------------|
| 1  | Invasive aspergillosis in relapsed/refractory acute myeloid leukaemia patients: Results from SEIFEM 2016â€B survey. Mycoses, 2022, 65, 171-177.   | 1.8                 | 3                      |
| 2  | Daratumumab with or without chemotherapy in relapsed and refractory acute lymphoblastic leukemia. A retrospective observational Campus ALL study. Haematologica, 2022, 107, 996-999.  | 1.7                 | 15                     |
| 3  | When Viruses Meet Fungi: Tackling the Enemies in Hematology. Journal of Fungi (Basel, Switzerland), 2022, 8, 184.   | 1.5                 | 0                      |
| 4  | Occult central nervous system involvement guides therapeutic choices in blastic plasmacytoid dendritic cell neoplasms. Leukemia and Lymphoma, 2022, 63, 1754-1757.  | 0.6                 | 2                      |
| 5  | In BCR-ABL1 Positive B-Cell Acute Lymphoblastic Leukemia, Steroid Therapy Induces Hypofibrinogenemia. Journal of Clinical Medicine, 2022, 11, 1776.   | 1.0                 | 1                      |
| 6  | High Incidence of Invasive Fungal Diseases in Patients with FLT3-Mutated AML Treated with Midostaurin: Results of a Multicenter Observational SEIFEM Study. Journal of Fungi (Basel,) Tj ETQq0 0 0 rgBT /O  | ve <b>ils</b> ck 10 | ) T <b>£</b> 50 537 Td |
| 7  | Choosing Antifungals for the Midostaurin-Treated Patient: Does CYP3A4 Outweigh Recommendations? A Brief Insight from Real Life. Chemotherapy, 2021, 66, 47-52.  | 0.8                 | 10                     |
| 8  | <scp>ESCCA</scp> / <scp>ISCCA</scp> protocol for the analysis of cerebrospinal fluid by multiparametric flowâ€cytometry in hematological malignancies. Cytometry Part B - Clinical Cytometry, 2021, 100, 269-281.   | 0.7                 | 13                     |
| 9  | COVID-19 infection in adult patients with hematological malignancies: a European Hematology<br>Association Survey (EPICOVIDEHA). Journal of Hematology and Oncology, 2021, 14, 168.   | 6.9                 | 189                    |
| 10 | Immunotherapy as a Turning Point in the Treatment of Acute Myeloid Leukemia. Cancers, 2021, 13, 6246.   | 1.7                 | 9                      |
| 11 | Clinical significance of occult central nervous system disease in adult acute lymphoblastic leukemia.<br>A multicenter report from the Campus ALL Network. Haematologica, 2020, 106, 39-45.   | 1.7                 | 14                     |
| 12 | Nelarabine as salvage therapy and bridge to allogeneic stem cell transplant in 118 adult patients with relapsed/refractory $Tae_{\mathbf{c}}$ ell acute lymphoblastic leukemia/lymphoma. A CAMPUS ALL study. American Journal of Hematology, 2020, 95, 1466-1472.                       | 2.0                 | 42                     |
| 13 | Impact of invasive aspergillosis occurring during first induction therapy on outcome of acute myeloid leukaemia (SEIFEMâ€12B study). Mycoses, 2020, 63, 1094-1100.  | 1.8                 | 6                      |
| 14 | Mutational landscape of patients with acute promyelocytic leukemia at diagnosis and relapse. American Journal of Hematology, 2019, 94, 1091-1097.   | 2.0                 | 25                     |
| 15 | Applications and efficiency of flow cytometry for leukemia diagnostics. Expert Review of Molecular Diagnostics, 2019, 19, 1089-1097.  | 1.5                 | 14                     |
| 16 | An evaluation of enasidenib for the treatment of acute myeloid leukemia. Expert Opinion on Pharmacotherapy, 2019, 20, 1935-1942.  | 0.9                 | 5                      |
| 17 | †Real-life†manalysis of the role of antifungal prophylaxis in preventing invasive aspergillosis in AML patients undergoing consolidation therapy: Sorveglianza Epidemiologica Infezioni nelle Emopatie (SEIFEM) 2016 study. Journal of Antimicrobial Chemotherapy, 2019, 74, 1062-1068. | 1.3                 | 11                     |
| 18 | Involvement of central nervous system in adult patients with acute myeloid leukemia: Incidence and impact on outcome. Seminars in Hematology, 2018, 55, 209-214.  | 1.8                 | 39                     |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Longitudinal detection of <i>DNMT3A</i> <sup>R882H</sup> transcripts in patients with acute myeloid leukemia. American Journal of Hematology, 2018, 93, E120-E123.   | 2.0 | 7         |
| 20 | Thrombosis in adult patients with acute leukemia. Current Opinion in Oncology, 2017, 29, 448-454.  | 1.1 | 38        |
| 21 | Risk stratification for invasive fungal infections in patients with hematological malignancies: SEIFEM recommendations. Blood Reviews, 2017, 31, 17-29.  | 2.8 | 98        |
| 22 | A cluster of <i>Geotrichum clavatum</i> ( <i>Saprochaete clavata</i> ) infection in haematological patients: a first Italian report and review of literature. Mycoses, 2016, 59, 594-601.  | 1.8 | 44        |
| 23 | Clinical significance of bax/bcl-2 ratio in chronic lymphocytic leukemia. Haematologica, 2016, 101, 77-85.   | 1.7 | 53        |
| 24 | Extensive toxic epidermal necrolysis following brentuximab vedotin administration. Annals of Hematology, 2015, 94, 355-356.  | 0.8 | 9         |
| 25 | Minimal residual disease as biomarker for optimal biologic dosing of <scp>ARA</scp> â€ <scp>C</scp> in patients with acute myeloid leukemia. American Journal of Hematology, 2015, 90, 125-131.                                      | 2.0 | 12        |
| 26 | CENTRAL NERVOUS SYSTEM INVOLVEMENT IN ADULT ACUTE LYMPHOBLASTIC LEUKEMIA: DIAGNOSTIC TOOLS, PROPHYLAXIS AND THERAPY. Mediterranean Journal of Hematology and Infectious Diseases, 2014, 6, e2014075.                                 | 0.5 | 50        |
| 27 | Advances in the treatment of elderly and frail patients with acute myeloid leukemia. Current Opinion in Oncology, 2014, 26, 663-669.   | 1.1 | 4         |
| 28 | Rituximab single agent in age-related Epstein–Barr virus associated B cell disorder complicated by autoimmune anemia and pure red cell aplasia. Annals of Hematology, 2014, 93, 1611-1612.   | 0.8 | 0         |
| 29 | High sensitivity of flow cytometry improves detection of occult leptomeningeal disease in acute lymphoblastic leukemia and lymphoblastic lymphoma. Annals of Hematology, 2014, 93, 1509-1513.  | 0.8 | 30        |
| 30 | NOTCH1 mutations identify a chronic lymphocytic leukemia patient subset with worse prognosis in the setting of a rituximab-based induction and consolidation treatment. Annals of Hematology, 2014, 93, 1765-1774.                   | 0.8 | 34        |
| 31 | Infections increase the risk of central venous catheter-related thrombosis in adult acute myeloid leukemia. Thrombosis Research, 2013, 132, 511-514.   | 0.8 | 41        |
| 32 | Clinical significance of c.7544â€₹545 del <scp>CT </scp> <i><scp>NOTCH</scp>1</i> mutation in chronic lymphocytic leukaemia. British Journal of Haematology, 2013, 160, 415-418.   | 1.2 | 14        |
| 33 | Thoracic Cord Compression Caused by Epidural Extramedullary Hematopoiesis During<br>Erythroid-Stimulating Agent Therapy in Two Patients With Myelodysplastic Syndromes. Journal of<br>Clinical Oncology, 2013, 31, e189-e191.        | 0.8 | 7         |
| 34 | Prognostic and therapeutic implications of minimal residual disease detection in acute myeloid leukemia. Blood, 2012, 119, 332-341.  | 0.6 | 246       |
| 35 | A shorter time to the first treatment may be predicted by the absolute number of regulatory Tâ€eells in patients with Rai stage 0 chronic lymphocytic leukemia. American Journal of Hematology, 2012, 87, 628-631.                   | 2.0 | 32        |
| 36 | Cytogenetic and molecular diagnostic characterization combined to postconsolidation minimal residual disease assessment by flow cytometry improves risk stratification in adult acute myeloid leukemia. Blood, 2010, 116, 2295-2303. | 0.6 | 126       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The genotype nucleophosmin mutated and <i>FLT3</i> â€ITD negative is characterized by high bax/bclâ€2 ratio and favourable outcome in acute myeloid leukaemia. British Journal of Haematology, 2010, 149, 383-387.            | 1.2 | 15        |
| 38 | Expression of Mutated <i>IGHV3-23</i> Genes in Chronic Lymphocytic Leukemia Identifies a Disease Subset with Peculiar Clinical and Biological Features. Clinical Cancer Research, 2010, 16, 620-628.                          | 3.2 | 44        |
| 39 | Spontaneous apoptosis and proliferation detected by BCL-2 and CD71 proteins are important progression indicators within ZAP-70 negative chronic lymphocytic leukemia. Leukemia and Lymphoma, 2010, 51, 95-106.                | 0.6 | 16        |
| 40 | Prognostic impact of ZAP-70 expression in chronic lymphocytic leukemia: mean fluorescence intensity T/B ratio versus percentage of positive cells. Journal of Translational Medicine, 2010, 8, 23.                            | 1.8 | 19        |
| 41 | Molecular and clinical features of chronic lymphocytic leukaemia with stereotyped B cell receptors: results from an Italian multicentre study. British Journal of Haematology, 2009, 144, 492-506.                            | 1.2 | 106       |
| 42 | Epstein-Barr virus-positive lymphoma after alemtuzumab therapy for B-cell chronic lymphocytic leukemia. Leukemia and Lymphoma, 2009, 50, 857-858.   | 0.6 | 2         |
| 43 | Monitoring of minimal residual disease in acute myeloid leukemia. Current Opinion in Oncology, 2009, 21, 582-588.   | 1.1 | 24        |
| 44 | Evaluation of the prognostic relevance of <scp> </scp> â€selectin and ICAM1 expression in myelodysplastic syndromes. European Journal of Haematology, 2008, 80, 107-114.  | 1.1 | 7         |
| 45 | Consolidation and maintenance immunotherapy with rituximab improve clinical outcome in patients with Bâ $\in$ cell chronic lymphocytic leukemia. Cancer, 2008, 112, 119-128.  | 2.0 | 86        |
| 46 | Toward Optimization of Postremission Therapy for Residual Disease–Positive Patients With Acute Myeloid Leukemia. Journal of Clinical Oncology, 2008, 26, 4944-4951.   | 0.8 | 165       |
| 47 | Relevance of CD49d protein expression as overall survival and progressive disease prognosticator in chronic lymphocytic leukemia. Blood, 2008, 111, 865-873.  | 0.6 | 226       |
| 48 | Monitoring of minimal residual disease in adult acute myeloid leukemia using peripheral blood as an alternative source to bone marrow. Haematologica, 2007, 92, 605-611.  | 1.7 | 76        |
| 49 | Comprehensive characterization of IGHV3-21–expressing B-cell chronic lymphocytic leukemia: an Italian multicenter study. Blood, 2007, 109, 2989-2998.   | 0.6 | 62        |
| 50 | Clinical significance of ZAP-70 protein expression in B-cell chronic lymphocytic leukemia. Blood, 2006, 108, 853-861.   | 0.6 | 171       |
| 51 | Successful treatment of disseminated fusariosis with high dose liposomal amphotericin-B in a patient with acute lymphoblastic leukemia. Annals of Hematology, 2006, 85, 136-138.  | 0.8 | 5         |
| 52 | ZAP-70 expression in B-cell chronic lymphocytic leukemia: Evaluation by external (isotypic) or internal (T/NK cells) controls and correlation with IgVH mutations. Cytometry Part B - Clinical Cytometry, 2006, 70B, 284-292. | 0.7 | 38        |
| 53 | A scoring system based on the expression of six surface molecules allows the identification of three prognostic risk groups in B-cell chronic lymphocytic leukemia. Journal of Cellular Physiology, 2006, 207, 354-363.       | 2.0 | 49        |
| 54 | Role of immunochemotherapy in the treatment of chronic lymphocytic leukemia. Expert Review of Anticancer Therapy, 2006, 6, 1787-1800.   | 1.1 | 4         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Signature of B-CLL with different prognosis by Shrunken centroids of surface antigen expression profiling. Journal of Cellular Physiology, 2005, 204, 113-123.            | 2.0 | 30        |
| 56 | The addition of rituximab to fludarabine improves clinical outcome in untreated patients with ZAP-70-negative chronic lymphocytic leukemia. Cancer, 2005, 104, 2743-2752. | 2.0 | 45        |
| 57 | Apoptosis and immaturity in acute myeloid leukemia. Hematology, 2005, 10, 25-34.  | 0.7 | 19        |
| 58 | CD90/Thy-1 is preferentially expressed on blast cells of high risk acute myeloid leukaemias*. British Journal of Haematology, 2004, 125, 203-212.                         | 1.2 | 26        |
| 59 | P-glycoprotein and BCL-2 levels predict outcome in adult acute lymphoblastic leukaemia. British Journal of Haematology, 2003, 121, 730-738.                               | 1.2 | 32        |
| 60 | Multidimensional Flow Cytometry for Detection of Minimal Residual Disease in Acute Myeloid Leukemia. Leukemia and Lymphoma, 2003, 44, 445-450.                            | 0.6 | 11        |
| 61 | Amount of spontaneous apoptosis detected by Bax/Bcl-2 ratio predicts outcome in acute myeloid leukemia (AML). Blood, 2003, 101, 2125-2131.                                | 0.6 | 309       |
| 62 | Clinical significance of CD38 expression in chronic lymphocytic leukemia. Blood, 2001, 98, 2633-2639.   | 0.6 | 242       |