

# Zhan-Fen Qin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4292228/publications.pdf>

Version: 2024-02-01

58  
papers

1,426  
citations

394286

19  
h-index

345118

36  
g-index

59  
all docs

59  
docs citations

59  
times ranked

1532  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bisphenol A alternatives bisphenol S and bisphenol F interfere with thyroid hormone signaling pathway in vitro and in vivo. <i>Environmental Pollution</i> , 2018, 237, 1072-1079.	3.7	132
2	Discovery of a Novel Polyfluoroalkyl Benzenesulfonic Acid around Oilfields in Northern China. <i>Environmental Science &amp; Technology</i> , 2017, 51, 14173-14181.	4.6	86
3	Structure-activity relations in binding of perfluoroalkyl compounds to human thyroid hormone T3 receptor. <i>Archives of Toxicology</i> , 2015, 89, 233-242.	1.9	80
4	Dual body burdens of polychlorinated biphenyls and polybrominated diphenyl ethers among local residents in an e-waste recycling region in Southeast China. <i>Chemosphere</i> , 2010, 78, 659-666.	4.2	77
5	Diffusion of polybrominated diphenyl ether (PBDE) from an e-waste recycling area to the surrounding regions in Southeast China. <i>Chemosphere</i> , 2009, 76, 1470-1476.	4.2	73
6	TBBPA and Its Alternatives Disturb the Early Stages of Neural Development by Interfering with the NOTCH and WNT Pathways. <i>Environmental Science &amp; Technology</i> , 2018, 52, 5459-5468.	4.6	70
7	Polybrominated Diphenyl Ethers (PBDEs) in Aborted Human Fetuses and Placental Transfer during the First Trimester of Pregnancy. <i>Environmental Science &amp; Technology</i> , 2013, 47, 5939-5946.	4.6	69
8	Effects of perfluorooctanesulfonate and perfluorobutanesulfonate on the growth and sexual development of <i>Xenopus laevis</i> . <i>Ecotoxicology</i> , 2013, 22, 1133-1144.	1.1	69
9	Effects of Chinese domestic polychlorinated biphenyls (PCBs) on gonadal differentiation in <i>Xenopus laevis</i> . <i>Environmental Health Perspectives</i> , 2003, 111, 553-556.	2.8	61
10	Tetrabromobisphenol A Disrupts Vertebrate Development via Thyroid Hormone Signaling Pathway in a Developmental Stage-Dependent Manner. <i>Environmental Science &amp; Technology</i> , 2014, 48, 8227-8234.	4.6	49
11	Assessment of Bisphenol A (BPA) neurotoxicity in vitro with mouse embryonic stem cells. <i>Journal of Environmental Sciences</i> , 2015, 36, 181-187.	3.2	45
12	LEVELS AND DISTRIBUTION OF POLYBROMINATED DIPHENYL ETHERS IN VARIOUS TISSUES OF FORAGING HENS FROM AN ELECTRONIC WASTE RECYCLING AREA IN SOUTH CHINA. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1279.	2.2	40
13	Determination of polybrominated diphenyl ethers in human semen. <i>Environment International</i> , 2012, 42, 132-137.	4.8	36
14	Bisphenol F Disrupts Thyroid Hormone Signaling and Postembryonic Development in <i>Xenopus laevis</i> . <i>Environmental Science &amp; Technology</i> , 2018, 52, 1602-1611.	4.6	36
15	Polybrominated diphenyl ethers in chicken tissues and eggs from an electronic waste recycling area in southeast China. <i>Journal of Environmental Sciences</i> , 2011, 23, 133-138.	3.2	33
16	Bioaccumulation, maternal transfer and elimination of polybrominated diphenyl ethers in wild frogs. <i>Chemosphere</i> , 2011, 84, 972-978.	4.2	30
17	Accumulation of polybrominated diphenyl ethers in the brain compared with the levels in other tissues among different vertebrates from an e-waste recycling site. <i>Environmental Pollution</i> , 2016, 218, 1334-1341.	3.7	27
18	Low concentrations of 17 $\beta$ -trenbolone induce female-to-male reversal and mortality in the frog <i>Pelophylax nigromaculatus</i> . <i>Aquatic Toxicology</i> , 2015, 158, 230-237.	1.9	26

#	ARTICLE	IF	CITATIONS
19	Feminizing/demasculinizing effects of polychlorinated biphenyls on the secondary sexual development of <i>Xenopus laevis</i> . <i>Aquatic Toxicology</i> , 2007, 84, 321-327.	1.9	20
20	Determination of environmentally relevant exposure concentrations of polybrominated diphenyl ethers for in vitro toxicological studies. <i>Toxicology in Vitro</i> , 2010, 24, 1078-1085.	1.1	19
21	Tetrabromoethylcyclohexane affects gonadal differentiation and development in the frog <i>Pelophylax nigromaculatus</i> . <i>Aquatic Toxicology</i> , 2017, 192, 40-47.	1.9	17
22	Re-evaluation of thyroid hormone signaling antagonism of tetrabromobisphenol A for validating the T3-induced <i>Xenopus</i> metamorphosis assay. <i>Journal of Environmental Sciences</i> , 2017, 52, 325-332.	3.2	17
23	Thyroid disruption by technical decabromodiphenyl ether (DE-83R) at low concentrations in <i>Xenopus laevis</i> . <i>Journal of Environmental Sciences</i> , 2010, 22, 744-751.	3.2	16
24	Polybrominated diphenyl ether (PBDE) in blood from children (age 9-12) in Taizhou, China. <i>Journal of Environmental Sciences</i> , 2011, 23, 1199-1204.	3.2	16
25	Molecular characterization and mRNA expression of ribosomal protein L8 in <i>Rana nigromaculata</i> during development and under exposure to hormones. <i>Journal of Environmental Sciences</i> , 2014, 26, 2331-2339.	3.2	15
26	A screening assay for thyroid hormone signaling disruption based on thyroid hormone-response gene expression analysis in the frog <i>Pelophylax nigromaculatus</i> . <i>Journal of Environmental Sciences</i> , 2015, 34, 143-154.	3.2	15
27	Determining the optimal developmental stages of <i>Xenopus laevis</i> for initiating exposures to chemicals for sensitively detecting their feminizing effects on gonadal differentiation. <i>Aquatic Toxicology</i> , 2016, 179, 134-142.	1.9	14
28	Optimization of the T3-induced <i>Xenopus</i> metamorphosis assay for detecting thyroid hormone signaling disruption of chemicals. <i>Journal of Environmental Sciences</i> , 2017, 52, 314-324.	3.2	14
29	Evaluation of the effects of low concentrations of bisphenol AF on gonadal development using the <i>Xenopus laevis</i> model: A finding of testicular differentiation inhibition coupled with feminization. <i>Environmental Pollution</i> , 2020, 260, 113980.	3.7	14
30	Effects of bisphenol A and its alternative bisphenol F on Notch signaling and intestinal development: A novel signaling by which bisphenols disrupt vertebrate development. <i>Environmental Pollution</i> , 2020, 263, 114443.	3.7	14
31	Bioaccumulation and transfer characteristics of dechlorane plus in human adipose tissue and blood stream and the underlying mechanisms. <i>Science of the Total Environment</i> , 2020, 700, 134391.	3.9	13
32	POTENTIAL ECOTOXIC EFFECTS OF POLYCHLORINATED BIPHENYLS ON <i>XENOPUS LAEVIS</i> . <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 2573.	2.2	12
33	Molecular characterization and developmental expression patterns of thyroid hormone receptors (TRs) and their responsiveness to TR agonist and antagonist in <i>Rana nigromaculata</i> . <i>Journal of Environmental Sciences</i> , 2014, 26, 2084-2094.	3.2	12
34	Transfer of dechlorane plus between human breast milk and adipose tissue and comparison with legacy lipophilic compounds. <i>Environmental Pollution</i> , 2020, 265, 115096.	3.7	12
35	Low concentrations of dihydrotestosterone induce female-to-male sex reversal in the frog <i>Pelophylax nigromaculatus</i> . <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 2370-2377.	2.2	11
36	Bisphenols disrupt thyroid hormone (TH) signaling in the brain and affect TH-dependent brain development in <i>Xenopus laevis</i> . <i>Aquatic Toxicology</i> , 2021, 237, 105902.	1.9	11

#	ARTICLE	IF	CITATIONS
37	Tetrabromobisphenol A: a neurotoxicant or not?. Environmental Science and Pollution Research, 2021, 28, 54466-54476.	2.7	11
38	Zebrafish larvae acute toxicity test: A promising alternative to the fish acute toxicity test. Aquatic Toxicology, 2022, 246, 106143.	1.9	11
39	Effects of postnatal exposure to tetrabromobisphenol A on testis development in mice and early key events. Archives of Toxicology, 2022, 96, 1881-1892.	1.9	10
40	Changes of polybrominated diphenyl ether concentrations in ducks with background exposure level and time. Chemosphere, 2015, 118, 253-260.	4.2	9
41	Effects of triclosan on gonadal differentiation and development in the frog Pelophylax nigromaculatus. Journal of Environmental Sciences, 2018, 64, 157-165.	3.2	9
42	Transcriptomic analysis identifies early cellular and molecular events by which estrogen disrupts testis differentiation and causes feminization in Xenopus laevis. Aquatic Toxicology, 2020, 226, 105557.	1.9	9
43	2,2',4,4'-tetrabromodiphenyl ether (BDE-47) disrupts gonadal development of the Africa clawed frog (Xenopus laevis). Aquatic Toxicology, 2020, 221, 105441.	1.9	7
44	Low Concentrations of Tetrabromobisphenol A Disrupt Notch Signaling and Intestinal Development in <i>in Vitro</i> and <i>in Vivo</i> Models. Chemical Research in Toxicology, 2020, 33, 1418-1427.	1.7	7
45	Transcriptional changes caused by estrogenic endocrine disrupting chemicals in gonad-mesonephros complexes of genetic male Xenopus laevis: Multiple biomarkers for early detection of testis differentiation disruption. Science of the Total Environment, 2020, 726, 138522.	3.9	7
46	Bisphenol chemicals disturb intestinal homeostasis via Notch/Wnt signaling and induce mucosal barrier dysregulation and inflammation. Science of the Total Environment, 2022, 828, 154444.	3.9	7
47	Application of Xenopus laevis in ecotoxicology (I) – Introduction and quality control of laboratory animal. Science Bulletin, 2006, 51, 1273-1280.	1.7	5
48	An ex vivo assay for screening glucocorticoid signaling disruption based on glucocorticoid-response gene transcription in Xenopus tails. Journal of Environmental Sciences, 2018, 66, 104-112.	3.2	5
49	Measurement of polychlorinated biphenyls with hand wipes and matched serum collected from Chinese E-waste dismantling workers: Exposure estimates and implications. Science of the Total Environment, 2021, 799, 149444.	3.9	5
50	Identification of estrogen receptor target genes involved in gonadal feminization caused by estrogen in Xenopus laevis. Aquatic Toxicology, 2021, 232, 105760.	1.9	4
51	Environmental (anti-)androgenic chemicals affect germinal vesicle breakdown (GVBD) of Xenopus laevis oocytes in vitro. Toxicology in Vitro, 2014, 28, 426-431.	1.1	3
52	Development of Testis Cords and the Formation of Efferent Ducts in <i>Xenopus laevis</i> : Differences and Similarities with Other Vertebrates. Sexual Development, 2020, 14, 66-79.	1.1	3
53	A Multiwell-Based Assay for Screening Thyroid Hormone Signaling Disruptors Using thibz Expression as a Sensitive Endpoint in Xenopus laevis. Molecules, 2022, 27, 798.	1.7	3
54	Tetrabromobisphenol A Disturbs Brain Development in Both Thyroid Hormone-Dependent and -Independent Manners in Xenopus laevis. Molecules, 2022, 27, 249.	1.7	3

#	ARTICLE	IF	CITATIONS
55	Accumulation of Polybrominated Diphenyl Ethers (PBDEs) in Mudsnaills ( <i>Cipangopaludina cahayensis</i> ) Did Not Increase with Age. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2013, 91, 1-5.	1.3	2
56	Bisphenol B disrupts testis differentiation partly via the estrogen receptor-mediated pathway and subsequently causes testicular dysgenesis in <i>Xenopus laevis</i> . <i>Ecotoxicology and Environmental Safety</i> , 2022, 236, 113453.	2.9	2
57	Gonadal differentiation and its sensitivity to androgens during development of <i>Pelophylax nigromaculatus</i> . <i>Aquatic Toxicology</i> , 2018, 202, 188-195.	1.9	1
58	Comparison of Dechlorane Plus Concentrations in Sequential Blood Samples of Pregnant Women in Taizhou, China. <i>Molecules</i> , 2022, 27, 2242.	1.7	1