## Xiaoyi Qi

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4292734/xiaoyi-qi-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120<br/>papers2,555<br/>citations26<br/>h-index46<br/>g-index130<br/>ext. papers3,767<br/>ext. citations5.6<br/>avg, IF5.2<br/>L-index

#	Paper	IF	Citations
120	Prevalence of diabetes recorded in mainland China using 2018 diagnostic criteria from the American Diabetes Association: national cross sectional study. <i>BMJ, The</i> , <b>2020</b> , 369, m997	5.9	278
119	Iodine Status and Prevalence of Thyroid Disorders After Introduction of Mandatory Universal Salt Iodization for 16 Years in China: A Cross-Sectional Study in 10 Cities. <i>Thyroid</i> , <b>2016</b> , 26, 1125-30	6.2	161
118	New perspectives of physiological and pathological functions of nucleolin (NCL). <i>Life Sciences</i> , <b>2017</b> , 186, 1-10	6.8	102
117	Alpha-lipoic acid improves high-fat diet-induced hepatic steatosis by modulating the transcription factors SREBP-1, FoxO1 and Nrf2 via the SIRT1/LKB1/AMPK pathway. <i>Journal of Nutritional Biochemistry</i> , <b>2014</b> , 25, 1207-1217	6.3	87
116	SAT-109 tiRNA-5 Reflects the Severity of Mitochondrial Oxidative Stress in Nonalcoholic Fatty Liver Disease. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
115	SAT-548 Quantitative Analysis of the Succinylome in the Thyroid Tissue of High Fat Diet-Induced Hypothyroxinemia in Rats. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
114	SAT-549 Characterization and Comprehensive Proteome Profiling of Exosomes Secreted by Primary Human Thyrocytes. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
113	SAT-550 High Fat Diet-Induced ER Stress Affects Hypothyroidism. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
112	OR33-2 Blocking FSH Inhibits Hepatic Cholesterol Biosynthesis and Reduces Serum Cholesterol. Journal of the Endocrine Society, <b>2019</b> , 3,	0.4	78
111	SAT-285 TSH/TSHR Signaling Deficiency Impairs Spatial Learning and Memory. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
110	Efficacy and Safety of Long-Term Universal Salt Iodization on Thyroid Disorders: Epidemiological Evidence from 31 Provinces of Mainland China. <i>Thyroid</i> , <b>2020</b> , 30, 568-579	6.2	74
109	Thyrotropin increases hepatic triglyceride content through upregulation of SREBP-1c activity. <i>Journal of Hepatology</i> , <b>2014</b> , 61, 1358-64	13.4	63
108	Thyroid-stimulating hormone regulates hepatic bile acid homeostasis via SREBP-2/HNF-4/CYP7A1 axis. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 1171-9	13.4	55
107	Dietary Lycium barbarum polysaccharide induces Nrf2/ARE pathway and ameliorates insulin resistance induced by high-fat via activation of PI3K/AKT signaling. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2014</b> , 2014, 145641	6.7	53
106	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , <b>2019</b> , 42, 1539-1548	14.6	51
105	Thyroid-stimulating hormone decreases HMG-CoA reductase phosphorylation via AMP-activated protein kinase in the liver. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 963-71	6.3	43
104	Peroxisome proliferator-activated receptor lactivation induces hepatic steatosis, suggesting an adverse effect. <i>PLoS ONE</i> , <b>2014</b> , 9, e99245	3.7	42

## (2016-2015)

103	Follicle-Stimulating Hormone Increases the Risk of Postmenopausal Osteoporosis by Stimulating Osteoclast Differentiation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134986	3.7	40	
102	Thyrotropin and obesity: increased adipose triglyceride content through glycerol-3-phosphate acyltransferase 3. <i>Scientific Reports</i> , <b>2015</b> , 5, 7633	4.9	37	
101	Loss of PDK4 switches the hepatic NF- <b>B</b> /TNF pathway from pro-survival to pro-apoptosis. <i>Hepatology</i> , <b>2018</b> , 68, 1111-1124	11.2	36	
100	Cyclophilin D deficiency attenuates mitochondrial perturbation and ameliorates hepatic steatosis. <i>Hepatology</i> , <b>2018</b> , 68, 62-77	11.2	34	
99	AICAR-Induced Activation of AMPK Inhibits TSH/SREBP-2/HMGCR Pathway in Liver. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124951	3.7	33	
98	Benefits of Levothyroxine Replacement Therapy on Nonalcoholic Fatty Liver Disease in Subclinical Hypothyroidism Patients. <i>International Journal of Endocrinology</i> , <b>2017</b> , 2017, 5753039	2.7	29	
97	Increasing trend of diabetes combined with hypertension or hypercholesterolemia: NHANES data analysis 1999-2012. <i>Scientific Reports</i> , <b>2016</b> , 6, 36093	4.9	29	
96	Blocking FSH inhibits hepatic cholesterol biosynthesis and reduces serum cholesterol. <i>Cell Research</i> , <b>2019</b> , 29, 151-166	24.7	29	
95	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , <b>2019</b> , 4, 874-883	16.2	28	
94	The lipid-lowering effect of levothyroxine in patients with subclinical hypothyroidism: A systematic review and meta-analysis of randomized controlled trials. <i>Clinical Endocrinology</i> , <b>2017</b> , 87, 1-9	3.4	26	
93	Association of maternal serum lipids at late gestation with the risk of neonatal macrosomia in women without diabetes mellitus. <i>Lipids in Health and Disease</i> , <b>2018</b> , 17, 78	4.4	26	
92	A Worthy Finding: Decrease in Total Cholesterol and Low-Density Lipoprotein Cholesterol in Treated Mild Subclinical Hypothyroidism. <i>Thyroid</i> , <b>2016</b> , 26, 1019-29	6.2	25	
91	Thyroid-stimulating hormone maintains bone mass and strength by suppressing osteoclast differentiation. <i>Journal of Biomechanics</i> , <b>2014</b> , 47, 1307-14	2.9	24	
90	An Age-Specific Serum Thyrotropin Reference Range for the Diagnosis of Thyroid Diseases in Older Adults: A Cross-Sectional Survey in China. <i>Thyroid</i> , <b>2018</b> , 28, 1571-1579	6.2	24	
89	Insulin upregulates betatrophin expression via PI3K/Akt pathway. Scientific Reports, 2017, 7, 5594	4.9	21	
88	Thyroid stimulating hormone increases hepatic gluconeogenesis via CRTC2. <i>Molecular and Cellular Endocrinology</i> , <b>2017</b> , 446, 70-80	4.4	20	
87	A novel role for CRTC2 in hepatic cholesterol synthesis through SREBP-2. <i>Hepatology</i> , <b>2017</b> , 66, 481-497	<b>7</b> 11.2	20	
86	Reduced Kidney Function Is Associated With Cardiometabolic Risk Factors, Prevalent and Predicted Risk of Cardiovascular Disease in Chinese Adults: Results From the REACTION Study. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	20	

85	A cullin 4B-RING E3 ligase complex fine-tunes pancreatic lell paracrine interactions. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 2631-2646	15.9	19
84	Independent Risk Factors Predicting Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 201-207	3.1	18
83	Lipid profiling reveals different therapeutic effects of metformin and glipizide in patients with type 2 diabetes and coronary artery disease. <i>Diabetes Care</i> , <b>2014</b> , 37, 2804-12	14.6	18
82	Conditional ablation of HDAC3 in islet beta cells results in glucose intolerance and enhanced susceptibility to STZ-induced diabetes. <i>Oncotarget</i> , <b>2016</b> , 7, 57485-57497	3.3	18
81	Follicle-stimulating hormone enhances hepatic gluconeogenesis by GRK2-mediated AMPK hyperphosphorylation at Ser485 in mice. <i>Diabetologia</i> , <b>2018</b> , 61, 1180-1192	10.3	17
80	MicroRNA-146b-3p Promotes Cell Metastasis by Directly Targeting in Human Papillary Thyroid Cancer. <i>Thyroid</i> , <b>2018</b> , 28, 1627-1641	6.2	17
79	HC diet inhibited testosterone synthesis by activating endoplasmic reticulum stress in testicular Leydig cells. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 3140-3150	5.6	16
78	Ablation of prolactin receptor increases hepatic triglyceride accumulation. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 498, 693-699	3.4	16
77	Early-Life Famine Exposure and Risk of Cardiovascular Diseases in Later Life: Findings From the REACTION Study. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014175	6	15
76	Association between smoking and glycemic control in diabetic patients: Results from the Risk Evaluation of cAncers in Chinese diabeTic Individuals: A lONgitudinal (REACTION) study. <i>Journal of Diabetes</i> , <b>2018</b> , 10, 408-418	3.8	15
75	Thyroid-stimulating hormone inhibits adipose triglyceride lipase in 3T3-L1 adipocytes through the PKA pathway. <i>PLoS ONE</i> , <b>2015</b> , 10, e0116439	3.7	14
74	Association of insulin resistance with breast, ovarian, endometrial and cervical cancers in non-diabetic women. <i>American Journal of Cancer Research</i> , <b>2016</b> , 6, 2334-2344	4.4	14
73	Design, synthesis and activity of Mnk1 and Mnk2 selective inhibitors containing thieno[2,3-d]pyrimidine scaffold. <i>European Journal of Medicinal Chemistry</i> , <b>2019</b> , 162, 735-751	6.8	14
72	LDL in patients with subclinical hypothyroidism shows increased lipid peroxidation. <i>Lipids in Health and Disease</i> , <b>2015</b> , 14, 95	4.4	13
71	Identification of two novel mutations in SLC12A3 gene in two Chinese pedigrees with Gitelman syndrome and review of literature. <i>Clinical Endocrinology</i> , <b>2015</b> , 83, 985-93	3.4	13
70	High glucose induces the release of endothelin-1 through the inhibition of hydrogen sulfide production in HUVECs. <i>International Journal of Molecular Medicine</i> , <b>2015</b> , 35, 810-4	4.4	13
69	A High-Fat Diet Rich in Saturated and Mono-Unsaturated Fatty Acids Induces Disturbance of Thyroid Lipid Profile and Hypothyroxinemia in Male Rats. <i>Molecular Nutrition and Food Research</i> , <b>2018</b> , 62, e1700599	5.9	12
68	Prevalence of CHD-related metabolic comorbidity of diabetes mellitus in Northern Chinese adults: the REACTION study. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 199-205	3.2	12

67	Swimming improves high-fat induced insulin resistance by regulating lipid and energy metabolism and the insulin pathway in rats. <i>International Journal of Molecular Medicine</i> , <b>2014</b> , 33, 1671-9	4.4	12
66	Endoplasmic Reticulum Stress May Play a Pivotal Role in Lipid Metabolic Disorders in a Novel Mouse Model of Subclinical Hypothyroidism. <i>Scientific Reports</i> , <b>2016</b> , 6, 31381	4.9	12
65	Thyrotropin aggravates atherosclerosis by promoting macrophage inflammation in plaques. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 1182-1198	16.6	11
64	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , <b>2020</b> , 43, 1929-1936	14.6	11
63	The relationship between obesity indices and serum vitamin D levels in Chinese adults from urban settings. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2016</b> , 25, 333-9	1	11
62	Efficacy and safety of metformin and sitagliptin based triple antihyperglycemic therapy (STRATEGY): a multicenter, randomized, controlled, non-inferiority clinical trial. <i>Science China Life Sciences</i> , <b>2017</b> , 60, 225-238	8.5	10
61	Blocking mitochondrial cyclophilin D ameliorates TSH-impaired defensive barrier of artery. <i>Redox Biology</i> , <b>2018</b> , 15, 418-434	11.3	10
60	A predictive model of thyroid malignancy using clinical, biochemical and sonographic parameters for patients in a multi-center setting. <i>BMC Endocrine Disorders</i> , <b>2018</b> , 18, 17	3.3	10
59	Urocortin ameliorates diabetic cardiomyopathy in rats via the Akt/GSK-3lsignaling pathway. <i>Experimental and Therapeutic Medicine</i> , <b>2015</b> , 9, 667-674	2.1	10
58	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 499-510	14.6	10
57	ER stress contributes to high-fat diet-induced decrease of thyroglobulin and hypothyroidism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E510-E518	6	10
56	Expression of FSHR in chondrocytes and the effect of FSH on chondrocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 495, 587-593	3.4	10
55	Palmitic Acid Downregulates Thyroglobulin (Tg), Sodium Iodide Symporter (NIS), and Thyroperoxidase (TPO) in Human Primary Thyrocytes: A Potential Mechanism by Which Lipotoxicity Affects Thyroid?. <i>International Journal of Endocrinology</i> , <b>2018</b> , 2018, 4215848	2.7	10
54	Dyslipidemia in rural areas of North China: prevalence, characteristics, and predictive value. <i>Lipids in Health and Disease</i> , <b>2016</b> , 15, 154	4.4	9
53	Association between the change in body mass index from early adulthood to midlife and subsequent type 2 diabetes mellitus. <i>Obesity</i> , <b>2016</b> , 24, 703-9	8	9
52	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , <b>2020</b> , 43, 1902-1909	14.6	8
51	U-Shaped Associations Between Urinary Iodine Concentration and the Prevalence of Metabolic Disorders: A Cross-Sectional Study. <i>Thyroid</i> , <b>2020</b> , 30, 1053-1065	6.2	8
50	Different Contributions of Dyslipidemia and Obesity to the Natural History of Type 2 Diabetes: 3-Year Cohort Study in China. <i>Journal of Diabetes Research</i> , <b>2019</b> , 2019, 4328975	3.9	7

49	Genotype-phenotype correlation study and mutational and hormonal analysis in a Chinese cohort with 21-hydroxylase deficiency. <i>Molecular Genetics &amp; Camp; Genomic Medicine</i> , <b>2019</b> , 7, e671	2.3	7
48	Observational study evaluating the effectiveness of physician-targeted education for improving glycemic management of patients with type 2 diabetes (BEYOND II). <i>Journal of Diabetes</i> , <b>2020</b> , 12, 66-7	′6 <sup>3.8</sup>	7
47	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. Journal of Diabetes, <b>2020</b> , 12, 10-20	3.8	7
46	Non-high-density lipoprotein cholesterol is more informative than traditional cholesterol indices in predicting diabetes risk for women with normal glucose tolerance. <i>Journal of Diabetes Investigation</i> , <b>2018</b> , 9, 1304-1311	3.9	6
45	Glycemic status and chronic kidney disease in Chinese adults: Findings from the REACTION study. Journal of Diabetes, <b>2017</b> , 9, 837-845	3.8	6
44	Thyroid-Stimulating Hormone Increases HNF-4 Phosphorylation via cAMP/PKA Pathway in the Liver. <i>Scientific Reports</i> , <b>2015</b> , 5, 13409	4.9	5
43	Nonalcoholic fatty liver disease represents a greater metabolic burden in patients with atherosclerosis: A cross-sectional study. <i>Medicine (United States)</i> , <b>2019</b> , 98, e14896	1.8	5
42	Effectiveness and safety of Bifidobacterium and berberine in human hyperglycemia and their regulatory effect on the gut microbiota: a multi-center, double-blind, randomized, parallel-controlled study. <i>Genome Medicine</i> , <b>2021</b> , 13, 125	14.4	5
41	Interaction effect of obesity and thyroid autoimmunity on the prevalence of hyperthyrotropinaemia. <i>Endocrine</i> , <b>2020</b> , 68, 573-583	4	4
40	Analysis of the correlation between lipotoxicity and pituitary-thyroid axis hormone levels in men and male rats. <i>Oncotarget</i> , <b>2016</b> , 7, 39332-39344	3.3	4
39	The association and joint effect of serum cholesterol, glycemic status with the risk of incident cancer among middle-aged and elderly population in china cardiometabolic disease and cancer cohort (4C)-study. <i>American Journal of Cancer Research</i> , <b>2020</b> , 10, 975-986	4.4	4
38	High Circulating Follicle-Stimulating Hormone Level Is a Potential Risk Factor for Renal Dysfunction in Post-Menopausal Women. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 627903	5.7	4
37	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 124, 154874	12.7	4
36	Nuclear Receptor SHP: A Critical Regulator of miRNA and lncRNA Expression and Function. <i>Nuclear Receptor Research</i> , <b>2017</b> , 4,	1.4	3
35	Characterization of a novel COL10A1 variant associated with Schmid-type metaphyseal chondrodysplasia and a literature review. <i>Molecular Genetics &amp; Commic Medicine</i> , <b>2021</b> , 9, e1668	2.3	3
34	Lipotoxicity suppresses the synthesis of growth hormone in pituitary somatotrophs via endoplasmic reticulum stress. <i>Journal of Cellular and Molecular Medicine</i> , <b>2021</b> , 25, 5250-5259	5.6	3
33	Association of early adulthood weight and subsequent weight change with cardiovascular diseases: Findings from REACTION study. <i>International Journal of Cardiology</i> , <b>2021</b> , 332, 209-215	3.2	3
32	Effect of empagliflozin on cardiorenal outcomes and mortality according to body mass index: A subgroup analysis of the EMPA-REG OUTCOME trial with a focus on Asia. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> , 23, 1886-1891	6.7	3

## (2021-2021)

31	Age at menarche, ideal cardiovascular health metrics, and risk of diabetes in adulthood: Findings from the REACTION study. <i>Journal of Diabetes</i> , <b>2021</b> , 13, 458-468	3.8	3	
30	Impaired secretion of active GLP-1 in patients with hypertriglyceridaemia: A novel lipotoxicity paradigm?. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2018</b> , 34, e2964	7.5	3	
29	Clinical and molecular characterization of 5Freductase type 2 deficiency due to mutations (p.Q6X, p.R246Q) in SRD5A2 gene. <i>Endocrine Journal</i> , <b>2018</b> , 65, 645-655	2.9	3	
28	AKAP5 signaling complexes: focal points and functional properties. <i>Neuroendocrinology Letters</i> , <b>2015</b> , 36, 7-14	0.3	3	
27	Using and Machine Learning Approaches to Determine Species-Specific Dioxin-like Potency and Congener-Specific Relative Sensitivity among Birds for Brominated Dioxin Analogues. <i>Environmental Science &amp; Environmental Science</i>	10.3	2	
26	Thyrotropin receptor signaling deficiency impairs spatial learning and memory in mice. <i>Journal of Endocrinology</i> , <b>2020</b> , 246, 41-55	4.7	2	
25	Quantitative Analysis of the Proteome and the Succinylome in the Thyroid Tissue of High-Fat Diet-Induced Hypothyroxinemia in Rats. <i>International Journal of Endocrinology</i> , <b>2020</b> , 2020, 3240198	2.7	2	
24	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2021</b> ,	12.7	2	
23	Statin Use and Benefits of Thyroid Function: A Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 578909	5.7	2	
22	Association between different obesity phenotypes and hypothyroidism: a study based on a longitudinal health management cohort. <i>Endocrine</i> , <b>2021</b> , 72, 688-698	4	2	
21	The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , <b>2021</b> , 13, 987-997	3.8	2	
20	Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study <i>The Lancet Regional Health - Western Pacific</i> , <b>2021</b> , 17, 100277	5	2	
19	Identification and characterization of novel compound variants in SLC25A26 associated with combined oxidative phosphorylation deficiency 28. <i>Gene</i> , <b>2021</b> , 804, 145891	3.8	2	
18	Interaction between smoking and diabetes in relation to subsequent risk of cardiovascular events <i>Cardiovascular Diabetology</i> , <b>2022</b> , 21, 14	8.7	1	
17	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study <i>The Lancet Regional Health - Western Pacific</i> , <b>2022</b> , 20, 100350	5	1	
16	Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 717069	5.7	1	
15	Associations between parity, pregnancy loss, and breastfeeding duration and risk of maternal type 2 diabetes: An observational cohort study. <i>Journal of Diabetes</i> , <b>2021</b> , 13, 857-867	3.8	1	
14	Elevated Levels of Apolipoprotein CIII Increase the Risk of Postprandial Hypertriglyceridemia. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 646185	5.7	1	

13	Associations Between Serum Free Fatty Acid Levels and Incident Diabetes in a 3-Year Cohort Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy,</i> <b>2021</b> , 14, 2743-2751	3.4	1
12	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> , 23, 2551-2560	6.7	1
11	Gestational hyperglycemia and the risk of cardiovascular diseases among elderly Chinese women: Findings from the REACTION study. <i>Journal of Diabetes</i> , <b>2021</b> , 13, 949-959	3.8	1
10	Red Blood Cell Count: An Unrecognized Risk Factor for Nonalcoholic Fatty Liver Disease <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 760981	5.7	1
9	Multifactorial Intervention on Type 2 Diabetes (MIDiab) Study: A multicenter, open-label, randomized, parallel controlled, community trial. <i>Journal of Diabetes</i> , <b>2020</b> , 12, 862-864	3.8	O
8	Mendelian randomisation highlights hypothyroidism as a causal determinant of idiopathic pulmonary fibrosis. <i>EBioMedicine</i> , <b>2021</b> , 73, 103669	8.8	O
7	Association between Urinary Iodine Concentration and Thyroid Nodules in Adults: A Cross-Sectional Study in China. <i>BioMed Research International</i> , <b>2020</b> , 2020, 4138657	3	O
6	A correlation study of the relationships between nonalcoholic fatty liver disease and serum triglyceride concentration after an oral fat tolerance test. <i>Lipids in Health and Disease</i> , <b>2021</b> , 20, 54	4.4	O
5	Metabolic obesity phenotypes: a friend or foe of digestive polyps?-An observational study based on National Inpatient Database <i>Metabolism: Clinical and Experimental</i> , <b>2022</b> , 132, 155201	12.7	O
4	Prevalence of thyroid disorders and associated risk factors with various glycemic status in North China. <i>Biotechnology and Biotechnological Equipment</i> , <b>2019</b> , 33, 1244-1250	1.6	
3	Thyroid function modifies the association between ratio of triglyceride to high-density lipoprotein cholesterol and renal function: a multicenter cross-sectional study. <i>Scientific Reports</i> , <b>2015</b> , 5, 11052	4.9	
2	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study <i>European Journal of Nutrition</i> , <b>2022</b> , 61, 1609	5.2	
1	PDK4-Deficiency Switches the Pro-Survival NF- <b>B</b> /TNF Signaling to Pro-Apoptosis in Hepatocytes.	0.9	