## Vassiliki A Boussiotis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4293270/publications.pdf

Version: 2024-02-01

120 papers 11,841 citations

71061 41 h-index 99 g-index

125 all docs

125
docs citations

125 times ranked

16034 citing authors

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 1  | Effects of PD-1 Signaling on Immunometabolic Reprogramming. Immunometabolism, 2022, 4, .  | 0.7 | 10        |
| 2  | Single-cell RNA sequencing reveals evolution of immune landscape during glioblastoma progression. Nature Immunology, 2022, 23, 971-984.   | 7.0 | 79        |
| 3  | The role of peroxisome proliferator-activated receptors (PPAR) in immune responses. Metabolism: Clinical and Experimental, 2021, 114, 154338.   | 1.5 | 229       |
| 4  | Blockade of 6-phosphogluconate dehydrogenase generates CD8+ effector TÂcells with enhanced anti-tumor function. Cell Reports, 2021, 34, 108831.   | 2.9 | 23        |
| 5  | The PDâ€1 Interactome. Advanced Biology, 2021, 5, e2100758.   | 1.4 | 21        |
| 6  | Structural, biochemical, and functional properties of the Rap1-Interacting Adaptor Molecule (RIAM). Biomedical Journal, 2021, , .   | 1.4 | 3         |
| 7  | Commentary on: Combination of Metabolic Intervention and T Cell Therapy Enhances Solid Tumor Immunotherapy. Immunometabolism, 2021, 3, .  | 0.7 | 2         |
| 8  | Flow Cytometric Analysis for Identification of the Innate and Adaptive Immune Cells of Murine Lung. Journal of Visualized Experiments, 2021, , .  | 0.2 | 1         |
| 9  | Pparî± Ablation Suppresses T Cell Responses and Anti-Tumor Immunity By Compromising the Antigen-Presenting Properties of Tumor-Associated Macrophages. Blood, 2021, 138, 438-438.   | 0.6 | 1         |
| 10 | Assessment of a multi-cytokine profile by a novel biochip-based assay allows correlation of cytokine profiles with clinical outcomes in adult recipients of umbilical cord blood transplantation. Bone Marrow Transplantation, 2020, 55, 1821-1823. | 1.3 | 1         |
| 11 | A phase II study of reduced intensity double umbilical cord blood transplantation using fludarabine, melphalan, and low dose total body irradiation. Bone Marrow Transplantation, 2020, 55, 804-810.  | 1.3 | 3         |
| 12 | Targeted deletion of PD-1 in myeloid cells induces antitumor immunity. Science Immunology, 2020, 5, .   | 5.6 | 287       |
| 13 | PD-1+ Treg cells: a foe in cancer immunotherapy?. Nature Immunology, 2020, 21, 1311-1312.   | 7.0 | 24        |
| 14 | Revisiting the PD-1 pathway. Science Advances, 2020, 6, .   | 4.7 | 277       |
| 15 | Interaction of SHP-2 SH2 domains with PD-1 ITSM induces PD-1 dimerization and SHP-2 activation. Communications Biology, 2020, 3, 128.   | 2.0 | 91        |
| 16 | T Cell Metabolism in Cancer Immunotherapy. Immunometabolism, 2020, 2, .   | 0.7 | 16        |
| 17 | Myeloid-Specific SHP-2 Ablation Induces Robust Anti-Tumor Immunity That Is Not Further Enhanced By PD-1 Blockade. Blood, 2020, 136, 25-26.  | 0.6 | 0         |
| 18 | Reactivation of BK virus after double umbilical cord blood transplantation in adults correlates with impaired reconstitution of CD4+ and CD8+ T effector memory cells and increase of T regulatory cells. Clinical Immunology, 2019, 207, 18-23.    | 1.4 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Metabolic Targets for Improvement of Allogeneic Hematopoietic Stem Cell Transplantation and Graft-vsHost Disease. Frontiers in Immunology, 2019, 10, 295.  | 2.2 | 20        |
| 20 | IMMU-31. DRIVER GENE MUTATIONS DICTATE THE COMPOSITION OF THE IMMUNE LANDSCAPE OF GLIOBLASTOMA AND CONFER SELECTIVE RESPONSE TO IMMUNOTHERAPY. Neuro-Oncology, 2019, 21, vi125-vi125.                                      | 0.6 | 0         |
| 21 | Phosphorylation of PD-1-Y248 is a marker of PD-1-mediated inhibitory function in human T cells. Scientific Reports, 2019, 9, 17252.  | 1.6 | 20        |
| 22 | A secreted PD-L1 splice variant that covalently dimerizes and mediates immunosuppression. Cancer Immunology, Immunotherapy, 2019, 68, 421-432.   | 2.0 | 93        |
| 23 | Development of HHV-6-Specific Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of CD4+ T Cells. Blood, 2019, 134, 3275-3275.                                 | 0.6 | 1         |
| 24 | Immunotherapies for malignant glioma. Oncogene, 2018, 37, 1121-1141.   | 2.6 | 108       |
| 25 | Unraveling Key Players of Humoral Immunity: Advanced and Optimized Lymphocyte Isolation Protocol from Murine Peyer's Patches. Journal of Visualized Experiments, 2018, , .   | 0.2 | 2         |
| 26 | Possible reactivation of chromosomally integrated human herpesvirus 6 after treatment with histone deacetylase inhibitor. Blood Advances, 2018, 2, 1367-1370.  | 2.5 | 13        |
| 27 | Targeting T Cell Metabolism for Improvement of Cancer Immunotherapy. Frontiers in Oncology, 2018, 8, 237.  | 1.3 | 123       |
| 28 | Metabolic Reprogramming of Myeloid Cells in Response to Factors of "Emergency" Myelopoiesis By Myeloid-Specific PD-1 Ablation, Regulates Myeloid Lineage Fate Commitment and Anti-Tumor Immunity. Blood, 2018, 132, 14-14. | 0.6 | 2         |
| 29 | RIAM (Rap1-Interactive Adaptor Molecule). , 2018, , 4700-4709.   |     | O         |
| 30 | The Rap1-RIAM Pathway Regulates the Expression of Integrins $\hat{l}\pm\hat{El}^27$ (CD103) and $\hat{l}\pm4\hat{l}^27$ , Which Guide T Cell Homing to Intestinal Compartments. Blood, 2018, 132, 864-864.                 | 0.6 | 1         |
| 31 | The Two SH2 Domains of SHP-2 Bridge Two PD-1 Molecules Resulting in SHP-2 Activation and PD-1-Mediated Inhibition. Blood, 2018, 132, 862-862.  | 0.6 | 0         |
| 32 | The adaptor molecule RIAM integrates signaling events critical for integrin-mediated control of immune function and cancer progression. Science Signaling, 2017, 10, .   | 1.6 | 39        |
| 33 | Feeling stressed? It might be your T cells. Nature Immunology, 2017, 18, 1281-1283.  | 7.0 | 2         |
| 34 | Angiogenic Factors Correlate with T Cell Immune Reconstitution and Clinical Outcomes after Double-Unit Umbilical Cord Blood Transplantation in Adults. Biology of Blood and Marrow Transplantation, 2017, 23, 103-112.     | 2.0 | 4         |
| 35 | Immunometabolic Regulations Mediated by Coinhibitory Receptors and Their Impact on T Cell Immune<br>Responses. Frontiers in Immunology, 2017, 8, 330.  | 2.2 | 44        |
| 36 | Regulation of T Cell Differentiation and Function by EZH2. Frontiers in Immunology, 2016, 7, 172.  | 2.2 | 70        |

| 409<br>140<br>69 |
|------------------|
|                  |
| 69               |
|                  |
| 1,025            |
| 1                |
| 44               |
| 5                |
| 0                |
| 0                |
| 29               |
| 11               |
| 834              |
| 7                |
| 3                |
| 22               |
| 0                |
| 43               |
|                  |

Biochemical Signaling of PD-1 on T Cells and Its Functional Implications. Cancer Journal (Sudbury,) Tj ETQq0 0 0 rgBT\_/Overlock 10 Tf 50  $^{10}$  Tf 50  $^{10}$  Tf 50  $^{10}$  Cells and Its Functional Implications.

1

54

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | The cyclin dependent kinase inhibitor (R)-roscovitine mediates selective suppression of alloreactive human T cells but preserves pathogen-specific and leukemia-specific effectors. Clinical Immunology, 2014, 152, 48-57.          | 1.4 | 13        |
| 56 | The role of the thymus in T-cell immune reconstitution after umbilical cord blood transplantation. Blood, 2014, 124, 3201-3211.   | 0.6 | 63        |
| 57 | Phosphorylation of Tyrosine 340 in the Plekstrin Homology Domain of RIAM Is Required for Translocation of RIAM to the Plasma Membrane, Phosphorylation of RIAM-Associated PLC-g1 and LFA-1 Activation. Blood, 2014, 124, 2743-2743. | 0.6 | 5         |
| 58 | Prognostic Value of TREC, IL-7 and SCF Levels on Clinical Outcomes after Double Umbilical Cord Blood Transplantation in Adults. Blood, 2014, 124, 2488-2488.  | 0.6 | 0         |
| 59 | Delayed Platelet Engraftment after Umbilical Cord Blood Transplant: Relationship to Circulating<br>Levels of Thrombopoietin. Blood, 2014, 124, 3862-3862.   | 0.6 | 0         |
| 60 | RIAM Interacts with the Hematopoietic-Specific Adaptor Protein Gads and Forms a LAT-Independent Node of Signal Integration That Regulates Activation of PLC- $\hat{l}^3$ 1. Blood, 2014, 124, 4138-4138.                            | 0.6 | 0         |
| 61 | RIAM (Rap1-interacting adaptor molecule) regulates complement-dependent phagocytosis. Cellular and Molecular Life Sciences, 2013, 70, 2395-2410.  | 2.4 | 36        |
| 62 | The role of IL-17-producing Foxp3+ CD4+ T cells in inflammatory bowel disease and colon cancer. Clinical Immunology, 2013, 148, 246-253.  | 1.4 | 70        |
| 63 | PD-1 Increases PTEN Phosphatase Activity While Decreasing PTEN Protein Stability by Inhibiting Casein Kinase 2. Molecular and Cellular Biology, 2013, 33, 3091-3098.  | 1.1 | 152       |
| 64 | Clinical Trial Evaluating DC/AML Fusion Cell Vaccination In AML Patients. Blood, 2013, 122, 3928-3928.  | 0.6 | 7         |
| 65 | Inhibition Of Cdk2 Promotes The Generation Of Inducible CD8+ T Regulatory Cells By Modulating The Epigenetic Regulator EZH2. Blood, 2013, 122, 138-138.   | 0.6 | 0         |
| 66 | PD-1 inhibits T cell proliferation by upregulating p27 and p15 and suppressing Cdc25A. Cell Cycle, 2012, 11, 4305-4309.   | 1.3 | 103       |
| 67 | Rap1-interacting adapter molecule (RIAM) associates with the plasma membrane via a proximity detector. Journal of Cell Biology, 2012, 199, 317-329.   | 2.3 | 54        |
| 68 | Selective Effects of PD-1 on Akt and Ras Pathways Regulate Molecular Components of the Cell Cycle and Inhibit T Cell Proliferation. Science Signaling, 2012, 5, ra46.   | 1.6 | 411       |
| 69 | Runx1 and Runx3 Are Involved in the Generation and Function of Highly Suppressive IL-17-Producing T Regulatory Cells. PLoS ONE, 2012, 7, e45115.  | 1.1 | 37        |
| 70 | Blockade of PD-1 in Combination with Dendritic Cell/Myeloma Fusion Cell Vaccination Following Autologous Stem Cell Transplantation. Blood, 2012, 120, 578-578.  | 0.6 | 3         |
| 71 | Targeting Leukemia Initiating Cells by MUC1-C Subunit Inhibition. Blood, 2012, 120, 3583-3583.  | 0.6 | 0         |
| 72 | BK Virus Reactivation After Double Umbilical Cord Blood Transplantation in Adults Correlates with Tregs and Delayed Reconstitution of CD4+ and CD8+ T Effector Cells. Blood, 2012, 120, 4174-4174.                                  | 0.6 | 0         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Molecular and functional heterogeneity of T regulatory cells. Clinical Immunology, 2011, 141, 244-252.   | 1.4 | 28        |
| 74 | Rap1-GTP-interacting Adaptor Molecule (RIAM) Protein Controls Invasion and Growth of Melanoma Cells. Journal of Biological Chemistry, 2011, 286, 18492-18504.  | 1.6 | 35        |
| 75 | Clinical Trial Evaluating DC/AML Fusion Cell Vaccination Alone and in Conjunction with PD-1 Blockade in AML Patients Who Achieve a Chemotherapy-Induced Remission. Blood, 2011, 118, 948-948.                  | 0.6 | 3         |
| 76 | Addition of Clofarabine to TLI/ATG Conditioning: Impact on Immune Reconstitution and Clinical Outcomes,. Blood, 2011, 118, 4066-4066.  | 0.6 | 0         |
| 77 | Immune Reconstitution After Cord Blood Transplantation in Adults Depends on Activity of Thymic Epithelial Cells and Vascular Endothelial Elements,. Blood, 2011, 118, 4075-4075.                               | 0.6 | O         |
| 78 | Clearance of CMV viremia and survival after double umbilical cord blood transplantation in adults depends on reconstitution of thymopoiesis. Blood, 2010, 115, 4111-4119.                                      | 0.6 | 107       |
| 79 | Rap1A regulates generation of T regulatory cells via LFA-1-dependent and LFA-1-independent mechanisms. Cellular Immunology, 2010, 266, 7-13.   | 1.4 | 16        |
| 80 | IL-1β–Mediated Signals Preferentially Drive Conversion of Regulatory T Cells but Not Conventional T Cells into IL-17–Producing Cells. Journal of Immunology, 2010, 185, 4148-4153.                             | 0.4 | 95        |
| 81 | Targeting Acute Myeloid Leukemia Stem Cells by MUC1-C Subunit Inhibition. Blood, 2010, 116, 848-848.   | 0.6 | 1         |
| 82 | Rap1-GTP Augments Activation of Smad and p38 Mediated Signaling Downstream of TGF- $\hat{l}^2$ Receptor In T Lymphocytes. Blood, 2010, 116, 956-956.   | 0.6 | 0         |
| 83 | The cyclin dependent kinase inhibitor (R)-roscovitine prevents alloreactive T cell clonal expansion and protects against acute GvHD. Cell Cycle, 2009, 8, 1794-1802.   | 1.3 | 30        |
| 84 | Tob, a member of the APRO family, regulates immunological quiescence and tumor suppression. Cell Cycle, 2009, 8, 1019-1025.  | 1.3 | 31        |
| 85 | RIAM Regulates the Cytoskeletal Distribution and Activation of PLC- $\hat{l}^31$ in T Cells. Science Signaling, 2009, 2, ra79.   | 1.6 | 29        |
| 86 | Dendritic Cell Tumor Fusion Vaccination in Conjunction with Autologous Transplantation for Multiple Myeloma Blood, 2009, 114, 783-783.   | 0.6 | 2         |
| 87 | RIAM and RapL Regulate Distinct Signaling Events and Functional Outcomes Upon TCR-Mediated Activation Blood, 2009, 114, 3683-3683.   | 0.6 | O         |
| 88 | Umbilical cord blood transplantation: Basic biology and clinical challenges to immune reconstitution. Clinical Immunology, 2008, 127, 286-297.   | 1.4 | 153       |
| 89 | CD134-Allodepletion Allows Selective Elimination of Alloreactive Human T Cells without Loss of Virus-Specific and Leukemia-Specific Effectors. Biology of Blood and Marrow Transplantation, 2008, 14, 518-530. | 2.0 | 43        |
| 90 | Mechanisms and consequences of agonist-induced talin recruitment to platelet integrin αIIbβ3. Journal of Cell Biology, 2008, 181, 1211-1222.   | 2.3 | 145       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | RIAM Regulate Spatio-Temporal Distribution of PLC- $\hat{l}^31$ and Calcium Mobilization during T Cell Activation. Blood, 2008, 112, 673-673.  | 0.6 | O         |
| 92  | Development of CMV-SPECIFIC Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of NAII CD8+ T Cells. Blood, 2008, 112, 1167-1167.          | 0.6 | 0         |
| 93  | Roscovitine Prevents Alloreactive T Cell Expansion and TNF-a-Mediated Proinflammatory Gene Expression and Protects against GvHD Blood, 2008, 112, 2341-2341.   | 0.6 | O         |
| 94  | Active Rap1, a small GTPase that induces malignant transformation of hematopoietic progenitors, localizes in the nucleus and regulates protein expression. Leukemia and Lymphoma, 2007, 48, 987-1002.  | 0.6 | 12        |
| 95  | Twisted gastrulation (Tsg) is regulated by Tob and enhances TGF- $\hat{l}^2$ signaling in activated T lymphocytes. Blood, 2007, 109, 2944-2952.  | 0.6 | 14        |
| 96  | Rap1 Regulation of RIAM and Cell Adhesion. Methods in Enzymology, 2006, 407, 345-358.  | 0.4 | 23        |
| 97  | A pathway regulated by cell cycle inhibitor p27Kip1 and checkpoint inhibitor Smad3 is involved in the induction of T cell tolerance. Nature Immunology, 2006, 7, 1157-1165.                            | 7.0 | 96        |
| 98  | Physiologic regulation of central and peripheral T cell tolerance: lessons for therapeutic applications. Journal of Molecular Medicine, 2006, 84, 887-899.   | 1.7 | 24        |
| 99  | Reconstructing and Deconstructing Agonist-Induced Activation of Integrin $\hat{I}\pm IIb\hat{I}^23$ . Current Biology, 2006, 16, 1796-1806.  | 1.8 | 419       |
| 100 | CD28 Costimulation Mediates Transcription of SKP2 and CKS1, the Substrate Recognition Components of SCFSkp2 Ubiquitin Ligase That Leads p27kip1 to Degradation. Cell Cycle, 2006, 5, 2123-2129.        | 1.3 | 29        |
| 101 | Effects of Cord Blood Cell Subset Populations in the Development of the Dominant Cord Blood Unit in Non-Myeloablative Sequential Double Cord Blood Transplantation (DCBT) Blood, 2006, 108, 3148-3148. | 0.6 | 1         |
| 102 | CD4+CD25+ regulatory T-cell lines from human cord blood have functional and molecular properties of T-cell anergy. Blood, 2005, 106, 3068-3073.  | 0.6 | 129       |
| 103 | Rap1-GTP Is a Negative Regulator of Th Cell Function and Promotes the Generation of CD4+CD103+ Regulatory T Cells In Vivo. Journal of Immunology, 2005, 175, 3133-3139.                                | 0.4 | 33        |
| 104 | RIAM, an Ena/VASP and Profilin Ligand, Interacts with Rap1-GTP and Mediates Rap1-Induced Adhesion. Developmental Cell, 2004, 7, 585-595.   | 3.1 | 382       |
| 105 | Lamellipodin, an Ena/VASP Ligand, Is Implicated in the Regulation of Lamellipodial Dynamics.<br>Developmental Cell, 2004, 7, 571-583.  | 3.1 | 301       |
| 106 | Rap1-GTP Promotes the Generation of Regulatory T Cells in Vivo Blood, 2004, 104, 110-110.  | 0.6 | 2         |
| 107 | RIAM, a New Rap1 Effector, Functions Downstream of Rap1 and Regulates Rap1 Localization at the Plasma Membrane and Rap1-Induced Adhesion Blood, 2004, 104, 510-510.                                    | 0.6 | 0         |
| 108 | CD4+CD25+ Regulatory T Cells from Cord Blood Have Functional and Molecular Properties of T Cell Anergy Blood, 2004, 104, 316-316.  | 0.6 | 1         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | The E3 Ubiquitin Ligase TRIM36, a Transcriptional Target of Tob, Is Expressed in Anergic T Cells and Mediates Unresponsiveness through Proteolysis of Signaling Proteins PLC- $\hat{I}^31$ and PKC-? Blood, 2004, 104, 113-113. | 0.6  | 2         |
| 110 | T cell anergy and costimulation. Immunological Reviews, 2003, 192, 161-180.   | 2.8  | 255       |
| 111 | CD28 Costimulation Mediates Down-Regulation of p27 <i>kip1</i> and Cell Cycle Progression by Activation of the PI3K/PKB Signaling Pathway in Primary Human T Cells. Journal of Immunology, 2002, 168, 2729-2736.                | 0.4  | 187       |
| 112 | PD-L2 is a second ligand for PD-1 and inhibits T cell activation. Nature Immunology, 2001, 2, 261-268.  | 7.0  | 2,504     |
| 113 | Tob is a negative regulator of activation that is expressed in anergic and quiescent T cells. Nature Immunology, 2001, 2, 1174-1182.  | 7.0  | 250       |
| 114 | p27kip1 functions as an anergy factor inhibiting interleukin 2 transcription and clonal expansion of alloreactive human and mouse helper T lymphocytes. Nature Medicine, 2000, 6, 290-297.                                      | 15.2 | 216       |
| 115 | CD28 Costimulation Mediates T Cell Expansion Via IL-2-Independent and IL-2-Dependent Regulation of Cell Cycle Progression. Journal of Immunology, 2000, 164, 144-151.   | 0.4  | 178       |
| 116 | Maintenance of Human T Cell Anergy: Blocking of IL-2 Gene Transcription by Activated Rap1. Science, 1997, 278, 124-128.   | 6.0  | 408       |
| 117 | Ex Vivo Generation of Human Anti–Pre-B Leukemia-Specific Autologous Cytolytic T Cells. Blood, 1997, 90, 549-561.  | 0.6  | 125       |
| 118 | R24 anti-GD3 ganglioside antibody can induce co-stimulation and prevent the induction of alloantigen-specific T cell clonal anergy. European Journal of Immunology, 1996, 26, 2149-2154.  | 1.6  | 11        |
| 119 | The Role of B7-1/B7-2:CD28/CLTA-4 Pathways in the Prevention of Anergy, Induction of Productive Immunity and Down-Regulation of the Immune Response. Immunological Reviews, 1996, 153, 5-26.                                    | 2.8  | 153       |
| 120 | RIAM. The AFCS-nature Molecule Pages, 0, , .  | 0.2  | 0         |