Hua Fang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4293482/publications.pdf

Version: 2024-02-01

172457 182427 2,982 76 29 51 citations h-index g-index papers 76 76 76 3066 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Enantioselectivity of new chiral triazole fungicide mefentrifluconazole: Bioactivity against phytopathogen, and acute toxicity and bioaccumulation in earthworm (Eisenia fetida). Science of the Total Environment, 2022, 815, 152937.	8.0	21
2	Copper-based fungicide copper hydroxide accelerates the evolution of antibiotic resistance via gene mutations in Escherichia coli. Science of the Total Environment, 2022, 815, 152885.	8.0	20
3	Analysis method development and health risk assessment of pesticide and heavy metal residues in <i>Dendrobium Candidum</i> . RSC Advances, 2022, 12, 6869-6875.	3.6	5
4	Uptake, translocation, and metabolism of thiamethoxam in soil by leek plants. Environmental Research, 2022, 211, 113084.	7.5	16
5	Carbendazim shapes microbiome and enhances resistome in the earthworm gut. Microbiome, 2022, 10, 63.	11.1	17
6	Herbicidal activity of atrazine to barnyard grass depends upon soil characteristics. Pest Management Science, 2022, 78, 3287-3293.	3.4	1
7	Uptake, Accumulation, and translocation of azoxystrobin by Vegetable plants in soils: influence of soil characteristics and plant species. Bulletin of Environmental Contamination and Toxicology, 2022, 109, 386-392.	2.7	2
8	Characterization, genome functional analysis, and detoxification of atrazine by Arthrobacter sp. C2. Chemosphere, 2021, 264, 128514.	8.2	25
9	Characterization of a novel carbendazim-degrading strain Rhodococcus sp. CX-1 revealed by genome and transcriptome analyses. Science of the Total Environment, 2021, 754, 142137.	8.0	30
10	Foam shares antibiotic resistomes and bacterial pathogens with activated sludge in wastewater treatment plants. Journal of Hazardous Materials, 2021, 408, 124855.	12.4	25
11	Exposure to fungicide difenoconazole reduces the soil bacterial community diversity and the co-occurrence network complexity. Journal of Hazardous Materials, 2021, 405, 124208.	12.4	53
12	Chemical factors affecting uptake and translocation of six pesticides in soil by maize (Zea mays L.). Journal of Hazardous Materials, 2021, 405, 124269.	12.4	65
13	Determination and Dietary Intake Risk Assessment of Pesticide Residues in Fritillariae Thunbergii Bulbs and Cultivated Soils. Journal of AOAC INTERNATIONAL, 2021, 104, 404-412.	1.5	3
14	Prevalence of Azole-Resistant <i>Aspergillus fumigatus</i> is Highly Associated with Azole Fungicide Residues in the Fields. Environmental Science & E	10.0	25
15	Reduced bacterial network complexity in agricultural soils after application of the neonicotinoid insecticide thiamethoxam. Environmental Pollution, 2021, 274, 116540.	7.5	24
16	Deposition distribution, metabolism characteristics, and reduced application dose of difenoconazole in the open field and greenhouse pepper ecosystem. Agriculture, Ecosystems and Environment, 2021, 313, 107370.	5.3	21
17	Deposition, dissipation, metabolism and dietary risk assessment of chlorothalonil in open field-planted cabbage. Journal of Food Composition and Analysis, 2021, 102, 104008.	3.9	15
18	Acquired triazole-resistance of Aspergillus fumigatus in soil and earthworm guts exposed to propiconazole and difenoconazole at field-realistic concentrations. Science of the Total Environment, 2021, 786, 147577.	8.0	1

Mutation in cyp51A and high expression of efflux pump gene of Aspergiflus fumigatus induced by propioconazole in signif medium and soil. Environmental Pollution, 2002, 255, 115365. Coopposition, displating metamorphic development of Xenopus levels, Journal of Hazardous Materials, 2002, 381, 12099. Lipscape of Section of Aspergiflus funing metamorphic development of Xenopus levels, Journal of Hazardous Materials, 2002, 381, 12099. Lipscape of Materials, 2002, 381, 12099. Lipscape of Materials, 2002, 381, 12099. Lipscape of Materials, 2002, 391, 138457. Lipscape of the Iotal Environment, 2002, 703, 138456. Politoria, 2002, 391, 138457. Lipscape of Materials, 2003, 795, 138457. Lincreased triazole-resistance and cyp51A mutations in Aspergillus fumigatus after selection with a combination of the viscole fungicides differencenazole and propionazole, Journal of Hazardous Materials, 2002, 400, 123200. Competitive Adsorption and Mobility of Propionazole and Differencenazole on Five Different Soils. Bulletin of Environmental Contamination and Toxicology, 2002, 163, 5927933. React Uptake of Indiadophid and Propionazole is Affected by Root Composition and Soil Characteristics, Journal of Agricultural and Food Chemistry, 2002, 66, 15381-15389. React Uptake of Indiadophid and Propionazole is Affected by Root Composition and Soil Environmental Pollution, 2020, 266, 115124. Lipscape of Propional Advances of Agricultural and Food Chemistry, 2002, 68, 15381-15389. Lipscape of Propional Advances of Agricultural and Food Chemistry, 2002, 68, 15381-15389. Lipscape of Propional Advances of Agricultural and Food Chemistry, 2002, 68, 15381-15389. Lipscape of Propional Advances of the Toxicology, 2020, 203, 203, 203, 203, 203, 203, 20	#	Article	IF	CITATIONS
on the nervous system during metamorphic development of Xenopus laevis, Journal of Hazardous Materials, 2020, 381, 120995. Deposition, dissipation, and minimum effective dosage of the fungicide carbendazim in the pepperä6field cosystem. Pest Management Science, 2020, 76, 907-916. Upward translocation of acetochlor and atrazine in wheat plants depends on their distribution in roots. Science of the Total Environment, 2020, 703, 135656. Jupian Pullition, 2020, 299, 118677. Increased triazole resistance and cyp51A mutations in Aspergillus fumigatus after selection with a combination of the triazole fungicides difenoconazole and propiconazole, Journal of Hazardous Materials, 2020, 400, 123200. Five-Year Survey (2014 to 2018) of Azole Resistance in Environmental cit-Aspergillus fumigatus citis isolates from China. Antimicrobial Agents and Chemotherapy, 2020, 64, Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933. Root Uptake of Imidschoprid and Propiconazole is Affected by Root Composition and Soil Claracteristics, Journal of Agricultural and Food Chemistry, 2020, 66, 15381-15389. Root Uptake of Imidschoprid and Propiconazole on Composition and Soil Claracteristics, Journal of Agricultural and Food Chemistry, 2020, 66, 15381-15389. Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. Findronmental Pollution, 2020, 266, 115124. Development of antibiotic resistance genes, and bacterial pathogens in long-term manure-amended Tracking resistomes, virulence genes, and bacterial pathogens in long-term manure-amended Tracking resistomes, wirulence genes, and bacterial pathogens in long-term manure-amended Tracking resistomes, wirulence genes, and bacterial pathogens in long-term manure-amended Tracking resistomes, wirulence genes, and bacterial pathogens in long-term manure-amended Tracking resistomes, wirulence genes, and bacterial pathogens in l	19	Mutation in cyp51A and high expression of efflux pump gene of Aspergillus fumigatus induced by propiconazole in liquid medium and soil. Environmental Pollution, 2020, 256, 113385.	7.5	11
ecosystem. Pest Management Science, 2020, 76, 907-916. 22 Upward translocation of acetochlor and atrazine in wheat plants depends on their distribution in roots. Science of the Total Environment, 2020, 703, 135636. 23 Fungicides enhanced the abundance of antibiotic resistance genes in greenhouse soil. Environmental Pollution, 2020, 259, 113877. 24 Increased triazole-resistance and cyp51A mutations in Aspergillus fumigatus after selection with a combination of the triazole fungicides difenoconazole and propiconazole, journal of Hazardous 12.4 9 25 Five Year Survey (2014 to 2018) of Azole Resistance in Environmental (1) Aspergillus fumigatus ⟨1⟩ Isolates from China. Antimicrobial Agents and Chemotherapy, 2020, 64 Space (1)	20	on the nervous system during metamorphic development of Xenopus laevis. Journal of Hazardous	12.4	13
roots. Science of the Total Environment, 2020, 703, 135636. Fungicides enhanced the abundance of antibiotic resistance genes in greenhouse soil. Environmental Pollution, 2020, 259, 113877. Increased triazole-resistance and cyp51A mutations in Aspergillus fumigatus after selection with a combination of the triazole fungicides difenoconazole and propiconazole. Journal of Hazardous 12.4 9 Five Year Survey (2014 to 2018) of Azole Resistance in Environmental (1) Aspergillus fumigatus (1) Isolates from China. Antimicrobial Agents and Chemotherapy, 2020, 64, Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933. Root Uptake of Imidacloprid and Propiconazole is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. 28 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. Findronmental Pollution, 2020, 266, 115124. 29 Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) TJ ETQq1 1 0.784314 rg8J Overlocation of Propiconazole applications in the China Agricultural and Food Chemistry, 2020, 396, 122618. 10 Tracking resistomes, virulence genes, and bacterial pathogens in long-term manure-amended greenhouse soils, Journal of Hazardous Materials, 2020, 396, 122618. 11 Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environmental Pollution, 2019, 253, 152-160. 20 Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Follution, 2019, 253, 152-160. 21 Deposition, Distribution, Metabolism, and Reduced Application Dase of Thiamethoxam in a Pepper Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. 22 Exposure to graphene oxide at environmental Sci	21	Deposition, dissipation, and minimum effective dosage of the fungicide carbendazim in the pepperâ€field ecosystem. Pest Management Science, 2020, 76, 907-916.	3.4	6
Increased triazole-resistance and cyp51A mutations in Aspergillus fumigatus after selection with a combination of the triazole fungicides difenoconazole and propiconazole. Journal of Hazardous 12.4 9 Materials, 2020, 400, 125200. 25 Five-Year Survey (2014 to 2018) of Azole Resistance in Environmental (s)-Aspergillus fumigatus (sl)-solates from China. Antimicrobial Agents and Chemotherapy, 2020, 64. 26 Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. 27 7 28 Root Uptake of Imidacloprid and Propiconazole Is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. 27 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 29 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 29 Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.78,4314 rg8j Toverlocation and Composition and Soil Composition and Soil Composition and Soil Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. 20 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 21 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 22 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 23 Triazole resistance genes, and bacterial pathogens in long-term manure-amended greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. 24 Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708. 25 Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. 26 Deposition, Distribution, Metabolism, and Redu	22		8.0	30
combination of the triazole fungicides difenoconazole and propiconazole. Journal of Hazardous Materials, 2020, 400, 123200. 25 Five-Year Survey (2014 to 2018) of Azole Resistance in Environmental (3) Aspergillus fumigatus (1) 26 Solates from China. Antimicrobial Agents and Chemotherapy, 2020, 64. 27 Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. 28 Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933. 29 Root Uptake of Imidacloprid and Propiconazole is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. 29 Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. 20 Environmental Pollution, 2020, 266, 115124. 20 Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) TJ ETQq1 1 0.784314 rg81, Overlocation of greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. 30 Tracking resistomes, virulence genes, and bacterial pathogens in long-term manure-amended greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. 31 Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708. 32 Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. 33 Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. 34 Microenvironmental Interplay Predominated by Beneficial <1) Aspergillus <1/brack Abates Fungal Pathogen Incidence in Paddy Environment. Environmental Science & amp; Technology, 2019, 53, 13042-13052.	23	Fungicides enhanced the abundance of antibiotic resistance genes in greenhouse soil. Environmental Pollution, 2020, 259, 113877.	7.5	44
Isolates from China. Antimicrobial Agents and Chemotherapy, 2020, 64.	24	combination of the triazole fungicides difenoconazole and propiconazole. Journal of Hazardous	12.4	9
Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933. Root Uptake of Imidacloprid and Propiconazole Is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. 28 Triazole resistance in Aspergillus furnigatus in crop plant soil after tebuconazole applications. Environmental Pollution, 2020, 266, 115124. 29 Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rg8 I/Overlocation I/Overlocati	25		3.2	15
Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389. Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. Environmental Pollution, 2020, 266, 115124. Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgBT ₁ /Overlocation percentage in	26	Competitive Adsorption and Mobility of Propiconazole and Difenoconazole on Five Different Soils. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 927-933.	2.7	7
Environmental Pollution, 2020, 266, 115124. Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgB ₄₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgB ₄₁ /Overlocation of pesticides in wheat (Triticum) Tj ETQq1 1 0.784314 rgB ₄₁ /Overlocation of greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708. Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus </i> Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus </i> Incidence in Paddy Environment. Environmental Science & Deposition induces thyroid endocrine disruption	27	Root Uptake of Imidacloprid and Propiconazole Is Affected by Root Composition and Soil Characteristics. Journal of Agricultural and Food Chemistry, 2020, 68, 15381-15389.	5.2	28
Tracking resistomes, virulence genes, and bacterial pathogens in long-term manure-amended greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. 12.4 55 Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708. Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial <i>Abapter Fungal Pathogen Incidence in Paddy Environment. Environmental Science & Samp; Technology, 2019, 53, 13042-13052. Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption</i>	28	Triazole resistance in Aspergillus fumigatus in crop plant soil after tebuconazole applications. Environmental Pollution, 2020, 266, 115124.	7.5	11
greenhouse soils. Journal of Hazardous Materials, 2020, 396, 122618. Enterobacteriaceae predominate in the endophytic microbiome and contribute to the resistome of strawberry. Science of the Total Environment, 2020, 727, 138708. Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial (i) Aspergillus (i) Abates Fungal Pathogen Incidence in Paddy Environmental Science & Deposition, 2019, 53, 13042-13052. Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption	29	Subcellular distribution governing accumulation and translocation of pesticides in wheat (Triticum) Tj ETQq $1\ 1\ 0$.784314 r	gBŢ ₄₁ /Overlock
strawberry. Science of the Total Environment, 2020, 727, 138708. Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus </i> Incidence in Paddy Environment. Environmental Science & Damp; Technology, 2019, 53, 13042-13052. Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption	30		12.4	55
chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160. Deposition, Distribution, Metabolism, and Reduced Application Dose of Thiamethoxam in a Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus</i> Incidence in Paddy Environment. Environmental Science & Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption	31		8.0	29
Pepper-Planted Ecosystem. Journal of Agricultural and Food Chemistry, 2019, 67, 11848-11859. Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus</i> Abates Fungal Pathogen Incidence in Paddy Environmental Science & Damp; Technology, 2019, 53, 13042-13052. Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption	32	Development of antibiotic resistance genes in soils with ten successive treatments of chlortetracycline and ciprofloxacin. Environmental Pollution, 2019, 253, 152-160.	7.5	24
Incidence in Paddy Environment. Environmental Science & Exposure to graphene oxide at environmental concentrations induces thyroid endocrine disruption	33		5.2	17
	34	Microenvironmental Interplay Predominated by Beneficial <i>Aspergillus</i> Abates Fungal Pathogen Incidence in Paddy Environment. Environmental Science & Environmental Science & 2019, 53, 13042-13052.	10.0	24
	35		8.2	18

#	Article	IF	CITATIONS
37	Exploring microbial community structure and biological function in manured soil during ten repeated treatments with chlortetracycline and ciprofloxacin. Chemosphere, 2019, 228, 469-477.	8.2	14
38	Adsorption and Desorption of Carbendazim and Thiamethoxam in Five Different Agricultural Soils. Bulletin of Environmental Contamination and Toxicology, 2019, 102, 550-554.	2.7	19
39	Tebuconazole induces triazole-resistance in Aspergillus fumigatus in liquid medium and soil. Science of the Total Environment, 2019, 648, 1237-1243.	8.0	24
40	Repeated treatments of ciprofloxacin and kresoxim-methyl alter their dissipation rates, biological function and increase antibiotic resistance in manured soil. Science of the Total Environment, 2018, 628-629, 661-671.	8.0	25
41	Biodegradation and detoxification of chlorimuron-ethyl by Enterobacter ludwigii sp. CE-1. Ecotoxicology and Environmental Safety, 2018, 150, 34-39.	6.0	28
42	Microbial degradation of fomesafen and detoxification of fomesafen-contaminated soil by the newly isolated strain Bacillus sp. FE-1 via a proposed biochemical degradation pathway. Science of the Total Environment, 2018, 616-617, 1612-1619.	8.0	20
43	Exploring bacterial communities and biodegradation genes in activated sludge from pesticide wastewater treatment plants via metagenomic analysis. Environmental Pollution, 2018, 243, 1206-1216.	7.5	63
44	Dissemination of antibiotic resistance genes and human pathogenic bacteria from a pig feedlot to the surrounding stream and agricultural soils. Journal of Hazardous Materials, 2018, 357, 53-62.	12.4	103
45	Biodegradability and ecological safety assessment of Stenotrophomonas sp. DDT-1 in the DDT-contaminated soil. Ecotoxicology and Environmental Safety, 2018, 158, 145-153.	6.0	8
46	Characterization and genome functional analysis of the DDT-degrading bacterium Ochrobactrum sp. DDT-2. Science of the Total Environment, 2017, 592, 593-599.	8.0	47
47	Effects of aging process on adsorption–desorption and bioavailability of fomesafen in an agricultural soil amended with rice hull biochar. Journal of Environmental Sciences, 2017, 56, 180-191.	6.1	59
48	Biodegradation of DDT by Stenotrophomonas sp. DDT-1: Characterization and genome functional analysis. Scientific Reports, 2016, 6, 21332.	3.3	56
49	Changes in soil microbial community structure and function associated with degradation and resistance of carbendazim and chlortetracycline during repeated treatments. Science of the Total Environment, 2016, 572, 1203-1212.	8.0	63
50	Characterization and genome functional analysis of a novel metamitron-degrading strain Rhodococcus sp. MET via both triazinone and phenyl rings cleavage. Scientific Reports, 2016, 6, 32339.	3.3	13
51	Nanoscale zerovalent iron-mediated degradation of DDT in soil. Environmental Science and Pollution Research, 2016, 23, 6253-6263.	5.3	27
52	Dissipation of fomesafen in biochar-amended soil and its availability to corn (Zea mays L.) and earthworm (Eisenia fetida). Journal of Soils and Sediments, 2016, 16, 2439-2448.	3.0	56
53	Biochar: A review of its impact on pesticide behavior in soil environments and its potential applications. Journal of Environmental Sciences, 2016, 44, 269-279.	6.1	177
54	Reduced mobility of fomesafen through enhanced adsorption in biocharâ€amended soil. Environmental Toxicology and Chemistry, 2015, 34, 1258-1266.	4.3	64

#	Article	IF	CITATIONS
55	Bioaugmentation of DDT-contaminated soil by dissemination of the catabolic plasmid pDOD. Journal of Environmental Sciences, 2015, 27, 42-50.	6.1	17
56	Exploring bacterial community structure and function associated with atrazine biodegradation in repeatedly treated soils. Journal of Hazardous Materials, 2015, 286, 457-465.	12.4	96
57	Prevalence of Antibiotic Resistance Genes and Bacterial Pathogens in Long-Term Manured Greenhouse Soils As Revealed by Metagenomic Survey. Environmental Science & Deck 2015, 49, 1095-1104.	10.0	282
58	Microbial response to repeated treatments of manure containing sulfadiazine and chlortetracycline in soil. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2014, 49, 609-615.	1.5	17
59	Metagenomic analysis reveals potential biodegradation pathways of persistent pesticides in freshwater and marine sediments. Science of the Total Environment, 2014, 470-471, 983-992.	8.0	92
60	Variations in dissipation rate, microbial function and antibiotic resistance due to repeated introductions of manure containing sulfadiazine and chlortetracycline to soil. Chemosphere, 2014, 96, 51-56.	8.2	59
61	Metagenomic analysis reveals the prevalence of biodegradation genes for organic pollutants in activated sludge. Bioresource Technology, 2013, 129, 209-218.	9.6	74
62	Persistence of repeated triadimefon application and its impact on soil microbial functional diversity. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2012, 47, 104-110.	1.5	13
63	Combined remediation of DDT congeners and cadmium in soil by Sphingobacterium sp. D-6 and Sedum alfredii Hance. Journal of Environmental Sciences, 2012, 24, 1036-1046.	6.1	15
64	Effect of vegetation of transgenic Bt rice lines and their straw amendment on soil enzymes, respiration, functional diversity and community structure of soil microorganisms under field conditions. Journal of Environmental Sciences, 2012, 24, 1259-1270.	6.1	18
65	Adsorption, mobility and degradation of diphenamid in chinese soils. KSCE Journal of Civil Engineering, 2012, 16, 547-553.	1.9	5
66	Dissipation of carbendazim and chloramphenicol alone and in combination and their effects on soil fungal:bacterial ratios and soil enzyme activities. Chemosphere, 2011, 84, 634-641.	8.2	43
67	Using Matrix Solid-Phase Microextraction (Matrix-SPME) to Estimate Bioavailability of DDTs in Soil to Both Earthworm and Vegetables. Archives of Environmental Contamination and Toxicology, 2010, 58, 62-70.	4.1	15
68	Isolation and characterization of Pseudomonas sp. CBW capable of degrading carbendazim. Biodegradation, 2010, 21, 939-946.	3.0	63
69	Characterization of a bacterial strain capable of degrading DDT congeners and its use in bioremediation of contaminated soil. Journal of Hazardous Materials, 2010, 184, 281-289.	12.4	106
70	Persistence of the herbicide butachlor in soil after repeated applications and its effects on soil microbial functional diversity. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2009, 44, 123-129.	1.5	24
71	Effects of repeated applications of fungicide carbendazim on its persistence and microbial community in soil. Journal of Environmental Sciences, 2009, 21, 179-185.	6.1	68
72	Degradation of chlorpyrifos in laboratory soil and its impact on soil microbial functional diversity. Journal of Environmental Sciences, 2009, 21, 380-386.	6.1	103

#	Article	IF	CITATION
73	Carbendazim induces a temporary change in soil bacterial community structure. Journal of Environmental Sciences, 2009, 21, 1679-1683.	6.1	32
74	Responses of Soil Microorganisms and Enzymes to Repeated Applications of Chlorothalonil. Journal of Agricultural and Food Chemistry, 2006, 54, 10070-10075.	5.2	52
75	An exploration of the relationship between adsorption and bioavailability of pesticides in soil to earthworm. Environmental Pollution, 2006, 141, 428-433.	7.5	80
76	Effect of chlorpyrifos on soil microbial populations and enzyme activities. Journal of Environmental Sciences, 2006, 18, 4-5.	6.1	39