Yumiko Nagao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4297340/publications.pdf

Version: 2024-02-01

218677 206112 2,494 83 26 48 h-index citations g-index papers 85 85 85 1997 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hepatitis C Virus Down-Regulates Insulin Receptor Substrates 1 and 2 through Up-Regulation of Suppressor of Cytokine Signaling 3. American Journal of Pathology, 2004, 165, 1499-1508.	3.8	505
2	Clearance of HCV Improves Insulin Resistance, Beta-Cell Function, and Hepatic Expression of Insulin Receptor Substrate 1 and 2. American Journal of Gastroenterology, 2007, 102, 570-576.	0.4	238
3	Lichen planus and hepatitis C virus in the Northern Kyushu region of Japan. European Journal of Clinical Investigation, 1995, 25, 910-914.	3.4	169
4	Detection of hepatitis C virus RNA in oral lichen planus and oral cancer tissues. Journal of Oral Pathology and Medicine, 2000, 29, 259-266.	2.7	105
5	High prevalence of hepatitis C virus antibody and RNA in patients with oral cancer. Journal of Oral Pathology and Medicine, 1995, 24, 354-360.	2.7	78
6	Branched-chain amino acid-enriched supplementation improves insulin resistance in patients with chronic liver disease. International Journal of Molecular Medicine, 2008, 22, 105-12.	4.0	73
7	Development and exacerbation of oral lichen planus during and after interferon therapy for hepatitis C. European Journal of Clinical Investigation, 1996, 26, 1171-1174.	3.4	66
8	Quantitative analysis of HCV RNA and genotype in patients with chronic hepatitis C accompanied by oral lichen planus. European Journal of Clinical Investigation, 1996, 26, 495-498.	3.4	60
9	Hepatitis C virus and lichen planus. Journal of Gastroenterology and Hepatology (Australia), 2004, 19, 1101-1113.	2.8	51
10	Effectiveness of glycyrrhizin for oral lichen planus in patients with chronic HCV infection. Journal of Gastroenterology, 1996, 31, 691-695.	5.1	47
11	Successful Treatment of Hepatitis C Virus-associated Oral Lichen Planus by Interferon-free Therapy with Direct-acting Antivirals. Clinical and Translational Gastroenterology, 2016, 7, e179.	2.5	45
12	Chronic HCV infection was associated with severe insulin resistance and mild atherosclerosis: a population-based study in an HCV hyperendemic area. Journal of Gastroenterology, 2013, 48, 93-100.	5.1	42
13	Association of Periodontal Diseases and Liver Fibrosis in Patients With HCV and/or HBV infection. Hepatitis Monthly, 2014, 14, e23264.	0.2	40
14	Incidence of Sjogren's syndrome in Japanese patients with hepatitis C virus infection. Journal of Gastroenterology and Hepatology (Australia), 2003, 18, 258-266.	2.8	39
15	Histological improvement of oral lichen planus in patients with chronic hepatitis C treated with interferon. Gastroenterology, 1999, 117, 283-284.	1.3	38
16	High incidence of oral lichen planus in an HCV hyperendemic area. Gastroenterology, 2000, 119, 882-883.	1.3	38
17	High incidence of oral precancerous lesions in a hyperendemic area of hepatitis C virus infection. Hepatology Research, 1997, 8, 173-177.	3.4	36
18	Branched-chain amino acids improve insulin resistance in patients with hepatitis C virus-related liver disease: report of two cases. Liver International, 2007, 27, 070908015728005-???.	3.9	36

#	Article	IF	CITATIONS
19	HBV and HCV infection in Japanese dental care workers. International Journal of Molecular Medicine, 0, , .	4.0	36
20	Branched-chain amino acid-enriched supplementation improves insulin resistance in patients with chronic liver disease. International Journal of Molecular Medicine, $0, , .$	4.0	36
21	HBV and HCV infection in Japanese dental care workers. International Journal of Molecular Medicine, 2008, 21, 791-9.	4.0	34
22	Serum albumin and mortality risk in a hyperendemic area of HCV infection in Japan. Virology Journal, 2010, 7, 375.	3.4	33
23	Insulin resistance and lichen planus in patients with HCV-infectious liver diseases. Journal of Gastroenterology and Hepatology (Australia), 2008, 23, 580-585.	2.8	32
24	Immunological evaluation in oral lichen planus with chronic hepatitis C. Journal of Gastroenterology, 1997, 32, 324-329.	5.1	31
25	A retrospective case-control study of hepatitis C virus infection and oral lichen planus in Japan: association study with mutations in the core and NS5A region of hepatitis C virus. BMC Gastroenterology, 2012, 12, 31.	2.0	30
26	Exacerbation of oral erosive lichen planus by combination of interferon and ribavirin therapy for chronic hepatitis C. International Journal of Molecular Medicine, 2005, 15, 237-41.	4.0	30
27	Genome-Wide Association Study Identifies Risk Variants for Lichen Planus in Patients With Hepatitis C Virus Infection. Clinical Gastroenterology and Hepatology, 2017, 15, 937-944.e5.	4.4	29
28	Effect of oral care gel on the quality of life for oral lichen planus in patients with chronic HCV infection. Virology Journal, 2011, 8, 348.	3.4	28
29	High incidence of extrahepatic manifestations in an HCV hyperendemic area. Hepatology Research, 2002, 22, 27-36.	3.4	24
30	GB virus infection in patients with oral cancer and oral lichen planus. Journal of Oral Pathology and Medicine, 1997, 26, 138-141.	2.7	23
31	Use of Direct-Acting Antivirals for the Treatment of Hepatitis C Virus-Associated Oral Lichen Planus: A Case Report. Case Reports in Gastroenterology, 2017, 10, 617-622.	0.6	22
32	Extrahepatic manifestations and insulin resistance in an HCV hyperendemic area. International Journal of Molecular Medicine, 2005, 16, 291-6.	4.0	20
33	Detection of MAGE-4 protein in sera of patients with head-and-neck squamous-cell carcinoma. , 1997, 70, 287-290.		19
34	Causal relationship between hepatitis C virus core and the development of type 2 diabetes mellitus in a hepatitis C virus hyperendemic area: a pilot study. International Journal of Molecular Medicine, 2005, 16, 109-14.	4.0	19
35	Oral Cancer and Hepatitis C Virus (HCV): Can HCV Alone Cause Oral Cancer? A Case Report Kurume Medical Journal, 1996, 43, 97-100.	0.1	18
36	A Case of Oral Lichen Planus with Chronic Hepatitis C Successfully Treated by Glycyrrhizin. Journal of the Japanese Association for Infectious Diseases, 1995, 69, 940-944.	0.0	15

#	Article	IF	CITATIONS
37	Histopathological and immunohistochemical study of oral lichen planus-associated HCV infection. European Journal of Internal Medicine, 2000, 11, 277-282.	2.2	15
38	Candidiasis and other oral mucosal lesions during and after interferon therapy for HCV-related chronic liver diseases. BMC Gastroenterology, 2012, 12, 155.	2.0	15
39	Epidemiological survey of oral lichen planus among HCV-infected inhabitants in a town in Hiroshima Prefecture in Japan from 2000 to 2003. Oncology Reports, 2007, 18, 1177-81.	2.6	15
40	High incidence of multiple primary carcinomas in HCV-infected patients with oral squamous cell carcinoma. Medical Science Monitor, 2009, 15, CR453-9.	1.1	15
41	Exacerbation of oral erosive lichen planus by combination of interferon and ribavirin therapy for chronic hepatitis C. International Journal of Molecular Medicine, 2005, 15, 237.	4.0	13
42	Effects of branched-chain amino acids and zinc-enriched nutrients on prognosticators in HCV-infected patients: A multicenter randomized controlled trial. Molecular Medicine Reports, 2015, 11, 2159-2166.	2.4	13
43	The prognosis for life in an HCV hyperendemic area. Gastroenterology, 2003, 125, 628-629.	1.3	12
44	Causal relationship between hepatitis C virus core and the development of type 2 diabetes mellitus in a hepatitis C virus hyperendemic area: A pilot study. International Journal of Molecular Medicine, 2005, 16, 109.	4.0	12
45	Antibody to hepatitis B core antigen is associated with the development of hepatocellular carcinoma in hepatitis C virus-infected persons: a 12-year prospective study. International Journal of Molecular Medicine, 2006, 17, 827-32.	4.0	12
46	Dental problems delaying the initiation of interferon therapy for HCV-infected patients. Virology Journal, 2010, 7, 192.	3.4	11
47	Effects and Outcomes of Interferon Treatment in Japanese Hepatitis C Patients. BMC Gastroenterology, 2012, 12, 139.	2.0	10
48	Aminofeel improves the sensitivity to taste in patients with HCV-infected liver disease. Medical Science Monitor, 2010, 16, PI7-12.	1.1	10
49	Lack of detection of hepatitis C virus replicative intermediate in abdominal lymph nodes. Hepatology Research, 1998, 10, 66-73.	3.4	9
50	Detection of Hepatitis C Virus in Saliva Before and After Scaling of Dental Calculus. Journal of the Japanese Association for Infectious Diseases, 2000, 74, 961-965.	0.0	9
51	Extrahepatic manifestations and insulin resistance in an HCV hyperendemic area. International Journal of Molecular Medicine, 2005, 16, 291.	4.0	9
52	Effect of branched-chain amino acid-enriched nutritional supplementation on interferon therapy in Japanese patients with chronic hepatitis C virus infection: a retrospective study. Virology Journal, 2012, 9, 282.	3.4	9
53	Oral verrucous carcinoma arising from lichen planus and esophageal squamous cell carcinoma in a patient with hepatitis C virus-related liver cirrhosis-hyperinsulinemia and malignant transformation: A case report. Biomedical Reports, 2013, 1, 53-56.	2.0	9
54	Successful Treatment of Oral Lichen Planus with Direct-Acting Antiviral Agents after Liver Transplantation for Hepatitis C Virus-Associated Hepatocellular Carcinoma. Case Reports in Gastroenterology, 2018, 11, 701-710.	0.6	9

#	Article	IF	CITATIONS
55	Congenital epulis. An electron microscopic observations of two cases Kurume Medical Journal, 1990, 37, 293-299.	0.1	7
56	Red complex periodontal pathogens are risk factors for liver cirrhosis. Biomedical Reports, 2019, 11, 199-206.	2.0	7
57	Hepatitis Virus and Extrahepatic Manifestations. Skin, Mucosa, Muscle, and Hematopoietic Organs Internal Medicine, 2001, 40, 185-189.	0.7	6
58	Analysis of approach to therapy for chronic liver disease in an HCV hyperendemic area of Japan. Hepatology Research, 2004, 28, 30-35.	3.4	6
59	Disappearance of Oral Lichen Planus After Liver Transplantation for Primary Biliary Cirrhosis and Immunosuppressive Therapy in a 63-year-Old Japanese Woman. Hepatitis Monthly, 2014, 14, e16310.	0.2	6
60	Analysis of factors interfering with the acceptance of interferon therapy by HCV-infected patients. Medical Science Monitor, 2008, 14, PI45-52.	1.1	6
61	Analysis of the factors motivating HCV-infected patients to accept interferon therapy. BMC Research Notes, 2012, 5, 470.	1.4	5
62	Treatment of refractory oral lichen planus using direct antiviral agents in a patient with chronic hepatitis C: A case report. Oral Science International, 2020, 17, 213-217.	0.7	5
63	Analysis of hepatitis B and C virus infections amongst members of the Dental National Health Insurance Society in the Oita Prefecture. Biomedical Reports, 2020, 14, 23.	2.0	5
64	Independent factors associated with altered plasma active ghrelin levels in <scp>HCV</scp> â€infected patients. Liver International, 2013, 33, 1510-1516.	3.9	4
65	Effect of Oral Care Gel for Burning Mouth Syndrome in a Patient with Hepatitis C: A Case Report. Case Reports in Gastroenterology, 2017, 11, 480-487.	0.6	4
66	The Discovery through Dentistry of Potentially HCV-Infected Japanese Patients and Intervention with Treatment. Advanced Research in Gastroenterology & Hepatology, 2017, 7, .	0.0	4
67	Antibody to hepatitis B core antigen is associated with the development of hepatocellular carcinoma in hepatitis C virus-infected persons: A 12-year prospective study. International Journal of Molecular Medicine, 0, , .	4.0	4
68	Branched-Chain Amino Acid Supplementation Complements Conventional Treatment for Spontaneous Bacterial Peritonitis. Digestive Diseases and Sciences, 2006, 51, 1057-1060.	2.3	3
69	Prevalence of Viral Liver Disease and Oral Lichen Planus in Patients Who Visited Dental Clinics: A Study by the Ehime Dental Association. OBM Hepatology and Gastroenterology, 2019, 3, 1-1.	0.0	3
70	Negative-strand HCV RNA Was Not Detected in Bone Marrow Cells of Patients with HCV Infection Kurume Medical Journal, 1998, 45, 39-43.	0.1	3
71	Effect of Fermented Rice Drink "Amazake―on Patients with Nonalcoholic Fatty Liver Disease and Periodontal Disease: A Pilot Study. Reports, 2021, 4, 36.	0.5	3
72	Serum levels of IgG to the peptide of HCV1b core at positions 35–44 correlated with persistent infection, while levels of IgG to the peptide of NS5A at positions 2132–2140 correlated with better prognosis in HCV-infected patients. Medical Microbiology and Immunology, 2007, 196, 157-164.	4.8	2

#	Article	IF	CITATIONS
73	Graves' ophthalmopathy and tongue cancer complicated by peg-interferon α-2b and ribavirin therapy for chronic hepatitis C: A case report and review of the literature. Molecular Medicine Reports, 2008, 1, 625-31.	2.4	2
74	Promotion by Dentists of Treatment of Undiagnosed and Untreated HCV-Infected Patients. Advanced Research in Gastroenterology & Hepatology, 2018, 9, .	0.0	2
75	Effect of Patient Education Seminars on Awareness and Behavior of Individuals with Viral Liver Disease. Medical Science Technology, 0, 56, 120-126.	0.0	2
76	The role of dentists in controlling hepatocellular carcinoma in Japan (Review). Experimental and Therapeutic Medicine, 2020, $21,113.$	1.8	2
77	Comparison of the Inpatients Admitted during the Recent 5 Years (January 1994-December 1998) with Those Admitted during the Previous 5 Years (January 1989-December 1993). A Clinico-statistical Study Kurume Medical Journal, 2000, 47, 291-297.	0.1	1
78	Recurrent Herpetic Infection of the Oral Floor. A Case Report Kurume Medical Journal, 1996, 43, 87-89.	0.1	1
79	Effects of Hepatitis C Virus Elimination by Direct-Acting Antiviral Agents on the Occurrence of Oral Lichen Planus and Periodontal Pathogen Load: A Preliminary Report. International Journal of Dentistry, 2021, 2021, 1-8.	1.5	1
80	Effect of Oral Care in a Patient with Depression and Burning Mouth Syndrome during the COVID-19 Pandemic. Case Reports in Dentistry, 2021, 2021, 1-7.	0.5	0
81	Taste Alteration in Palliative Care. , 2011, , 215-221.		0
82	High Prevalence of HCV Infection in Patients with Oral Cancer and Oral Precancerous Lesion. , 1999 , , $35-43$.		0
83	Increased Awareness of the Possibility of HBV Reactivation Through Use of Patient HBV Caution Cards. Medical Science Technology, 0, 57, 68-73.	0.0	0