

# Yumiko Nagao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4297340/publications.pdf>

Version: 2024-02-01

83  
papers

2,494  
citations

218677

26  
h-index

206112

48  
g-index

85  
all docs

85  
docs citations

85  
times ranked

1997  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Oral Care in a Patient with Depression and Burning Mouth Syndrome during the COVID-19 Pandemic. <i>Case Reports in Dentistry</i> , 2021, 2021, 1-7.	0.5	0
2	Effect of Fermented Rice Drink “Amazake” on Patients with Nonalcoholic Fatty Liver Disease and Periodontal Disease: A Pilot Study. <i>Reports</i> , 2021, 4, 36.	0.5	3
3	Effects of Hepatitis C Virus Elimination by Direct-Acting Antiviral Agents on the Occurrence of Oral Lichen Planus and Periodontal Pathogen Load: A Preliminary Report. <i>International Journal of Dentistry</i> , 2021, 2021, 1-8.	1.5	1
4	Treatment of refractory oral lichen planus using direct antiviral agents in a patient with chronic hepatitis C: A case report. <i>Oral Science International</i> , 2020, 17, 213-217.	0.7	5
5	Analysis of hepatitis B and C virus infections amongst members of the Dental National Health Insurance Society in the Oita Prefecture. <i>Biomedical Reports</i> , 2020, 14, 23.	2.0	5
6	The role of dentists in controlling hepatocellular carcinoma in Japan (Review). <i>Experimental and Therapeutic Medicine</i> , 2020, 21, 113.	1.8	2
7	Prevalence of Viral Liver Disease and Oral Lichen Planus in Patients Who Visited Dental Clinics: A Study by the Ehime Dental Association. <i>OBM Hepatology and Gastroenterology</i> , 2019, 3, 1-1.	0.0	3
8	Red complex periodontal pathogens are risk factors for liver cirrhosis. <i>Biomedical Reports</i> , 2019, 11, 199-206.	2.0	7
9	Successful Treatment of Oral Lichen Planus with Direct-Acting Antiviral Agents after Liver Transplantation for Hepatitis C Virus-Associated Hepatocellular Carcinoma. <i>Case Reports in Gastroenterology</i> , 2018, 11, 701-710.	0.6	9
10	Promotion by Dentists of Treatment of Undiagnosed and Untreated HCV-Infected Patients. <i>Advanced Research in Gastroenterology &amp; Hepatology</i> , 2018, 9, .	0.0	2
11	Genome-Wide Association Study Identifies Risk Variants for Lichen Planus in Patients With Hepatitis C Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 937-944.e5.	4.4	29
12	Effect of Oral Care Gel for Burning Mouth Syndrome in a Patient with Hepatitis C: A Case Report. <i>Case Reports in Gastroenterology</i> , 2017, 11, 480-487.	0.6	4
13	Use of Direct-Acting Antivirals for the Treatment of Hepatitis C Virus-Associated Oral Lichen Planus: A Case Report. <i>Case Reports in Gastroenterology</i> , 2017, 10, 617-622.	0.6	22
14	The Discovery through Dentistry of Potentially HCV-Infected Japanese Patients and Intervention with Treatment. <i>Advanced Research in Gastroenterology &amp; Hepatology</i> , 2017, 7, .	0.0	4
15	Successful Treatment of Hepatitis C Virus-associated Oral Lichen Planus by Interferon-free Therapy with Direct-acting Antivirals. <i>Clinical and Translational Gastroenterology</i> , 2016, 7, e179.	2.5	45
16	Effects of branched-chain amino acids and zinc-enriched nutrients on prognosticators in HCV-infected patients: A multicenter randomized controlled trial. <i>Molecular Medicine Reports</i> , 2015, 11, 2159-2166.	2.4	13
17	Association of Periodontal Diseases and Liver Fibrosis in Patients With HCV and/or HBV infection. <i>Hepatitis Monthly</i> , 2014, 14, e23264.	0.2	40
18	Disappearance of Oral Lichen Planus After Liver Transplantation for Primary Biliary Cirrhosis and Immunosuppressive Therapy in a 63-year-Old Japanese Woman. <i>Hepatitis Monthly</i> , 2014, 14, e16310.	0.2	6

#	ARTICLE	IF	CITATIONS
19	Chronic HCV infection was associated with severe insulin resistance and mild atherosclerosis: a population-based study in an HCV hyperendemic area. <i>Journal of Gastroenterology</i> , 2013, 48, 93-100.	5.1	42
20	Independent factors associated with altered plasma active ghrelin levels in HCV-infected patients. <i>Liver International</i> , 2013, 33, 1510-1516.	3.9	4
21	Oral verrucous carcinoma arising from lichen planus and esophageal squamous cell carcinoma in a patient with hepatitis C virus-related liver cirrhosis-hyperinsulinemia and malignant transformation: A case report. <i>Biomedical Reports</i> , 2013, 1, 53-56.	2.0	9
22	Effects and Outcomes of Interferon Treatment in Japanese Hepatitis C Patients. <i>BMC Gastroenterology</i> , 2012, 12, 139.	2.0	10
23	Candidiasis and other oral mucosal lesions during and after interferon therapy for HCV-related chronic liver diseases. <i>BMC Gastroenterology</i> , 2012, 12, 155.	2.0	15
24	A retrospective case-control study of hepatitis C virus infection and oral lichen planus in Japan: association study with mutations in the core and NS5A region of hepatitis C virus. <i>BMC Gastroenterology</i> , 2012, 12, 31.	2.0	30
25	Effect of branched-chain amino acid-enriched nutritional supplementation on interferon therapy in Japanese patients with chronic hepatitis C virus infection: a retrospective study. <i>Virology Journal</i> , 2012, 9, 282.	3.4	9
26	Analysis of the factors motivating HCV-infected patients to accept interferon therapy. <i>BMC Research Notes</i> , 2012, 5, 470.	1.4	5
27	Effect of oral care gel on the quality of life for oral lichen planus in patients with chronic HCV infection. <i>Virology Journal</i> , 2011, 8, 348.	3.4	28
28	Taste Alteration in Palliative Care. , 2011, , 215-221.		0
29	Serum albumin and mortality risk in a hyperendemic area of HCV infection in Japan. <i>Virology Journal</i> , 2010, 7, 375.	3.4	33
30	Dental problems delaying the initiation of interferon therapy for HCV-infected patients. <i>Virology Journal</i> , 2010, 7, 192.	3.4	11
31	Aminofeel improves the sensitivity to taste in patients with HCV-infected liver disease. <i>Medical Science Monitor</i> , 2010, 16, PI7-12.	1.1	10
32	High incidence of multiple primary carcinomas in HCV-infected patients with oral squamous cell carcinoma. <i>Medical Science Monitor</i> , 2009, 15, CR453-9.	1.1	15
33	Insulin resistance and lichen planus in patients with HCV-infectious liver diseases. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 580-585.	2.8	32
34	Graves' ophthalmopathy and tongue cancer complicated by peg-interferon $\alpha$ -2b and ribavirin therapy for chronic hepatitis C: A case report and review of the literature. <i>Molecular Medicine Reports</i> , 2008, 1, 625-31.	2.4	2
35	HBV and HCV infection in Japanese dental care workers. <i>International Journal of Molecular Medicine</i> , 2008, 21, 791-9.	4.0	34
36	Branched-chain amino acid-enriched supplementation improves insulin resistance in patients with chronic liver disease. <i>International Journal of Molecular Medicine</i> , 2008, 22, 105-12.	4.0	73

#	ARTICLE	IF	CITATIONS
37	Analysis of factors interfering with the acceptance of interferon therapy by HCV-infected patients. <i>Medical Science Monitor</i> , 2008, 14, PI45-52.	1.1	6
38	Clearance of HCV Improves Insulin Resistance, Beta-Cell Function, and Hepatic Expression of Insulin Receptor Substrate 1 and 2. <i>American Journal of Gastroenterology</i> , 2007, 102, 570-576.	0.4	238
39	Branched-chain amino acids improve insulin resistance in patients with hepatitis C virus-related liver disease: report of two cases. <i>Liver International</i> , 2007, 27, 070908015728005-???	3.9	36
40	Serum levels of IgG to the peptide of HCV1b core at positions 35â€“44 correlated with persistent infection, while levels of IgG to the peptide of NS5A at positions 2132â€“2140 correlated with better prognosis in HCV-infected patients. <i>Medical Microbiology and Immunology</i> , 2007, 196, 157-164.	4.8	2
41	Epidemiological survey of oral lichen planus among HCV-infected inhabitants in a town in Hiroshima Prefecture in Japan from 2000 to 2003. <i>Oncology Reports</i> , 2007, 18, 1177-81.	2.6	15
42	Branched-Chain Amino Acid Supplementation Complements Conventional Treatment for Spontaneous Bacterial Peritonitis. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1057-1060.	2.3	3
43	Antibody to hepatitis B core antigen is associated with the development of hepatocellular carcinoma in hepatitis C virus-infected persons: a 12-year prospective study. <i>International Journal of Molecular Medicine</i> , 2006, 17, 827-32.	4.0	12
44	Causal relationship between hepatitis C virus core and the development of type 2 diabetes mellitus in a hepatitis C virus hyperendemic area: A pilot study. <i>International Journal of Molecular Medicine</i> , 2005, 16, 109.	4.0	12
45	Exacerbation of oral erosive lichen planus by combination of interferon and ribavirin therapy for chronic hepatitis C. <i>International Journal of Molecular Medicine</i> , 2005, 15, 237.	4.0	13
46	Extrahepatic manifestations and insulin resistance in an HCV hyperendemic area. <i>International Journal of Molecular Medicine</i> , 2005, 16, 291.	4.0	9
47	Exacerbation of oral erosive lichen planus by combination of interferon and ribavirin therapy for chronic hepatitis C. <i>International Journal of Molecular Medicine</i> , 2005, 15, 237-41.	4.0	30
48	Causal relationship between hepatitis C virus core and the development of type 2 diabetes mellitus in a hepatitis C virus hyperendemic area: a pilot study. <i>International Journal of Molecular Medicine</i> , 2005, 16, 109-14.	4.0	19
49	Extrahepatic manifestations and insulin resistance in an HCV hyperendemic area. <i>International Journal of Molecular Medicine</i> , 2005, 16, 291-6.	4.0	20
50	Hepatitis C virus and lichen planus. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 1101-1113.	2.8	51
51	Analysis of approach to therapy for chronic liver disease in an HCV hyperendemic area of Japan. <i>Hepatology Research</i> , 2004, 28, 30-35.	3.4	6
52	Hepatitis C Virus Down-Regulates Insulin Receptor Substrates 1 and 2 through Up-Regulation of Suppressor of Cytokine Signaling 3. <i>American Journal of Pathology</i> , 2004, 165, 1499-1508.	3.8	505
53	Incidence of Sjogren's syndrome in Japanese patients with hepatitis C virus infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 258-266.	2.8	39
54	The prognosis for life in an HCV hyperendemic area. <i>Gastroenterology</i> , 2003, 125, 628-629.	1.3	12

#	ARTICLE	IF	CITATIONS
55	High incidence of extrahepatic manifestations in an HCV hyperendemic area. <i>Hepatology Research</i> , 2002, 22, 27-36.	3.4	24
56	Hepatitis Virus and Extrahepatic Manifestations. Skin, Mucosa, Muscle, and Hematopoietic Organs.. <i>Internal Medicine</i> , 2001, 40, 185-189.	0.7	6
57	Detection of Hepatitis C Virus in Saliva Before and After Scaling of Dental Calculus. <i>Journal of the Japanese Association for Infectious Diseases</i> , 2000, 74, 961-965.	0.0	9
58	Detection of hepatitis C virus RNA in oral lichen planus and oral cancer tissues. <i>Journal of Oral Pathology and Medicine</i> , 2000, 29, 259-266.	2.7	105
59	Histopathological and immunohistochemical study of oral lichen planus-associated HCV infection. <i>European Journal of Internal Medicine</i> , 2000, 11, 277-282.	2.2	15
60	High incidence of oral lichen planus in an HCV hyperendemic area. <i>Gastroenterology</i> , 2000, 119, 882-883.	1.3	38
61	Comparison of the Inpatients Admitted during the Recent 5 Years (January 1994-December 1998) with Those Admitted during the Previous 5 Years (January 1989-December 1993). A Clinico-statistical Study.. <i>Kurume Medical Journal</i> , 2000, 47, 291-297.	0.1	1
62	Histological improvement of oral lichen planus in patients with chronic hepatitis C treated with interferon. <i>Gastroenterology</i> , 1999, 117, 283-284.	1.3	38
63	High Prevalence of HCV Infection in Patients with Oral Cancer and Oral Precancerous Lesion. , 1999, , 35-43.		0
64	Lack of detection of hepatitis C virus replicative intermediate in abdominal lymph nodes. <i>Hepatology Research</i> , 1998, 10, 66-73.	3.4	9
65	Negative-strand HCV RNA Was Not Detected in Bone Marrow Cells of Patients with HCV Infection.. <i>Kurume Medical Journal</i> , 1998, 45, 39-43.	0.1	3
66	GB virus infection in patients with oral cancer and oral lichen planus. <i>Journal of Oral Pathology and Medicine</i> , 1997, 26, 138-141.	2.7	23
67	Immunological evaluation in oral lichen planus with chronic hepatitis C. <i>Journal of Gastroenterology</i> , 1997, 32, 324-329.	5.1	31
68	High incidence of oral precancerous lesions in a hyperendemic area of hepatitis C virus infection. <i>Hepatology Research</i> , 1997, 8, 173-177.	3.4	36
69	Detection of MAGE-4 protein in sera of patients with head-and-neck squamous-cell carcinoma. , 1997, 70, 287-290.		19
70	Effectiveness of glycyrrhizin for oral lichen planus in patients with chronic HCV infection. <i>Journal of Gastroenterology</i> , 1996, 31, 691-695.	5.1	47
71	Quantitative analysis of HCV RNA and genotype in patients with chronic hepatitis C accompanied by oral lichen planus. <i>European Journal of Clinical Investigation</i> , 1996, 26, 495-498.	3.4	60
72	Development and exacerbation of oral lichen planus during and after interferon therapy for hepatitis C. <i>European Journal of Clinical Investigation</i> , 1996, 26, 1171-1174.	3.4	66

#	ARTICLE	IF	CITATIONS
73	Oral Cancer and Hepatitis C Virus (HCV): Can HCV Alone Cause Oral Cancer? A Case Report.. Kurume Medical Journal, 1996, 43, 97-100.	0.1	18
74	Recurrent Herpetic Infection of the Oral Floor. A Case Report.. Kurume Medical Journal, 1996, 43, 87-89.	0.1	1
75	A Case of Oral Lichen Planus with Chronic Hepatitis C Successfully Treated by Glycyrrhizin. Journal of the Japanese Association for Infectious Diseases, 1995, 69, 940-944.	0.0	15
76	Lichen planus and hepatitis C virus in the Northern Kyushu region of Japan. European Journal of Clinical Investigation, 1995, 25, 910-914.	3.4	169
77	High prevalence of hepatitis C virus antibody and RNA in patients with oral cancer. Journal of Oral Pathology and Medicine, 1995, 24, 354-360.	2.7	78
78	Congenital epulis. An electron microscopic observations of two cases.. Kurume Medical Journal, 1990, 37, 293-299.	0.1	7
79	HBV and HCV infection in Japanese dental care workers. International Journal of Molecular Medicine, 0, , .	4.0	36
80	Branched-chain amino acid-enriched supplementation improves insulin resistance in patients with chronic liver disease. International Journal of Molecular Medicine, 0, , .	4.0	36
81	Antibody to hepatitis B core antigen is associated with the development of hepatocellular carcinoma in hepatitis C virus-infected persons: A 12-year prospective study. International Journal of Molecular Medicine, 0, , .	4.0	4
82	Effect of Patient Education Seminars on Awareness and Behavior of Individuals with Viral Liver Disease. Medical Science Technology, 0, 56, 120-126.	0.0	2
83	Increased Awareness of the Possibility of HBV Reactivation Through Use of Patient HBV Caution Cards. Medical Science Technology, 0, 57, 68-73.	0.0	0