

Ola Andersson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4297510/publications.pdf>

Version: 2024-02-01

37
papers

1,731
citations

567144

15
h-index

315616

38
g-index

42
all docs

42
docs citations

42
times ranked

1987
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and perinatal outcomes with COVID-19: A systematic review of 108 pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 823-829.	1.3	611
2	Effect of delayed versus early umbilical cord clamping on neonatal outcomes and iron status at 4 months: a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 343, d7157-d7157.	2.4	245
3	Effect of Delayed Cord Clamping on Neurodevelopment at 4 Years of Age. <i>JAMA Pediatrics</i> , 2015, 169, 631.	3.3	197
4	Effects of Delayed Umbilical Cord Clamping vs Early Clamping on Anemia in Infants at 8 and 12 Months. <i>JAMA Pediatrics</i> , 2017, 171, 264.	3.3	114
5	Effect of Delayed vs Early Umbilical Cord Clamping on Iron Status and Neurodevelopment at Age 12 Months. <i>JAMA Pediatrics</i> , 2014, 168, 547.	3.3	80
6	Effects of delayed compared with early umbilical cord clamping on maternal postpartum hemorrhage and cord blood gas sampling: a randomized trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 567-574.	1.3	64
7	Intact cord resuscitation versus early cord clamping in the treatment of depressed newborn infants during the first 10%minutes of birth (Nepcord III) – a randomized clinical trial. <i>Maternal Health, Neonatology and Perinatology</i> , 2019, 5, 15.	1.0	59
8	Effect of Delayed Cord Clamping of Term Babies on Neurodevelopment at 12 Months: A Randomized Controlled Trial. <i>Neonatology</i> , 2019, 115, 36-42.	0.9	40
9	Effect of early versus delayed cord clamping in neonate on heart rate, breathing and oxygen saturation during first 10 minutes of birth - randomized clinical trial. <i>Maternal Health, Neonatology and Perinatology</i> , 2019, 5, 7.	1.0	38
10	Effects of delayed cord clamping on neurodevelopment and infection at four months of age: a randomised trial. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 525-531.	0.7	29
11	Intrauterine vertical SARS-CoV-2 infection: a case confirming transplacental transmission followed by divergence of the viral genome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1388-1394.	1.1	24
12	Cord Management of the Term Newborn. <i>Clinics in Perinatology</i> , 2021, 48, 447-470.	0.8	24
13	Elective caesarean: does delay in cord clamping for 30s ensure sufficient iron stores at 4months of age? A historical cohort control study. <i>BMJ Open</i> , 2016, 6, e012995.	0.8	21
14	Reference intervals for reticulocyte hemoglobin content in healthy infants. <i>Pediatric Research</i> , 2018, 84, 657-661.	1.1	20
15	Effect of timing of umbilical cord clamping on anaemia at 8 and 12 months and later neurodevelopment in late pre-term and term infants; a facility-based, randomized-controlled trial in Nepal. <i>BMC Pediatrics</i> , 2016, 16, 35.	0.7	19
16	Systematic review and network meta-analysis with individual participant data on cord management at preterm birth (iCOMP): study protocol. <i>BMJ Open</i> , 2020, 10, e034595.	0.8	16
17	Delayed cord clamping was not associated with an increased risk of hyperbilirubinaemia on the day of birth or jaundice in the first 4weeks. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 71-77.	0.7	15
18	Factors associated with timing of umbilical cord clamping in tertiary hospital of Nepal. <i>BMC Research Notes</i> , 2018, 11, 89.	0.6	13

#	ARTICLE	IF	CITATIONS
19	When age really matters; ferritin reference intervals during infancy revisited. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 590-594.	0.6	13
20	Neurodevelopmental outcomes of a randomised trial of intact cord resuscitation. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 465-472.	0.7	12
21	Wait a minute? An observational cohort study comparing iron stores in healthy Swedish infants at 4 months of age after 10-, 60- and 180-second umbilical cord clamping. <i>BMJ Open</i> , 2017, 7, e017215.	0.8	11
22	Making the Argument for Intact Cord Resuscitation: A Case Report and Discussion. <i>Children</i> , 2022, 9, 517.	0.6	8
23	Haemoglobin and red blood cell reference intervals during infancy. <i>Archives of Disease in Childhood</i> , 2022, 107, 351-358.	1.0	6
24	Prelabour caesarean section and neurodevelopmental outcome at 4 and 12 months of age: an observational study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 564.	0.9	6
25	Cord clamping beyond 3 minutes: Neonatal short-term outcomes and maternal postpartum hemorrhage. <i>Birth</i> , 2022, , .	1.1	6
26	Effect of Delayed Cord Clamping on Neurodevelopment at 3 Years: A Randomized Controlled Trial. <i>Neonatology</i> , 2021, 118, 282-288.	0.9	5
27	Umbilical cord clamping and management of the third stage of labor: A telephone-survey describing Swedish midwives' clinical practice. <i>European Journal of Midwifery</i> , 2022, 6, 1-7.	0.5	5
28	Maternal and Infant Outcomes After Different Methods of Umbilical Cord Management. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1864.	3.8	4
29	Hepcidin is a relevant iron status indicator in infancy: results from a randomized trial of early vs. delayed cord clamping. <i>Pediatric Research</i> , 2021, 89, 1216-1221.	1.1	4
30	Soluble Transferrin Receptor during infancy and reference intervals for the Roche Cobas platform. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 378-386.	0.7	4
31	Timing and presentation effects in sequential auctions. <i>Journal of Mechanism and Institution Design</i> , 2017, 2, 39-55.	0.3	4
32	Depressive symptoms postpartum is associated with physical activity level the year prior to giving birth – A retrospective observational study. <i>Sexual and Reproductive Healthcare</i> , 2021, 29, 100645.	0.5	3
33	Reference Limits for Reticulocyte Haemoglobin Content in Healthy Infants. <i>Pediatric Research</i> , 2011, 70, 812-812.	1.1	2
34	COVID-19 in Pregnancy and Early Childhood (COPE): study protocol for a prospective, multicentre biobank, survey and database cohort study. <i>BMJ Open</i> , 2021, 11, e049376.	0.8	2
35	Serum osteocalcin levels at four months of age were associated with neurodevelopment at four years of age in term-born children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	0.7	2
36	The transition to extrauterine life by extremely preterm infants – handle with care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 337-338.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Between the sheets “ or how to keep babies warm. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1300-1301.	0.7	1