

Matthew K Lancaster

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4299757/matthew-k-lancaster-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

803
citations

13
h-index

24
g-index

24
ext. papers

889
ext. citations

6.3
avg, IF

3.39
L-index

#	Paper	IF	Citations
22	Action potential responses to changes in stimulation frequency and isoproterenol in rat ventricular myocytes.. <i>Physiological Reports</i> , 2022 , 10, e15166	2.6	0
21	Regulation of sinus node pacemaking and atrioventricular node conduction by HCN channels in health and disease. <i>Progress in Biophysics and Molecular Biology</i> , 2021 , 166, 61-85	4.7	3
20	Reduced cardiac response to the adrenergic system is a key limiting factor for physical capacity in old age. <i>Experimental Gerontology</i> , 2021 , 150, 111339	4.5	2
19	K 3.1 protein is expressed as a transmural gradient across the rat left ventricular free wall. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 383-391	2.7	1
18	Interactions of Short-Term and Chronic Treadmill Training With Aging of the Left Ventricle of the Heart. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1005-13	6.4	7
17	194 High-Intensity Interval Training can have Negative Effects on Cardiovascular Risk Factors and ECG Parameters in a Young Healthy Population. <i>Heart</i> , 2015 , 101, A108.1-A108	5.1	
16	Progressive age-associated activation of JNK associates with conduction disruption in the aged atrium. <i>Mechanisms of Ageing and Development</i> , 2015 , 146-148, 72-80	5.6	13
15	Aging is a primary risk factor for cardiac arrhythmias: disruption of intracellular Ca ²⁺ regulation as a key suspect. <i>Expert Review of Cardiovascular Therapy</i> , 2011 , 9, 1059-67	2.5	16
14	Distinguishing properties of cells from the myocardial sleeves of the pulmonary veins: a comparison of normal and abnormal pacemakers. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 39-48	6.4	21
13	The sinoatrial node: cell size does matter. <i>Circulation Research</i> , 2007 , 101, e81-2	15.7	6
12	Declining into failure: the age-dependent loss of the L-type calcium channel within the sinoatrial node. <i>Circulation</i> , 2007 , 115, 1183-90	16.7	88
11	Computer three-dimensional reconstruction of the sinoatrial node. <i>Circulation</i> , 2005 , 111, 846-54	16.7	139
10	Intracellular Ca ²⁺ and pacemaking within the rabbit sinoatrial node: heterogeneity of role and control. <i>Journal of Physiology</i> , 2004 , 556, 481-94	3.9	42
9	Requirement of neuronal- and cardiac-type sodium channels for murine sinoatrial node pacemaking. <i>Journal of Physiology</i> , 2004 , 559, 835-48	3.9	147
8	Ageing-related changes of connexins and conduction within the sinoatrial node. <i>Journal of Physiology</i> , 2004 , 560, 429-37	3.9	96
7	Sarcoplasmic reticulum Ca ²⁺ release is not a dominating factor in sinoatrial node pacemaker activity. <i>Circulation Research</i> , 2003 , 92, e41-4	15.7	47
6	Sophisticated architecture is required for the sinoatrial node to perform its normal pacemaker function. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 104-6	2.7	51

5	Cx43 and dual-pathway electrophysiology of the atrioventricular node and atrioventricular nodal reentry. <i>Circulation Research</i> , 2003 , 92, 469-75	15.7	51
4	Cs ⁺ block of the cardiac muscarinic K ⁺ channel, GIRK1/GIRK4, is not dependent on the aspartate residue at position 173. <i>Pflugers Archiv European Journal of Physiology</i> , 2000 , 440, 740-4	4.6	3
3	Residues and mechanisms for slow activation and Ba ²⁺ block of the cardiac muscarinic K ⁺ channel, Kir3.1/Kir3.4. <i>Journal of Biological Chemistry</i> , 2000 , 275, 35831-9	5.4	25
2	Changes in contraction, cytosolic Ca ²⁺ and pH during metabolic inhibition and upon restoration of mitochondrial respiration in rat ventricular myocytes. <i>Experimental Physiology</i> , 1998 , 83, 349-60	2.4	3
1	The effects of levosimendan on [Ca ²⁺] _i in guinea-pig isolated ventricular myocytes. <i>European Journal of Pharmacology</i> , 1997 , 339, 97-100	5.3	42