

Cecile Debitus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4300405/publications.pdf>

Version: 2024-02-01

175
papers

6,353
citations

53751

45
h-index

110317

64
g-index

226
all docs

226
docs citations

226
times ranked

4185
citing authors

#	ARTICLE	IF	CITATIONS
1	New genus and species of lithistid demosponges from submarine caves in Nuku Hiva (Marquesas) Tj ETQq1 1 0.784314 rgBT ₃ /Overlock	0.784314	3
2	Bioactive Bromotyrosine Derivatives from the Pacific Marine Sponge <i>Suberea clavata</i> (Pulitzer-Finali,) Tj ETQq0 0 0 rgBT _{2.2} /Overlock 10 Tf	2.2	12
3	Crambescidin Acid from the French Polynesian <i>Monanchora</i> n. sp. Marine Sponge. <i>Chemistry of Natural Compounds</i> , 2020, 56, 1180-1182.	0.2	0
4	Quorum Sensing Inhibitory and Antifouling Activities of New Bromotyrosine Metabolites from the Polynesian Sponge <i>Pseudoceratina</i> n. sp.. <i>Marine Drugs</i> , 2020, 18, 272.	2.2	21
5	Calcareous sponges from the French Polynesia (Porifera: Calcarea) Zootaxa, 2020, 4748, 261-295.	0.2	9
6	Potential of faspaplysin and palauolide from <i>Faspaplysinopsis cf reticulata</i> to reduce the risk of bacterial infection in fish farming. <i>Fisheries and Aquatic Sciences</i> , 2019, 22, .	0.3	4
7	A Ring-Distortion Strategy from Marine Natural Product Ilimaquinone Leads to Quorum Sensing Modulators. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 2486-2497.	1.2	11
8	Unguiculins A-C: cytotoxic bis-guanidine alkaloids from the French Polynesian sponge, <i>Monanchora</i> n. sp. <i>Natural Product Research</i> , 2018, 32, 1512-1517.	1.0	15
9	Synergistic AML Cell Death Induction by Marine Cytotoxin (+)-1(R), 6(S), 11(R), 6(S), 11(R), 17(S)-Fistularin-3 and Bcl-2 Inhibitor Venetoclax. <i>Marine Drugs</i> , 2018, 16, 518.	2.2	16
10	Fatty Acids Pattern from the French Polynesian <i>Monanchora</i> n. sp. Marine Sponge. <i>Chemistry of Natural Compounds</i> , 2018, 54, 1143-1145.	0.2	3
11	New Sulfur-Containing Polyarsenicals from the New Caledonian Sponge <i>Echinochalina bargibanti</i> . <i>Marine Drugs</i> , 2018, 16, 382.	2.2	4
12	Bioactive Bromotyrosine-Derived Alkaloids from the Polynesian Sponge <i>Suberea ianthelliformis</i> . <i>Marine Drugs</i> , 2018, 16, 146.	2.2	18
13	A new species of the sponge <i>Raspailia</i> (<i>Raspaxilla</i>) (Porifera: Demospongiae: Axinellida: Raspailiidae) from deep seamounts of the Western Pacific. <i>Zootaxa</i> , 2018, 4410, 379.	0.2	0
14	Isolation and identification of chitin from heavy mineralized skeleton of <i>Suberea clavata</i> (Verongida:) Tj ETQq0 0 0 rgBT _{3.6} /Overlock 10 Tf	3.6	44
15	Ilimaquinone and 5-epi-ilimaquinone: Beyond a Simple Diastereomeric Ratio, Biosynthetic Considerations from NMR-Based Analysis. <i>Australian Journal of Chemistry</i> , 2017, 70, 743.	0.5	7
16	Sporothriolide-Related Compounds from the Fungus <i>Hypoxylon monticulosum</i> CLL-205 Isolated from a <i>Sphaerocladina</i> Sponge from the Tahiti Coast. <i>Journal of Natural Products</i> , 2017, 80, 2850-2854.	1.5	24
17	Frontispiece: An Unprecedented Blue Chromophore Found in Nature using a Chemistry First and Molecular Networking Approach: Discovery of Dactylocyanines A-H. <i>Chemistry - A European Journal</i> , 2017, 23, .	1.7	0
18	Diversity of two widespread Indo-Pacific demosponge species revisited. <i>Marine Biodiversity</i> , 2017, 47, 1035-1043.	0.3	13

#	ARTICLE	IF	CITATIONS
37	lismaquinone and minor metabolites from Polynesian marine sponges: Isolation and ecology. <i>Planta Medica</i> , 2012, 78, .	0.7	0
38	Marine natural products as modulators of nuclear receptors. <i>Planta Medica</i> , 2012, 78, .	0.7	0
39	Theonellasterols and Conicasterols from <i>Theonella swinhoei</i> . Novel Marine Natural Ligands for Human Nuclear Receptors. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 3065-3075.	2.9	61
40	Swinholide J, a Potent Cytotoxin from the Marine Sponge <i>Theonella swinhoei</i> . <i>Marine Drugs</i> , 2011, 9, 1133-1141.	2.2	29
41	Solomonamides A and B, New Anti-inflammatory Peptides from <i>Theonella swinhoei</i> . <i>Organic Letters</i> , 2011, 13, 1532-1535.	2.4	69
42	Bioactive Indole Derivatives from the South Pacific Marine Sponges <i>Rhopaloeides odorabile</i> and <i>Hirtios</i> sp.. <i>Marine Drugs</i> , 2011, 9, 879-888.	2.2	49
43	Perthamides C-F, potent human antipsoriatic cyclopeptides. <i>Tetrahedron</i> , 2011, 67, 7780-7786.	1.0	20
44	Dihydrohymenialdisines, new pyrrole-2-aminoimidazole alkaloids from the marine sponge <i>Cymbastela cantharella</i> . <i>Tetrahedron Letters</i> , 2011, 52, 2676-2678.	0.7	17
45	Thein vivo anti-plasmodial activity of haliclonyclamine A, an alkaloid from the marine sponge, <i>Haliclonasp.</i> <i>Natural Product Research</i> , 2011, 25, 1923-1930.	1.0	11
46	Unprecedented Styliissazoles C from <i>Stylissa carteri</i> : Another Dimension for Marine Pyrrole-2-aminoimidazole Metabolite Diversity. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 4775-4779.	7.2	26
47	New bioactive halenaquinone derivatives from South Pacific marine sponges of the genus <i>Xestospongia</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 6006-6011.	1.4	37
48	Agelastatin E, Agelastatin F, and Benzosceptrin C from the Marine Sponge <i>Agelas dendromorpha</i> . <i>Journal of Natural Products</i> , 2010, 73, 720-723.	1.5	75
49	Sulfated Steroids: Ptilosteroids C and Ptilosaponosides A and B from the Solomon Islands Marine Sponge <i>Ptilocaulis spiculifer</i> . <i>Journal of Natural Products</i> , 2009, 72, 760-763.	1.5	18
50	Coscinolactams A and B: new nitrogen-containing sesterterpenoids from the marine sponge <i>Coscinoderma mathewsi</i> exerting anti-inflammatory properties. <i>Tetrahedron</i> , 2009, 65, 2905-2909.	1.0	25
51	Perthamides C and D, two new potent anti-inflammatory cyclopeptides from a Solomon Lithistid sponge <i>Theonella swinhoei</i> . <i>Tetrahedron</i> , 2009, 65, 10424-10429.	1.0	56
52	Benzosceptrins A and B with a Unique Benzocyclobutane Skeleton and Nagelamide S and T from Pacific Sponges. <i>Organic Letters</i> , 2009, 11, 4874-4877.	2.4	52
53	Homophymines E and A1, a family of bioactive cyclodepsipeptides from the sponge <i>Homophymia</i> sp.. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 4037.	1.5	51
54	Homophymine A, an Anti-HIV Cyclodepsipeptide from the Sponge <i>Homophymia</i> sp.. <i>Journal of Organic Chemistry</i> , 2008, 73, 5319-5327.	1.7	100

#	ARTICLE	IF	CITATIONS
55	Debromodispacamides B and D: Isolation from the Marine Sponge <i>Agelas mauritiana</i> and Stereoselective Synthesis Using a Biomimetic Proline Route. <i>Organic Letters</i> , 2008, 10, 493-496.	2.4	48
56	Alisiaquinones and Alisiaquinol, Dual Inhibitors of <i>Plasmodium falciparum</i> Enzyme Targets from a New Caledonian Deep Water Sponge. <i>Journal of Natural Products</i> , 2008, 71, 1189-1192.	1.5	68
57	Agelasines J, K, and L from the Solomon Islands Marine Sponge <i>Agelas</i> cf. <i>mauritiana</i> . <i>Journal of Natural Products</i> , 2008, 71, 1451-1454.	1.5	48
58	Isolation and structural elucidation of callipeltins J-M: antifungal peptides from the marine sponge <i>Latrunculia</i> sp.. <i>Tetrahedron</i> , 2007, 63, 131-140.	1.0	45
59	24-Methyl stigmaterol, an unusual sterol from the marine sponge <i>Psammocinia bulbosa</i> Bergquist, 1995. <i>Biochemical Systematics and Ecology</i> , 2006, 34, 92-95.	0.6	2
60	On the First Polyarsenic Organic Compound from Nature: Arsenicin A from the New Caledonian Marine Sponge <i>Echinochalina bargibanti</i> . <i>Chemistry - A European Journal</i> , 2006, 12, 8989-8994.	1.7	48
61	Isolation of Plakinamine I: A New Steroidal Alkaloid from the Marine Sponge <i>Corticium</i> sp. and Synthesis of an Analogue Model Compound. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4359-4363.	1.2	11
62	Isolation and Characterization of New Tetrahydropyranyl Substituted Sesquiterpene and Myrmekiodermin Glycolipid Ether Isolated from the Marine Sponge <i>Myrmekioderma</i> . <i>Heterocyclic Communications</i> , 2005, 11, .	0.6	7
63	Echinosulfonic acid D: an ESI MS n evaluation of a new cytotoxic alkaloid from the New-Caledonian sponge <i>Psammoclemma</i> sp.. <i>Natural Product Research</i> , 2005, 19, 75-79.	1.0	20
64	Xestospongins B, a competitive inhibitor of IP ₃ -mediated Ca ²⁺ signalling in cultured rat myotubes, isolated myonuclei, and neuroblastoma (NG108-15) cells. <i>FEBS Letters</i> , 2005, 579, 2051-2057.	1.3	71
65	Isolation and absolute configuration of new bioactive marine steroids from sp.. <i>Steroids</i> , 2005, 70, 873-878.	0.8	25
66	Structure-activity relationships of dengue antiviral polycyclic quinones. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2005, 36, 901-5.	1.0	12
67	Isolation of Cytotoxic Chondropsins, Macrolide Lactams from the New-Caledonian Marine Sponge <i>Psammoclemma</i> Sp. and Electrospray Ion Trap Multiple stage MS study of these Macrolides. <i>Natural Product Research</i> , 2004, 18, 479-484.	1.0	19
68	New 1,2,3,4-tetrahydropyrrolo[1,2-a]pyrimidinium alkaloids (phloeodictynes) from the New Caledonian shallow-water haplosclerid sponge <i>Oceanapia fistulosa</i> . Structural elucidation from mainly LC-tandem-MS-soft-ionization techniques and discovery of antiplasmodial activity. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 783.	1.5	34
69	Heteronemin as a Protein Farnesyl Transferase Inhibitor. <i>Pharmaceutical Biology</i> , 2004, 42, 454-456.	1.3	27
70	Jaspines A and B: two new cytotoxic sphingosine derivatives from the marine sponge <i>Jaspis</i> sp.. <i>Tetrahedron Letters</i> , 2003, 44, 225-228.	0.7	120
71	A New Cycloamphilectene Metabolite from the Vanuatu Sponge <i>Axinella</i> sp.. <i>Journal of Natural Products</i> , 2002, 65, 1210-1212.	1.5	17
72	Minor Steroidal Alkaloids from the Marine Sponge <i>Corticium</i> sp.#. <i>Journal of Natural Products</i> , 2002, 65, 1206-1209.	1.5	30

#	ARTICLE	IF	CITATIONS
73	Renieramide, a Cyclic Tripeptide from the Vanuatu Sponge <i>Reniera n. sp.</i> . <i>Journal of Natural Products</i> , 2002, 65, 407-410.	1.5	17
74	Isolation of callipeltins A and of two new open-chain derivatives of callipeltin A from the marine sponge <i>Latrunculia sp.</i> . A revision of the stereostructure of callipeltins. <i>Tetrahedron Letters</i> , 2002, 43, 6163-6166.	0.7	65
75	New Sesquiterpene Derivatives from the Sponge <i>Dysidea</i> Species with a Selective Inhibitor Profile against Human Phospholipase A2 and Other Leukocyte Functions. <i>Journal of Natural Products</i> , 2001, 64, 612-615.	1.5	59
76	Haliptins A and B: Two Novel Potent Anti-inflammatory Cyclic Depsipeptides from the Vanuatu Marine Sponge <i>Haliclona</i> species. <i>Journal of the American Chemical Society</i> , 2001, 123, 10870-10876.	6.6	129
77	Makaluvamine P, a New Cytotoxic Pyrroloiminoquinone from <i>Zyzyacium fuliginosa</i> . <i>Journal of Natural Products</i> , 2001, 64, 1354-1356.	1.5	43
78	Structural Elucidation of Eighteen Cerebrosides from <i>Holothuria coronopertusa</i> in a Complex Mixture by High-Energy Collision-Induced Dissociation of $[M + Li]^+$ Ions. <i>European Journal of Mass Spectrometry</i> , 2001, 7, 409-417.	0.5	9
79	Amphiasterins: a new family of cytotoxic metabolites from the marine sponge <i>Plakortis quasia</i> . <i>Tetrahedron</i> , 2001, 57, 257-263.	1.0	24
80	Haliclamide, a novel cyclic metabolite from the Vanuatu marine sponge <i>Haliclona sp.</i> . <i>Tetrahedron</i> , 2001, 57, 4443-4446.	1.0	14
81	Spongidepsin, a new cytotoxic macrolide from <i>Spongia sp.</i> . <i>Tetrahedron</i> , 2001, 57, 6257-6260.	1.0	53
82	Coscinosulfate, a CDC25 phosphatase inhibitor from the sponge <i>Coscinoderma mathewsi</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 3049-3054.	1.4	43
83	Dactylolide, a New Cytotoxic Macrolide from the Vanuatu Sponge <i>Dactylospongia sp.</i> . <i>European Journal of Organic Chemistry</i> , 2001, 2001, 775-778.	1.2	94
84	New Glycosphingolipids from the Marine Sponge <i>Aplysinella rha</i> and Their Potential as Nitric Oxide Release Inhibitors. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 4651.	1.2	14
85	Alterations of Transmembrane Currents in Frog Atrial Heart Muscle Induced by Photoexcited Gymnochrome A Purified from the Crinoid, <i>Gymnochrinus richeri</i> . <i>Photochemistry and Photobiology</i> , 2001, 74, 115-119.	1.3	5
86	Alterations of Transmembrane Currents in Frog Atrial Heart Muscle Induced by Photoexcited Gymnochrome A Purified from the Crinoid, <i>Gymnochrinus richeri</i> . <i>Photochemistry and Photobiology</i> , 2001, 74, 115.	1.3	2
87	New cytotoxic isomalabaricane-type sesterterpenes from the New Caledonian marine sponge <i>Rhabdastrella globostellata</i> . <i>Tetrahedron Letters</i> , 2000, 41, 3087-3090.	0.7	37
88	Dysidotronic acid, a new and selective human phospholipase A2 inhibitor from the sponge <i>Dysidea sp.</i> . <i>Tetrahedron Letters</i> , 2000, 41, 3257-3260.	0.7	33
89	New Isomalabaricane Derivatives from a New Species of <i>Jaspis</i> Sponge Collected at the Vanuatu Islands. <i>Journal of Natural Products</i> , 2000, 63, 943-946.	1.5	27
90	New Pyridinium Alkaloids from a Marine Sponge of the Genus <i>Spongia</i> with a Human Phospholipase A2 Inhibitor Profile. <i>Journal of Natural Products</i> , 2000, 63, 322-326.	1.5	57

#	ARTICLE	IF	CITATIONS
91	The Occurrence of the Human Glycoconjugate C ₂ -1 \pm -d-Mannosylpyranosyl-l-tryptophan in Marine Ascidians. <i>Organic Letters</i> , 2000, 2, 2765-2767.	2.4	38
92	Isolation and structural elucidation of the crellastatins I-M: cytotoxic bis-steroid derivatives from the vanuatu marine sponge <i>Crella</i> sp. <i>Tetrahedron</i> , 1999, 55, 13749-13756.	1.0	16
93	Sphinxolides E-G and reidispongiolide C: four new cytotoxic macrolides from the new caledonian lithistida sponges <i>N. superstes</i> and <i>R. coerulea</i> XXX. <i>Tetrahedron</i> , 1999, 55, 14665-14674.	1.0	29
94	Metabolites from the Sponge-Associated Bacterium <i>Pseudomonas</i> Species. <i>Marine Biotechnology</i> , 1999, 1, 384-390.	1.1	77
95	Plakinamines C and D and Three Other New Steroidal Alkaloids from the Sponge <i>Corticium</i> sp., 1999, 1999, 697-701.		23
96	Isolation and Structural Elucidation of Crellastatins B \hat{e} “H: Cytotoxic Bis(steroid) Derivatives from the Vanuatu Marine Sponge <i>Crella</i> sp., 1999, 1999, 949-953.		12
97	New Jaspamide Derivatives from the Marine Sponge <i>Jaspis splendans</i> Collected in Vanuatu 1. <i>Journal of Natural Products</i> , 1999, 62, 332-334.	1.5	57
98	Leucascandrolide B, a New 16-Membered, Extensively Methyl-Branched Polyoxygenated Macrolide from the Calcareous Sponge <i>Leucascandra caveolata</i> from Northeastern Waters of New Caledonia., 1999, 82, 347.		1
99	Crystal structure and absolute configuration of the indole alkaloid arborescidine C. <i>Journal of Chemical Crystallography</i> , 1998, 28, 23-26.	0.5	3
100	New Types of Potentially Antimalarial Agents: Epidioxy-substituted norditerpene and norsesterpenes from the marine sponge <i>Diacarnus levii</i> . <i>Helvetica Chimica Acta</i> , 1998, 81, 1285-1292.	1.0	51
101	Axinellins A and B: New Proline-Containing Antiproliferative Cyclopeptides from the Vanuatu Sponge <i>Axinella carteri</i> . <i>European Journal of Organic Chemistry</i> , 1998, 1998, 2659-2665.	1.2	57
102	In vitro antiviral activity on dengue virus of marine natural products. <i>Cellular and Molecular Life Sciences</i> , 1998, 54, 167-170.	2.4	49
103	The unusual presence of hydroxylated furanosesquiterpenes in the deep ocean tunicate <i>Ritterella rete</i> . Chemical interconversions and absolute stereochemistry. <i>Tetrahedron</i> , 1998, 54, 5385-5406.	1.0	15
104	Minalemines A-F: Sulfamic acid peptide guanidine derivatives isolated from the marine tunicate <i>Didemnum rodriguesi</i> . <i>Tetrahedron</i> , 1998, 54, 7539-7550.	1.0	26
105	Azt \hat{a} “quynol A, the first clearly defined, C-branched polyacetylene and the analogue Azt \hat{a} “quynol B. Isolation from the tropical marine sponge <i>Petrosia</i> sp.. <i>Tetrahedron Letters</i> , 1998, 39, 6395-6398.	0.7	18
106	A new steroidal alkaloid from a marine sponge <i>Corticium</i> sp. <i>Tetrahedron Letters</i> , 1998, 39, 7611-7614.	0.7	20
107	Petrosaspongiolides M \hat{a} “R: A New Potent and Selective Phospholipase A ₂ Inhibitors from the New Caledonian Marine Sponge <i>Petrosaspongia nigra</i> . <i>Journal of Natural Products</i> , 1998, 61, 571-575.	1.5	85
108	Crellastatin A: A Cytotoxic Bis-Steroid Sulfate from the Vanuatu Marine Sponge <i>Crella</i> sp. <i>Journal of Organic Chemistry</i> , 1998, 63, 7382-7388.	1.7	35

#	ARTICLE	IF	CITATIONS
109	Axinellins A and B: New Proline-Containing Antiproliferative Cyclopeptides from the Vanuatu Sponge <i>Axinella carteri</i> . <i>European Journal of Organic Chemistry</i> , 1998, 1998, 2659-2665.	1.2	1
110	Bengamides and Related New Amino Acid Derivatives from the New Caledonian Marine Sponge <i>Jaspis carteri</i> . <i>Journal of Natural Products</i> , 1997, 60, 814-816.	1.5	40
111	Callipeltosides B and C, two novel cytotoxic glycoside macrolides from a marine lithistida sponge <i>Callipelta</i> sp.. <i>Tetrahedron</i> , 1997, 53, 3243-3248.	1.0	97
112	New cytotoxic sesterterpenes from the New Caledonian marine sponge <i>Petrosaspongia nigra</i> (Bergquist). <i>Tetrahedron</i> , 1997, 53, 10451-10458.	1.0	27
113	Lutoside: an acyl-1-(acyl-6- β -mannobiosyl)-3-glycerol isolated from the sponge-associated bacterium <i>Micrococcus luteus</i> . <i>Tetrahedron Letters</i> , 1997, 38, 5805-5808.	0.7	37
114	Relative Contributions to Antitumoral Activity of Lipophilic vs. Polar Reactive Moieties in Marine Terpenoids. <i>Tetrahedron Letters</i> , 1997, 38, 6285-6288.	0.7	21
115	New Amino Acid Derivatives from the Marine Ascidian <i>Leptoclinides dubius</i> . <i>Journal of Natural Products</i> , 1996, 59, 782-785.	1.5	32
116	Onchidin B: A New Cyclodepsipeptide from the Mollusc <i>Onchidium</i> sp.. <i>Journal of the American Chemical Society</i> , 1996, 118, 11635-11643.	6.6	52
117	Bromotyrosine Alkaloids from the Sponge <i>Pseudoceratina verrucosa</i> . <i>Journal of Natural Products</i> , 1996, 59, 177-180.	1.5	33
118	Drimane Sesquiterpenes from the Sponge <i>Dysidea fusca</i> . <i>Journal of Natural Products</i> , 1996, 59, 866-868.	1.5	32
119	Callipeltin A, an Anti-HIV Cyclic Depsipeptide from the New Caledonian Lithistida Sponge <i>Callipelta</i> sp.. <i>Journal of the American Chemical Society</i> , 1996, 118, 6202-6209.	6.6	158
120	Callipeltoside A: A Cytotoxic Aminodeoxy Sugar-Containing Macrolide of a New Type from the Marine Lithistida Sponge <i>Callipelta</i> sp.. <i>Journal of the American Chemical Society</i> , 1996, 118, 11085-11088.	6.6	150
121	Callipeltins B and C; bioactive peptides from a marine Lithistida sponge <i>Callipelta</i> sp. <i>Tetrahedron</i> , 1996, 52, 9589-9596.	1.0	79
122	New biologically active pectinoacetal-related sterols from the gorgonian <i>Ctenocella</i> sp.. <i>Tetrahedron Letters</i> , 1996, 37, 2959-2962.	0.7	7
123	Dipuupehedione, a cytotoxic new red dimer from a new caledonian marine sponge <i>hyrtios</i> sp. <i>Tetrahedron Letters</i> , 1996, 37, 3861-3864.	0.7	37
124	Naturally Occurring Somatostatin and Vasoactive Intestinal Peptide Inhibitors. Isolation of Alkaloids from Two Marine Sponges. <i>Planta Medica</i> , 1996, 62, 28-30.	0.7	37
125	Novel Naamidine-Type Alkaloids and Mixed-Ligand Zinc(II) Complexes from a Calcareous Sponge, <i>Leucetta</i> sp., of the Coral Sea. <i>Helvetica Chimica Acta</i> , 1995, 78, 1178-1184.	1.0	52
126	Ptilomycalin A, crambescidin 800 and related new highly cytotoxic guanidine alkaloids from the starfishes <i>Fromia monilis</i> and <i>Celerina heffernani</i> . <i>Tetrahedron</i> , 1995, 51, 3675-3682.	1.0	85

#	ARTICLE	IF	CITATIONS
127	Caledonin, a natural peptide bolaphile with ZnII and CuI complexing properties from the tunicate <i>Didemnum rodriguesi</i> . <i>Tetrahedron Letters</i> , 1995, 36, 8853-8856.	0.7	24
128	Bioactive Prenylhydroquinone Sulfates and a Novel C31 Furanoterpene Alcohol Sulfate from the Marine Sponge, <i>Ircinia</i> Sp.. <i>Journal of Natural Products</i> , 1995, 58, 1444-1449.	1.5	42
129	Neosiphoniamolide A, a Novel Cyclodepsipeptide, with Antifungal Activity from the Marine Sponge <i>Neosiphonia superstes</i> . <i>Journal of Natural Products</i> , 1995, 58, 121-123.	1.5	42
130	Lissoclimides, Cytotoxic Diterpenes from <i>Lissoclinum voeltzkowii</i> Michaelsen. <i>Natural Product Research</i> , 1994, 4, 43-50.	0.4	21
131	Euryspongiols: Ten new highly hydroxylated 9,11-secosteroids with antihistaminic activity from the sponge <i>euryspongia</i> sp. Stereochemistry and reduction.. <i>Tetrahedron</i> , 1994, 50, 3813-3828.	1.0	40
132	Reidispongiolide A and B, two new potent cytotoxic macrolides from the new caledonian sponge <i>Reidispongia coerulea</i> . <i>Tetrahedron</i> , 1994, 50, 4829-4834.	1.0	65
133	Phloeodictines A1-A7 and C1-C2, antibiotic and cytotoxic guanidine alkaloids from the new caledonian sponge, <i>Phloeodictyon</i> sp.. <i>Tetrahedron</i> , 1994, 50, 3415-3426.	1.0	34
134	Oceanapins A-F, Unique Branched Ceramides Isolated from the Haplosclerid Sponge <i>Oceanapia cf. tenuis</i> of the Coral Sea. <i>Helvetica Chimica Acta</i> , 1994, 77, 51-58.	1.0	17
135	Imidazolone and Imidazolidinone Artifacts of a Pivotal Imidazolthione, Zyzzin, from the pocilosclerid sponge <i>Zyza massalis</i> from the coral sea. The first thermochromic systems of marine origin. <i>Helvetica Chimica Acta</i> , 1994, 77, 1886-1894.	1.0	17
136	12-epi-heteronemin : New sesterterpene from the marine sponge <i>Hyrtios erecta</i> . <i>Tetrahedron Letters</i> , 1994, 35, 109-110.	0.7	17
137	Onchidin: a cytotoxic depsipeptide with C2 symmetry from a marine mollusc. <i>Tetrahedron Letters</i> , 1994, 35, 9239-9242.	0.7	49
138	Sponge fatty acids. 3. Occurrence of series of n [~] 7 monoenoic and iso-5,9 dienoic long-chain fatty acids in the phospholipids of the marine sponge <i>Cinachyrella aff. schulzei</i> keller. <i>Lipids</i> , 1994, 29, 297-303.	0.7	38
139	Bistramides A, B, C, D, and K: A New Class of Bioactive Cyclic Polyethers from <i>Lissoclinum bistratum</i> . <i>Journal of Natural Products</i> , 1994, 57, 1336-1345.	1.5	70
140	Microsclerodermins A and B. Antifungal Cyclic Peptides from the Lithistid Sponge <i>Microscleroderma</i> sp.. <i>Journal of the American Chemical Society</i> , 1994, 116, 7631-7636.	6.6	106
141	Polyoxygenated Marine Steroids from the Deep Water Starfish <i>Styracaster caroli</i> . <i>Journal of Natural Products</i> , 1994, 57, 1361-1373.	1.5	18
142	Superstolide A: a potent cytotoxic macrolide of a new type from the New Caledonian deep water marine sponge <i>Neosiphonia superstes</i> . <i>Journal of the American Chemical Society</i> , 1994, 116, 6658-6663.	6.6	60
143	A Novel Cytotoxic Macrolide, Superstolide B, Related to Superstolide A, from the New Caledonian Marine Sponge <i>Neosiphonia superstes</i> . <i>Journal of Natural Products</i> , 1994, 57, 1595-1597.	1.5	44
144	Fasciospongides A, B, and C, New Manoalide Derivatives from the Sponge <i>Fasciospongia</i> sp.. <i>Journal of Natural Products</i> , 1994, 57, 186-190.	1.5	22

#	ARTICLE	IF	CITATIONS
145	(±)-Gelliusines A and B, Two Diastereomeric Brominated Tris-indole Alkaloids from a Deep Water New Caledonian Marine Sponge (Gellius or Orina sp.). <i>Journal of Natural Products</i> , 1994, 57, 1294-1299.	1.5	69
146	On the Novel Free Porphyrins Corallistin B, C, D, and E: Isolation from the demosponge <i>Corallistes</i> sp. of the Coral Sea and Reactivity of Their Nickel 55 (II) Complexes toward Formylating Reagents. <i>Helvetica Chimica Acta</i> , 1993, 76, 1489-1496.	1.0	24
147	Three new potent cytotoxic macrolides closely related to sphinxolide from the new caledonian sponge <i>neosphonia superstes</i> . <i>Tetrahedron</i> , 1993, 49, 8657-8664.	1.0	46
148	Villagorgin A and B. New type of indole alkaloids with acetylcholine antagonist activity from the gorgonian <i>Villagorgia rubra</i> . <i>Tetrahedron Letters</i> , 1993, 34, 7773-7776.	0.7	27
149	A novel group of polyhydroxycholanolic acid derivatives from the deep water starfish <i>Styracaster caroli</i> . <i>Tetrahedron Letters</i> , 1993, 34, 4381-4384.	0.7	24
150	Pteridines, Sterols, and Indole Derivatives from the Lithistid Sponge <i>Corallistes undulatus</i> of the Coral Sea. <i>Journal of Natural Products</i> , 1993, 56, 1962-1970.	1.5	62
151	Hemifistularin 3: a degraded peptide or biogenetic precursor? Isolation from a sponge of the order <i>verongida</i> from the coral sea or generation from base treatment of 11-oxofistularin 3. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 3121.	0.9	23
152	Agelastatin a, a new skeleton cytotoxic alkaloid of the oroidin family. Isolation from the axinellid sponge <i>Agelas dendromorpha</i> of the coral sea. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1305.	2.0	141
153	Starfish Saponins, Part 49. New Cytotoxic Steroidal Glycosides from the Starfish <i>Fromia monilis</i> . <i>Journal of Natural Products</i> , 1993, 56, 105-115.	1.5	27
154	Marine Sterols. Side-Chain-Oxygenated Sterols, Possibly of Abiotic Origin, from the New Caledonian Sponge <i>Stelodoryx chlorophylla</i> . <i>Journal of Natural Products</i> , 1993, 56, 282-287.	1.5	44
155	Metabolites of the New Caledonian Sponge <i>Claodocroce incurvata</i> . <i>Journal of Natural Products</i> , 1993, 56, 418-423.	1.5	23
156	Brominated Indole Alkaloids from the Marine Tunicate <i>Pseudodistoma arborescens</i> . <i>Journal of Natural Products</i> , 1993, 56, 99-104.	1.5	64
157	Two New Alkaloids from <i>Xestospongia</i> sp., a New Caledonian Sponge. <i>Journal of Natural Products</i> , 1992, 55, 1505-1508.	1.5	36
158	Brominated β^2 -Carbolines from the Marine Tunicate <i>Eudistoma album</i> . <i>Journal of Natural Products</i> , 1992, 55, 525-527.	1.5	38
159	Phloeodictines A and B: new antibacterial and cytotoxic bicyclic amidinium salts from the new caledonian sponge, <i>Phloeodictyon</i> sp. <i>Journal of Organic Chemistry</i> , 1992, 57, 3832-3835.	1.7	43
160	Unique 3β -O-Methylsterols from the Pacific Sponge <i>Jereicopsis graphidiophora</i> . <i>Journal of Natural Products</i> , 1992, 55, 311-320.	1.5	27
161	Structure characterization by two-dimensional NMR spectroscopy, of two marine triterpene oligoglycosides from a pacific sponge of the genus <i>Erylus</i> . <i>Tetrahedron</i> , 1992, 48, 491-498.	1.0	50
162	New marine cytotoxic bispyrones. Absolute stereochemistry of onchitriols I and II. <i>Tetrahedron Letters</i> , 1992, 33, 1089-1092.	0.7	29

#	ARTICLE	IF	CITATIONS
163	The first occurrence of polyhydroxylated steroids with phosphate conjugation from the starfish <i>tremaster novaecaledoniae</i> . <i>Tetrahedron Letters</i> , 1992, 33, 1097-1100.	0.7	24
164	The natural polypropionate-derived esters of the mollusk <i>Onchidium</i> sp. <i>Journal of Organic Chemistry</i> , 1992, 57, 4624-4632.	1.7	53
165	Sterol composition of three marine sponge species from the genus <i>Cinachyrella</i> . <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1992, 103, 1043-1047.	0.2	12
166	The gymnochromes: novel marine brominated phenanthroperylenequinone pigments from the stalked crinoid <i>Gymnocrinus richeri</i> . <i>Journal of Organic Chemistry</i> , 1991, 56, 6781-6787.	1.7	77
167	Steroids from <i>Neosiphonia</i> , <i>supertes</i> , a Marine Fossil Sponge. <i>Journal of Natural Products</i> , 1991, 54, 273-275.	1.5	6
168	Sterol composition of the "living fossil" crinoid <i>Gymnocrinus richeri</i> . <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1991, 100, 647-651.	0.2	4
169	On the First Marine Stigmastane Sterols and Sterones Having a 24,25-Double Bond. Isolation from the Sponge <i>Stelletta</i> sp. of Deep Coral Sea. <i>Helvetica Chimica Acta</i> , 1991, 74, 487-494.	1.0	11
170	Dichlorolissoclimide, a new cytotoxic labdane derivative from <i>Michaelson</i> (Urochordata). <i>Tetrahedron Letters</i> , 1991, 32, 6701-6702.	0.7	44
171	Effects of bistramide A on a non-small-cell bronchial carcinoma line. <i>Cancer Chemotherapy and Pharmacology</i> , 1991, 28, 283-292.	1.1	20
172	Origin of bistramide a identified in <i>Lissoclinum bistratum</i> (Urochordata): possible involvement of symbiotic Prochlorophyta. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1990, 70, 741-746.	0.4	13
173	Alcaloïdes d'une Ascidie Neocaledonienne, <i>Eudistoma fragum</i> . <i>Journal of Natural Products</i> , 1988, 51, 799-801.	1.5	47
174	Alcaloïdes des Annonacées, XLVIII. Alcaloïdes des "corces de <i>Guatteria discolor</i> . <i>Journal of Natural Products</i> , 1984, 47, 353-362.	1.5	20
175	Guadiscine et guadiscoline, alcaloïdes aporphiniques originaux de , <i>annonacees</i> (1). <i>Tetrahedron Letters</i> , 1982, 23, 4247-4250.	0.7	8