

Johan Marinus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4300539/johan-marinus-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

8,939
citations

50
h-index

91
g-index

151
ext. papers

11,174
ext. citations

5.3
avg. IF

5.84
L-index

#	Paper	IF	Citations
147	Assessing walking adaptability in stroke patients. <i>Disability and Rehabilitation</i> , 2021 , 43, 3242-3250	2.4	7
146	Parkinson's Disease Subtypes: Critical Appraisal and Recommendations. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 395-404	5.3	7
145	Identification of Candidate Parkinson Disease Genes by Integrating Genome-Wide Association Study, Expression, and Epigenetic Data Sets. <i>JAMA Neurology</i> , 2021 , 78, 464-472	17.2	17
144	Investigation of Autosomal Genetic Sex Differences in Parkinson's Disease. <i>Annals of Neurology</i> , 2021 , 90, 35-42	9.4	6
143	Genome-wide survival study identifies a novel synaptic locus and polygenic score for cognitive progression in Parkinson's disease. <i>Nature Genetics</i> , 2021 , 53, 787-793	36.3	15
142	Penetrance of Parkinson's Disease in LRRK2 p.G2019S Carriers Is Modified by a Polygenic Risk Score. <i>Movement Disorders</i> , 2020 , 35, 774-780	7	27
141	Genetic modifiers of risk and age at onset in GBA associated Parkinson's disease and Lewy body dementia. <i>Brain</i> , 2020 , 143, 234-248	11.2	69
140	The Cervical Radiculopathy Impact Scale: development and evaluation of a new functional outcome measure for cervical radicular syndrome. <i>Disability and Rehabilitation</i> , 2020 , 42, 1894-1905	2.4	3
139	The Genetic Architecture of Parkinson Disease in Spain: Characterizing Population-Specific Risk, Differential Haplotype Structures, and Providing Etiologic Insight. <i>Movement Disorders</i> , 2019 , 34, 1851-1863	7.63	18
138	Regional Structural Hippocampal Differences Between Dementia with Lewy Bodies and Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2019 , 9, 775-783	5.3	4
137	The endocytic membrane trafficking pathway plays a major role in the risk of Parkinson's disease. <i>Movement Disorders</i> , 2019 , 34, 460-468	7	40
136	Scales to assess impulsive and compulsive behaviors in Parkinson's disease: Critique and recommendations. <i>Movement Disorders</i> , 2019 , 34, 791-798	7	25
135	Peripheral mitochondrial function correlates with clinical severity in idiopathic Parkinson's disease. <i>Movement Disorders</i> , 2019 , 34, 1192-1202	7	10
134	Intraoperative test stimulation of the subthalamic nucleus aids postoperative programming of chronic stimulation settings in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019 , 65, 62-66	3.6	9
133	Age- and disease-related cerebral white matter changes in patients with Parkinson's disease. <i>Neurobiology of Aging</i> , 2019 , 80, 203-209	5.6	12
132	Parkinson's disease age at onset genome-wide association study: Defining heritability, genetic loci, and β -synuclein mechanisms. <i>Movement Disorders</i> , 2019 , 34, 866-875	7	136
131	Walking adaptability for targeted fall-risk assessments. <i>Gait and Posture</i> , 2019 , 70, 203-210	2.6	13

130	Sex matters in complex regional pain syndrome. <i>European Journal of Pain</i> , 2019 , 23, 1108-1116	3.7	6
129	Selecting candidates for Deep Brain Stimulation in Parkinson's disease: the role of patients' expectations. <i>Parkinsonism and Related Disorders</i> , 2019 , 66, 207-211	3.6	11
128	Identification of novel risk loci, causal insights, and heritable risk for Parkinson's disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , 2019 , 18, 1091-1102	24.1	562
127	Risk factors for non-motor symptoms in Parkinson's disease. <i>Lancet Neurology</i> , 2018 , 17, 559-568	24.1	108
126	Interrater Reliability of the Unified Huntington's Disease Rating Scale-Total Motor Score Certification. <i>Movement Disorders Clinical Practice</i> , 2018 , 5, 290-295	2.2	7
125	Does deep brain stimulation of the subthalamic nucleus prolong survival in Parkinson's Disease?. <i>Movement Disorders</i> , 2018 , 33, 947-949	7	7
124	Rating scales for cognition in Huntington's disease: Critique and recommendations. <i>Movement Disorders</i> , 2018 , 33, 187-195	7	17
123	Altered Whole-Brain and Network-Based Functional Connectivity in Parkinson's Disease. <i>Frontiers in Neurology</i> , 2018 , 9, 419	4.1	37
122	Are you better? A multi-centre study of patient-defined recovery from Complex Regional Pain Syndrome. <i>European Journal of Pain</i> , 2018 , 22, 551-564	3.7	14
121	Assessing Walking Adaptability in Parkinson's Disease: "The Interactive Walkway". <i>Frontiers in Neurology</i> , 2018 , 9, 1096	4.1	15
120	Clinical correlates of quantitative EEG in Parkinson disease: A systematic review. <i>Neurology</i> , 2018 , 91, 871-883	6.5	61
119	Cognitive-motor interference during goal-directed upper-limb movements. <i>European Journal of Neuroscience</i> , 2018 , 48, 3146-3158	3.5	10
118	Assessment Scales for Patients with Advanced Huntington's Disease: Comparison of the UHDRS and UHDRS-FAP. <i>Movement Disorders Clinical Practice</i> , 2018 , 5, 527-533	2.2	4
117	Quantitative EEG reflects non-dopaminergic disease severity in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2018 , 129, 1748-1755	4.3	13
116	Oral Health of Parkinson's Disease Patients: A Case-Control Study. <i>Parkinson's Disease</i> , 2018 , 2018, 9315285	2.85	18
115	The terminology of akinesia, bradykinesia and hypokinesia: Past, present and future. <i>Parkinsonism and Related Disorders</i> , 2017 , 37, 27-35	3.6	22
114	Prediction of cognition in Parkinson's disease with a clinical-genetic score: a longitudinal analysis of nine cohorts. <i>Lancet Neurology</i> , 2017 , 16, 620-629	24.1	98
113	Optical Hand Tracking: A Novel Technique for the Assessment of Bradykinesia in Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2017 , 4, 875-883	2.2	18

112	A prospective, multisite, international validation of the Complex Regional Pain Syndrome Severity Score. <i>Pain</i> , 2017 , 158, 1430-1436	8	42
111	Loss of integrity and atrophy in cingulate structural covariance networks in Parkinson's disease. <i>NeuroImage: Clinical</i> , 2017 , 15, 587-593	5.3	16
110	Painful swelling after a noxious event and the development of complex regional pain syndrome 1: A one-year prospective study. <i>European Journal of Pain</i> , 2017 , 21, 1611-1617	3.7	2
109	Specifically neuropathic Gaucher's mutations accelerate cognitive decline in Parkinson's. <i>Annals of Neurology</i> , 2016 , 80, 674-685	9.4	154
108	The course of insomnia in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 33, 51-57	3.6	30
107	Associated and predictive factors of depressive symptoms in patients with Parkinson's disease. <i>Journal of Neurology</i> , 2016 , 263, 1215-25	5.5	21
106	The influence of age and approaching death on the course of nondopaminergic symptoms in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 24, 113-8	3.6	11
105	Course and risk factors for excessive daytime sleepiness in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 24, 34-40	3.6	47
104	Health-Related Quality of Life in patients with Parkinson's disease--A systematic review based on the ICF model. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 61, 26-34	9	95
103	Evaluation of severity of predominantly non-dopaminergic symptoms in Parkinson's disease: The SENS-PD scale. <i>Parkinsonism and Related Disorders</i> , 2016 , 25, 39-44	3.6	12
102	Measurement instruments to assess posture, gait, and balance in Parkinson's disease: Critique and recommendations. <i>Movement Disorders</i> , 2016 , 31, 1342-55	7	133
101	Postural instability and gait are associated with severity and prognosis of Parkinson disease. <i>Neurology</i> , 2016 , 86, 2243-50	6.5	60
100	The significance of motor (a)symmetry in Parkinson's disease. <i>Movement Disorders</i> , 2015 , 30, 379-85	7	26
99	Reliability and validity of the range of motion scale (ROMS) in patients with abnormal postures. <i>Pain Medicine</i> , 2015 , 16, 488-93	2.8	3
98	Motor cortical activity during motor tasks is normal in patients with complex regional pain syndrome. <i>Journal of Pain</i> , 2015 , 16, 87-94	5.2	6
97	Intended and unintended (sensory-)motor coupling between the affected and unaffected upper limb in complex regional pain syndrome. <i>European Journal of Pain</i> , 2015 , 19, 1021-34	3.7	7
96	Diurnal and nocturnal skin temperature regulation in chronic complex regional pain syndrome. <i>Journal of Pain</i> , 2015 , 16, 207-13	5.2	4
95	Responsiveness to botulinum toxin type A in muscles of complex regional pain patients with tonic dystonia. <i>Journal of Neural Transmission</i> , 2014 , 121, 761-7	4.3	4

94	Intense pain soon after wrist fracture strongly predicts who will develop complex regional pain syndrome: prospective cohort study. <i>Journal of Pain</i> , 2014 , 15, 16-23	5.2	93
93	Importance of nondopaminergic features in evaluating disease severity of Parkinson disease. <i>Neurology</i> , 2014 , 82, 412-8	6.5	28
92	Calculating clinical progression rates in Parkinson's disease: methods matter. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1263-7	3.6	12
91	Predictors of dementia in Parkinson's disease; findings from a 5-year prospective study using the SCOPA-COG. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 980-5	3.6	79
90	Survival in Parkinson's disease. Relation with motor and non-motor features. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 613-6	3.6	51
89	Relation of clinical subtypes in Parkinson's disease with survival. <i>Movement Disorders</i> , 2014 , 29, 150-1	7	29
88	Thinking about the end of life: a common issue for patients with Huntington's disease. <i>Journal of Neurology</i> , 2014 , 261, 2184-91	5.5	17
87	Force modulation deficits in complex regional pain syndrome: a potential role for impaired sense of force production. <i>European Journal of Pain</i> , 2014 , 18, 1013-23	3.7	8
86	The Huntington's Disease Dysphagia Scale. <i>Movement Disorders</i> , 2014 , 29, 1312-6	7	14
85	Health-related quality of life in 975 patients with complex regional pain syndrome type 1. <i>Pain</i> , 2014 , 155, 629-634	8	36
84	Evaluation of mirrored muscle activity in patients with Complex Regional Pain Syndrome. <i>Clinical Neurophysiology</i> , 2014 , 125, 2100-8	4.3	3
83	The influence of gender on phenotype and disease progression in patients with Huntington's disease. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 192-7	3.6	76
82	Muscle hyperalgesia is widespread in patients with complex regional pain syndrome. <i>Pain</i> , 2013 , 154, 2745-2749	8	18
81	Motor dysfunction of complex regional pain syndrome is related to impaired central processing of proprioceptive information. <i>Journal of Pain</i> , 2013 , 14, 1460-74	5.2	38
80	An explanatory study evaluating the muscle relaxant effects of intramuscular magnesium sulphate for dystonia in complex regional pain syndrome. <i>Journal of Pain</i> , 2013 , 14, 1341-8	5.2	9
79	Muscle hyperalgesia correlates with motor function in complex regional pain syndrome type 1. <i>Journal of Pain</i> , 2013 , 14, 446-54	5.2	13
78	Pain relief is associated with improvement in motor function in complex regional pain syndrome type 1: secondary analysis of a placebo-controlled study on the effects of ketamine. <i>Journal of Pain</i> , 2013 , 14, 1514-21	5.2	12
77	Deficient muscle activation in patients with Complex Regional Pain Syndrome and abnormal hand postures: an electromyographic evaluation. <i>Clinical Neurophysiology</i> , 2013 , 124, 2025-35	4.3	10

76	Motor consequences of experimentally induced limb pain: a systematic review. <i>European Journal of Pain</i> , 2013 , 17, 145-57	3.7	84
75	Efficacy of intrathecal baclofen on different pain qualities in complex regional pain syndrome. <i>Anesthesia and Analgesia</i> , 2013 , 116, 211-5	3.9	24
74	Better global and cognitive functioning in choreatic versus hypokinetic-rigid Huntington's disease. <i>Movement Disorders</i> , 2013 , 28, 1142-5	7	24
73	Inflammation in complex regional pain syndrome: a systematic review and meta-analysis. <i>Neurology</i> , 2013 , 80, 106-17	6.5	146
72	The role of pain coping and kinesiophobia in patients with complex regional pain syndrome type 1 of the legs. <i>Clinical Journal of Pain</i> , 2013 , 29, 563-9	3.5	19
71	Risk factors for hallucinations in Parkinson's disease: results from a large prospective cohort study. <i>Movement Disorders</i> , 2013 , 28, 755-62	7	61
70	Motor control in complex regional pain syndrome: a kinematic analysis. <i>Pain</i> , 2012 , 153, 805-812	8	45
69	Catechol-O-methyltransferase Val158Met and the risk of dyskinesias in Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 132-5	7	54
68	Genetic HLA associations in complex regional pain syndrome with and without dystonia. <i>Journal of Pain</i> , 2012 , 13, 784-9	5.2	54
67	Distribution of signs and symptoms of complex regional pain syndrome type I in patients meeting the diagnostic criteria of the International Association for the Study of Pain. <i>European Journal of Pain</i> , 2011 , 15, 830.e1-8	3.7	17
66	SPES/SCOPA and MDS-UPDRS: formulas for converting scores of two motor scales in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 632-4	3.6	21
65	The lack of efficacy of different infusion rates of intrathecal baclofen in complex regional pain syndrome: a randomized, double-blind, crossover study. <i>Pain Medicine</i> , 2011 , 12, 459-65	2.8	23
64	Clinical features and pathophysiology of complex regional pain syndrome. <i>Lancet Neurology</i> , 2011 , 10, 637-48	24.1	428
63	Thermal hypesthesia in patients with complex regional pain syndrome related dystonia. <i>Journal of Neural Transmission</i> , 2011 , 118, 599-603	4.3	8
62	Spreading of complex regional pain syndrome: not a random process. <i>Journal of Neural Transmission</i> , 2011 , 118, 1301-9	4.3	98
61	Fixed dystonia in complex regional pain syndrome: a descriptive and computational modeling approach. <i>BMC Neurology</i> , 2011 , 11, 53	3.1	34
60	Clinical subtypes of Parkinson's disease. <i>Movement Disorders</i> , 2011 , 26, 51-8	7	151
59	SCOPA-cognition cutoff value for detection of Parkinson's disease dementia. <i>Movement Disorders</i> , 2011 , 26, 1881-6	7	27

58	The MoCA: well-suited screen for cognitive impairment in Parkinson disease. <i>Neurology</i> , 2011 , 76, 1944; author reply 1944-5	6.5	16
57	Peripheral trauma and movement disorders: a systematic review of reported cases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 892-8	5.5	73
56	Sleep and circadian rhythm alterations correlate with depression and cognitive impairment in Huntington's disease. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 345-50	3.6	103
55	Systematic mutation analysis of seven dystonia genes in complex regional pain syndrome with fixed dystonia. <i>Journal of Neurology</i> , 2010 , 257, 820-4	5.5	5
54	Validation of proposed diagnostic criteria (the "Budapest Criteria") for Complex Regional Pain Syndrome. <i>Pain</i> , 2010 , 150, 268-274	8	643
53	Development of a severity score for CRPS. <i>Pain</i> , 2010 , 151, 870-876	8	85
52	German translation and external validation of the Radboud Skills Questionnaire in patients suffering from Complex Regional Pain Syndrome 1. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 107	2.8	6
51	Translating the Dutch Walking Stairs, Walking Ability and Rising and Sitting Questionnaires into German and assessing their concurrent validity with VAS measures of pain and activities in daily living. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 108	2.8	4
50	Fatigue rating scales critique and recommendations by the Movement Disorders Society task force on rating scales for Parkinson's disease. <i>Movement Disorders</i> , 2010 , 25, 805-22	7	152
49	The identification of Parkinson's disease subtypes using cluster analysis: a systematic review. <i>Movement Disorders</i> , 2010 , 25, 969-78	7	131
48	Spontaneous onset of complex regional pain syndrome. <i>European Journal of Pain</i> , 2010 , 14, 510-3	3.7	47
47	Efficacy and safety of a single intrathecal methylprednisolone bolus in chronic complex regional pain syndrome. <i>European Journal of Pain</i> , 2010 , 14, 523-8	3.7	41
46	No mutations in the voltage-gated NaV1.7 sodium channel alpha1 subunit gene SCN9A in familial complex regional pain syndrome. <i>European Journal of Neurology</i> , 2010 , 17, 808-14	6	3
45	Autonomic symptoms in patients and pre-manifest mutation carriers of Huntington's disease. <i>European Journal of Neurology</i> , 2010 , 17, 1068-74	6	83
44	Patterns of motor and non-motor features in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009 , 80, 846-50	5.5	46
43	HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia. <i>Pain</i> , 2009 , 145, 82-5	8	54
42	Intrathecal glycine for pain and dystonia in complex regional pain syndrome. <i>Pain</i> , 2009 , 146, 199-204	8	23
41	Psychotic and compulsive symptoms in Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 738-44	7	28

40	Motor patterns in Parkinson's disease: a data-driven approach. <i>Movement Disorders</i> , 2009 , 24, 1042-7	7	26
39	Postdural puncture headache in complex regional pain syndrome: a retrospective observational study. <i>Pain Medicine</i> , 2009 , 10, 1469-75	2.8	6
38	A longitudinal evaluation of health-related quality of life of patients with Parkinson's disease. <i>Value in Health</i> , 2009 , 12, 392-6	3.3	44
37	Familial occurrence of complex regional pain syndrome. <i>European Journal of Pain</i> , 2009 , 13, 171-7	3.7	56
36	Intrathecal baclofen for dystonia of complex regional pain syndrome. <i>Pain</i> , 2009 , 143, 41-7	8	67
35	Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1. <i>Pain</i> , 2009 , 145, 304-311	8	270
34	Handedness associated to side of onset of Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 546-7	3.6	7
33	Increased risk of complex regional pain syndrome in siblings of patients?. <i>Journal of Pain</i> , 2009 , 10, 1250-52	5.2	35
32	Complex regional pain syndrome 1--the Swiss cohort study. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 92	2.8	62
31	Development of a symptoms questionnaire for complex regional pain syndrome and potentially related illnesses: the Trauma Related Neuronal Dysfunction Symptoms Inventory. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1114-20	2.8	9
30	Evaluation of the Dutch version of the Parkinson's Disease Questionnaire 39. <i>Parkinsonism and Related Disorders</i> , 2008 , 14, 24-7	3.6	18
29	Is olfactory impairment in Parkinson disease related to phenotypic or genotypic characteristics?. <i>Neurology</i> , 2008 , 71, 1877-82	6.5	52
28	Analysis of cerebrospinal fluid inflammatory mediators in chronic complex regional pain syndrome related dystonia. <i>Clinical Journal of Pain</i> , 2008 , 24, 30-4	3.5	20
27	A comprehensive model of health-related quality of life in Parkinson's disease. <i>Journal of Neurology</i> , 2008 , 255, 1580-7	5.5	91
26	Nighttime sleep problems and daytime sleepiness in Parkinson's disease. <i>Movement Disorders</i> , 2008 , 23, 35-41	7	108
25	SCOPA-sleep and PDSS: two scales for assessment of sleep disorder in Parkinson's disease. <i>Movement Disorders</i> , 2008 , 23, 1681-8	7	65
24	Psychological features of patients with complex regional pain syndrome type I related dystonia. <i>Movement Disorders</i> , 2008 , 23, 1551-9	7	29
23	Thinking about movement hurts: the effect of motor imagery on pain and swelling in people with chronic arm pain. <i>Arthritis and Rheumatism</i> , 2008 , 59, 623-31		129

22	Reliability of cluster results for different types of time adjustments in complex disease research. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2008, 2008, 4601-4</i>	0.9	1
21	A Scenario Implementation in R for SubtypeDiscovery Exemplified on Chemoinformatics Data. <i>Communications in Computer and Information Science, 2008, 669-683</i>	0.3	1
20	Assessment of psychiatric complications in Parkinson's disease: The SCOPA-PC. <i>Movement Disorders, 2007, 22, 2221-8</i>	7	86
19	Diagnostic criteria for CRPS I: differences between patient profiles using three different diagnostic sets. <i>European Journal of Pain, 2007, 11, 895-902</i>	3.7	38
18	Patient-reported autonomic symptoms in Parkinson disease. <i>Neurology, 2007, 69, 333-41</i>	6.5	232
17	Cognitive impairment in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry, 2007, 78, 1182-7</i>	5.5	165
16	Onset and progression of dystonia in complex regional pain syndrome. <i>Pain, 2007, 130, 287-293</i>	8	91
15	Peripheral trauma and movement disorders. <i>Parkinsonism and Related Disorders, 2007, 13 Suppl 3, S395-9.6</i>	9.6	12
14	Reliability and validity of the Beck depression inventory in patients with Parkinson's disease. <i>Movement Disorders, 2006, 21, 668-72</i>	7	158
13	Clinical expression profiles of complex regional pain syndrome, fibromyalgia and a-specific repetitive strain injury: more common denominators than pain?. <i>Disability and Rehabilitation, 2006, 28, 351-62</i>	2.4	50
12	Responsiveness of impairments and disabilities in Parkinson's disease. <i>Parkinsonism and Related Disorders, 2006, 12, 314-8</i>	3.6	18
11	Assessing comorbidity in patients with Parkinson's disease. <i>Movement Disorders, 2004, 19, 824-828</i>	7	26
10	Assessment of autonomic dysfunction in Parkinson's disease: the SCOPA-AUT. <i>Movement Disorders, 2004, 19, 1306-12</i>	7	440
9	The contribution of somatic symptoms to the diagnosis of depressive disorder in Parkinson's disease: a discriminant analytic approach. <i>Journal of Neuropsychiatry and Clinical Neurosciences, 2003, 15, 74-7</i>	2.7	43
8	Assessment of sleep and sleepiness in Parkinson disease. <i>Sleep, 2003, 26, 1049-54</i>	1.1	197
7	Clinical tests for the evaluation of postural instability in patients with parkinson's disease. <i>Archives of Physical Medicine and Rehabilitation, 2003, 84, 1669-74</i>	2.8	83
6	A short psychosocial questionnaire for patients with Parkinson's disease: the SCOPA-PS. <i>Journal of Clinical Epidemiology, 2003, 56, 61-7</i>	5.7	86
5	Systematic evaluation of rating scales for impairment and disability in Parkinson's disease. <i>Movement Disorders, 2002, 17, 867-76</i>	7	423

4	Activity-based diary for Parkinson's disease. <i>Clinical Neuropharmacology</i> , 2002 , 25, 43-50	1.4	17
3	Evaluation of the hospital anxiety and depression scale in patients with Parkinson's disease. <i>Clinical Neuropharmacology</i> , 2002 , 25, 318-24	1.4	126
2	Measuring radiation fibrosis: the interobserver reliability of two methods of determining the degree of radiation fibrosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 47, 1209-17		25
1	Medical and surgical treatment for medication-induced tremor: case report and systematic review. <i>Movement Disorders Clinical Practice</i> ,	2.2	