

Tsuneya Ikezu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4301235/tsuneya-ikezu-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

13,352
citations

45
h-index

115
g-index

153
ext. papers

17,070
ext. citations

7
avg, IF

6.05
L-index

#	Paper	IF	Citations
134	Human neural cell type-specific extracellular vesicle proteome defines disease-related molecules associated with activated astrocytes in Alzheimer's disease brain.. <i>Journal of Extracellular Vesicles</i> , 2022 , 11, e12183	16.4	5
133	Functional genome-wide short hairpin RNA library screening identifies key molecules for extracellular vesicle secretion from microglia.. <i>Cell Reports</i> , 2022 , 39, 110791	10.6	0
132	Alzheimer's disease associated AKAP9 I2558M mutation alters posttranslational modification and interactome of tau and cellular functions in CRISPR-edited human neuronal cells.. <i>Aging Cell</i> , 2022 , e136177	9.9	0
131	Inhibition of colony stimulating factor 1 receptor corrects maternal inflammation-induced microglial and synaptic dysfunction and behavioral abnormalities. <i>Molecular Psychiatry</i> , 2021 , 26, 1808-1831	15.1	19
130	Plaque associated microglia hyper-secrete extracellular vesicles and accelerate tau propagation in a humanized APP mouse model. <i>Molecular Neurodegeneration</i> , 2021 , 16, 18	19	21
129	Mutant Presenilin 1 Dysregulates Exosomal Proteome Cargo Produced by Human-Induced Pluripotent Stem Cell Neurons. <i>ACS Omega</i> , 2021 , 6, 13033-13056	3.9	0
128	Alzheimer's disease brain-derived extracellular vesicles spread tau pathology in interneurons. <i>Brain</i> , 2021 , 144, 288-309	11.2	33
127	Proteomic Profiling of Extracellular Vesicles Separated from Plasma of Former National Football League Players at Risk for Chronic Traumatic Encephalopathy 2021 , 12, 1363-1375		1
126	Enrichment of Phosphorylated Tau (Thr181) and Functionally Interacting Molecules in Chronic Traumatic Encephalopathy Brain-derived Extracellular Vesicles 2021 , 12, 1376-1388		1
125	Enrichment of Neurodegenerative Microglia Signature in Brain-Derived Extracellular Vesicles Isolated from Alzheimer's Disease Mouse Models. <i>Journal of Proteome Research</i> , 2021 , 20, 1733-1743	5.6	8
124	Integrative brain transcriptome analysis links complement component 4 and HSPA2 to the APOE ε protective effect in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
123	Wolframin-1-expressing neurons in the entorhinal cortex propagate tau to CA1 neurons and impair hippocampal memory in mice. <i>Science Translational Medicine</i> , 2021 , 13, eabe8455	17.5	3
122	Elucidating the pathogenic mechanisms of AD brain-derived, tau-containing extracellular vesicles: Highly transmissible and preferential propagation to GABAergic neurons. <i>Alzheimer's and Dementia</i> , 2020 , 16, e037316	1.2	0
121	Proteomic, transcriptomic and functional characterization of human astrocyte-derived extracellular vesicles upon inflammatory activation. <i>Alzheimer's and Dementia</i> , 2020 , 16, e039585	1.2	
120	CSF1R inhibitor abrogates tau propagation exacerbated in APPNL-G-F knock-in mice but enhances fibrillar beta-amyloidosis and dystrophic neurite formation in the brain. <i>Alzheimer's and Dementia</i> , 2020 , 16, e040958	1.2	1
119	Assessment of a novel tau propagation pathway from layer II medial entorhinal cortical neurons to CA1 pyramidal neurons as an early BRAAK stage mouse model. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042179	1.2	
118	Evaluation of extracellular vesicles isolated from the cerebrospinal fluid and plasma from former National Football League players at risk for chronic traumatic encephalopathy. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042233	1.2	

117	Differential effects of apolipoprotein E on the molecular and cellular phenotypes associated with Alzheimer's disease in isogenic human iPSC-derived neurons. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044579 ^{1,2}		
116	Crohn's and Parkinson's Disease-Associated LRRK2 Mutations Alter Type II Interferon Responses in Human CD14 Blood Monocytes Ex Vivo. <i>Journal of Neuroimmune Pharmacology</i> , 2020 , 15, 794-800	6.9	7
115	Tau-tubulin kinase 1 and amyloid- β peptide induce phosphorylation of collapsin response mediator protein-2 and enhance neurite degeneration in Alzheimer disease mouse models. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 12	7.3	6
114	Assessment of separation methods for extracellular vesicles from human and mouse brain tissues and human cerebrospinal fluids. <i>Methods</i> , 2020 , 177, 35-49	4.6	18
113	Activated human astrocyte-derived extracellular vesicles modulate neuronal uptake, differentiation and firing. <i>Journal of Extracellular Vesicles</i> , 2020 , 9, 1706801	16.4	49
112	Proteomic Profiling of Extracellular Vesicles Derived from Cerebrospinal Fluid of Alzheimer's Disease Patients: A Pilot Study. <i>Cells</i> , 2020 , 9,	7.9	23
111	P2RX7 inhibitor suppresses exosome secretion and disease phenotype in P301S tau transgenic mice. <i>Molecular Neurodegeneration</i> , 2020 , 15, 47	19	24
110	Proteomic and biological profiling of extracellular vesicles from Alzheimer's disease human brain tissues. <i>Alzheimer's and Dementia</i> , 2020 , 16, 896-907	1.2	44
109	Dysregulation of Exosome Cargo by Mutant Tau Expressed in Human-induced Pluripotent Stem Cell (iPSC) Neurons Revealed by Proteomics Analyses. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 1017-1034	7.6	16
108	Proteomic Profiling of Extracellular Vesicles Isolated From Cerebrospinal Fluid of Former National Football League Players at Risk for Chronic Traumatic Encephalopathy. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1059	5.1	26
107	Emerging roles of extracellular vesicles in neurodegenerative disorders. <i>Neurobiology of Disease</i> , 2019 , 130, 104512	7.5	52
106	Neuroimmune Crosstalk through Extracellular Vesicles in Health and Disease. <i>Trends in Neurosciences</i> , 2019 , 42, 361-372	13.3	72
105	Pharmacological doses of melatonin impede cognitive decline in tau-related Alzheimer models, once tauopathy is initiated, by restoring the autophagic flux. <i>Journal of Pineal Research</i> , 2019 , 67, e12578 ^{10.4}	10.4	32
104	Tau Secretion. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1184, 123-134	3.6	6
103	Cre-inducible Adeno Associated Virus-mediated Expression of P301L Mutant Tau Causes Motor Deficits and Neuronal Degeneration in the Substantia Nigra. <i>Neuroscience</i> , 2019 , 422, 65-74	3.9	5
102	Transcriptional and Epigenetic Regulation of Microglia in Health and Disease. <i>Trends in Molecular Medicine</i> , 2019 , 25, 96-111	11.5	36
101	TIA1 regulates the generation and response to toxic tau oligomers. <i>Acta Neuropathologica</i> , 2019 , 137, 259-277	14.3	39
100	Tau Phosphorylation is Impacted by Rare AKAP9 Mutations Associated with Alzheimer Disease in African Americans. <i>Journal of Neuroimmune Pharmacology</i> , 2018 , 13, 254-264	6.9	13

99	Extracellular Vesicle Biology in Alzheimer's Disease and Related Tauopathy. <i>Journal of NeuroImmune Pharmacology</i> , 2018 , 13, 292-308	6.9	45
98	Reducing the RNA binding protein TIA1 protects against tau-mediated neurodegeneration in vivo. <i>Nature Neuroscience</i> , 2018 , 21, 72-80	25.5	118
97	P3-086: PROTEOMIC ANALYSIS OF EXOSOMES DERIVED FROM PLASMA SAMPLES OF FORMER NATIONAL FOOTBALL LEAGUE PLAYERS 2018 , 14, P1098-P1098		
96	P1-025: EXOSOMES CONTAINING SPECIFIC TAU OLIGOMER FORMATIONS ACCELERATE PATHOLOGICAL TAU PHOSPHORYLATION IN C57BL/6 MICE 2018 , 14, P275-P275		1
95	Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. <i>Journal of Extracellular Vesicles</i> , 2018 , 7, 1535750	16.4	3642
94	O2-01-02: CHARACTERIZATION OF HUMAN ALZHEIMER'S DISEASE BRAIN-DERIVED EXOSOMES 2018 , 14, P608-P608		1
93	Opposing effects of progranulin deficiency on amyloid and tau pathologies via microglial TYROBP network. <i>Acta Neuropathologica</i> , 2017 , 133, 785-807	14.3	50
92	Occurrence of Crohn's disease with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2017 , 37, 116-117	3.6	22
91	A split-luciferase complementation, real-time reporting assay enables monitoring of the disease-associated transmembrane protein TREM2 in live cells. <i>Journal of Biological Chemistry</i> , 2017 , 292, 10651-10663	5.4	13
90	The TREM2-APOE Pathway Drives the Transcriptional Phenotype of Dysfunctional Microglia in Neurodegenerative Diseases. <i>Immunity</i> , 2017 , 47, 566-581.e9	32.3	988
89	[P3092]: TAU PHOSPHORYLATION IS IMPACTED BY RARE AD-ASSOCIATED AKAP9 MUTATIONS SPECIFIC TO AFRICAN AMERICANS 2017 , 13, P969-P969		
88	[O20303]: TAU-INDUCED NEURODEGENERATION IS MEDIATED BY RNA BINDING PROTEINS 2017 , 13, P555-P556		
87	[O30404]: COMPREHENSIVE CHARACTERIZATION OF HUMAN ALZHEIMER'S DISEASE BRAIN-DERIVED EXOSOMES 2017 , 13, P907		
86	Alzheimer's Disease: The Role of Microglia in Brain Homeostasis and Proteopathy. <i>Frontiers in Neuroscience</i> , 2017 , 11, 680	5.1	80
85	Impairment of PARK14-dependent Ca(2+) signalling is a novel determinant of Parkinson's disease. <i>Nature Communications</i> , 2016 , 7, 10332	17.4	62
84	GluN2D N-Methyl-d-Aspartate Receptor Subunit Contribution to the Stimulation of Brain Activity and Gamma Oscillations by Ketamine: Implications for Schizophrenia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 702-11	4.7	42
83	O4-04-01: Microglial Exosomes Propagate Tau Protein from the Entorhinal Cortex to the Hippocampus: An Early Pathophysiology of Alzheimer's Disease 2016 , 12, P339-P340		1
82	Preliminary Study of Plasma Exosomal Tau as a Potential Biomarker for Chronic Traumatic Encephalopathy. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 1099-109	4.3	105

81	PL-03-01: INGE Grundke-Iqbal Lecture for Alzheimer's Research: Exosomes and Microglia in Tau Propagation 2016 , 12, P278-P278		
80	miR-155 Is Essential for Inflammation-Induced Hippocampal Neurogenic Dysfunction. <i>Journal of Neuroscience</i> , 2015 , 35, 9764-81	6.6	69
79	The Use of Viral Vectors to Enhance Cognition 2015 , 111-137		1
78	The anti-inflammatory glycoprotein, CD200, restores neurogenesis and enhances amyloid phagocytosis in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 2995-3007	5.6	44
77	Depletion of microglia and inhibition of exosome synthesis halt tau propagation. <i>Nature Neuroscience</i> , 2015 , 18, 1584-93	25.5	782
76	Syk and Yea Shall Find. <i>EBioMedicine</i> , 2015 , 2, 1590-1	8.8	
75	Gene Delivery and Gene Therapy for Alzheimer's Disease. <i>NeuroMethods</i> , 2015 , 85-120	0.4	1
74	Fibroblast growth factor-2 signaling in neurogenesis and neurodegeneration. <i>Journal of NeuroImmune Pharmacology</i> , 2014 , 9, 92-101	6.9	135
73	PLXNA4 is associated with Alzheimer disease and modulates tau phosphorylation. <i>Annals of Neurology</i> , 2014 , 76, 379-92	9.4	48
72	Tau-tubulin kinase. <i>Frontiers in Molecular Neuroscience</i> , 2014 , 7, 33	6.1	40
71	Imaging of Amyloid- β Aggregation Using a Novel Quantum dot Nanoprobe and its Advanced Applications 2014 , 121-131		1
70	Accelerated neurodegeneration and neuroinflammation in transgenic mice expressing P301L tau mutant and tau-tubulin kinase 1. <i>American Journal of Pathology</i> , 2014 , 184, 808-18	5.8	30
69	The spectrum of disease in chronic traumatic encephalopathy. <i>Brain</i> , 2013 , 136, 43-64	11.2	1313
68	Pyroglutamate-3 amyloid- β deposition in the brains of humans, non-human primates, canines, and Alzheimer disease-like transgenic mouse models. <i>American Journal of Pathology</i> , 2013 , 183, 369-81	5.8	84
67	Integrated expression profiles of mRNA and miRNA in polarized primary murine microglia. <i>PLoS ONE</i> , 2013 , 8, e79416	3.7	111
66	Bioinformatic analysis of microglia-neural stem cell interactions: a role for wnt5a?. <i>FASEB Journal</i> , 2013 , 27, 1181.5	0.9	
65	AAV2/1-mediated gene delivery of CD200 into the hippocampus enhances neurogenesis and amyloid clearance in the APP mouse. <i>FASEB Journal</i> , 2013 , 27, 1177.2	0.9	
64	A Systems Biology Investigation of Murine Microglial Activation States: Integration of mRNA and miRNA Expression Changes. <i>FASEB Journal</i> , 2013 , 27, 663.12	0.9	

63	Characterization of insulin degrading enzyme and other amyloid- β -degrading proteases in human serum: a role in Alzheimer's disease?. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 329-40	4.3	21
62	Chronic traumatic encephalopathy in blast-exposed military veterans and a blast neurotrauma mouse model. <i>Science Translational Medicine</i> , 2012 , 4, 134ra60	17.5	559
61	AAV serotype 2/1-mediated gene delivery of anti-inflammatory interleukin-10 enhances neurogenesis and cognitive function in APP+PS1 mice. <i>Gene Therapy</i> , 2012 , 19, 724-33	4	141
60	The classification of microglial activation phenotypes on neurodegeneration and regeneration in Alzheimer's disease brain. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2012 , 60, 251-66	4	257
59	The effect of HIV protease inhibitors on amyloid- β -peptide degradation and synthesis in human cells and Alzheimer's disease animal model. <i>Journal of NeuroImmune Pharmacology</i> , 2012 , 7, 412-23	6.9	18
58	Contrasting pathology of the stress granule proteins TIA-1 and G3BP in tauopathies. <i>Journal of Neuroscience</i> , 2012 , 32, 8270-83	6.6	149
57	Actin interaction and regulation of cyclin-dependent kinase 5/p35 complex activity. <i>Journal of Neurochemistry</i> , 2011 , 116, 192-204	6	12
56	Neuroimmune pharmacology as a sub-discipline of medical neuroscience in the medical school curriculum. <i>Journal of NeuroImmune Pharmacology</i> , 2011 , 6, 41-56	6.9	4
55	HIV-1 reduces Abeta-degrading enzymatic activities in primary human mononuclear phagocytes. <i>Journal of Immunology</i> , 2011 , 186, 6925-32	5.3	19
54	FGF2 gene transfer restores hippocampal functions in mouse models of Alzheimer's disease and has therapeutic implications for neurocognitive disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, E1339-48	11.5	86
53	Tau-tubulin kinase 1 enhances prefibrillar tau aggregation and motor neuron degeneration in P301L FTDP-17 tau-mutant mice. <i>FASEB Journal</i> , 2010 , 24, 2904-15	0.9	27
52	CNS expression of anti-inflammatory cytokine interleukin-4 attenuates Alzheimer's disease-like pathogenesis in APP+PS1 bigenic mice. <i>FASEB Journal</i> , 2010 , 24, 3093-102	0.9	154
51	Phenolic bis-styrylbenzenes as β -amyloid binding ligands and free radical scavengers. <i>Journal of Medicinal Chemistry</i> , 2010 , 53, 7992-9	8.3	31
50	Distinct neuronal localization of microtubule-associated protein 4 in the mammalian brain. <i>Neuroscience Letters</i> , 2010 , 484, 143-7	3.3	11
49	Real-time imaging and quantification of amyloid-beta peptide aggregates by novel quantum-dot nanoprobes. <i>PLoS ONE</i> , 2009 , 4, e8492	3.7	43
48	CCL2 accelerates microglia-mediated Abeta oligomer formation and progression of neurocognitive dysfunction. <i>PLoS ONE</i> , 2009 , 4, e6197	3.7	78
47	AAV1/2-mediated CNS gene delivery of dominant-negative CCL2 mutant suppresses gliosis, beta-amyloidosis, and learning impairment of APP/PS1 mice. <i>Molecular Therapy</i> , 2009 , 17, 803-9	11.7	52
46	The comorbidity of HIV-associated neurocognitive disorders and Alzheimer's disease: a foreseeable medical challenge in post-HAART era. <i>Journal of NeuroImmune Pharmacology</i> , 2009 , 4, 200-12	6.9	85

45	YY1 and FoxD3 regulate antiretroviral zinc finger protein OTK18 promoter activation induced by HIV-1 infection. <i>Journal of NeuroImmune Pharmacology</i> , 2009 , 4, 103-15	6.9	6
44	Calpain and proteasomal regulation of antiretroviral zinc finger protein OTK18 in human macrophages: visualization in live cells by intramolecular FRET. <i>Journal of NeuroImmune Pharmacology</i> , 2009 , 4, 116-28	6.9	4
43	The aging of human-immunodeficiency-virus-associated neurocognitive disorders. <i>Journal of NeuroImmune Pharmacology</i> , 2009 , 4, 161-2	6.9	10
42	1P-263 Imaging of amyloid-beta peptide aggregation in vitro and in vivo by a quantum dot-based nanoprobe(Bioimaging, The 47th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuru</i> , 2009 , 49, S103	0	
41	Introducing Neuroimmune Pharmacology 2008 , 1-3		
40	Phosphorylation of claudin-5 and occludin by rho kinase in brain endothelial cells. <i>American Journal of Pathology</i> , 2008 , 172, 521-33	5.8	177
39	Spatial learning impairment, enhanced CDK5/p35 activity, and downregulation of NMDA receptor expression in transgenic mice expressing tau-tubulin kinase 1. <i>Journal of Neuroscience</i> , 2008 , 28, 14511-21	6.6	69
38	Cytokine-mediated inhibition of fibrillar amyloid-beta peptide degradation by human mononuclear phagocytes. <i>Journal of Immunology</i> , 2008 , 181, 3877-86	5.3	72
37	OTK18 levels in plasma and cerebrospinal fluid correlate with viral load and CD8 T-cells in normal and AIDS patients. <i>Journal of NeuroImmune Pharmacology</i> , 2008 , 3, 230-5	6.9	4
36	Kinetic analysis of aggregated amyloid-beta peptide clearance in adult bone-marrow-derived macrophages from APP and CCL2 transgenic mice. <i>Journal of NeuroImmune Pharmacology</i> , 2007 , 2, 213-21	6.9	13
35	The neuropathogenesis of HIV-1 infection. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2007 , 85, 45-67	3	8
34	Copolymer-1 induces adaptive immune anti-inflammatory glial and neuroprotective responses in a murine model of HIV-1 encephalitis. <i>Journal of Immunology</i> , 2007 , 179, 4345-56	5.3	34
33	Interferon-gamma and tumor necrosis factor-alpha regulate amyloid-beta plaque deposition and beta-secretase expression in Swedish mutant APP transgenic mice. <i>American Journal of Pathology</i> , 2007 , 170, 680-92	5.8	283
32	Polyfluorinated bis-styrylbenzene beta-amyloid plaque binding ligands. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 4986-92	8.3	57
31	CCR1 Chemokine Receptor 2007 , 1-10		
30	CCR2 Chemokine Receptor 2007 , 1-7		
29	OTK18, a zinc-finger protein, regulates human immunodeficiency virus type 1 long terminal repeat through two distinct regulatory regions. <i>Journal of General Virology</i> , 2007 , 88, 236-241	4.9	20
28	TRAIL-mediated apoptosis in HIV-1-infected macrophages is dependent on the inhibition of Akt-1 phosphorylation. <i>Journal of Immunology</i> , 2006 , 177, 2304-13	5.3	33

27	Rho-mediated regulation of tight junctions during monocyte migration across the blood-brain barrier in HIV-1 encephalitis (HIVE). <i>Blood</i> , 2006 , 107, 4770-80	2.2	171
26	Tau-tubulin kinase 1 (TTBK1), a neuron-specific tau kinase candidate, is involved in tau phosphorylation and aggregation. <i>Journal of Neurochemistry</i> , 2006 , 98, 1573-84	6	97
25	Overexpression of monocyte chemotactic protein-1/CCL2 in beta-amyloid precursor protein transgenic mice show accelerated diffuse beta-amyloid deposition. <i>American Journal of Pathology</i> , 2005 , 166, 1475-85	5.8	112
24	Molecular characterization of a putative antiretroviral transcriptional factor, OTK18. <i>Journal of Immunology</i> , 2004 , 172, 381-91	5.3	31
23	OTK18 expression in brain mononuclear phagocytes parallels the severity of HIV-1 encephalitis. <i>Journal of Neuroimmunology</i> , 2004 , 150, 186-98	3.5	18
22	Betagamma subunits mediate the NPY enhancement of ATP-stimulated inositol phosphate formation. <i>Peptides</i> , 2004 , 25, 267-74	3.8	3
21	Activation of NR1a/NR2B receptors by soluble factors from APP-stimulated monocyte-derived macrophages: implications for the pathogenesis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2004 , 25, 905-11	5.6	19
20	C1q-calreticulin induced oxidative neurotoxicity: relevance for the neuropathogenesis of Alzheimer's disease. <i>Journal of Neuroimmunology</i> , 2003 , 135, 62-71	3.5	37
19	Amyloid precursor protein-processing products affect mononuclear phagocyte activation: pathways for sAPP- and Abeta-mediated neurotoxicity. <i>Journal of Neurochemistry</i> , 2003 , 85, 925-34	6	35
18	Transduction of bovine adrenal chromaffin cells using a recombinant adenovirus expressing GFP. <i>Journal of Neuroscience Methods</i> , 2002 , 122, 91-6	3	10
17	A unique mechanism of desensitization to lipolysis mediated by beta(3)-adrenoceptor in rats with thermal injury. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 277, E316-24	6	4
16	Caveolin-3 upregulation activates beta-secretase-mediated cleavage of the amyloid precursor protein in Alzheimer's disease. <i>Journal of Neuroscience</i> , 1999 , 19, 6538-48	6.6	71
15	Expression of caveolin-1 is required for the transport of caveolin-2 to the plasma membrane. Retention of caveolin-2 at the level of the golgi complex. <i>Journal of Biological Chemistry</i> , 1999 , 274, 25718-25	5.4	167
14	Affinity-purification and characterization of caveolins from the brain: differential expression of caveolin-1, -2, and -3 in brain endothelial and astroglial cell types. <i>Brain Research</i> , 1998 , 804, 177-92	3.7	161
13	Caveolin-mediated regulation of signaling along the p42/44 MAP kinase cascade in vivo. A role for the caveolin-scaffolding domain. <i>FEBS Letters</i> , 1998 , 428, 205-11	3.8	321
12	Caveolae, plasma membrane microdomains for alpha-secretase-mediated processing of the amyloid precursor protein. <i>Journal of Biological Chemistry</i> , 1998 , 273, 10485-95	5.4	125
11	Analysis of thermal injury-induced insulin resistance in rodents. Implication of postreceptor mechanisms. <i>Journal of Biological Chemistry</i> , 1997 , 272, 25289-95	5.4	76
10	Potential CRE suppression by familial Alzheimer's mutants of APP independent of adenylyl cyclase regulation. <i>FEBS Letters</i> , 1997 , 412, 97-101	3.8	9

9	Identification of peptide and protein ligands for the caveolin-scaffolding domain. Implications for the interaction of caveolin with caveolae-associated proteins. <i>Journal of Biological Chemistry</i> , 1997 , 272, 6525-33	5.4	688
8	G protein betagamma complex-mediated apoptosis by familial Alzheimer's disease mutant of APP. <i>EMBO Journal</i> , 1997 , 16, 4897-907	13	78
7	In vivo coupling of insulin-like growth factor II/mannose 6-phosphate receptor to heteromeric G proteins. Distinct roles of cytoplasmic domains and signal sequestration by the receptor. <i>Journal of Biological Chemistry</i> , 1995 , 270, 29224-8	5.4	58
6	Conversion of G-protein specificity of insulin-like growth factor II/mannose 6-phosphate receptor by exchanging of a short region with beta-adrenergic receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 11772-6	11.5	24
5	Measurement of GTP gamma S binding to specific G proteins in membranes using G-protein antibodies. <i>FEBS Letters</i> , 1992 , 305, 125-8	3.8	41
4	Amino acids 356-372 constitute a Gi-activator sequence of the alpha 2-adrenergic receptor and have a Phe substitute in the G protein-activator sequence motif. <i>FEBS Letters</i> , 1992 , 311, 29-32	3.8	60
3	Proteomic and Biological Profiling of Extracellular Vesicles from Alzheimer's Disease Human Brain Tissues		1
2	Amyloid plaque deposition accelerates tau propagation via activation of microglia in a humanized APP mouse model		1
1	Extracellular Hsp90 Detoxifies Amyloid Fibrils Through an NRF2 and Autophagy Dependent Pathway		1