

Josep Lupon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4301890/josep-lupon-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209
papers

4,000
citations

35
h-index

53
g-index

233
ext. papers

5,227
ext. citations

4.1
avg, IF

5.25
L-index

#	Paper	IF	Citations
209	Cardiac biomarkers retain prognostic significance in patients with heart failure and chronic obstructive pulmonary disease. <i>Journal of Cardiovascular Medicine</i> , 2022 , 23, 28-36	1.9	1
208	Pirfenidone for Idiopathic Pulmonary Fibrosis and Beyond.. <i>Cardiac Failure Review</i> , 2022 , 8, e12	4.2	1
207	Nutritional Status According to the GLIM Criteria in Patients with Chronic Heart Failure: Association with Prognosis. <i>Nutrients</i> , 2022 , 14, 2244	6.7	0
206	Prognostic value of lung ultrasound in chronic stable ambulatory heart failure patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 862-869	0.7	2
205	Association between right-sided cardiac function and ultrasound-based pulmonary congestion on acutely decompensated heart failure: findings from a pooled analysis of four cohort studies. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1181-1192	6.1	13
204	Optimal carbohydrate antigen 125 cutpoint for identifying low-risk patients after admission for acute heart failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 ,	0.7	1
203	Re-appraisal of the obesity paradox in heart failure: a meta-analysis of individual data. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1280-1291	6.1	5
202	The influence of sex and body mass index on the association between soluble neprilysin and risk of heart failure hospitalizations. <i>Scientific Reports</i> , 2021 , 11, 5940	4.9	1
201	Circulating neprilysin hypothesis: A new opportunity for sacubitril/valsartan in patients with heart failure and preserved ejection fraction?. <i>PLoS ONE</i> , 2021 , 16, e0249674	3.7	0
200	Prognostic value of reverse remodelling criteria in heart failure with reduced or mid-range ejection fraction. <i>ESC Heart Failure</i> , 2021 , 8, 3014-3025	3.7	2
199	Thirst distress in outpatients with heart failure in a Mediterranean zone of Spain. <i>ESC Heart Failure</i> , 2021 , 8, 2492-2501	3.7	1
198	Decoding empagliflozin's molecular mechanism of action in heart failure with preserved ejection fraction using artificial intelligence. <i>Scientific Reports</i> , 2021 , 11, 12025	4.9	4
197	Antigen carbohydrate 125 as a biomarker in heart failure: a narrative review. <i>European Journal of Heart Failure</i> , 2021 , 23, 1445-1457	12.3	11
196	Impact of prescription patterns of antithrombotic treatment on atrial fibrillation-related ischemic stroke. <i>Current Medical Research and Opinion</i> , 2021 , 37, 357-365	2.5	3
195	Thirst and factors associated with frequent thirst in patients with heart failure in Spain. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021 , 50, 86-91	2.6	2
194	Soluble Neprilysin and Corin Concentrations in Relation to Clinical Outcome in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2021 , 9, 85-95	7.9	3
193	Meteorin-like/Meteorin- β protects heart against cardiac dysfunction. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	4

192	Preload dependence of pulmonary haemodynamics and right ventricular performance. <i>Clinical Research in Cardiology</i> , 2021 , 110, 591-600	6.1	0
191	NT-proBNP for Risk Prediction in Heart Failure: Identification of Optimal Cutoffs Across Body Mass Index Categories. <i>JACC: Heart Failure</i> , 2021 , 9, 653-663	7.9	1
190	Valor pronóstico de la ecografía de pulmón en pacientes ambulatorios con insuficiencia cardiaca crónica estable. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 862-869	1.5	3
189	Mortality trends in an ambulatory multidisciplinary heart failure unit from 2001 to 2018. <i>Scientific Reports</i> , 2021 , 11, 732	4.9	5
188	A new option for monitoring heart failure. First experience in Spain with CardioMEMS. <i>Medicina Clínica</i> , 2021 , 156, 26-28	1	1
187	Cardiovascular disease and COVID-19: les liaisons dangereuses. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1017-1025	3.9	14
186	Body mass index and outcomes in ischaemic versus non-ischaemic heart failure across the spectrum of ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320927610	3.9	9
185	Lung Ultrasound for Heart Failure Diagnosis in Primary Care. <i>Journal of Cardiac Failure</i> , 2020 , 26, 824-831	3.3	6
184	Highly sensitive troponin T dynamics and prognosis in asymptomatic severe aortic stenosis. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 1065-1066	0.7	
183	Right Ventricular Dysfunction Staging System for Mortality Risk Stratification in Heart Failure With Preserved Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
182	Rehospitalization burden and morbidity risk in patients with heart failure with mid-range ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 1007-1014	3.7	8
181	Nepriylisin inhibition, endorphin dynamics, and early symptomatic improvement in heart failure: a pilot study. <i>ESC Heart Failure</i> , 2020 , 7, 559-566	3.7	8
180	Mini Nutritional Assessment Short Form is a morbi-mortality predictor in outpatients with heart failure and mid-range left ventricular ejection fraction. <i>Clinical Nutrition</i> , 2020 , 39, 3395-3401	5.9	7
179	Cardiorenal interaction and heart failure outcomes. A role for insulin-like growth factor binding protein 2?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 835-843	0.7	3
178	Response. The ST2-SCD score in ambulatory heart failure patients. <i>International Journal of Cardiology</i> , 2020 , 300, 207	3.2	
177	Transitioning from Preclinical to Clinical Heart Failure with Preserved Ejection Fraction: A Mechanistic Approach. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
176	Long-term LVEF trajectories in patients with type 2 diabetes and heart failure: diabetic cardiomyopathy may underlie functional decline. <i>Cardiovascular Diabetology</i> , 2020 , 19, 38	8.7	4
175	Noninvasive Imaging Estimation of Myocardial Iron Repletion Following Administration of Intravenous Iron: The Myocardial-IRON Trial. <i>Journal of the American Heart Association</i> , 2020 , 9, e014254 ⁶		22

174	Destination Therapy with Left Ventricular Assist Devices in Non-transplant Centres: The Time is Right. <i>European Cardiology Review</i> , 2020 , 15, e19	3.9	5
173	Lung ultrasound and biomarkers in primary care: Partners for a better management of patients with heart failure?. <i>Journal of Circulating Biomarkers</i> , 2020 , 9, 8-12	3.3	1
172	Evoluci3n de las causas de muerte de pacientes con insuficiencia cardiaca cr3nica y funci3n sist3mica reducida. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 783-784	1.5	
171	Repeat physical stress echocardiography in asymptomatic severe aortic stenosis. <i>Cardiology Journal</i> , 2020 , 27, 307-308	1.4	
170	Din3mica de troponina T de alta sensibilidad y pron3stico en pacientes con estenosis a3rtica grave asintom3tica. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 1065-1066	1.5	
169	Use of intravenous iron in patients with iron deficiency and chronic heart failure: Real-world evidence. <i>European Journal of Internal Medicine</i> , 2020 , 80, 91-98	3.9	3
168	La fibrosis intersticial mioc3rdica en la era de la medicina de precisi3n. El fenotipado basado en biomarcadores para un tratamiento personalizado. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 248-254	1.5	4
167	Interacci3n cardiorrenal y evoluci3n de la insuficiencia cardiaca. ¿Tiene un papel la prote3na de uni3n del factor de crecimiento de tipo insulina 2?. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 835-843	1.5	2
166	Advanced remote care for heart failure in times of COVID-19 using an implantable pulmonary artery pressure sensor: the new normal. <i>European Heart Journal Supplements</i> , 2020 , 22, P29-P32	1.5	3
165	CA125-Guided Diuretic Treatment Versus Usual Care in Patients With Acute Heart Failure and Renal Dysfunction. <i>American Journal of Medicine</i> , 2020 , 133, 370-380.e4	2.4	22
164	Circulating levels and prognostic value of soluble ST2 in heart failure are less influenced by age than N-terminal pro-B-type natriuretic peptide and high-sensitivity troponin T. <i>European Journal of Heart Failure</i> , 2020 , 22, 2078-2088	12.3	15
163	Role of PCSK9 in the course of ejection fraction change after ST-segment elevation myocardial infarction: a pilot study. <i>ESC Heart Failure</i> , 2020 , 7, 117-122	3.7	10
162	Myocardial interstitial fibrosis in the era of precision medicine. Biomarker-based phenotyping for a personalized treatment. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 248-254	0.7	3
161	Tendencies in cause of death in patients with chronic heart failure and depressed systolic function. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 783-784	0.7	
160	Trends in Short- and Long-Term ST-Segment-Elevation Myocardial Infarction Prognosis Over 3 Decades: A Mediterranean Population-Based ST-Segment-Elevation Myocardial Infarction Registry. <i>Journal of the American Heart Association</i> , 2020 , 9, e017159	6	6
159	Short- and Long-Term Mortality Trends in STEMI-Cardiogenic Shock over Three Decades (1989-2018): The Ruti-STEMI-Shock Registry. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
158	Effect of insulin on readmission for heart failure following a hospitalization for acute heart failure. <i>ESC Heart Failure</i> , 2020 , 7, 3320	3.7	2
157	Pulmonary hypertension and right ventricular dysfunction in heart failure: prognosis and 15-year prospective longitudinal trajectories in survivors. <i>European Journal of Heart Failure</i> , 2020 , 22, 1214-1225 ^{12.3}		7

156	Determination of HLA-A, -B, -C, -DRB1 and -DQB1 allele and haplotype frequencies in heart failure patients. <i>ESC Heart Failure</i> , 2019 , 6, 388-395	3.7	5
155	Acute-phase dynamics and prognostic value of growth differentiation factor-15 in ST-elevation myocardial infarction. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1093-1101	5.9	10
154	Usefulness of Right Ventricular to Pulmonary Circulation Coupling as an Indicator of Risk for Recurrent Admissions in Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , 2019 , 124, 567-572	3	18
153	A bio-clinical approach for prediction of sudden cardiac death in outpatients with heart failure: The ST2-SCD score. <i>International Journal of Cardiology</i> , 2019 , 293, 148-152	3.2	10
152	Revisiting the obesity paradox in heart failure: Per cent body fat as predictor of biomarkers and outcome. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1751-1759	3.9	17
151	Genetic Variants Associated With Cancer Therapy-Induced Cardiomyopathy. <i>Circulation</i> , 2019 , 140, 31-41	6.7	110
150	Heart Failure With Preserved Ejection Fraction Infrequently Evolves Toward a Reduced Phenotype in Long-Term Survivors. <i>Circulation: Heart Failure</i> , 2019 , 12, e005652	7.6	30
149	Functional tricuspid regurgitation and recurrent admissions in patients with acute heart failure. <i>International Journal of Cardiology</i> , 2019 , 291, 83-88	3.2	8
148	Association Between Norepinephrine Levels and Abnormal Iron Status in Patients With Chronic Heart Failure: Is Iron Deficiency More Than a Comorbidity?. <i>Journal of the American Heart Association</i> , 2019 , 8, e010887	6	13
147	Entrenamiento de la musculatura inspiratoria y la electroestimulaci3n muscular funcional en el tratamiento de la insuficiencia cardiaca con funci3n sist3lica conservada: estudio TRAINING-HF. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 288-297	1.5	14
146	Una intervenci3n precoz para reducir reingresos a los 30 d3as en pacientes ancianos fr3giles con insuficiencia cardiaca mantiene su beneficio al a3n. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 261-263	1.5	2
145	Raz3n internacional normalizada y mortalidad de los pacientes con insuficiencia cardiaca y fibrilaci3n auricular tratados con antagonistas de la vitamina K. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 616-624	1.5	0
144	Mortality and Heart Failure Hospitalizations. The Need for an Exhaustive, Official, and Standardized Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 988-990	0.7	
143	Trends in modes of death in heart failure over the last two decades: less sudden death but cancer deaths on the rise. <i>European Journal of Heart Failure</i> , 2019 , 21, 1259-1266	12.3	26
142	Unraveling the Molecular Mechanism of Action of Empagliflozin in Heart Failure With Reduced Ejection Fraction With or Without Diabetes. <i>JACC Basic To Translational Science</i> , 2019 , 4, 831-840	8.7	42
141	Mortalidad y reingresos por insuficiencia cardiaca: la necesidad de un registro oficial completo, abierto y homologable. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 988-990	1.5	1
140	International Normalized Ratio and Mortality Risk in Acute Heart Failure and Nonvalvular Atrial Fibrillation Patients Receiving Vitamin K Antagonists. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 616-624	0.7	0
139	Mini nutritional assessment is a better predictor of mortality than subjective global assessment in heart failure out-patients. <i>Clinical Nutrition</i> , 2019 , 38, 2740-2746	5.9	16

138	Mejorar la atención médica mediante un modelo integrado de asistencia para pacientes con cardiopatía isquémica o fibrilación auricular. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 779-780	1.5	4
137	Airflow limitation in patients with heart failure: Prevalence and associated factors. <i>Medicina Clínica</i> , 2019 , 153, 191-195	1	0
136	High-sensitivity troponin T in asymptomatic severe aortic stenosis. <i>Biomarkers</i> , 2019 , 24, 334-340	2.6	4
135	Impact of an integral assistance model between primary care and cardiology on the management of patients with ischemic heart disease or atrial fibrillation. <i>Journal of Comparative Effectiveness Research</i> , 2019 , 8, 103-111	2.1	3
134	High-sensitivity troponin T, NT-proBNP and glomerular filtration rate: A multimarker strategy for risk stratification in chronic heart failure. <i>International Journal of Cardiology</i> , 2019 , 277, 166-172	3.2	15
133	Improving Medical Attention Through an Integral Care Model for Patients With Ischemic Heart Disease or Atrial Fibrillation. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 779-781	0.7	
132	Inspiratory Muscle Training and Functional Electrical Stimulation for Treatment of Heart Failure With Preserved Ejection Fraction: The TRAINING-HF Trial. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 288-297	0.7	4
131	An Early Post-discharge Intervention Planned to Reduce 30-day Readmissions in old and Frail Heart Failure Patients Remains Beneficial at 1 Year. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 261-263	0.7	
130	Seguimiento a largo plazo de pacientes sintomáticos adultos con miocardiopatía no compactada. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 169-171	1.5	3
129	Bio-profiling and bio-prognostication of chronic heart failure with mid-range ejection fraction. <i>International Journal of Cardiology</i> , 2018 , 257, 188-192	3.2	23
128	Prognostic Value of High-Sensitivity Troponin T in Chronic Heart Failure: An Individual Patient Data Meta-Analysis. <i>Circulation</i> , 2018 , 137, 286-297	16.7	102
127	Impact of a Bntent for lifeRnitiative on post-ST elevation myocardial infarction heart failure: a 15 year heart failure clinic experience. <i>ESC Heart Failure</i> , 2018 , 5, 101-105	3.7	2
126	Left ventricular ejection fraction in heart failure: a clinicianR perspective about a dynamic and imperfect parameter, though still convenient and a cornerstone for patient classification and management. <i>European Journal of Heart Failure</i> , 2018 , 20, 433-435	12.3	6
125	Proteomic signature of circulating extracellular vesicles in dilated cardiomyopathy. <i>Laboratory Investigation</i> , 2018 , 98, 1291-1299	5.9	19
124	Long-Term Potassium Monitoring and Dynamics in Heart Failure and Risk of Mortality. <i>Circulation</i> , 2018 , 137, 1320-1330	16.7	76
123	Barcelona Bio-HF Calculator Version 2.0: incorporation of angiotensin II receptor blocker neprilysin inhibitor (ARNI) and risk for heart failure hospitalization. <i>European Journal of Heart Failure</i> , 2018 , 20, 938-940	12.3	14
122	Prognostic value of circulating microRNAs on heart failure-related morbidity and mortality in two large diverse cohorts of general heart failure patients. <i>European Journal of Heart Failure</i> , 2018 , 20, 67-75	12.3	48
121	ST2 and left ventricular remodeling after ST-segment elevation myocardial infarction: A cardiac magnetic resonance study. <i>International Journal of Cardiology</i> , 2018 , 270, 336-342	3.2	13

120	Dynamic Trajectories of Left Ventricular Ejection Fraction in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 591-601	15.1	73
119	Predictive biomarkers for death and rehospitalization in comorbid frail elderly heart failure patients. <i>BMC Geriatrics</i> , 2018 , 18, 109	4.1	21
118	Telomere attrition in heart failure: a flow-FISH longitudinal analysis of circulating monocytes. <i>Journal of Translational Medicine</i> , 2018 , 16, 35	8.5	3
117	Pulmonary vascular resistance versus pulmonary artery pressure for predicting right ventricular remodeling and functional tricuspid regurgitation. <i>Echocardiography</i> , 2018 , 35, 1736-1745	1.5	5
116	sST2 Predicts Outcome in Chronic Heart Failure Beyond NT-proBNP and High-Sensitivity Troponin T. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2309-2320	15.1	73
115	Letter by Fung et al Regarding Article, "Frailty and Clinical Outcomes in Heart Failure: A Systematic Review and Meta-analysis". <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 1143-1146	5.9	
114	Impact of Frailty on Mortality and Hospitalization in Chronic Heart Failure: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2018 , 7, e008251	6	62
113	Circulating monocyte subsets and heart failure prognosis. <i>PLoS ONE</i> , 2018 , 13, e0204074	3.7	2
112	Benzodiazepine Use and Long-Term Mortality in Real-Life Chronic Heart Failure Outpatients: A Cohort Analysis. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 372-374	9.4	2
111	Importance of iron deficiency in patients with chronic heart failure as a predictor of mortality and hospitalizations: insights from an observational cohort study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 206	2.3	10
110	No need for urgent revisiting of kalaemia levels in guidelines despite use of mineralocorticoid receptor antagonists: bring in more evidence. <i>European Journal of Heart Failure</i> , 2018 , 20, 1252-1254	12.3	4
109	No urgent need for revisiting kalaemia guidelines: rebuttal. <i>European Journal of Heart Failure</i> , 2018 , 20, 1256	12.3	1
108	The Barcelona Bio-HF Calculator: A Contemporary Web-Based Heart Failure Risk Score. <i>JACC: Heart Failure</i> , 2018 , 6, 808-810	7.9	3
107	Advanced interatrial block predicts new-onset atrial fibrillation and ischemic stroke in patients with heart failure: The "BayesRSyndrome-HF" study. <i>International Journal of Cardiology</i> , 2018 , 271, 174-180	3.2	51
106	Primary Ventricular Fibrillation in the Primary Percutaneous Coronary Intervention ST-Segment Elevation Myocardial Infarction Era (from the "Codi IAM" Multicenter Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 529-536	3	11
105	Early Postdischarge STOP-HF-Clinic Reduces 30-day Readmissions in Old and Frail Patients With Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 631-638	0.7	4
104	The Dynamics of Cardiovascular Biomarkers in non-Elite Marathon Runners. <i>Journal of Cardiovascular Translational Research</i> , 2017 , 10, 206-208	3.3	34
103	Potential role for clinical calibration to increase engagement with and application of home telemonitoring: a report from the HeartCycle programme. <i>ESC Heart Failure</i> , 2017 , 4, 66-70	3.7	1

102	Extracellular vesicles do not contribute to higher circulating levels of soluble LRP1 in idiopathic dilated cardiomyopathy. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 3000-3009	5.6	8
101	Bloodstream Amyloid-beta (1-40) Peptide, Cognition, and Outcomes in Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 924-932	0.7	7
100	Depression as Measured by PHQ-9 Versus Clinical Diagnosis as an Independent Predictor of Long-Term Mortality in a Prospective Cohort of Medical Inpatients. <i>Psychosomatic Medicine</i> , 2017 , 79, 273-282	3.7	22
99	Recovered heart failure with reduced ejection fraction and outcomes: a prospective study. <i>European Journal of Heart Failure</i> , 2017 , 19, 1615-1623	12.3	90
98	The PCSK9-LDL Receptor Axis and Outcomes in Heart Failure: BIOSTAT-CHF Subanalysis. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2128-2136	15.1	24
97	Reply. <i>European Journal of Heart Failure</i> , 2017 , 19, 1736	12.3	
96	Serum Neprilysin and Recurrent Admissions in Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	17
95	Una consulta específica al alta (STOP-HF-Clinic) reduce los reingresos a 30 días de los pacientes ancianos y frágiles con insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 631-638	1.5	32
94	Amiloide beta (1-40) en sangre, cognición y pronóstico en insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 924-932	1.5	6
93	Biotherapies and biomarkers for cardiovascular diseases: A 15-year journey at the ICREC (Heart Failure and Cardiac Regeneration) Research Laboratory in Barcelona, Spain. <i>European Heart Journal</i> , 2017 , 38, 1784-1786	9.5	2
92	Clinical characteristics, one-year change in ejection fraction and long-term outcomes in patients with heart failure with mid-range ejection fraction: a multicentre prospective observational study in Catalonia (Spain). <i>BMJ Open</i> , 2017 , 7, e018719	3	21
91	Prognostic Value of New-Generation Troponins in ST-Segment-Elevation Myocardial Infarction in the Modern Era: The RUTI-STEMI Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	12
90	Rationale and design of a multicentre, prospective, randomised, controlled clinical trial to evaluate the efficacy of the adipose graft transposition procedure in patients with a myocardial scar: the AGTP II trial. <i>BMJ Open</i> , 2017 , 7, e017187	3	4
89	Brilliant violet fluorochromes in simultaneous multicolor flow cytometry-fluorescence in situ hybridization measurement of monocyte subsets and telomere length in heart failure. <i>Laboratory Investigation</i> , 2016 , 96, 1223-1230	5.9	3
88	Biomarkers in Heart Failure: ST2 2016 , 251-268		
87	Neprilysin and Natriuretic Peptide Regulation in Heart Failure. <i>Current Heart Failure Reports</i> , 2016 , 13, 151-7	2.8	20
86	Transitions of Care Between Acute and Chronic Heart Failure: Critical Steps in the Design of a Multidisciplinary Care Model for the Prevention of Rehospitalization. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 951-961	0.7	9
85	Hemoglobin Kinetics and Long-term Prognosis in Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 820-6	0.7	4

84	First-in-man Safety and Efficacy of the Adipose Graft Transposition Procedure (AGTP) in Patients With a Myocardial Scar. <i>EBioMedicine</i> , 2016 , 7, 248-54	8.8	9
83	The real-life value of ST2 monitoring during heart failure decompensation: impact on long-term readmission and mortality. <i>Biomarkers</i> , 2016 , 21, 225-32	2.6	8
82	Circulating Endothelial Progenitor Cells: Potential Biomarkers for Idiopathic Dilated Cardiomyopathy. <i>Journal of Cardiovascular Translational Research</i> , 2016 , 9, 80-4	3.3	8
81	Prediction of survival and magnitude of reverse remodeling using the ST2-R2 score in heart failure: A multicenter study. <i>International Journal of Cardiology</i> , 2016 , 204, 242-7	3.2	18
80	Can Natriuretic Peptides be Used to Guide Therapy?. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016 , 27, 208-16	2.4	8
79	No benefit from the obesity paradox for diabetic patients with heart failure. <i>European Journal of Heart Failure</i> , 2016 , 18, 851-8	12.3	34
78	Serum neprilysin and recurrent hospitalizations after acute heart failure. <i>International Journal of Cardiology</i> , 2016 , 220, 742-4	3.2	11
77	Soluble neprilysin does not correlate with outcome in heart failure with preserved ejection fraction?. <i>European Journal of Heart Failure</i> , 2016 , 18, 576	12.3	3
76	Impact of diabetes on the predictive value of heart failure biomarkers. <i>Cardiovascular Diabetology</i> , 2016 , 15, 151	8.7	40
75	Weight Loss in Obese Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2016 , 5, e002468	6	45
74	Wearable vest for pulmonary congestion tracking and prognosis in heart failure: A pilot study. <i>International Journal of Cardiology</i> , 2016 , 215, 77-9	3.2	7
73	Concentraciones plasmáticas de neprilisina: un nuevo marcador pronóstico en la insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 535-536	1.5	1
72	Neprilysin Plasma Concentrations: A New Prognostic Marker in Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 535-6	0.7	
71	Soluble neprilysin retains catalytic activity in heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2016 , 35, 684-5	5.8	16
70	Cinética de la hemoglobina y pronóstico a largo plazo en insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 820-826	1.5	8
69	Neprilisina: indicaciones, expectativas y retos. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 647-649	1.5	7
68	Transiciones de cuidados entre insuficiencia cardiaca aguda y crónica: pasos críticos en el diseño de un modelo de atención multidisciplinaria para la prevención de la hospitalización recurrente. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 951-961	1.5	47
67	Morbidity and mortality in systolic heart failure also associated with raised serum neprilysin levels. Reply. <i>International Journal of Cardiology</i> , 2015 , 190, 201	3.2	

66	Answer. Reverse remodeling in systolic heart failure. The ST2-R2 score: a puzzle yet to be solved?. <i>International Journal of Cardiology</i> , 2015 , 187, 556	3.2	
65	Risk prediction tools in patients with heart failure. <i>JACC: Heart Failure</i> , 2015 , 3, 267	7.9	7
64	Multimarker Strategy for Heart Failure Prognostication. Value of Neurohormonal Biomarkers: Nephilysin vs NT-proBNP. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 1075-84	0.7	12
63	Prognostic Value and Kinetics of Soluble Nephilysin in Acute Heart Failure: A Pilot Study. <i>JACC: Heart Failure</i> , 2015 , 3, 641-4	7.9	36
62	Aging and Heart Rate in Heart Failure: Clinical Implications for Long-term Mortality. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 765-72	6.4	10
61	Biomarker-assist score for reverse remodeling prediction in heart failure: The ST2-R2 score. <i>International Journal of Cardiology</i> , 2015 , 184, 337-343	3.2	63
60	Estrategia multimarcador para estratificar el pronóstico en insuficiencia cardiaca. Valor de los marcadores neurohumorales: nephilisina frente a NT-proBNP. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 1075-1084	1.5	22
59	Validació de la Barcelona Bio-Heart Failure Risk Calculator en una cohorte de Boston. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 80-81	1.5	4
58	Validation of the Barcelona Bio-Heart Failure Risk Calculator in a cohort from Boston. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 80-1	0.7	2
57	ST2 pathogenetic profile in ambulatory heart failure patients. <i>Journal of Cardiac Failure</i> , 2015 , 21, 355-61	3.3	23
56	Soluble nephilysin is predictive of cardiovascular death and heart failure hospitalization in heart failure patients. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 657-65	15.1	110
55	Body mass index, body fat, and nutritional status of patients with heart failure: The PLICA study. <i>Clinical Nutrition</i> , 2015 , 34, 1233-8	5.9	33
54	Head-to-head comparison of 2 myocardial fibrosis biomarkers for long-term heart failure risk stratification: ST2 versus galectin-3. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 158-66	15.1	185
53	A novel wearable vest for tracking pulmonary congestion in acutely decompensated heart failure. <i>International Journal of Cardiology</i> , 2014 , 177, 199-201	3.2	23
52	Comments on the analysis of telephone calls to a heart failure unit: reasons for the call and resource use. Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 158-9	0.7	
51	Fragility is a key determinant of survival in heart failure patients. <i>International Journal of Cardiology</i> , 2014 , 175, 62-6	3.2	32
50	Development of a novel heart failure risk tool: the barcelona bio-heart failure risk calculator (BCN bio-HF calculator). <i>PLoS ONE</i> , 2014 , 9, e85466	3.7	68
49	Long-term prognostic value for patients with chronic heart failure of estimated glomerular filtration rate calculated with the new CKD-EPI equations containing cystatin C. <i>Clinical Chemistry</i> , 2014 , 60, 481-9	5.5	22

48	Renal function largely influences Galectin-3 prognostic value in heart failure. <i>International Journal of Cardiology</i> , 2014 , 177, 171-7	3.2	44
47	Educational level and self-care behaviour in patients with heart failure before and after nurse educational intervention. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 459-65	3.3	20
46	Comentarios al análisis de la demanda telefónica en una unidad de insuficiencia cardiaca: motivos de consulta y utilización de recursos. Respuesta. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 158-159	1.5	
45	Comparison of self-care behaviors of heart failure patients in 15 countries worldwide. <i>Patient Education and Counseling</i> , 2013 , 92, 114-20	3.1	153
44	Depression, antidepressants, and long-term mortality in heart failure. <i>International Journal of Cardiology</i> , 2013 , 167, 1217-25	3.2	53
43	Quality of life monitoring in ambulatory heart failure patients: temporal changes and prognostic value. <i>European Journal of Heart Failure</i> , 2013 , 15, 103-9	12.3	36
42	Combined use of the novel biomarkers high-sensitivity troponin T and ST2 for heart failure risk stratification vs conventional assessment. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 234-43	6.4	48
41	Soluble ST2 serum concentration and renal function in heart failure. <i>Journal of Cardiac Failure</i> , 2013 , 19, 768-75	3.3	65
40	The obesity paradox in heart failure: is etiology a key factor?. <i>International Journal of Cardiology</i> , 2013 , 166, 601-5	3.2	41
39	Análisis de la demanda telefónica en una unidad de insuficiencia cardiaca: motivos de consulta y utilización de recursos. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 914-915	1.5	5
38	Head-to-head comparison of high-sensitivity troponin T and sensitive-contemporary troponin I regarding heart failure risk stratification. <i>Clinica Chimica Acta</i> , 2013 , 426, 18-24	6.2	29
37	Effect of fragility on quality of life in patients with heart failure. <i>American Journal of Cardiology</i> , 2013 , 112, 1785-9	3	17
36	Analysis of telephone calls to a heart failure unit: reasons for the call and resource use. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 914-5	0.7	
35	Statins in heart failure: not yet the end of the story?. <i>European Journal of Heart Failure</i> , 2013 , 15, 708-9	12.3	4
34	Statins in heart failure: the paradox between large randomized clinical trials and real life. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 555-60	6.4	49
33	Undernourishment and prognosis in heart failure. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 196-7	1.5	2
32	Rapid point-of-care NT-proBNP optimal cut-off point for heart failure diagnosis in primary care. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 613-9	1.5	22
31	Combined use of high-sensitivity cardiac troponin T and N-terminal pro-B type natriuretic peptide improves measurements of performance over established mortality risk factors in chronic heart failure. <i>American Heart Journal</i> , 2012 , 163, 821-8	4.9	47

30	Estimated glomerular filtration rate and prognosis in heart failure: value of the Modification of Diet in Renal Disease Study-4, chronic kidney disease epidemiology collaboration, and cockcroft-gault formulas. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1709-15	15.1	102
29	Limited value of cystatin-C over estimated glomerular filtration rate for heart failure risk stratification. <i>PLoS ONE</i> , 2012 , 7, e51234	3.7	13
28	Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. <i>European Journal of Heart Failure</i> , 2012 , 14, 32-8	12.3	106
27	Evaluation of a telemedicine system for heart failure patients: feasibility, acceptance rate, satisfaction and changes in patient behavior: results from the CARME (Catalan Remote Management Evaluation) study. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 410-8	3.3	20
26	Validation of the Spanish version of the Kansas city cardiomyopathy questionnaire. <i>Revista Espanola De Cardiologia</i> , 2011 , 64, 51-8	1.5	25
25	Telemonitorizaci3n no invasiva en pacientes con insuficiencia cardiaca y servicios de urgencias hospitalarios. Respuesta. <i>Revista Espanola De Cardiologia</i> , 2011 , 64, 949	1.5	
24	Usefulness of body mass index to characterize nutritional status in patients with heart failure. <i>American Journal of Cardiology</i> , 2011 , 108, 1166-70	3	49
23	Myostatin serum levels in heart failure. <i>European Journal of Heart Failure</i> , 2010 , 12, 1379; author reply 1379-80	12.3	2
22	Mortalidad y causas de muerte en pacientes con insuficiencia cardiaca: experiencia de una unidad especializada multidisciplinaria. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 303-314	1.5	48
21	Niveles s3ficos de miostatina en insuficiencia cardiaca cr3nica. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 992-996	1.5	15
20	Obesidad y pron3stico a largo plazo en la insuficiencia cardiaca: la paradoja contin3a. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 1210-1212	1.5	9
19	[Not Available]. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 217-8	1.5	
18	[Not Available]. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 654	1.5	0
17	Estimated creatinine clearance: a determinant prognostic factor in heart failure. <i>Medicina Cl3nica</i> , 2008 , 131, 47-51	1	8
16	Implicaci3n pron3stica de la fragilidad y los s3ntomas depresivos en una poblaci3n ambulatoria con insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 835-842	1.5	55
15	PatientsSelf-care improvement with nurse education intervention in Spain assessed by the European Heart Failure Self-Care Behaviour Scale. <i>European Journal of Cardiovascular Nursing</i> , 2008 , 7, 16-20	3.3	30
14	Unidades de insuficiencia cardiaca en Espa3a: situaci3n actual. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 874-877	1.5	15
13	¿El 3ndice de masa corporal influye en la mortalidad de los pacientes con insuficiencia cardiaca?. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 1127-1134	1.5	23

12	Does heart failure therapy differ according to patient sex?. <i>Clinical Cardiology</i> , 2007 , 30, 301-5	3.3	2
11	Valoraci3n de la calidad de vida en pacientes ancianos con insuficiencia card3aca mediante el cuestionario Minnesota Living With Heart Failure. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2006 , 41, 150-157	1.7	4
10	Tratamiento de la insuficiencia card3aca en pacientes mayores de 75 a3os. Estudio comparativo con los pacientes m3s j3venes. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2006 , 41, 264-269	1.7	0
9	Aplicaci3n de la escala europea de autocuidado en insuficiencia card3aca (EHFScBS) en una unidad de insuficiencia card3aca en Espa3a. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 166-170	1.5	11
8	Reducci3n de los ingresos por insuficiencia card3aca en el primer a3o de seguimiento en una unidad multidisciplinaria. <i>Revista Espanola De Cardiologia</i> , 2005 , 58, 374-380	1.5	31
7	Significado pron3stico de los valores de hemoglobina en pacientes con insuficiencia card3aca. <i>Revista Espanola De Cardiologia</i> , 2005 , 58, 48-53	1.5	19
6	Sex and age differences in fragility in a heart failure population. <i>European Journal of Heart Failure</i> , 2005 , 7, 798-802	12.3	49
5	Patient3 education by nurse: what we really do achieve?. <i>European Journal of Cardiovascular Nursing</i> , 2005 , 4, 107-11	3.3	28
4	Nurse evaluation of patients in a new multidisciplinary Heart Failure Unit in Spain. <i>European Journal of Cardiovascular Nursing</i> , 2004 , 3, 61-9	3.3	29
3	Usefulness of hospital admission risk stratification for predicting nonfatal acute myocardial infarction or death six months later in unstable angina pectoris. RESCATE Study Group. Resources Used in Acute Coronary Syndromes and Delays in Treatment. <i>American Journal of Cardiology</i> , 1999 , 84, 663-6	3	15
2	Six-month outcome in unstable angina patients without previous myocardial infarction according to the use of tertiary cardiologic resources. RESCATE Investigators. Recursos Empleados en el S3ndrome Coronario Agudo y Tiempos de Espera. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1947-53	15.1	9
1	Six-month outcome in patients with myocardial infarction initially admitted to tertiary and nontertiary hospitals. RESCATE Investigators. Recursos Empleados en el S3ndrome Coronario Agudo y Tiempos de Espera. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1187-92	15.1	36