## Steven T Johnson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4301891/publications.pdf

Version: 2024-02-01

82 papers 1,344 citations

361296 20 h-index 434063 31 g-index

84 all docs 84 docs citations

84 times ranked 2274 citing authors

#	Article	IF	Citations
1	Sleep Health in Male-dominated Workplaces: A Qualitative Study Examining the Perspectives of Male Employees. Behavioral Sleep Medicine, 2022, 20, 224-240.	1.1	3
2	Positive Lifestyle Behavior Changes Among Canadian Men: Findings From the HAT TRICK Program. American Journal of Health Promotion, 2021, 35, 193-201.	0.9	2
3	Men's Physical Activity and Sleep Following a Workplace Health Intervention: Findings from the POWERPLAY STEP Up challenge. American Journal of Men's Health, 2021, 15, 155798832098847.	0.7	3
4	The Impact of a Web-Based Mindfulness, Nutrition, and Physical Activity Platform on the Health Status of First-Year University Students: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24534.	0.5	12
5	Experiences with and Perception of a Web-Based Mindfulness, Nutrition, and Fitness Platform Reported by First-Year University Students: A Qualitative Study. Journal of the Academy of Nutrition and Dietetics, 2021, 121, 2409-2418.e3.	0.4	6
6	Health Literacy Among Canadian Men Experiencing Prostate Cancer. Health Promotion Practice, 2020, 21, 1004-1011.	0.9	4
7	The Association Between Men's Heath Behaviors and Interest in Workplace Health Promotion. Workplace Health and Safety, 2020, 68, 226-235.	0.7	7
8	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): A Pragmatic Randomized Controlled Trial. Current Developments in Nutrition, 2020, 4, nzaa059_006.	0.1	1
9	A systematic review of workplace behavioral interventions to promote sleep health in men. Sleep Health, 2020, 6, 418-430.	1.3	8
10	Prevalence and Correlates of Accelerometer-Based Physical Activity and Sedentary Time Among Kidney Transplant Recipients. Canadian Journal of Kidney Health and Disease, 2019, 6, 205435811988265.	0.6	7
11	Women's experience with peer counselling and social support during a lifestyle intervention among women with a previous gestational diabetes pregnancy. Health Psychology and Behavioral Medicine, 2019, 7, 147-159.	0.8	8
12	Healthy Eating and Active Living for Diabetes-Glycemic Index (HEALD-GI): Protocol for a Pragmatic Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e11707.	0.5	0
13	Psychosocial health is associated with objectively assessed sedentary time and light intensity physical activity among lung cancer survivors. Mental Health and Physical Activity, 2018, 14, 61-65.	0.9	6
14	Factors That Impact the Success of Interorganizational Health Promotion Collaborations: A Scoping Review. American Journal of Health Promotion, 2018, 32, 1095-1109.	0.9	40
15	Examining sex differences in glycemic index knowledge and intake among individuals with type 2 diabetes. Primary Care Diabetes, 2018, 12, 71-79.	0.9	4
16	Men's Perspectives of a Gender-Sensitized Health Promotion Program Targeting Healthy Eating, Active Living, and Social Connectedness. American Journal of Men's Health, 2018, 12, 2157-2166.	0.7	30
17	Consumer physical activity tracking device ownership and use among a population-based sample of adults. PLoS ONE, 2018, 13, e0189298.	1.1	51
18	Healthy Eating and Active Living: Rural-Based Working Men's Perspectives. American Journal of Men's Health, 2017, 11, 1664-1672.	0.7	16

#	Article	IF	CITATIONS
19	Physical Activity and Health-Related Quality of Life in Adults With Type 2 Diabetes: Results From a Prospective Cohort Study. Journal of Physical Activity and Health, 2017, 14, 368-374.	1.0	14
20	Measurement and evaluation practices of factors that contribute to effective health promotion collaboration functioning: A scoping review. Evaluation and Program Planning, 2017, 61, 38-44.	0.9	11
21	The HAT TRICK programme for improving physical activity, healthy eating and connectedness among overweight, inactive men: study protocol of a pragmatic feasibility trial. BMJ Open, 2017, 7, e016940.	0.8	21
22	Acceptability of the POWERPLAY Program: A Workplace Health Promotion Intervention for Men. American Journal of Men's Health, 2017, 11, 1809-1822.	0.7	12
23	Healthy eating and active living after gestational diabetes mellitus (HEALD-GDM): Rationale, design, and proposed evaluation of a randomized controlled trial. Contemporary Clinical Trials, 2017, 61, 23-28.	0.8	3
24	Aquatic exercise for adults with type 2 diabetes: a meta-analysis. Acta Diabetologica, 2017, 54, 895-904.	1.2	33
25	Association between Physical Activity and Health-Related Quality of Life in Adults with Type 2 Diabetes. Canadian Journal of Diabetes, 2017, 41, 58-63.	0.4	53
26	"l'm Still Here― Personhood and the Early-Onset Dementia Experience. Journal of Gerontological Nursing, 2017, 43, 12-17.	0.3	10
27	Examining Diet-Related Care Practices Among Adults with Type 2 Diabetes: A Focus on Glycemic Index Choices. Canadian Journal of Dietetic Practice and Research, 2017, 78, 26-31.	0.5	2
28	Correlates of accelerometer-assessed physical activity and sedentary time among adults with type 2 diabetes. Canadian Journal of Public Health, 2017, 108, 355-361.	1.1	9
29	Examining Lifestyle Information Sources, Needs, and Preferences among Breast Cancer Survivors in Northern British Columbia. Canadian Journal of Dietetic Practice and Research, 2017, 78, 212-216.	0.5	9
30	Objectively measured sleep and health-related quality of life in older adults with type 2 diabetes: a cross-sectional study from the Alberta's Caring for Diabetes Study. Sleep Health, 2017, 3, 102-106.	1.3	9
31	Correlates and preferences of resistance training among older adults in Alberta, Canada. Canadian Journal of Public Health, 2016, 107, e272-e277.	1.1	9
32	Health Behaviours and Awareness of Canada's Food Guide: A Population-based Study. Canadian Journal of Dietetic Practice and Research, 2016, 77, 66-71.	0.5	5
33	A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. BMC Health Services Research, 2016, 16, 316.	0.9	4
34	Health Literacy, Pedometer, and Self-Reported Walking Among Older Adults. American Journal of Public Health, 2016, 106, 327-333.	1.5	16
35	The relationship of diabetes-related distress and depressive symptoms with physical activity and dietary behaviors in adults with type 2 diabetes: A cross-sectional study. Journal of Diabetes and Its Complications, 2016, 30, 967-970.	1.2	17
36	Correlates of General and Domain-Specific Sitting Time among Older Adults. American Journal of Health Behavior, 2016, 40, 362-370.	0.6	4

#	Article	IF	CITATIONS
37	A Men's Workplace Health Intervention. Journal of Occupational and Environmental Medicine, 2016, 58, 765-769.	0.9	26
38	Dietary Patterns in Adults with Type 2 Diabetes Predict Cardiometabolic Risk Factors. Canadian Journal of Diabetes, 2016, 40, 296-303.	0.4	4
39	Testing social-cognitive mediators for objective estimates of physical activity from the Healthy Eating and Active Living for Diabetes in Primary Care Networks (HEALD-PCN) study. Psychology, Health and Medicine, 2016, 21, 945-953.	1.3	2
40	Associations of Daily Pedometer Steps and Self-Reported Physical Activity With Health-Related Quality of Life. Journal of Aging and Health, 2016, 28, 661-674.	0.9	12
41	Sedentary behavior, gestational diabetes mellitus, and type 2 diabetes risk: where do we stand?. Endocrine, 2016, 52, 5-10.	1.1	7
42	Osteoarthritis prevalence and modifiable factors: a population study. BMC Public Health, 2015, 15, 1195.	1.2	147
43	Profiles of resistance training behavior and sedentary time among older adults: Associations with health-related quality of life and psychosocial health. Preventive Medicine Reports, 2015, 2, 773-776.	0.8	10
44	How much will we pay to increase steps per day? Examining the cost-effectiveness of a pedometer-based lifestyle program in primary care. Preventive Medicine Reports, 2015, 2, 645-650.	0.8	7
45	Increase in Daily Steps After an Exercise Specialist Led Lifestyle Intervention for Adults With Type 2 Diabetes in Primary Care: A Controlled Implementation Trial. Journal of Physical Activity and Health, 2015, 12, 1492-1499.	1.0	17
46	Alternation as a form of allocation for quality improvement studies in primary healthcare settings: the on-off study design. Trials, 2015, 16, 375.	0.7	12
47	Examining the Promotion of Healthy Eating among Exercise Specialists: A Cross-sectional Study. Canadian Journal of Dietetic Practice and Research, 2015, 76, 76-80.	0.5	4
48	The POWERPLAY workplace physical activity and nutrition intervention for men: Study protocol and baseline characteristics. Contemporary Clinical Trials, 2015, 44, 42-47.	0.8	16
49	Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. Canadian Journal of Diabetes, 2015, 39, S77-S82.	0.4	9
50	Prompted awareness and use of <i>Eating Well with Canada's Food Guide</i> : a populationâ€based study. Journal of Human Nutrition and Dietetics, 2015, 28, 64-71.	1.3	12
51	Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. Canadian Journal of Diabetes, 2015, 39, S100-S112.	0.4	6
52	Contextualizing the Proven Effectiveness of a Lifestyle Intervention for Type 2 Diabetes in Primary Care: A Qualitative Assessment Based on the RE-AIM Framework. Canadian Journal of Diabetes, 2015, 39, S92-S99.	0.4	9
53	The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. Canadian Journal of Diabetes, 2015, 39, S113-S119.	0.4	26
54	Physical activity information sources and achieving public health guidelines among older adult males. Public Health, 2014, 128, 110-113.	1.4	1

#	Article	IF	CITATIONS
55	Improved Functional Status Following the Aquatic Physical Exercise for Arthritis and Diabetes (APEXD) Study. Canadian Journal of Diabetes, 2014, 38, S63.	0.4	2
56	A primary care based healthy-eating and active living education session for weight reduction in the pre-diabetic population. Primary Care Diabetes, 2014, 8, 301-307.	0.9	4
57	Systemic cytokine response to three bouts of eccentric exercise. Results in Immunology, 2014, 4, 23-29.	2.2	16
58	Food and Physical Activity Behaviours of Adults Attending a Prediabetes Education Class. Canadian Journal of Diabetes, 2014, 38, 432-438.	0.4	5
59	Social support, selfâ€efficacy and motivation: a qualitative study of the journey through <scp>HEALD</scp> (Healthy Eating and Active Living for Diabetes). Practical Diabetes, 2014, 31, 370-374.	0.1	5
60	Daily Pedometer Steps among Older Men: Associations with Health-Related Quality of Life and Psychosocial Health. American Journal of Health Promotion, 2013, 27, 294-298.	0.9	14
61	6-Month Follow Up Among Participants from the Healthy Eating and Active Living for Diabetes in Primary Care Networks Trial: A Qualitative Study. Canadian Journal of Diabetes, 2013, 37, S19.	0.4	1
62	Associations between sitting time and health-related quality of life among older men. Mental Health and Physical Activity, 2013, 6, 49-54.	0.9	16
63	Applying the RE-AIM framework to the Alberta's Caring for Diabetes Project: a protocol for a comprehensive evaluation of primary care quality improvement interventions. BMJ Open, 2012, 2, e002099.	0.8	20
64	Canada's Physical Activity Guide: Examining Print-Based Material for Motivating Physical Activity in the Workplace. Journal of Health Communication, 2012, 17, 432-442.	1.2	5
65	Healthy eating and active living for diabetes in primary care networks (HEALD-PCN): rationale, design, and evaluation of a pragmatic controlled trial for adults with type 2 diabetes. BMC Public Health, 2012, 12, 455.	1.2	17
66	Physical activity and health-related quality of life among older men: An examination of current physical activity recommendations. Preventive Medicine, 2012, 54, 234-236.	1.6	31
67	The Effects of a Supplemental, Theory-Based Physical Activity Counseling Intervention for Adults With Type 2 Diabetes. Journal of Physical Activity and Health, 2011, 8, 944-954.	1.0	26
68	Understanding Physical Activity Intentions and Behavior in Postmenopausal Women: An Application of the Theory of Planned Behavior. International Journal of Behavioral Medicine, 2011, 18, 139-149.	0.8	28
69	Awareness of Canada's Physical Activity Guide to Healthy Active Living in a Large Community Sample. American Journal of Health Promotion, 2011, 25, 294-297.	0.9	21
70	Metformin and Exercise in Type 2 Diabetes. Diabetes Care, 2011, 34, 1469-1474.	4.3	86
71	Quality of life and psychosocial health in postmenopausal women achieving public health guidelines for physical activity. Menopause, 2010, 17, 64-71.	0.8	25
72	Physical Activity and Stages of Change: A Longitudinal Test in Types 1 and 2 Diabetes Samples. Annals of Behavioral Medicine, 2010, 40, 138-149.	1.7	30

#	Article	IF	CITATION
73	Metabolic Risk Varies According to Waist Circumference Measurement Site in Overweight Boys and Girls. Journal of Pediatrics, 2010, 156, 247-252.e1.	0.9	61
74	In search of quality evidence for lifestyle management and glycemic control in children and adolescents with type 2 diabetes: A systematic review. BMC Pediatrics, 2010, 10, 97.	0.7	19
75	Alberta Diabetes and Physical Activity Trial (ADAPT): A randomized theory-based efficacy trial for adults with type 2 diabetes - rationale, design, recruitment, evaluation, and dissemination. Trials, 2010, 11, 4.	0.7	13
76	Peer Telephone Counseling for Adults With Type 2 Diabetes Mellitus. The Diabetes Educator, 2010, 36, 717-729.	2.6	22
77	Physical Activity Related Information Sources Predict Physical Activity Behaviors in Adults with Type 2 Diabetes. Journal of Health Communication, 2010, 15, 846-858.	1.2	14
78	Readiness to Shop for Low-Fat Foods: A Population Study. Journal of the American Dietetic Association, 2009, 109, 1392-1397.	1.3	15
79	Applying the stages of change to multiple low-fat dietary behavioral contexts. An examination of stage occupation and discontinuity. Appetite, 2009, 53, 345-353.	1.8	13
80	Filling a Need: Pediatric Lifestyle Programs for Diabetes and Weight Management. Canadian Journal of Diabetes, 2008, 32, 18-19.	0.4	0
81	Walking Faster: Distilling a complex prescription for type 2 diabetes management through pedometry. Diabetes Care, 2006, 29, 1654-1655.	4.3	29
82	Measuring Habitual Walking Speed of People With Type 2 Diabetes: Are they meeting recommendations?. Diabetes Care, 2005, 28, 1503-1504.	4.3	30