
## Marina P Siakantaris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4302929/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic value of serum free light chain ratio at diagnosis in multiple myeloma. British Journal of Haematology, 2007, 137, 240-243.	1.2	108
2	Rituximab, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone with or Without Radiotherapy in Primary Mediastinal Large B-Cell Lymphoma: The Emerging Standard of Care. Oncologist, 2012, 17, 239-249.	1.9	105
3	Rituximab monotherapy is highly effective in splenic marginal zone lymphoma. Hematological Oncology, 2007, 25, 127-131.	0.8	96
4	Waldenström's macroglobulinemia: clinical course and prognostic factors in 60 patients. Annals of Hematology, 2001, 80, 722-727.	0.8	86
5	Treatment of Splenic Marginal Zone Lymphoma With Rituximab Monotherapy: Progress Report and Comparison With Splenectomy. Oncologist, 2013, 18, 190-197.	1.9	77
6	PulmonaryBalantidium coli infection in a leukemic patient. American Journal of Hematology, 2003, 73, 180-183.	2.0	67
7	Development and validation of a clinical prediction rule for bone marrow involvement in patients with Hodgkin lymphoma. Blood, 2005, 105, 1875-1880.	0.6	61
8	Campath-1H (Anti-CD52) Monoclonal Antibody Therapy in Lymphoproliferative Disorders. Medical Oncology, 2001, 18, 99-108.	1.2	59
9	Angiogenesis in Hodgkin's lymphoma: a morphometric approach in 286 patients with prognostic implications. Leukemia, 2005, 19, 894-900.	3.3	59
10	Favorable outcome of primary cutaneous marginal zone lymphoma treated with intralesional rituximab. European Journal of Haematology, 2006, 77, 300-303.	1.1	47
11	Rituximab monotherapy in splenic marginal zone lymphoma: prolonged responses and potential benefit from maintenance. Blood, 2018, 132, 666-670.	0.6	44
12	PET/CT in primary mediastinal large B-cell lymphoma responding to rituximab-CHOP: An analysis of 106 patients regarding prognostic significance and implications for subsequent radiotherapy. Leukemia, 2016, 30, 238-242.	3.3	43
13	B-chronic lymphocytic leukemia: practical aspects. Hematological Oncology, 2002, 20, 103-146.	0.8	41
14	Effective treatment of diseaseâ€related anaemia in Bâ€chronic lymphocytic leukaemia patients with recombinant human erythropoietin. British Journal of Haematology, 1995, 89, 627-629.	1.2	36
15	Combination of rituximab with chlorambucil as first line treatment in patients with mantle cell lymphoma: a highly effective regimen. Leukemia and Lymphoma, 2011, 52, 387-393.	0.6	35
16	Safety and Efficacy of Low-Dose Bexarotene and PUVA in the Treatment of Patients with Mycosis Fungoides. American Journal of Clinical Dermatology, 2008, 9, 169-173.	3.3	34
17	The prognostic significance of beta(2)-microglobulin in patients with Hodgkin's lymphoma. Haematologica, 2002, 87, 701-8; discussion 708.	1.7	34
18	Primary Lung Involvement in Waldenström's Macroglobulinaemia. Acta Haematologica, 2001, 105, 92-96.	0.7	33

MARINA P SIAKANTARIS

#	Article	IF	CITATIONS
19	Primary Non-Hodgkin's Lymphoma of the Gall Bladder. Leukemia and Lymphoma, 2000, 40, 123-131.	0.6	32
20	Non-gastric extra-nodal marginal zone lymphomas–a single centre experience on 76 patients. Leukemia and Lymphoma, 2008, 49, 2308-2315.	0.6	32
21	Differential Diagnosis of Waldenström's Macroglobulinemia and Other B-Cell Disorders. Clinical Lymphoma and Myeloma, 2005, 5, 235-240.	2.1	31
22	Prognostic factors in advanced stage Hodgkin's lymphoma: the significance of the number of involved anatomic sites. European Journal of Haematology, 2001, 67, 279-288.	1.1	29
23	Serum syndecan-1, basic fibroblast growth factor and osteoprotegerin in myeloma patients at diagnosis and during the course of the disease. European Journal of Haematology, 2004, 72, 252-258.	1.1	27
24	PUVA plus interferon α2b in the treatment of advanced or refractory to PUVA early stage mycosis fungoides: a case series. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 354-357.	1.3	27
25	Prognostic indicators for mycosis fungoides in a Greek population. British Journal of Dermatology, 2017, 176, 1321-1330.	1.4	25
26	Realâ€life experience with the combination of polatuzumab vedotin, rituximab, and bendamustine in aggressive Bâ€cell lymphomas. Hematological Oncology, 2021, 39, 336-348.	0.8	25
27	Topoisomerase IIα Expression as an Independent Prognostic Factor in Hodgkin's Lymphoma. Clinical Cancer Research, 2008, 14, 1759-1766.	3.2	24
28	Prognostic Implication of the Absolute Lymphocyte to Absolute Monocyte Count Ratio in Patients With Classical Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine or Equivalent Regimens. Oncologist, 2016, 21, 343-353.	1.9	24
29	Correction of Disease Related Anaemia of B-Chronic Lymphoproliferative Disorders by Recombinant Human Erythropoietin: Maintenance is Necessary to Sustain Response. Leukemia and Lymphoma, 2000, 40, 141-147.	0.6	23
30	Combination chemotherapy plus low-dose involved-field radiotherapy for early clinical stage Hodgkin's lymphoma. International Journal of Radiation Oncology Biology Physics, 2004, 59, 765-781.	0.4	22
31	A comprehensive immunohistochemical approach of AKT/mTOR pathway and p-STAT3 in mycosis fungoides. Journal of the American Academy of Dermatology, 2013, 69, 375-384.	0.6	20
32	Neutropenia with fatal outcome in a multiple sclerosis patient 23 days after alemtuzumab infusion. Multiple Sclerosis and Related Disorders, 2018, 23, 15-16.	0.9	20
33	Serum levels of tetranectin, intercellular adhesion molecule-1 and interleukin-10 in B-chronic lymphocytic leukemia. Clinical Biochemistry, 1999, 32, 639-645.	0.8	19
34	Differential diagnosis of Waldenstrom's macroglobulinemia from other low-grade B-cell lymphoproliferative disorders. Seminars in Oncology, 2003, 30, 201-205.	0.8	18
35	A morphometric study of bone marrow angiogenesis in hairy cell leukaemia with clinicopathological correlations. British Journal of Haematology, 2003, 122, 900-910. Immunohistochemical Analysis of IL-6, IL-8/CXCR2 Axis, <mml:math< td=""><td>1.2</td><td>17</td></mml:math<>	1.2	17
36	<pre>immunonistochemical Analysis of it-6, it-6/CXCK2 Axis, </pre> immunonistochemical Analysis of it-6, it-6/CXCK2 Axis, immunonistochemical Analysis of it-6, it-6, it-6/CXCK2 Axis, immunonistochemical Analysis of it-6,	⊺yr <td>itext&gt; </td>	itext>

3

#	Article	IF	CITATIONS
37	EBVD Combination Chemotherapy Plus Low Dose Involved Field Radiation is a Highly Effective Treatment Modality for Early Stage Hodgkin's Disease. Leukemia and Lymphoma, 2000, 37, 131-143.	0.6	16
38	In situassessment of PI3K and PTEN alterations in mycosis fungoides: correlation with clinicopathological features. Experimental Dermatology, 2014, 23, 931-933.	1.4	15
39	Identification of Very Low-Risk Subgroups of Patients with Primary Mediastinal Large B-Cell Lymphoma Treated with R-CHOP. Oncologist, 2021, 26, 597-609.	1.9	15
40	Campath-1H in B-chronic lymphocytic leukemia: report on a patient treated thrice in a 3 year period. Medical Oncology, 2000, 17, 70-73.	1.2	13
41	Early‣tage Gastric MALT Lymphoma: Is It a Truly Localized Disease?. Oncologist, 2009, 14, 148-154.	1.9	13
42	The Significance of PET/CT in the Initial Staging of Hodgkin Lymphoma: Experience Outside Clinical Trials. , 2017, 37, 5727-5736.		13
43	Immunotherapeutic and Immunoregulatory Drugs in Haematologic Malignancies. Current Topics in Medicinal Chemistry, 2006, 6, 1657-1686.	1.0	12
44	Management of cutaneous T-Cell lymphoma patients with extracorporeal photopheresis. The hellenic experience. Transfusion and Apheresis Science, 2012, 46, 189-193.	0.5	12
45	Correlation of Fc Gamma RIIA Polymorphisms with EBV-Positivity and LMP1 Expression in Patients with Low Grade B-Cell Lymphomas. Blood, 2011, 118, 1600-1600.	0.6	12
46	Kikuchi's lymphadenopathy: a relatively rare but important cause of lymphadenopathy in Greece, potentially associated with the antiphospholipid syndrome. Rheumatology International, 2010, 30, 925-932.	1.5	11
47	Diagnostic role of cytology in serous effusions of patients with hematologic malignancies. Diagnostic Cytopathology, 2019, 47, 404-411.	0.5	11
48	Mutation analysis of IgVH genes in splenic marginal zone lymphomas: correlation with clinical characteristics and outcome. Anticancer Research, 2009, 29, 1811-6.	0.5	11
49	Positron emission tomography after response to rituximab-CHOP in primary mediastinal large B-cell lymphoma: impact on outcomes and radiotherapy strategies. Annals of Hematology, 2021, 100, 2279-2292.	0.8	10
50	Development of a myeloproliferative disorder in a patient with monoclonal gammopathy of undetermined significance secreting immunoglobulin of the M class and treated with thalidomide and anti-CD20 monoclonal antibody. Blood, 2001, 97, 2527-2528.	0.6	9
51	A Randomized Trial Comparing Intensified CNOP vs. CHOP in Patients with Aggressive Non-Hodgkin's Lymphoma. Leukemia and Lymphoma, 2003, 44, 635-644.	0.6	9
52	Bone marrow PARP1 mRNA levels predict response to treatment with 5-azacytidine in patients with myelodysplastic syndrome. Annals of Hematology, 2019, 98, 1383-1392.	0.8	9
53	Hodgkin's lymphoma in first relapse following chemotherapy or combined modality therapy: analysis of outcome and prognostic factors after conventional salvage therapy. European Journal of Haematology, 2002, 68, 289-298.	1.1	8
54	Thrombotic microangiopathy in a patient with Sezary syndrome treated with interferon-Â. Nephrology Dialysis Transplantation, 2004, 19, 733-735.	0.4	8

MARINA P SIAKANTARIS

#	Article	IF	CITATIONS
55	Cytomegalovirus Meningoencephalitis After Rituximab Treatment for Primary Central Nervous System Lymphoma. Neurologist, 2015, 19, 35-37.	0.4	8
56	Adult T-Cell Leukemia/Lymphoma (ATLL): Report of Two Fully Documented Hellenic Patients. Leukemia and Lymphoma, 2004, 45, 715-721.	0.6	7
57	Spontaneous remission of acute myeloid leukemia associated with GnRH agonist treatment. Leukemia and Lymphoma, 2006, 47, 557-560.	0.6	7
58	Prognostic Significance of Serum Free Light Chains in Chronic Lymphocytic Leukemia. Advances in Hematology, 2013, 2013, 1-7.	0.6	7
59	Targeted genomic analysis of cutaneous T cell lymphomas identifies a subset with aggressive clinicopathological features. Blood Cancer Journal, 2020, 10, 116.	2.8	6
60	Serum ferritin levels in previously untreated classical Hodgkin lymphoma: correlations and prognostic significance. Leukemia and Lymphoma, 2022, 63, 799-812.	0.6	5
61	Thioredoxin-1, chemokine (C-X-C motif) ligand-9 and interferon-Î <sup>3</sup> expression in the neoplastic cells and macrophages of Hodgkin lymphoma: clinicopathologic correlations and potential prognostic implications. Leukemia and Lymphoma, 2017, 58, 2227-2239.	0.6	4
62	Central nervous system involvement in primary bone marrow or splenic marginal zone lymphoma: Report of two cases and review of the literature. Hematological Oncology, 2019, 37, 219-222.	0.8	4
63	Validation of the simplified International Prognostic Score3 in a Hellenic cohort of patients with advancedâ€stage Hodgkin″ymphoma. British Journal of Haematology, 2020, 190, e335-e339.	1.2	4
64	Excellent Outcome with Rituximab-CHOP (R-CHOP) Combined with Radiotherapy (RT) in Primary Mediastinal Large B-Cell Lymhoma (PMLBCL) Blood, 2005, 106, 935-935.	0.6	4
65	Rituximab-CHOP (R-CHOP) and Radiotherapy (RT) for Primary Mediastinal Large B-Cell Lymphoma (PMLBCL) Blood, 2006, 108, 2745-2745.	0.6	4
66	Bone metabolism markers and angiogenic cytokines as regulators of human hematopoietic stem cell mobilization. Journal of Bone and Mineral Metabolism, 2018, 36, 399-409.	1.3	3
67	Randomized Phase II Trial on Primary Chemotherapy with High-Dose Methotrexate Alone or Associated with High-Dose Cytarabine for Patients with Primary CNS Lymphoma (IELSG #20 Trial): Tolerability, Activity and Event-Free Survival Analysis. Blood, 2008, 112, 580-580.	0.6	3
68	Survivin Messenger RNA Levels in Epstein-Barr Virus–Positive Patients With Leukemic Low-Grade B-Cell Lymphomas Expressing the Latent Membrane Protein 1: Evidence of Apoptotic Function?. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, 56-60.	0.2	2
69	Tumor Protein 53 Gene Mutations Without 17p13 Deletion Have No Significant Clinical Implications in Chronic Lymphocytic Leukemia. Detection of a New Mutation. Anticancer Research, 2017, 37, 2387-2391.	0.5	2
70	Breast cancer after curative chemotherapy in non-Hodgkin's lymphoma: Examination of the role of drug resistance and retrospective comparison to the outcome of de novo breast cancer. Oncology Reports, 2004, 11, 899-903.	1.2	2
71	Treatment of Splenic Marginal Zone Lymphoma with Rituximab Monotherapy in 59 Patients. Blood, 2011, 118, 2712-2712.	0.6	2
72	Real-life Experience With Rituximab-CHOP Every 21 or 14 Days in Primary Mediastinal Large B-cell Lymphoma. In Vivo, 2022, 36, 1302-1315.	0.6	2

5

#	Article	IF	CITATIONS
73	Systemic Mastocytosis Accompanied by a Non-Secretory Plasma Cell Dyscrasia and Nephrotic Syndrome-Level Proteinuria in a 76-Year-Old Patient. Acta Haematologica, 2014, 131, 78-83.	0.7	1
74	Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) with concurrent high grade component at diagnosis: clinico-pathologic features and treatment strategy. Leukemia and Lymphoma, 2015, 56, 3230-3232.	0.6	1
75	Significance of Serum Free Light Chains in Chronic Lymphocytic Leukemia (cll) Prognosis. Blood, 2012, 120, 4568-4568.	0.6	1
76	Imaging of Primary Central Nervous System Lymphoma before and after Radiotherapy. The Neuroradiology Journal, 2001, 14, 253-258.	0.1	0
77	Randomized Controlled Trials and Case Reports: Two Sides of the Same Coin?. Research in Complementary Medicine, 2009, 16, 195-195.	2.2	0
78	A chart review of patients with earlyâ€stage mycosis fungoides treated with psoralen plus ultraviolet A. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 218-219.	1.3	0
79	Serum Soluble Syndecan-1 Levels Correlate with Erythropoietin and Inversely with Hemoglobin Levels in Untreated Anaemic Myeloma Patients: Possible Role of Syndecan-1 in the Mechanisms of Chronic Anaemia Blood, 2004, 104, 4882-4882.	0.6	0
80	Lymhoma of the Oral Cavity. A Rare Entity with Favorable Prognosis. Ten-Year Experience of a Single Hematology Unit Blood, 2004, 104, 4595-4595.	0.6	0
81	B-Chronic Lymphocytic Leukemia (B-CLL), Small Lymphocytic Lymphoma (SLL) and Waldenstrom's Macroglobulinemia (MW): A Comparative Fish Analysis Blood, 2004, 104, 4801-4801.	0.6	0
82	Complex Paterns of Monoclonal Ig Diversification in B-CLL Cells from Different Tissue Compartments Blood, 2005, 106, 5021-5021.	0.6	0
83	Serum Levels of OPG and MIP-1α in Untreated Multiple Myeloma Patients. Correlations with Staging, Survival and Bone Disease Blood, 2005, 106, 5074-5074.	0.6	0
84	Rituximab Monotherapy Is an Effective Treatment for Splenic Marginal Zone B-Cell Lymphomas (SMZL) Blood, 2005, 106, 4800-4800.	0.6	0
85	Retrospective Analysis of 41 Consecutive Patients with Non Gastrointestinal (GI) Extranodal Marginal Zone B-Cell Lymphoma (EMZL): Correlation of Clinical Characteristics and Outcome with Disease Localization Blood, 2005, 106, 4785-4785.	0.6	0
86	Molecular Analysis of the VH Gene Usage in a Familial Case of Waldenstrom's Macroglobulinemia Blood, 2005, 106, 1005-1005.	0.6	0
87	Bortezomib in Patients with Relapsed-Refractory Multiple Myeloma (MM). Clinical Observations Blood, 2005, 106, 5193-5193.	0.6	0
88	Serum Soluble Syndecan-1 Levels at Diagnosis Constitute an Independent Prognostic Factor of Survival in Myeloma That May Further Differentiate Patients within the ISS Stages Blood, 2005, 106, 3404-3404.	0.6	0
89	Z-Guggulsterone Downregulates Survivin and Induces Cell Death in Large B Cell Lymphoma Cells In Vitro Blood, 2006, 108, 4752-4752.	0.6	0
90	Serum Free Light Chain Ratio (FLCR) at Diagnosis Constitute a Powerful Prognostic Factor of Survival in Multiple Myeloma (MM) Blood, 2006, 108, 3522-3522.	0.6	0

#	Article	IF	CITATIONS
91	B-Chronic Lymphoproliferative Disorders (BCLD) Presenting with Splenomegaly: Differential Diagnosis and Outcome Blood, 2006, 108, 4655-4655.	0.6	0
92	Long Term Follow up of Hairy Cell Leukemia (HCL) Patients (PTS) Treated with Interferon-Alpha (IFN-α). The Importance of Maintenance Blood, 2006, 108, 4718-4718.	0.6	0
93	CD4(+)/CD56(+) Hematodermic (plasmacytoid dendritic cell) Tumor: a Highly Proliferating Neoplasm with Aberrant Expression of Immunohistochemical Markers and Poor Outcome Blood, 2009, 114, 2930-2930.	0.6	0
94	A Shorter Time to First Treatment and Worst Overall survival Is Observed in Cll Patients with Reduced Serum IgM As Evaluated with Novel Serum Immunoassays. Blood, 2012, 120, 4585-4585.	0.6	0
95	A Comprehensive Immunohistochemical Approach of AKT/mTOR Pathway and p-STAT3 in Mycosis Fungoides Blood, 2012, 120, 2663-2663.	0.6	0
96	Lower Levels of Survivin in Patients with Leukemic Low Grade B-Cell Lymphomas Expressing LMP1 Oncoprotein of Epstein-Barr Virus. Blood, 2012, 120, 1560-1560.	0.6	0
97	Composite Lymphomas: A Challenging Entity. Current Cancer Therapy Reviews, 2014, 10, 80-89.	0.2	0