

# Kunihiro Tsuchida

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4302976/kunihiro-tsuchida-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

7,450<sup>0</sup>  
citations

42  
h-index

85  
g-index

151  
ext. papers

8,319  
ext. citations

6  
avg, IF

5.63  
L-index

#	Paper	IF	Citations
125	Development of Myostatin Inhibitory d-Peptides to Enhance the Potency, Increasing Skeletal Muscle Mass in Mice.. <i>ACS Medicinal Chemistry Letters</i> , <b>2022</b> , 13, 492-498	4.3	1
124	Proteomic, Biochemical, and Morphological Analyses of the Effect of Silver Nanoparticles Mixed with Organic and Inorganic Chemicals on Wheat Growth.. <i>Cells</i> , <b>2022</b> , 11,	7.9	2
123	Morphological, Biochemical, and Proteomic Analyses to Understand the Promotive Effects of Plant-Derived Smoke Solution on Wheat Growth under Flooding Stress. <i>Plants</i> , <b>2022</b> , 11, 1508	4.5	2
122	Desloratadine inhibits heterotopic ossification by suppression of BMP2-Smad1/5/8 signaling. <i>Journal of Orthopaedic Research</i> , <b>2021</b> , 39, 1297-1304	3.8	5
121	Osmotic stress in banana is relieved by exogenous nitric oxide. <i>PeerJ</i> , <b>2021</b> , 9, e10879	3.1	5
120	Evaluation of the reporting quality of clinical practice guidelines on pancreatic cancer using the RIGHT checklist. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 1088	3.2	0
119	Proteomic and Biochemical Analyses of the Mechanism of Tolerance in Mutant Soybean Responding to Flooding Stress. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
118	Proteomic and Biological Analyses Reveal the Effect on Growth under Flooding Stress of Chickpea Irradiated with Millimeter Waves. <i>Journal of Proteome Research</i> , <b>2021</b> , 20, 4718-4727	5.6	1
117	Mesenchymal Bmp3b expression maintains skeletal muscle integrity and decreases in age-related sarcopenia. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	18
116	Increased MFG-E8 at neuromuscular junctions is an exacerbating factor for sarcopenia-associated denervation.. <i>Aging Cell</i> , <b>2021</b> , e13536	9.9	1
115	A new murine ileostomy model: recycling stool prevents intestinal atrophy in the distal side of ileostomy. <b>2021</b> , 7, 41-49		0
114	A comparative proteomic analysis of engineered and bio synthesized silver nanoparticles on soybean seedlings. <i>Journal of Proteomics</i> , <b>2020</b> , 224, 103833	3.9	11
113	Expression Levels of Long Non-Coding RNAs Change in Models of Altered Muscle Activity and Muscle Mass. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	10
112	Proteomic Analysis of Irradiation with Millimeter Waves on Soybean Growth under Flooding Conditions. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	7
111	Regulatory Roles of Long Non-coding RNAs in Skeletal Muscle Differentiation, Regeneration, and Disorders. <i>RNA Technologies</i> , <b>2020</b> , 431-463	0.2	0
110	Discovery of a follistatin-derived myostatin inhibitory peptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2020</b> , 30, 126892	2.9	3
109	The Effect of Mung Bean ( (L.) ) Coat Extract on Mouse Liver Metabolism During Progesterone Withdrawal. <i>Journal of Medicinal Food</i> , <b>2020</b> , 23, 967-977	2.8	

108	Molecular Responses of Maize Shoot to a Plant Derived Smoke Solution. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	13
107	Long Non-Coding RNA Regulates GDF5 Expression in Denervated Mouse Skeletal Muscle. <i>Non-coding RNA</i> , <b>2019</b> , 5,	7.1	6
106	Proteomic Analysis of the Effect of Inorganic and Organic Chemicals on Silver Nanoparticles in Wheat. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	20
105	Data describing the effects of depletion of , , and in differentiating C2C12 cells. <i>Data in Brief</i> , <b>2019</b> , 25, 104172	1.2	1
104	Post-translational modification and protein sorting to small extracellular vesicles including exosomes by ubiquitin and UBLs. <i>Cellular and Molecular Life Sciences</i> , <b>2019</b> , 76, 4829-4848	10.3	24
103	Phosphoproteomics Reveals the Biosynthesis of Secondary Metabolites in under Ultraviolet-B Radiation. <i>Journal of Proteome Research</i> , <b>2019</b> , 18, 3328-3341	5.6	8
102	Reduced expression of calcitonin receptor is closely associated with age-related loss of the muscle stem cell pool. <i>JCSM Rapid Communications</i> , <b>2019</b> , 2, 1-13	2.6	2
101	Vangl2 interaction plays a role in the proteasomal degradation of Prickle2. <i>Scientific Reports</i> , <b>2019</b> , 9, 2912	4.9	3
100	Deficiency of Gene Alters the Gene Expression Profiling of Skeletal Muscle Subjected to Mechanical Overload. <i>Frontiers in Sports and Active Living</i> , <b>2019</b> , 1, 41	2.3	
99	promoter-associated lncRNA is essential for myogenic differentiation. <i>EMBO Reports</i> , <b>2019</b> , 20,	6.5	30
98	Proteomic analysis of the effect of plant-derived smoke on soybean during recovery from flooding stress. <i>Journal of Proteomics</i> , <b>2018</b> , 181, 238-248	3.9	25
97	UBL3 modification influences protein sorting to small extracellular vesicles. <i>Nature Communications</i> , <b>2018</b> , 9, 3936	17.4	31
96	Overexpression of bone morphogenetic protein-3b (BMP-3b) in adipose tissues protects against high-fat diet-induced obesity. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 483-488	5.5	17
95	Mung bean ( <i>Vigna radiata</i> (L.)) coat extract modulates macrophage functions to enhance antigen presentation: A proteomic study. <i>Journal of Proteomics</i> , <b>2017</b> , 161, 26-37	3.9	16
94	Promethazine Hydrochloride Inhibits Ectopic Fat Cell Formation in Skeletal Muscle. <i>American Journal of Pathology</i> , <b>2017</b> , 187, 2627-2634	5.8	7
93	Notch ligands regulate the muscle stem-like state ex vivo but are not sufficient for retaining regenerative capacity. <i>PLoS ONE</i> , <b>2017</b> , 12, e0177516	3.7	17
92	Myostatin-deficiency in mice increases global gene expression at the Dlk1-Dio3 locus in the skeletal muscle. <i>Oncotarget</i> , <b>2017</b> , 8, 5943-5953	3.3	12
91	Cell-Surface Protein Profiling Identifies Distinctive Markers of Progenitor Cells in Human Skeletal Muscle. <i>Stem Cell Reports</i> , <b>2016</b> , 7, 263-78	8	73

90	Identification, Isolation, and Characterization of Mesenchymal Progenitors in Mouse and Human Skeletal Muscle. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1460, 241-53	1.4	16
89	Pro-Insulin-Like Growth Factor-II Ameliorates Age-Related Inefficient Regenerative Response by Orchestrating Self-Reinforcement Mechanism of Muscle Regeneration. <i>Stem Cells</i> , <b>2015</b> , 33, 2456-68	5.8	17
88	Calcitonin Receptor Signaling Inhibits Muscle Stem Cells from Escaping the Quiescent State and the Niche. <i>Cell Reports</i> , <b>2015</b> , 13, 302-14	10.6	62
87	The Inhibitory Core of the Myostatin Prodomain: Its Interaction with Both Type I and II Membrane Receptors, and Potential to Treat Muscle Atrophy. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133713	3.7	22
86	Myostatin signaling regulates Akt activity via the regulation of miR-486 expression. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2014</b> , 47, 93-103	5.6	82
85	Identification and characterization of PDGFR $\beta$ mesenchymal progenitors in human skeletal muscle. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1186	9.8	155
84	Characterization of Inorganic Nanomaterials as Therapeutic Vehicles <b>2014</b> , 73-98		
83	Roles of nonmyogenic mesenchymal progenitors in pathogenesis and regeneration of skeletal muscle. <i>Frontiers in Physiology</i> , <b>2014</b> , 5, 68	4.6	88
82	iTRAQ-based proteomics reveals novel biomarkers of osteoarthritis. <i>Biomarkers</i> , <b>2013</b> , 18, 565-72	2.6	22
81	Role of microRNAs in skeletal muscle hypertrophy. <i>Frontiers in Physiology</i> , <b>2013</b> , 4, 408	4.6	58
80	Mechanism of Cell Interactions with Water-Dispersed Carbon Nanohorns. <i>Nanoscience and Nanotechnology Letters</i> , <b>2013</b> , 5, 402-407	0.8	5
79	Osteogenic differentiation capacity of human skeletal muscle-derived progenitor cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e56641	3.7	63
78	Origin and Therapeutic Strategies for Ectopic Bone Formation in Skeletal Muscle <b>2013</b> , 03,		2
77	An inhibitor of transforming growth factor beta type I receptor ameliorates muscle atrophy in a mouse model of caveolin 3-deficient muscular dystrophy. <i>Laboratory Investigation</i> , <b>2012</b> , 92, 1100-14	5.9	25
76	Single-walled carbon nanohorns as drug carriers: adsorption of prednisolone and anti-inflammatory effects on arthritis. <i>Nanotechnology</i> , <b>2011</b> , 22, 465102	3.4	36
75	Multifunctional roles of activins in the brain. <i>Vitamins and Hormones</i> , <b>2011</b> , 85, 185-206	2.5	16
74	Follistatin-derived peptide expression in muscle decreases adipose tissue mass and prevents hepatic steatosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2011</b> , 300, E543-53	6	29
73	Fibrosis and adipogenesis originate from a common mesenchymal progenitor in skeletal muscle. <i>Journal of Cell Science</i> , <b>2011</b> , 124, 3654-64	5.3	375

72	Mesenchymal progenitors distinct from satellite cells contribute to ectopic fat cell formation in skeletal muscle. <i>Nature Cell Biology</i> , <b>2010</b> , 12, 143-52	23.4	782
71	Intracellular drug delivery by genetically engineered high-density lipoprotein nanoparticles. <i>Nanomedicine</i> , <b>2010</b> , 5, 867-79	5.6	35
70	Involvement of the serum response factor coactivator megakaryoblastic leukemia (MKL) in the activin-regulated dendritic complexity of rat cortical neurons. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 32734-32743	5.4	33
69	Activin plays a key role in the maintenance of long-term memory and late-LTP. <i>Learning and Memory</i> , <b>2010</b> , 17, 176-85	2.8	43
68	Regulation of muscle mass by follistatin and activins. <i>Molecular Endocrinology</i> , <b>2010</b> , 24, 1998-2008		191
67	Size control of lipid-based drug carrier by drug loading. <i>Molecular BioSystems</i> , <b>2010</b> , 6, 789-91		16
66	Activin A and follistatin-like 3 determine the susceptibility of heart to ischemic injury. <i>Circulation</i> , <b>2009</b> , 120, 1606-15	16.7	69
65	Acceleration of palatal wound healing in Smad3-deficient mice. <i>Journal of Dental Research</i> , <b>2009</b> , 88, 757-61	8.1	18
64	Photoinduced electron transfer in zinc phthalocyanine loaded on single-walled carbon nanohorns in aqueous solution. <i>Advanced Materials</i> , <b>2009</b> , 21, 4366-71	24	40
63	Activin signaling as an emerging target for therapeutic interventions. <i>Cell Communication and Signaling</i> , <b>2009</b> , 7, 15	7.5	121
62	Follistatin induces muscle hypertrophy through satellite cell proliferation and inhibition of both myostatin and activin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2009</b> , 297, E157-64	6	175
61	Neuron type-selective effects of activin on development of the hippocampus. <i>Neuroscience Letters</i> , <b>2009</b> , 452, 232-7	3.3	14
60	Biodistribution and ultrastructural localization of single-walled carbon nanohorns determined in vivo with embedded Gd <sub>2</sub> O <sub>3</sub> labels. <i>ACS Nano</i> , <b>2009</b> , 3, 1399-406	16.7	74
59	Water-dispersed single-wall carbon nanohorns as drug carriers for local cancer chemotherapy. <i>Nanomedicine</i> , <b>2008</b> , 3, 453-63	5.6	69
58	Activin induces long-lasting N-methyl-D-aspartate receptor activation via scaffolding PDZ protein activin receptor interacting protein 1. <i>Neuroscience</i> , <b>2008</b> , 151, 1225-35	3.9	28
57	Enhancement of in vivo anticancer effects of cisplatin by incorporation inside single-wall carbon nanohorns. <i>ACS Nano</i> , <b>2008</b> , 2, 2057-64	16.7	198
56	Transgenic expression of a myostatin inhibitor derived from follistatin increases skeletal muscle mass and ameliorates dystrophic pathology in mdx mice. <i>FASEB Journal</i> , <b>2008</b> , 22, 477-87	0.9	159
55	Recent advances in inorganic nanoparticle-based drug delivery systems. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2008</b> , 8, 175-83	3.2	63

54	Follistatin suppresses the production of experimental multiple-organ metastasis by small cell lung cancer cells in natural killer cell-depleted SCID mice. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 660-7	12.9	66
53	Fabrication of ZnPc/protein nanohorns for double photodynamic and hyperthermic cancer phototherapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 14773-8	11.5	237
52	Signal transduction pathway through activin receptors as a therapeutic target of musculoskeletal diseases and cancer. <i>Endocrine Journal</i> , <b>2008</b> , 55, 11-21	2.9	130
51	Activin in the brain modulates anxiety-related behavior and adult neurogenesis. <i>PLoS ONE</i> , <b>2008</b> , 3, e18697	3.7	77
50	Myostatin inhibition by a follistatin-derived peptide ameliorates the pathophysiology of muscular dystrophy model mice. <i>Acta Myologica</i> , <b>2008</b> , 27, 14-8	1.6	29
49	Targeting myostatin for therapies against muscle-wasting disorders. <i>Current Opinion in Drug Discovery &amp; Development</i> , <b>2008</b> , 11, 487-94		38
48	Activin increases the number of synaptic contacts and the length of dendritic spine necks by modulating spinal actin dynamics. <i>Journal of Cell Science</i> , <b>2007</b> , 120, 3830-7	5.3	46
47	Characterization of follistatin-related gene as a negative regulatory factor for activin family members during mouse heart development. <i>Journal of Medical Investigation</i> , <b>2007</b> , 54, 276-88	1.2	19
46	Overproduction of the follistatin-related gene protein in the placenta and maternal serum of women with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2007</b> , 114, 1128-37	3.7	19
45	Combination therapy of human pancreatic cancer implanted in nude mice by oral fluoropyrimidine anticancer agent (S-1) with interferon-alpha. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2007</b> , 59, 113-26	3.5	8
44	Characterization of neuron-specific huntingtin aggregates in human huntingtin knock-in mice. <i>Neuroscience Research</i> , <b>2007</b> , 57, 559-73	2.9	13
43	Effects of preactivation by portal vein ligation on liver regeneration following massive hepatectomy in rats. <i>Hepato-Gastroenterology</i> , <b>2007</b> , 54, 1216-21		
42	Requirement of Smad3 for mast cell growth. <i>Cellular Immunology</i> , <b>2006</b> , 240, 47-52	4.4	10
41	Involvement of p38 MAP kinase and Smad3 in TGF-beta-mediated mast cell functions. <i>Cellular Signalling</i> , <b>2006</b> , 18, 2154-61	4.9	11
40	Transcriptional regulation of mouse mast cell protease-7 by TGF-beta. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>2006</b> , 1759, 166-70		11
39	Identification of tocopherol-associated protein as an activin/TGF-beta-inducible gene in mast cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2006</b> , 1763, 900-6	4.9	6
38	Inhibitors of the TGF-beta superfamily and their clinical applications. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2006</b> , 6, 1255-61	3.2	27
37	Characterization of isoforms of activin receptor-interacting protein 2 that augment activin signaling. <i>Journal of Endocrinology</i> , <b>2006</b> , 189, 409-21	4.7	23

36	The role of myostatin and bone morphogenetic proteins in muscular disorders. <i>Expert Opinion on Biological Therapy</i> , <b>2006</b> , 6, 147-54	5.4	19
35	Purification of recombinant activin A using the second follistatin domain of follistatin-related gene (FLRG). <i>Protein Expression and Purification</i> , <b>2006</b> , 49, 78-82	2	6
34	ALK7 is a novel marker for adipocyte differentiation. <i>Journal of Medical Investigation</i> , <b>2006</b> , 53, 238-45	1.2	23
33	Muscular atrophy of caveolin-3-deficient mice is rescued by myostatin inhibition. <i>Journal of Clinical Investigation</i> , <b>2006</b> , 116, 2924-34	15.9	90
32	Activin and activin receptor expression changes in liver regeneration in rat. <i>Journal of Surgical Research</i> , <b>2005</b> , 126, 3-11	2.5	43
31	Synergistic activity of activin A and basic fibroblast growth factor on tyrosine hydroxylase expression through Smad3 and ERK1/ERK2 MAPK signaling pathways. <i>Journal of Endocrinology</i> , <b>2005</b> , 184, 493-504	4.7	39
30	Possible endocrine control by follistatin 315 during liver regeneration based on changes in the activin receptor after a partial hepatectomy in rats. <i>Hepato-Gastroenterology</i> , <b>2005</b> , 52, 60-6		2
29	Activins, myostatin and related TGF-beta family members as novel therapeutic targets for endocrine, metabolic and immune disorders. <i>Current Drug Targets Immune, Endocrine and Metabolic Disorders</i> , <b>2004</b> , 4, 157-66		65
28	Activin isoforms signal through type I receptor serine/threonine kinase ALK7. <i>Molecular and Cellular Endocrinology</i> , <b>2004</b> , 220, 59-65	4.4	113
27	Novel factors in regulation of activin signaling. <i>Molecular and Cellular Endocrinology</i> , <b>2004</b> , 225, 1-8	4.4	37
26	Tumor-stroma interaction of human pancreatic cancer: acquired resistance to anticancer drugs and proliferation regulation is dependent on extracellular matrix proteins. <i>Pancreas</i> , <b>2004</b> , 28, 38-44	2.6	182
25	Transcriptional activation of mouse mast cell Protease-7 by activin and transforming growth factor-beta is inhibited by microphthalmia-associated transcription factor. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 52032-41	5.4	46
24	Follistatin-related gene (FLRG) expression in human endometrium: sex steroid hormones regulate the expression of FLRG in cultured human endometrial stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 4432-9	5.6	16
23	Smad3 is required for enamel biomineralization. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 305, 684-90	3.4	27
22	Characterization of rat follistatin-related gene: effects of estrous cycle stage and pregnancy on its messenger RNA expression in rat reproductive tissues. <i>Biology of Reproduction</i> , <b>2003</b> , 68, 199-206	3.9	20
21	The rasGAP-binding protein, Dok-1, mediates activin signaling via serine/threonine kinase receptors. <i>EMBO Journal</i> , <b>2002</b> , 21, 1684-94	13	38
20	Regulation of endocytosis of activin type II receptors by a novel PDZ protein through Ral/Ral-binding protein 1-dependent pathway. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 19008-18	5.4	65
19	Genomic organization and promoter analysis of mouse follistatin-related gene (FLRG). <i>Molecular and Cellular Endocrinology</i> , <b>2002</b> , 189, 117-23	4.4	7

18	cDNA cloning and expression of human activin betaE subunit. <i>Molecular and Cellular Endocrinology</i> , <b>2002</b> , 194, 117-22	4.4	40
17	Intracellular and extracellular control of activin function by novel regulatory molecules. <i>Molecular and Cellular Endocrinology</i> , <b>2001</b> , 180, 25-31	4.4	36
16	Difference between follistatin isoforms in the inhibition of activin signalling: activin neutralizing activity of follistatin isoforms is dependent on their affinity for activin. <i>Cellular Signalling</i> , <b>2000</b> , 12, 565-71	4.0	53
15	Identification and characterization of a novel follistatin-like protein as a binding protein for the TGF-beta family. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 40788-96	5.4	142
14	Expression of a TGF-beta1 inducible gene, TSC-36, causes growth inhibition in human lung cancer cell lines. <i>Cancer Letters</i> , <b>2000</b> , 155, 37-46	9.9	63
13	Identification and characterization of a PDZ protein that interacts with activin type II receptors. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 5485-92	5.4	74
12	Hematopoietic tissues, as a playground of receptor tyrosine kinases of the PDGF-receptor family. <i>Developmental and Comparative Immunology</i> , <b>1998</b> , 22, 321-32	3.2	24
11	Expressions of PDGF receptor alpha, c-Kit and Flk1 genes clustering in mouse chromosome 5 define distinct subsets of nascent mesodermal cells. <i>Development Growth and Differentiation</i> , <b>1997</b> , 39, 729-40 <sup>3</sup>		186
10	Activin Signal Transduction and the Role of TGF- $\beta$ Superfamily in Cell Differentiation <b>1997</b> , 254-263		1
9	Molecular cloning of a novel type I receptor serine/threonine kinase for the TGF beta superfamily from rat brain. <i>Molecular and Cellular Neurosciences</i> , <b>1996</b> , 7, 467-78	4.8	65
8	Inactivation of activin-dependent transcription by kinase-deficient activin receptors. <i>Endocrinology</i> , <b>1995</b> , 136, 5493-503	4.8	60
7	Activins and the receptor serine kinase superfamily. <i>Endocrine Reviews</i> , <b>1995</b> , 50, 109-29		39
6	Molecular characterization of rat transforming growth factor-beta type II receptor. <i>Biochemical and Biophysical Research Communications</i> , <b>1993</b> , 191, 790-5	3.4	69
5	Cloning and characterization of a transmembrane serine kinase that acts as an activin type I receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1993</b> , 90, 11242-6	11.5	112
4	Sequence and expression of a metabotropic glutamate receptor. <i>Nature</i> , <b>1991</b> , 349, 760-5	50.4	1127
3	Adenosine deaminase deficiency due to heterozygous abnormality consisting of a deletion of exon 7 and the absence of enzyme mRNA. <i>Journal of Cellular Biochemistry</i> , <b>1991</b> , 47, 49-53	4.7	6
2	Characterization of gene organization and generation of heterogeneous mRNA species of rat ISK protein. <i>Journal of Biochemistry</i> , <b>1990</b> , 108, 200-6	3.1	15
1	Tissue distribution and quantitation of the mRNAs for three rat tachykinin receptors. <i>FEBS Journal</i> , <b>1990</b> , 193, 751-7		151



