

Andrew F Auld

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/43031/publications.pdf>

Version: 2024-02-01

43
papers

902
citations

430442

18
h-index

476904

29
g-index

45
all docs

45
docs citations

45
times ranked

1533
citing authors

#	ARTICLE	IF	CITATIONS
1	Antiretroviral therapy enrollment characteristics and outcomes among HIV-infected adolescents and young adults compared with older adults—seven African countries, 2004-2013. <i>Morbidity and Mortality Weekly Report</i> , 2014, 63, 1097-103.	9.0	84
2	Four-Year Treatment Outcomes of Adult Patients Enrolled in Mozambique's Rapidly Expanding Antiretroviral Therapy Program. <i>PLoS ONE</i> , 2011, 6, e18453.	1.1	81
3	Retention and risk factors for attrition among adults in antiretroviral treatment programmes in Tanzania, Uganda and Zambia. <i>Tropical Medicine and International Health</i> , 2014, 19, 1397-1410.	1.0	64
4	Xpert MTB/RIF — why the lack of morbidity and mortality impact in intervention trials?. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2016, 110, 432-444.	0.7	50
5	A Decade of Antiretroviral Therapy Scale-up in Mozambique: Evaluation of Outcome Trends and New Models of Service Delivery Among More Than 300,000 Patients Enrolled During 2004–2013. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, e11-e22.	0.9	43
6	Outcomes of Nigeria's HIV/AIDS Treatment Program for Patients Initiated on Antiretroviral Treatment between 2004-2012. <i>PLoS ONE</i> , 2016, 11, e0165528.	1.1	43
7	Lower Levels of Antiretroviral Therapy Enrollment Among Men with HIV Compared with Women — 12 Countries, 2002–2013. <i>Morbidity and Mortality Weekly Report</i> , 2015, 64, 1281-1286.	9.0	41
8	Community ART Support Groups in Mozambique: The Potential of Patients as Partners in Care. <i>PLoS ONE</i> , 2016, 11, e0166444.	1.1	40
9	National estimates and risk factors associated with early mother-to-child transmission of HIV after implementation of option B+: a cross-sectional analysis. <i>Lancet HIV</i> , 2018, 5, e688-e695.	2.1	40
10	Trends in Prevalence of Advanced HIV Disease at Antiretroviral Therapy Enrollment — 10 Countries, 2004–2015. <i>Morbidity and Mortality Weekly Report</i> , 2017, 66, 558-563.	9.0	34
11	Trends and determinants of survival for over 200,000 patients on antiretroviral treatment in the Botswana National Program. <i>Aids</i> , 2015, 30, 1.	1.0	32
12	Incidence and Determinants of Tuberculosis among Adults Initiating Antiretroviral Therapy — Mozambique, 2004–2008. <i>PLoS ONE</i> , 2013, 8, e54665.	1.1	31
13	Scaling Up Testing for Human Immunodeficiency Virus Infection Among Contacts of Index Patients — 20 Countries, 2016–2018. <i>Morbidity and Mortality Weekly Report</i> , 2019, 68, 474-477.	9.0	29
14	Incidence and predictors of tuberculosis among HIV-infected adults after initiation of antiretroviral therapy in Nigeria, 2004-2012. <i>PLoS ONE</i> , 2017, 12, e0173309.	1.1	27
15	Higher-than-expected prevalence of non-tuberculous mycobacteria in HIV setting in Botswana: Implications for diagnostic algorithms using Xpert MTB/RIF assay. <i>PLoS ONE</i> , 2017, 12, e0189981.	1.1	25
16	Low detectable postpartum viral load is associated with HIV transmission in Malawi's prevention of mother-to-child transmission programme. <i>Journal of the International AIDS Society</i> , 2019, 22, e25290.	1.2	24
17	Temporal Trends in Treatment Outcomes for HIV-1 and HIV-2-Infected Adults Enrolled in Cote d'Ivoire's National Antiretroviral Therapy Program. <i>PLoS ONE</i> , 2014, 9, e98183.	1.1	21
18	Temporal Trends in Mortality and Loss to Follow-up Among Children Enrolled in Cote d'Ivoire's National Antiretroviral Therapy Program. <i>Pediatric Infectious Disease Journal</i> , 2014, 33, 1134-1140.	1.1	20

#	ARTICLE	IF	CITATIONS
19	Retention and Risk Factors for Loss to Follow-up of Female and Male Sex Workers on Antiretroviral Treatment in Ivory Coast. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 68, S99-S106.	0.9	17
20	Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 69, e1-e12.	0.9	17
21	High rates of loss to follow-up during the first year of pre-antiretroviral therapy for HIV patients at sites providing pre-ART care in Nigeria, 2004-2012. <i>PLoS ONE</i> , 2017, 12, e0183823.	1.1	15
22	Implementation of a pragmatic, stepped-wedge cluster randomized trial to evaluate impact of Botswana's Xpert MTB/RIF diagnostic algorithm on TB diagnostic sensitivity and early antiretroviral therapy mortality. <i>BMC Infectious Diseases</i> , 2016, 16, 606.	1.3	14
23	Retention Throughout the HIV Care and Treatment Cascade: From Diagnosis to Antiretroviral Treatment of Adults and Children Living with HIV-Haiti, 1985-2015. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 57-70.	0.6	13
24	Temporal Trends in Patient Characteristics and Outcomes Among Children Enrolled in Mozambique's National Antiretroviral Therapy Program. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e191-e199.	1.1	8
25	Childhood Violence Is Associated with Forced Sexual Initiation Among Girls and Young Women in Malawi: A Cross-Sectional Survey. <i>Journal of Pediatrics</i> , 2019, 208, 265-272.e1.	0.9	7
26	Mozambique's Community Antiretroviral Therapy Support Group Program: The Role of Social Relationships in Facilitating HIV/AIDS Treatment Retention. <i>AIDS and Behavior</i> , 2019, 23, 2477-2485.	1.4	7
27	Prevalence of and factors associated with late diagnosis of HIV in Malawi, Zambia, and Zimbabwe: Results from population-based nationally representative surveys. <i>PLOS Global Public Health</i> , 2022, 2, e0000080.	0.5	7
28	Tuberculosis treatment outcomes among people living with HIV diagnosed using Xpert MTB/RIF versus sputum-smear microscopy in Botswana: a stepped-wedge cluster randomised trial. <i>BMC Infectious Diseases</i> , 2019, 19, 1058.	1.3	6
29	Early post-partum viremia predicts long-term non-suppression of viral load in HIV-positive women on ART in Malawi: Implications for the elimination of infant transmission. <i>PLoS ONE</i> , 2021, 16, e0248559.	1.1	6
30	Wide Variations in Compliance with Tuberculosis Screening Guidelines and Tuberculosis Incidence between Antiretroviral Therapy Facilities - Cote d'Ivoire. <i>PLoS ONE</i> , 2016, 11, e0157059.	1.1	6
31	The National Evaluation of Malawi's PMTCT Program (NEMAPP) study: 24-month HIV-exposed infant outcomes from a prospective cohort study. <i>HIV Medicine</i> , 2021, , .	1.0	6
32	Decentralizing Access to Antiretroviral Therapy for Children Living with HIV in Swaziland. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 886-893.	1.1	5
33	Variation in attrition at subnational level: review of the Botswana National HIV/AIDS Treatment (Masa) programme data (2002-2013). <i>Tropical Medicine and International Health</i> , 2016, 21, 18-27.	1.0	5
34	Effect of tuberculosis screening and retention interventions on early antiretroviral therapy mortality in Botswana: a stepped-wedge cluster randomized trial. <i>BMC Medicine</i> , 2020, 18, 19.	2.3	5
35	Compromise of Second-Line Antiretroviral Therapy Due to High Rates of Human Immunodeficiency Virus Drug Resistance in Mozambican Treatment-Experienced Children With Virologic Failure. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2018, 9, 6-13.	0.6	4
36	The effect of sputum quality and volume on the yield of bacteriologically-confirmed TB by Xpert MTB/RIF and smear. <i>Pan African Medical Journal</i> , 2019, 33, 110.	0.3	4

#	ARTICLE	IF	CITATIONS
37	Derivation and external validation of a risk score for predicting HIV-associated tuberculosis to support case finding and preventive therapy scale-up: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003739.	3.9	4
38	Evaluation of 6-Month Versus Continuous Isoniazid Preventive Therapy for Mycobacterium tuberculosis in Adults Living With HIV/AIDS in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2020, 85, 643-650.	0.9	4
39	Isoniazid-associated pellagra during mass scale-up of tuberculosis preventive therapy: a case-control study. <i>The Lancet Global Health</i> , 2022, 10, e705-e714.	2.9	4
40	Piloting the use of personal digital assistants for tuberculosis and human immunodeficiency virus surveillance, Kenya, 2007. <i>International Journal of Tuberculosis and Lung Disease</i> , 2010, 14, 1140-6.	0.6	3
41	Early-phase scale-up of isoniazid preventive therapy for people living with HIV in two districts in Malawi (2017). <i>PLoS ONE</i> , 2021, 16, e0248115.	1.1	2
42	Outcomes of HIV-positive patients with non-tuberculous mycobacteria positive culture who received anti-tuberculous treatment in Botswana: Implications of using diagnostic algorithms without non-tuberculous mycobacteria. <i>PLoS ONE</i> , 2020, 15, e0234646.	1.1	1
43	Risk scores for predicting early antiretroviral therapy mortality in sub-Saharan Africa to inform who needs intensification of care: a derivation and external validation cohort study. <i>BMC Medicine</i> , 2020, 18, 311.	2.3	0