

Josep Maria Haro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4303299/josep-maria-haro-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

646
papers

70,702
citations

98
h-index

257
g-index

721
ext. papers

85,618
ext. citations

5.4
avg, IF

7.92
L-index

#	Paper	IF	Citations
646	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones.. <i>JMIR MHealth and UHealth</i> , 2022 , 10, e28095	5.5	3
645	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany.. <i>Journal of Psychiatric Research</i> , 2022 , 147, 79-84	5.2	1
644	The Burden of schizophrenia.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 33-35	1.2	0
643	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study.. <i>BMC Psychiatry</i> , 2022 , 22, 136	4.2	2
642	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany.. <i>International Archives of Occupational and Environmental Health</i> , 2022 , 1	3.2	0
641	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
640	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study.. <i>JMIR Mental Health</i> , 2022 , 9, e34898	6	0
639	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project.. <i>Health Information Science and Systems</i> , 2022 , 10, 6	5.1	0
638	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
637	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder.. <i>Journal of Affective Disorders</i> , 2022 , 310, 106-115	6.6	1
636	Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. <i>Aging and Mental Health</i> , 2021 , 1-7	3.5	
635	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158	4.9	1
634	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
633	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany.. <i>Journal of Psychiatric Research</i> , 2021 , 146, 87-91	5.2	
632	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021 , 50, 880-892	7.8	9
631	FOXP2 expression and gray matter density in the male brains of patients with schizophrenia. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1403-1411	4.1	3
630	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021 , 23, 565-583	3.8	5

629	Socioeconomic inequalities in physical and cognitive functioning: cross-sectional evidence from 37 cohorts across 28 countries in the ATHLOS project. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 980-986	5.1	2
628	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24604	5.5	6
627	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 90-105	0.2	5
626	Predicting Depressive Symptom Severity Through Individuals' Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e29840	5.5	6
625	Is there a combined effect of depression and cognitive reserve on cognitive function? Findings from a population-based study. <i>Psychology and Health</i> , 2021 , 1-16	2.9	0
624	Association between Food Insecurity and Sarcopenia among Adults Aged ≥5 Years in Low- and Middle-Income Countries. <i>Nutrients</i> , 2021 , 13,	6.7	2
623	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. <i>Experimental Gerontology</i> , 2021 , 147, 111262	4.5	5
622	Determinants of verbal fluency trajectories among older adults from the English Longitudinal Study of Aging. <i>Applied Neuropsychology Adult</i> , 2021 , 1-10	1.9	1
621	Estimating the COVID-19 Spread Through Real-time Population Mobility Patterns: Surveillance in Low- and Middle-Income Countries. <i>Journal of Medical Internet Research</i> , 2021 , 23, e22999	7.6	5
620	Multimorbidity and Subjective Cognitive Complaints: Findings From 48 Low- and Middle-Income Countries of the World Health Survey 2002-2004. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 1737-1747	4.3	1
619	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
618	Enhancing the Human Health Status Prediction: The ATHLOS Project. <i>Applied Artificial Intelligence</i> , 2021 , 35, 834-856	2.3	
617	Determinants of Subjective Wellbeing Trajectories in Older Adults: A Growth Mixture Modeling Approach. <i>Journal of Happiness Studies</i> , 2021 , 22, 709-726	3.7	6
616	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. <i>Eye</i> , 2021 , 35, 791-798	4.4	3
615	Effects of transient and chronic loneliness on major depression in older adults: A longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 76-85	3.9	10
614	Metabolic dysregulation in older adults with depression and loneliness: The ATHLOS study. <i>Psychoneuroendocrinology</i> , 2021 , 123, 104918	5	2
613	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021 , 143, 157-164	5	1
612	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 90-105	2.7	39

611	Moving more, ageing happy: findings from six low- and middle-income countries. <i>Age and Ageing</i> , 2021 , 50, 488-497	3	2
610	Episodic Memory and Verbal Fluency Tasks: Normative Data from Nine Nationally Representative Samples. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 89-98	3.1	2
609	From childhood financial hardship to late-life depression: socioeconomic pathways. <i>Aging and Mental Health</i> , 2021 , 25, 86-93	3.5	3
608	Relationship between sexual orientation and psychotic experiences in the general population in England. <i>Psychological Medicine</i> , 2021 , 51, 138-146	6.9	7
607	Mediators of the socioeconomic status and life satisfaction relationship in older adults: a multi-country structural equation modeling approach. <i>Aging and Mental Health</i> , 2021 , 25, 585-592	3.5	5
606	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12200	6	7
605	Changes in depression and suicidal ideation under severe lockdown restrictions during the first wave of the COVID-19 pandemic in Spain: a longitudinal study in the general population. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e49	5.1	12
604	The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e17	5.1	1
603	Are environmental pollution and biodiversity levels associated to the spread and mortality of COVID-19? A four-month global analysis. <i>Environmental Pollution</i> , 2021 , 271, 116326	9.3	19
602	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e19	5.1	13
601	Risk of all-cause mortality associated with chronic obstructive pulmonary disease and the role of healthy ageing trajectories: a population-based study of middle-aged and older adults. <i>BMJ Open</i> , 2021 , 11, e050947	3	
600	To be happy and behave in a healthier way. A longitudinal study about gender differences in the older population. <i>Psychology and Health</i> , 2021 , 1-17	2.9	1
599	The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. <i>Current Psychology</i> , 2021 , 1-12	1.4	1
598	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392	4.2	1
597	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2021 , 82, 1745-1754	4.3	0
596	The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. <i>Journal of Affective Disorders</i> , 2021 , 292, 464-470	6.6	0
595	Multimorbidity and obesity in older adults from six low- and middle-income countries. <i>Preventive Medicine</i> , 2021 , 153, 106816	4.3	3
594	The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2021 , 1-11	8.8	0

593	Kynurenine pathway in post-mortem prefrontal cortex and cerebellum in schizophrenia: relationship with monoamines and symptomatology. <i>Journal of Neuroinflammation</i> , 2021 , 18, 198	10.1	1
592	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021 , 38, 528-544	8.4	33
591	Cognitive function associated with different diagnoses of anxiety disorders over the lifespan: Results from a Spanish representative sample. <i>Journal of Anxiety Disorders</i> , 2020 , 75, 102296	10.9	1
590	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
589	Predictors of pain in general ageing populations: results from a multi-country analysis based on ATHLOS harmonized database. <i>Journal of Headache and Pain</i> , 2020 , 21, 45	8.8	4
588	Cross-cultural comparison of symptom networks in late-life major depressive disorder: Yoruba Africans and the Spanish Population. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1060-1068	3.9	4
587	Pain rates in general population for the period 1991-2015 and 10-years prediction: results from a multi-continent age-period-cohort analysis. <i>Journal of Headache and Pain</i> , 2020 , 21, 52	8.8	8
586	Functioning profiles in a nationally representative cohort of Spanish older adults: A latent class study. <i>Health and Social Care in the Community</i> , 2020 , 28, 2190-2198	2.6	1
585	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. <i>Nutrients</i> , 2020 , 12,	6.7	8
584	Exploring the effect of loneliness on all-cause mortality: Are there differences between older adults and younger and middle-aged adults?. <i>Social Science and Medicine</i> , 2020 , 258, 113087	5.1	7
583	The new Horizon Europe programme 2021-2028: Should the gap between the burden of mental disorders and the funding of mental health research be filled?. <i>European Journal of Psychiatry</i> , 2020 , 34, 44-46	1	2
582	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1572-1578	6.4	13
581	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020 , 132, 106007	4.3	4
580	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020 , 26, i67-i74	3.2	17
579	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19992	7.6	70
578	Are retired people higher in experiential wellbeing than working older adults? A time use approach. <i>Emotion</i> , 2020 , 20, 1411-1422	4.1	3
577	Loneliness and depression among older European adults: The role of perceived neighborhood built environment. <i>Health and Place</i> , 2020 , 62, 102280	4.6	14
576	Skeletal muscle mass in relation to 10 year cardiovascular disease incidence among middle aged and older adults: the ATTICA study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 26-31	5.1	34

575	Associations of physical and psychiatric conditions with chronic fatigue syndrome in Germany: an exploratory case-control study. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	1
574	The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , 2020 , 266, 424-428	6.6	2
573	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
572	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e153	5.1	23
571	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	12
570	Multimorbidity patterns in low-middle and high income regions: a multiregion latent class analysis using ATHLOS harmonised cohorts. <i>BMJ Open</i> , 2020 , 10, e034441	3	5
569	Relationship between subjective well-being and healthy lifestyle behaviours in older adults: a longitudinal study. <i>Aging and Mental Health</i> , 2020 , 24, 611-619	3.5	11
568	Development of a Combined Sensory-Cognitive Measure Based on the Common Cause Hypothesis: Heterogeneous Trajectories and Associated Risk Factors. <i>Gerontologist, The</i> , 2020 , 60, e357-e366	5	3
567	Differential impact of transient and chronic loneliness on health status. A longitudinal study. <i>Psychology and Health</i> , 2020 , 35, 177-195	2.9	16
566	Factors associated with long-term impact on informal caregivers during Alzheimer's disease dementia progression: 36-month results from GERAS. <i>International Psychogeriatrics</i> , 2020 , 32, 267-277	3.4	23
565	Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. <i>Aging and Mental Health</i> , 2020 , 24, 1533-1542	3.5	11
564	The global, regional, and national burden of stomach cancer in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 42-54	18.8	184
563	Association between intelligence quotient and disability: The role of socioeconomic status. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020 , 63, 296-301	3.8	4
562	Association of bullying victimization with overweight and obesity among adolescents from 41 low- and middle-income countries. <i>Pediatric Obesity</i> , 2020 , 15, e12571	4.6	13
561	The relationship of childhood sexual and physical abuse with adulthood disability. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020 , 63, 332-339	3.8	2
560	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
559	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. <i>Scientific Reports</i> , 2019 , 9, 12417	4.9	12
558	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2019 , 5, 1749-1768	13.4	888

557	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019 , 248, 91-98	6.6	44
556	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101	11.4	14
555	Dietary Patterns and Their Association with Anxiety Symptoms among Older Adults: The ATTICA Study. <i>Nutrients</i> , 2019 , 11,	6.7	17
554	Retrospective analysis of patients with advanced or metastatic gastric cancer in Colombia. <i>Journal of Medical Economics</i> , 2019 , 22, 891-900	2.4	1
553	Can the Positive and Negative Syndrome scale (PANSS) differentiate treatment-resistant from non-treatment-resistant schizophrenia? A factor analytic investigation based on data from the Pattern cohort study. <i>Psychiatry Research</i> , 2019 , 276, 210-217	9.9	4
552	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. <i>PLoS ONE</i> , 2019 , 14, e0215182	3.7	30
551	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 1446-1459	4.6	14
550	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
549	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12-15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 907-918.e4	7.2	73
548	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
547	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019 , 18, 459-480	24.1	1093
546	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
545	A Cross-National Investigation of Hallucination-Like Experiences in 10 Countries: The E-CLECTIC Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, S43-S55	1.3	14
544	The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. <i>Foods</i> , 2019 , 8,	4.9	16
543	Remote assessment of disease and relapse in major depressive disorder (RADAR-MDD): a multi-centre prospective cohort study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 72	4.2	44
542	Association between intelligence quotient and violence perpetration in the English general population. <i>Psychological Medicine</i> , 2019 , 49, 1316-1323	6.9	9
541	Health-related quality of life associated with different symptoms in women and in men who suffer from schizophrenia. <i>Archives of Womens Mental Health</i> , 2019 , 22, 357-365	5	1
540	Fruit and Vegetable Consumption and Potential Moderators Associated with All-Cause Mortality in a Representative Sample of Spanish Older Adults. <i>Nutrients</i> , 2019 , 11,	6.7	6

539	Are loneliness and social isolation associated with cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1613-1622	3.9	75
538	Cohort Profile: The Ageing Trajectories of Health - Longitudinal Opportunities and Synergies (ATHLOS) project. <i>International Journal of Epidemiology</i> , 2019 , 48, 1052-1053i	7.8	27
537	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112	5.5	25
536	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019 , 574, 353-358.4	58.4	87
535	Patient-reported depression severity and cognitive symptoms as determinants of functioning in patients with major depressive disorder: a secondary analysis of the 2-year prospective PERFORM study. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 2313-2323	3.1	11
534	Stability of clinically relevant depression symptoms in old-age across 11 cohorts: a multi-state study. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 541-551	6.5	12
533	Longitudinal Relationships Between Positive Affect, Loneliness, and Suicide Ideation: Age-Specific Factors in a General Population. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 90-103	3.9	17
532	Sociodemographic Indicators of Health Status Using a Machine Learning Approach and Data from the English Longitudinal Study of Aging (ELSA). <i>Medical Science Monitor</i> , 2019 , 25, 1994-2001	3.2	14
531	Barriers to and Facilitators of Engagement With mHealth Technology for Remote Measurement and Management of Depression: Qualitative Analysis. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11325	5.5	39
530	Retrospective analysis of patients with locally advanced or metastatic gastric cancer in Argentina. <i>Medwave</i> , 2019 , 19, e7692	2.5	0
529	Course of depression and cognitive decline at 3-year follow-up: The role of age of onset. <i>Psychology and Aging</i> , 2019 , 34, 475-485	3.6	10
528	Correlation of Health-Related Quality of Life in Clinically Stable Outpatients with Schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 3475-3486	3.1	4
527	Determinants of time to institutionalisation and related healthcare and societal costs in a community-based cohort of patients with Alzheimer's disease dementia. <i>European Journal of Health Economics</i> , 2019 , 20, 343-355	3.6	14
526	Long-term trajectories of depressive symptoms in old age: Relationships with sociodemographic and health-related factors. <i>Journal of Affective Disorders</i> , 2019 , 246, 329-337	6.6	18
525	Anxiety, depression, loneliness and social network in the elderly: Longitudinal associations from The Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2019 , 246, 82-88	6.6	112
524	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019 , 29, 179-194	1.2	5
523	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019 , 18, 88-106	24.1	782
522	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019 , 18, 56-87	24.1	480

521	Cognition and functionality in delusional disorder. <i>European Psychiatry</i> , 2019 , 55, 52-60	6	7
520	Mediterranean diet and wellbeing: evidence from a nationwide survey. <i>Psychology and Health</i> , 2019 , 34, 321-335	2.9	14
519	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 164-173	6.5	16
518	Predictive capacity of prodromal symptoms in first-episode psychosis of recent onset. <i>Microbial Biotechnology</i> , 2019 , 13, 414-424	3.3	4
517	The association of social support networks and loneliness with negative perceptions of ageing: evidence from the Irish Longitudinal Study on Ageing (TILDA). <i>Ageing and Society</i> , 2019 , 39, 1070-1090	1.7	11
516	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
515	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018 , 106, 137-144	4.5	1
514	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2018 , 232, 385-392	6.6	22
513	Depression and metabolic syndrome in the older population: A review of evidence. <i>Journal of Affective Disorders</i> , 2018 , 237, 56-64	6.6	27
512	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. <i>Psychiatry Research</i> , 2018 , 267, 56-62	9.9	17
511	Risk factors and topographies for self-injurious behaviour in a sample of adults with intellectual developmental disorders. <i>Journal of Intellectual Disability Research</i> , 2018 , 62, 1018-1029	3.2	12
510	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 306-315	6.5	19
509	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
508	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
507	Health-related quality of life in outpatients with schizophrenia: factors that determine changes over time. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 239-248	4.5	5
506	Determinants of Health Trajectories in England and the United States: An Approach to Identify Different Patterns of Healthy Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1512-1518	6.4	26
505	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. <i>Journal of Psychiatric Research</i> , 2018 , 98, 39-46	5.2	15
504	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 552-567	5.1	31

503	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934	4.6	31
502	The impact of socioeconomic status on the association between biomedical and psychosocial well-being and all-cause mortality in older Spanish adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 259-268	4.5	4
501	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 155-167	6.9	37
500	Sociodemographic Factors Associated With Changes in Successful Aging in Spain: A Follow-Up Study. <i>Journal of Aging and Health</i> , 2018 , 30, 1244-1262	2.6	10
499	Mobility Difficulties, Physical Activity, and All-cause Mortality Risk in a Nationally representative Sample of Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1272-1279	6.4	21
498	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018 , 48, 437-450	6.9	15
497	Trial exclusion criteria and their impact on the estimation of antipsychotic drugs effect: A case study using the SOHO database. <i>Schizophrenia Research</i> , 2018 , 193, 146-153	3.6	6
496	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Psychiatric Research</i> , 2018 , 96, 115-123	5.2	37
495	Impact of pain and remission in the functioning of patients with depression in Mainland China, Taiwan, and Hong Kong. <i>Asia-Pacific Psychiatry</i> , 2018 , 10, e12295	3.2	2
494	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110	5.2	24
493	Anti-Inflammatory Nutrition and Successful Ageing in Elderly Individuals: The Multinational MEDIS Study. <i>Gerontology</i> , 2018 , 64, 3-10	5.5	12
492	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018 , 23, 1892-1899	15.1	34
491	The "RCT augmentation": a novel simulation method to add patient heterogeneity into phase III trials. <i>BMC Medical Research Methodology</i> , 2018 , 18, 75	4.7	0
490	Furthering the Evidence of the Effectiveness of Employment Strategies for People with Mental Disorders in Europe: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
489	Determinants of mobility in populations of older adults: Results from a cross-sectional study in Finland, Poland and Spain. <i>Maturitas</i> , 2018 , 115, 84-91	5	6
488	The burden of disease in Spain: Results from the Global Burden of Disease 2016. <i>Medicina Clínica</i> , 2018 , 151, 171-190	1	55
487	Characteristics of patients with depression initiating or switching antidepressant treatment: baseline analyses of the PERFORM cohort study. <i>BMC Psychiatry</i> , 2018 , 18, 80	4.2	5
486	Epidemiology of panic attacks, panic disorder and the moderating role of age: Results from a population-based study. <i>Journal of Affective Disorders</i> , 2018 , 241, 627-633	6.6	10

485	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
484	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 792-814	27.4	114
483	The association between socioeconomic status and depression among older adults in Finland, Poland and Spain: A comparative cross-sectional study of distinct measures and pathways. <i>Journal of Affective Disorders</i> , 2018 , 241, 311-318	6.6	38
482	The burden of disease in Greece, health loss, risk factors, and health financing, 2000-16: an analysis of the Global Burden of Disease Study 2016. <i>Lancet Public Health, The</i> , 2018 , 3, e395-e406	22.4	24
481	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e11	5.1	8
480	Psychometric Properties of Spanish Adaptation of the PDD-MRS Scale in Adults with Intellectual Developmental Disorders: The EVTEA-DI Scale. <i>Journal of Autism and Developmental Disorders</i> , 2018 , 48, 1566-1578	4.6	2
479	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018 , 48, 1560-1571	6.9	73
478	Measurement invariance of the WHOQOL-AGE questionnaire across three European countries. <i>Quality of Life Research</i> , 2018 , 27, 1015-1025	3.7	6
477	Costs and Burden Associated With Loss of Labor Productivity in Informal Caregivers of People With Dementia: Results From Spain. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 449-456	2	12
476	Machine learning methodologies versus cardiovascular risk scores, in predicting disease risk. <i>BMC Medical Research Methodology</i> , 2018 , 18, 179	4.7	35
475	Social determinants, health status and 10-year mortality among 10,906 older adults from the English longitudinal study of aging: the ATHLOS project. <i>BMC Public Health</i> , 2018 , 18, 1357	4.1	13
474	Act-Belong-Commit Indicators Promote Mental Health and Wellbeing among Irish Older Adults. <i>American Journal of Health Behavior</i> , 2018 , 42, 31-45	1.9	14
473	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry, the</i> , 2018 , 5, 987-1012	23.3	456
472	Clinical outcomes of patients with major depressive disorder treated with either duloxetine, escitalopram, fluoxetine, paroxetine, or sertraline. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2473-2484	3.1	4
471	Measurement invariance of the Spanish Launay-Slade Hallucinations Scale-Extended version between putatively healthy controls and people diagnosed with a mental disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1741	4.3	9
470	Relationship between attention-deficit hyperactivity disorder symptoms and problem gambling: A mediation analysis of influential factors among 7,403 individuals from the UK. <i>Journal of Behavioral Addictions</i> , 2018 , 7, 781-791	6.3	14
469	Functional impairment in patients with major depressive disorder: the 2-year PERFORM study. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 239-249	3.1	49
468	The burden of disease in Spain: Results from the Global Burden of Disease 2016. <i>Medicina Clínica (English Edition)</i> , 2018 , 151, 171-190	0.3	3

467	Factors Related to Unemployment in Europe. A Cross-Sectional Study from the COURAGE Survey in Finland, Poland and Spain. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
466	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. <i>International Journal of Eating Disorders</i> , 2018 , 51, 942-952	6.3	5
465	Long-term follow-up on health-related quality of life in major depressive disorder: a 2-year European cohort study. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 1339-1350	3.1	35
464	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 500-508	6.5	11
463	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53	3.6	14
462	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018 , 201, 79-84	3.6	5
461	Mediterranean diet and depression among older individuals: The multinational MEDIS study. <i>Experimental Gerontology</i> , 2018 , 110, 67-72	4.5	31
460	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018 , 201, 406-412	3.6	
459	Is Parental Longevity Associated With the Cardiovascular Risk and the Successful Aging of Their Offspring? Results From the Multinational MEDIS Study. <i>Angiology</i> , 2017 , 68, 124-131	2.1	2
458	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017 , 47, 1230-1245	6.9	81
457	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 4-20	2.7	11
456	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281	14.5	120
455	Loneliness and depression in the elderly: the role of social network. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 381-390	4.5	135
454	Real-world Effectiveness of Antipsychotics for the Treatment of Negative Symptoms in Patients with Schizophrenia with Predominantly Negative Symptoms. <i>Pharmacopsychiatry</i> , 2017 , 50, 56-63	2	11
453	Trajectories of Verbal Episodic Memory in Middle-Aged and Older Adults: Evidence from the English Longitudinal Study of Ageing. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1274-1281	5.6	31
452	Advanced analytical methodologies for measuring healthy ageing and its determinants, using factor analysis and machine learning techniques: the ATHLOS project. <i>Scientific Reports</i> , 2017 , 7, 43955	4.9	48
451	The Impact of Depression on the Development of Mild Cognitive Impairment over 3 Years of Follow-Up: A Population-Based Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017 , 43, 155-169	2.6	24
450	Gender-related differences in the multi-pathway effect of social determinants on quality of life in older age-the COURAGE in Europe project. <i>Quality of Life Research</i> , 2017 , 26, 1865-1878	3.7	26

449	The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. <i>Experimental Gerontology</i> , 2017 , 91, 79-87	4.5	21
448	n-3 Fatty acids, Mediterranean diet and cognitive function in normal aging: A systematic review. <i>Experimental Gerontology</i> , 2017 , 91, 39-50	4.5	40
447	Dietary inflammatory potential is linked to cardiovascular disease risk burden in the US adult population. <i>International Journal of Cardiology</i> , 2017 , 240, 409-413	3.2	21
446	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 231-266	4.0	352
445	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84	6.5	42
444	A novel approach to measuring response and remission in schizophrenia in clinical trials. <i>Schizophrenia Research</i> , 2017 , 190, 123-128	3.6	4
443	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 2266-2274	6.2	337
442	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475	14.5	149
441	What Drives Country Differences in Cost of Alzheimer's Disease? An Explanation from Resource Use in the GERAS Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 797-812	4.3	15
440	Child death and maternal psychosis-like experiences in 44 low- and middle-income countries: The role of depression. <i>Schizophrenia Research</i> , 2017 , 183, 41-46	3.6	3
439	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017 , 210, 119-124	5.4	397
438	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017 , 34, 315-326	8.4	23
437	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 227-241	6.9	72
436	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017 , 47, 531-542	6.9	20
435	Exploring the path between depression, anxiety and 10-year cardiovascular disease incidence, among apparently healthy Greek middle-aged adults: The ATTICA study. <i>Maturitas</i> , 2017 , 106, 73-79	5	15
434	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017 , 211, 373-380	5.4	56
433	All-cause mortality and multimorbidity in older adults: The role of social support and loneliness. <i>Experimental Gerontology</i> , 2017 , 99, 120-126	4.5	44
432	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307	14.4	98

431	Factors associated with failure to achieve remission and with relapse after remission in patients with major depressive disorder in the PERFORM study. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 2151-2165	3.1	32
430	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017 , 12, e0169575	3.7	68
429	Latent class analysis of multimorbidity patterns and associated outcomes in Spanish older adults: a prospective cohort study. <i>BMC Geriatrics</i> , 2017 , 17, 186	4.1	43
428	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143	11.4	149
427	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. <i>BMC Medicine</i> , 2017 , 15, 209	11.4	49
426	Association of experienced and evaluative well-being with health in nine countries with different income levels: a cross-sectional study. <i>Globalization and Health</i> , 2017 , 13, 65	10	10
425	Comparison of clinical outcomes with orodispersible versus standard oral olanzapine tablets in nonadherent patients with schizophrenia or bipolar disorder. <i>Patient Preference and Adherence</i> , 2017 , 11, 1019-1025	2.4	8
424	Recovery in patients with major depressive disorder (MDD): results of a 6-month, multinational, observational study. <i>Patient Preference and Adherence</i> , 2017 , 11, 1859-1868	2.4	13
423	The use of random-effects models to identify health care center-related characteristics modifying the effect of antipsychotic drugs. <i>Clinical Epidemiology</i> , 2017 , 9, 689-698	5.9	
422	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
421	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
420	Development and validation of the Questionnaire of Stressful Life Events (QSLE). <i>Journal of Psychiatric Research</i> , 2017 , 95, 213-223	5.2	4
419	Disease Progression in Mild Dementia due to Alzheimer Disease in an 18-Month Observational Study (GERAS): The Impact on Costs and Caregiver Outcomes. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017 , 7, 87-100	2.5	29
418	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017 , 27, 892-899	1.2	9
417	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Hogre Utbildning</i> , 2017 , 8, 1353383	5	446
416	The role of socio-economic status and neighborhood social capital on loneliness among older adults: evidence from the Sant Boi Aging Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1237-1246	4.5	14
415	How useful is the EQ-5D in assessing the impact of caring for people with Alzheimer's disease?. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 16	3	14
414	Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017 , 87, 67-73	4.5	21

413	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017 , 31, 2-10	2.2	6
412	Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1690-1706	4.1	15
411	Factors associated with and impact of pain persistence in Asian patients with depression: a 3-month, prospective observational study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 29-35	2.4	3
410	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65	3.1	284
409	Brain structure in women at risk of postpartum psychosis: an MRI study. <i>Translational Psychiatry</i> , 2017 , 7, 1286	8.6	18
408	Functional Impairment and Painful Physical Symptoms in Patients with Major Depressive Disorder Treated with Antidepressants: Real-World Evidence from the Middle East. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017 , 13, 145-155	3.2	2
407	Real-world outcomes in patients with depression treated with duloxetine or a selective serotonin reuptake inhibitor in East Asia. <i>Asia-Pacific Psychiatry</i> , 2016 , 8, 51-9	3.2	11
406	Determinants of Quality of Life in Ageing Populations: Results from a Cross-Sectional Study in Finland, Poland and Spain. <i>PLoS ONE</i> , 2016 , 11, e0159293	3.7	45
405	Incidence of stressful life events and influence of sociodemographic and clinical variables on the onset of first-episode psychosis. <i>Psychiatry Research</i> , 2016 , 245, 108-115	9.9	13
404	Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970	6.9	490
403	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , 2016 , 3, e361-e387	7.8	382
402	Population prevalence of edentulism and its association with depression and self-rated health. <i>Scientific Reports</i> , 2016 , 6, 37083	4.9	48
401	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). <i>BMC Public Health</i> , 2016 , 16, 1098	4.1	165
400	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016 , 33, 1155-1177	8.4	83
399	Risk and functional significance of psychotic experiences among individuals with depression in 44 low- and middle-income countries. <i>Psychological Medicine</i> , 2016 , 46, 2655-65	6.9	33
398	How to deal with missing longitudinal data in cost of illness analysis in Alzheimer's disease-suggestions from the GERAS observational study. <i>BMC Medical Research Methodology</i> , 2016 , 16, 83	4.7	10
397	Exploring the excess mortality due to depressive symptoms in a community-based sample: The role of Alzheimer's Disease. <i>Journal of Affective Disorders</i> , 2016 , 202, 163-70	6.6	21
396	Specificity proteins 1 and 4, hippocampal volume and first-episode psychosis. <i>British Journal of Psychiatry</i> , 2016 , 208, 591-2	5.4	2

395	Altered CSNK1E, FABP4 and NEFH protein levels in the dorsolateral prefrontal cortex in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 177, 88-97	3.6	17
394	Direct and indirect costs and resource use in dementia care: A cross-sectional study in patients living at home. <i>International Journal of Nursing Studies</i> , 2016 , 55, 39-49	5.8	22
393	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016 , 173, 997-1006	11.9	124
392	Anti-NMDAR antibodies in new-onset psychosis. Positive results in an HIV-infected patient. <i>Brain, Behavior, and Immunity</i> , 2016 , 56, 56-60	16.6	19
391	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 11-16	4.1	6
390	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016 , 76, 39-45	4.5	5
389	Mild cognitive impairment is associated with falls among older adults: Findings from the Irish Longitudinal Study on Ageing (TILDA). <i>Experimental Gerontology</i> , 2016 , 75, 42-7	4.5	29
388	Spanish validation of the social stigma scale: Community Attitudes towards Mental Illness. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 150-7	2.7	13
387	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 205-14	6.4	253
386	Measurement Invariance of the Day Reconstruction Method: Results from the COURAGE in Europe Project. <i>Journal of Happiness Studies</i> , 2016 , 17, 1769-1787	3.7	4
385	Loneliness, Social Networks, and Health: A Cross-Sectional Study in Three Countries. <i>PLoS ONE</i> , 2016 , 11, e0145264	3.7	85
384	Internalizing and externalizing personality and subjective effects in a sample of adolescent cannabis users. <i>Revista De Psicología De La Salud</i> , 2016 , 28, 231-241	1	
383	Sex differences in the course of schizophrenia across diverse regions of the world. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 2927-2939	3.1	23
382	Impact of anxiety symptoms on outcomes of depression: an observational study in Asian patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 795-800	3.1	2
381	Functioning in patients with major depression treated with duloxetine or a selective serotonin reuptake inhibitor in East Asia. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 383-92	3.1	3
380	Clinical features, comorbidity, and cognitive impairment in elderly bipolar patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 1203-13	3.1	26
379	Positive Affect Is Inversely Associated with Mortality in Individuals without Depression. <i>Frontiers in Psychology</i> , 2016 , 7, 1040	3.4	12
378	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. <i>Frontiers in Psychology</i> , 2016 , 7, 1342	3.4	12

377	Psychotic symptoms and smoking in 44 countries. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 497-505	6.5	23
376	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 858-67	3.9	44
375	Social relationships, loneliness, and mental health among older men and women in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2016 , 204, 59-69	6.6	77
374	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. <i>BMC Psychiatry</i> , 2016 , 16, 257	4.2	24
373	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the U.S. Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016 , 116, 579-89	3.9	12
372	Identifying factors of activities of daily living important for cost and caregiver outcomes in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2016 , 28, 247-59	3.4	23
371	Negative perceptions of ageing predict the onset and persistence of depression and anxiety: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2016 , 199, 132-8	6.6	59
370	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. <i>Schizophrenia Research</i> , 2016 , 175, 209-215	3.6	12
369	Study of positive and negative feedback sensitivity in psychosis using the Wisconsin Card Sorting Test. <i>Comprehensive Psychiatry</i> , 2016 , 68, 119-28	7.3	13
368	Psychotic-like experiences and disordered eating in the English general population. <i>Psychiatry Research</i> , 2016 , 241, 26-34	9.9	13
367	Spanish validation of the social stigma scale: Community Attitudes towards Mental Illness. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 150-157	0.2	1
366	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-continent study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 312-21	10.3	124
365	Cannabis and bipolar disorder: does quitting cannabis use during manic/mixed episode improve clinical/functional outcomes?. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 100-10	6.5	33
364	The association between obesity and back pain in nine countries: a cross-sectional study. <i>BMC Public Health</i> , 2015 , 15, 123	4.1	39
363	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015 , 69, 27-35	4.5	55
362	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015 , 175, 168-74	6.6	24
361	Gender differences in psychotropic use across Europe: Results from a large cross-sectional, population-based study. <i>European Psychiatry</i> , 2015 , 30, 778-88	6	28
360	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 130-6	4.1	11

359	The association of relationship quality and social networks with depression, anxiety, and suicidal ideation among older married adults: Findings from a cross-sectional analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2015 , 179, 134-41	6.6	56
358	Diabetes mellitus and its association with central obesity and disability among older adults: a global perspective. <i>Experimental Gerontology</i> , 2015 , 64, 70-7	4.5	41
357	Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 172-83	5.1	24
356	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015 , 8, 207-17	2.7	17
355	Determinants of societal costs in Alzheimer's disease: GERAS study baseline results. <i>Alzheimer's and Dementia</i> , 2015 , 11, 933-45	1.2	49
354	Semaphorin and plexin gene expression is altered in the prefrontal cortex of schizophrenia patients with and without auditory hallucinations. <i>Psychiatry Research</i> , 2015 , 229, 850-7	9.9	21
353	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. <i>Schizophrenia Research</i> , 2015 , 169, 234-240	3.6	26
352	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
351	The Role of Energy Balance in Successful Aging Among Elderly Individuals: The Multinational MEDIS Study. <i>Journal of Aging and Health</i> , 2015 , 27, 1375-91	2.6	9
350	Relationship of insight with medication adherence and the impact on outcomes in patients with schizophrenia and bipolar disorder: results from a 1-year European outpatient observational study. <i>BMC Psychiatry</i> , 2015 , 15, 189	4.2	51
349	Impact of Negative Symptoms on Quality of Life in Patients with Schizophrenia. <i>Value in Health</i> , 2015 , 18, A836-A837	3.3	6
348	Development and validation of the Self-Stigma Questionnaire (SSQ) for people with schizophrenia and its relation to social functioning. <i>Comprehensive Psychiatry</i> , 2015 , 62, 93-9	7.3	9
347	Chinese patients with major depression: Do concomitant pain symptoms affect quality of life independently of severity of depression?. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 174-81	2.4	5
346	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	4.0	1203
345	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	4.0	1776
344	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. <i>Schizophrenia Research</i> , 2015 , 168, 62-7	3.6	33
343	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. <i>Social Science and Medicine</i> , 2015 , 147, 134-43	5.1	42
342	The associations between preexisting mental disorders and subsequent onset of chronic headaches: a worldwide epidemiologic perspective. <i>Journal of Pain</i> , 2015 , 16, 42-52	5.2	23

341	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	4.0	4599
340	Determinants of the components of arterial pressure among older adults--the role of anthropometric and clinical factors: a multi-continent study. <i>Atherosclerosis</i> , 2015 , 238, 240-9	3.1	6
339	Decrease in olfactory and taste receptor expression in the dorsolateral prefrontal cortex in chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2015 , 60, 109-16	5.2	39
338	Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015 , 206, 101-9	5.4	22
337	Is cognitive impairment associated with suicidality? A population-based study. <i>European Neuropsychopharmacology</i> , 2015 , 25, 203-13	1.2	23
336	Degree of cognitive impairment and mortality: a 17-year follow-up in a community study. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 503-11	5.1	15
335	Comparing Resource Use In Alzheimer's Disease Across Three European Countries - 18-Month Results of The Geras Study. <i>Value in Health</i> , 2015 , 18, A759-A760	3.3	4
334	Visual encoding impairment in patients with schizophrenia: contribution of reduced working memory span, decreased processing speed, and affective symptoms. <i>Neuropsychology</i> , 2015 , 29, 17-24	3.8	13
333	Association of auditory-verbal and visual hallucinations with impaired and improved recognition of colored pictures. <i>Neuropsychology</i> , 2015 , 29, 667-674	3.8	4
332	Which somatic symptoms are associated with an unfavorable course in Chinese patients with major depressive disorder?. <i>Asia-Pacific Psychiatry</i> , 2015 , 7, 427-35	3.2	13
331	Mild cognitive impairment diagnosed with the new DSM-5 criteria: prevalence and associations with non-cognitive psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 29-39	6.5	34
330	Antidepressant medication treatment patterns in Asian patients with major depressive disorder. <i>Patient Preference and Adherence</i> , 2015 , 9, 421-8	2.4	9
329	Predictors of remission in the treatment of major depressive disorder: real-world evidence from a 6-month prospective observational study. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 197-205	3.1	14
328	Health-related quality of life in patients with depression treated with duloxetine or a selective serotonin reuptake inhibitor in a naturalistic outpatient setting. <i>Patient Preference and Adherence</i> , 2015 , 9, 1481-90	2.4	2
327	Recreational drug use among individuals living with HIV in Europe: review of the prevalence, comparison with the general population and HIV guidelines recommendations. <i>Frontiers in Microbiology</i> , 2015 , 6, 690	5.7	24
326	Phosphorylation of transcription factor specificity protein 4 is increased in peripheral blood mononuclear cells of first-episode psychosis. <i>PLoS ONE</i> , 2015 , 10, e0125115	3.7	4
325	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54	2.1	80
324	Country-level and individual correlates of overweight and obesity among primary school children: a cross-sectional study in seven European countries. <i>BMC Public Health</i> , 2015 , 15, 475	4.1	39

323	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
322	Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , 2015 , 72, 697-705	14.5	254
321	The state of the art on European well-being research within the area of mental health. <i>International Journal of Clinical and Health Psychology</i> , 2015 , 15, 171-179	5.1	13
320	A dimensional comparison between delusional disorder, schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2015 , 169, 248-254	3.6	23
319	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e007313	2.13	29
318	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2015 , 8, 207-217	0.2	3
317	Building up careers in translational neuroscience and mental health research: Education and training in the Centre for Biomedical Research in Mental Health. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015 , 8, 65-74	2.7	5
316	The association between social relationships and depression: a systematic review. <i>Journal of Affective Disorders</i> , 2015 , 175, 53-65	6.6	351
315	Psychotic-Like Experiences and Nonsuicidal Self-Injury in England: Results from a National Survey [corrected]. <i>PLoS ONE</i> , 2015 , 10, e0145533	3.7	16
314	Should Unexplained Painful Physical Symptoms be Considered within the Spectrum of Depressive Symptoms?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015 , 11, 130-9	3.2	4
313	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014 , 57, 699-709	10.3	47
312	Health-related quality of life in the Cambridge City over-75s Cohort (CC75C): development of a dementia-specific scale and descriptive analyses. <i>BMC Geriatrics</i> , 2014 , 14, 18	4.1	4
311	Cumulative traumas and risk thresholds: 12-month PTSD in the World Mental Health (WMH) surveys. <i>Depression and Anxiety</i> , 2014 , 31, 130-42	8.4	241
310	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
309	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014 , 23, 145-55	3.7	13
308	Description of Agitation and Crisis Interventions in a Psychiatric Hospital in Spain: a Qualitative Study. <i>Value in Health</i> , 2014 , 17, A463	3.3	
307	Use of Services and Cost of Agitation and Containment in Psychiatric Hospitals: a Systematic Review. <i>Value in Health</i> , 2014 , 17, A460	3.3	
306	Predictors of Remission in the Treatment of Depression in the Middle East: Real-World Evidence From A 6-Month Prospective Observational Study. <i>Value in Health</i> , 2014 , 17, A454	3.3	

305	Comparative Effectiveness in Terms of Treatment Discontinuation of Orodispersable Versus. Standard Oral Olanzapine Tablets in Non-Adherent Patients: Results from a 1-Year European Outpatient Observational Study. <i>Value in Health</i> , 2014 , 17, A766	3.3	1
304	Symtomatic Factors in Patients With Major Depressive Disorder (MDD): Results from an Observational Study. <i>Value in Health</i> , 2014 , 17, A543	3.3	
303	Relationship of Insight with Medication Adherence and the Impact on Outcomes in Patients with Schizophrenia and Bipolar Disorder: Results From A 1-Year European Outpatient Observational Study. <i>Value in Health</i> , 2014 , 17, A455	3.3	2
302	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
301	The flavonoid quercetin induces acute vasodilator effects in healthy volunteers: correlation with beta-glucuronidase activity. <i>Pharmacological Research</i> , 2014 , 89, 11-8	10.2	62
300	Symptomatic remission and patient quality of life in an observational study of schizophrenia: is there a relationship?. <i>Psychiatry Research</i> , 2014 , 220, 163-9	9.9	20
299	Visual impairment and multimorbidity in a representative sample of the Spanish population. <i>BMC Public Health</i> , 2014 , 14, 815	4.1	27
298	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70	4.0	653
297	Increased SP4 and SP1 transcription factor expression in the postmortem hippocampus of chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2014 , 58, 189-96	5.2	17
296	Successful aging, dietary habits and health status of elderly individuals: a k-dimensional approach within the multi-national MEDIS study. <i>Experimental Gerontology</i> , 2014 , 60, 57-63	4.5	58
295	Partial likelihood estimation of IRT models with censored lifetime data: an application to mental disorders in the ESEMeD surveys. <i>Psychometrika</i> , 2014 , 79, 470-88	2.2	2
294	Relation between jumping to conclusions and cognitive functioning in people with schizophrenia in contrast with healthy participants. <i>Schizophrenia Research</i> , 2014 , 159, 211-7	3.6	23
293	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014 , 159, 107-13	3.6	27
292	The state of the art in European research on reducing social exclusion and stigma related to mental health: a systematic mapping of the literature. <i>European Psychiatry</i> , 2014 , 29, 381-9	6	91
291	Decreased processing speed might account for working memory span deficit in schizophrenia, and might mediate the associations between working memory span and clinical symptoms. <i>European Psychiatry</i> , 2014 , 29, 473-8	6	9
290	Factors associated with suicidal ideation and attempts in Spain for different age groups. Prevalence before and after the onset of the economic crisis. <i>Journal of Affective Disorders</i> , 2014 , 163, 1-9	6.6	60
289	Caregiver Burden in Alzheimer's Disease: Differential Associations in Adult-Child and Spousal Caregivers in the GERAS Observational Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014 , 4, 51-64	2.5	59
288	Impact of painful physical symptoms on depression outcomes in elderly Asian patients. <i>International Psychogeriatrics</i> , 2014 , 1-8	3.4	6

287	Long-term functional improvements in the 2-year treatment of schizophrenia outpatients with olanzapine long-acting injection. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1125-31	3.1	5
286	Multimorbidity patterns in a national representative sample of the Spanish adult population. <i>PLoS ONE</i> , 2014 , 9, e84794	3.7	59
285	Impact of multimorbidity on disability and quality of life in the Spanish older population. <i>PLoS ONE</i> , 2014 , 9, e111498	3.7	85
284	Chronic conditions and sleep problems among adults aged 50 years or over in nine countries: a multi-country study. <i>PLoS ONE</i> , 2014 , 9, e114742	3.7	105
283	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10915-39	4.6	17
282	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
281	Built environment and elderly population health: a comprehensive literature review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014 , 10, 103-15	3.2	74
280	Analysis of burden in caregivers of people with Alzheimer's disease using self-report and supervision hours. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 677-84	5.2	58
279	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 649-56	5.1	42
278	Factors associated with active aging in Finland, Poland, and Spain. <i>International Psychogeriatrics</i> , 2014 , 26, 1363-75	3.4	25
277	Health and happiness: cross-sectional household surveys in Finland, Poland and Spain. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 716-25	8.2	37
276	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 28-40	4.3	29
275	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
274	Determinants of health and disability in ageing population: the COURAGE in Europe Project (collaborative research on ageing in Europe). <i>Clinical Psychology and Psychotherapy</i> , 2014 , 21, 193-8	2.9	56
273	The validity of the instrument to evaluate social network in the ageing population: the Collaborative Research on Ageing in Europe Social Network Index. <i>Clinical Psychology and Psychotherapy</i> , 2014 , 21, 227-41	2.9	13
272	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
271	Factors associated with components of arterial pressure among older individuals (the multinational MEDIS study): the role of the Mediterranean diet and alcohol consumption. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 645-51	2.3	13
270	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 27-41	5.1	39

269	Patient characteristics associated with treatment initiation among paediatric patients with Attention-Deficit/Hyperactivity Disorder symptoms in a naturalistic setting in Central Europe and East Asia. <i>BMC Psychiatry</i> , 2014 , 14, 304	4.2	5
268	The burden of disease in Spain: results from the global burden of disease study 2010. <i>BMC Medicine</i> , 2014 , 12, 236	11.4	17
267	Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014 , 44, 707-22	6.9	12
266	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9	5.6	69
265	Evaluation of Affect in Mexico and Spain: Psychometric Properties and Usefulness of an Abbreviated Version of the Day Reconstruction Method. <i>Journal of Happiness Studies</i> , 2014 , 15, 915-935	3.7	4
264	Empirically driven definitions of "good," "moderate," and "poor" levels of functioning in the treatment of schizophrenia. <i>Quality of Life Research</i> , 2013 , 22, 2085-94	3.7	15
263	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 371-84	4.5	9
262	Empirical redefinition of delusional disorder and its phenomenology: the DELIREMP study. <i>Comprehensive Psychiatry</i> , 2013 , 54, 243-55	7.3	27
261	Three-factor model of premorbid adjustment in a sample with chronic schizophrenia and first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 151, 252-8	3.6	14
260	Subjective well-being in schizophrenia: a randomised controlled open-label 12-month non-inferiority study comparing quetiapine XR with risperidone (RECOVER). <i>European Neuropsychopharmacology</i> , 2013 , 23, 1257-69	1.2	6
259	Patient-Reported Cognitive Dysfunction Negatively Impacts Functioning in Patients with Major Depressive Disorder [Preliminary Findings from the Perform Study. <i>Value in Health</i> , 2013 , 16, A543-A544	3.3	6
258	The role of negative symptoms in the context of cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 58-63	3.6	24
257	Functional similarity of facial emotion processing between people with a first episode of psychosis and healthy subjects. <i>Schizophrenia Research</i> , 2013 , 149, 35-41	3.6	11
256	Cognitive profiles of three clusters of patients with a first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 150, 151-6	3.6	14
255	The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013 , 73, 904-14	7.9	74 ¹
254	The mental component of the short-form 12 health survey (SF-12) as a measure of depressive disorders in the general population: results with three alternative scoring methods. <i>Value in Health</i> , 2013 , 16, 564-73	3.3	149
253	Predictors of psychiatric hospitalization during 6 months of maintenance treatment with olanzapine long-acting injection: post hoc analysis of a randomized, double-blind study. <i>BMC Psychiatry</i> , 2013 , 13, 224	4.2	5
252	Diagnosis delay in first episodes of major depression: a study of primary care patients in Spain. <i>Journal of Affective Disorders</i> , 2013 , 150, 1247-50	6.6	11

251	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 137-49	4.5	30
250	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 173-81	4.5	38
249	Dissociation in posttraumatic stress disorder: evidence from the world mental health surveys. <i>Biological Psychiatry</i> , 2013 , 73, 302-12	7.9	201
248	Which somatic symptoms are associated with an unfavorable course in Asian patients with major depressive disorder?. <i>Journal of Affective Disorders</i> , 2013 , 149, 182-8	6.6	56
247	Spanish validation of the Premorbid Adjustment Scale (PAS-S). <i>Comprehensive Psychiatry</i> , 2013 , 54, 187-94	9.4	8
246	Analysis of Sp transcription factors in the postmortem brain of chronic schizophrenia: a pilot study of relationship to negative symptoms. <i>Journal of Psychiatric Research</i> , 2013 , 47, 926-34	5.2	32
245	Usefulness of 2 questions about age and year of birth in the case-finding of dementia. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 627.e7-12	5.9	2
244	P.3.a.009 SP1 and SP4 transcription factors are increased in the postmortem hippocampus of subjects with chronic schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, S426-S427	1.2	
243	Reduced expression of SP1 and SP4 transcription factors in peripheral blood mononuclear cells in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1608-14	5.2	24
242	Cognitive correlates of verbal memory and verbal fluency in schizophrenia, and differential effects of various clinical symptoms between male and female patients. <i>Schizophrenia Research</i> , 2013 , 147, 81-85	3.6	20
241	Abnormal functioning of the semantic network in schizophrenia patients with thought disorganization. An exemplar production task. <i>Psychiatry Research</i> , 2013 , 205, 1-6	9.9	8
240	Effects of common mental disorders and physical conditions on role functioning in Spain. <i>Gaceta Sanitaria</i> , 2013 , 27, 480-6	2.2	5
239	The GERAS Study: a prospective observational study of costs and resource use in community dwellers with Alzheimer's disease in three European countries--study design and baseline findings. <i>Journal of Alzheimer's Disease</i> , 2013 , 36, 385-99	4.3	103
238	Validation of an instrument to evaluate quality of life in the aging population: WHOQOL-AGE. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 177	3	57
237	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79	6.9	51
236	Changes in adherence and treatment costs following initiation of oral or depot typical antipsychotics among previously non-adherent patients with schizophrenia. <i>Human Psychopharmacology</i> , 2013 , 28, 438-46	2.3	3
235	Is ADHD in childhood associated with lifetime hoarding symptoms? An epidemiological study. <i>Depression and Anxiety</i> , 2013 , 30, 741-8	8.4	33
234	Gender differences in mental health expectancies in early- and midlife in six European countries. <i>British Journal of Psychiatry</i> , 2013 , 202, 294-300	5.4	9

233	Health-related quality-of-life instruments for Alzheimer's disease and mixed dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 691-706	3.4	47
232	Factors predicting hostility in outpatients with schizophrenia: 36-month results from the SOHO study. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 464-70	1.8	7
231	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25	2.6	61
230	Do concomitant pain symptoms in patients with major depression affect quality of life even when taking into account baseline depression severity?. <i>Patient Preference and Adherence</i> , 2013 , 7, 463-70	2.4	10
229	Predictors and consequences of adherence to the treatment of pediatric patients with attention-deficit/hyperactivity disorder in Central Europe and East Asia. <i>Patient Preference and Adherence</i> , 2013 , 7, 987-95	2.4	22
228	Multi-country evaluation of affective experience: validation of an abbreviated version of the day reconstruction method in seven countries. <i>PLoS ONE</i> , 2013 , 8, e61534	3.7	23
227	Disability mediates the impact of common conditions on perceived health. <i>PLoS ONE</i> , 2013 , 8, e65858	3.7	20
226	Deficits in executive and memory processes in delusional disorder: a case-control study. <i>PLoS ONE</i> , 2013 , 8, e67341	3.7	20
225	Regional differences in treatment response and three year course of schizophrenia across the world. <i>Journal of Psychiatric Research</i> , 2012 , 46, 856-64	5.2	16
224	REPYFLEC cognitive remediation group training in schizophrenia: Looking for an integrative approach. <i>Schizophrenia Research</i> , 2012 , 142, 137-44	3.6	21
223	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	4.0	5768
222	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	4.0	4971
221	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1717-25	4.5	4
220	Development of the insight scale for affective disorders (ISAD): modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , 2012 , 142, 65-71	6.6	16
219	An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012 , 2, 135-44	5.5	8
218	Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. <i>General Hospital Psychiatry</i> , 2012 , 34, 510-7	5.6	16
217	Clinical consequences of switching from olanzapine to risperidone and vice versa in outpatients with schizophrenia: 36-month results from the Worldwide Schizophrenia Outpatients Health Outcomes (W-SOHO) study. <i>BMC Psychiatry</i> , 2012 , 12, 218	4.2	6
216	Risk factors for suicide behaviors in the observational schizophrenia outpatient health outcomes (SOHO) study. <i>BMC Psychiatry</i> , 2012 , 12, 83	4.2	16

215	Schizophrenia Outpatient Health Outcomes study: twelve-month findings. <i>Journal of Pragmatic and Observational Research</i> , 2012 , 3, 27-40	7.4	4
214	Recognition of anxiety disorders by the general practitioner: results from the DASMAPP study. <i>General Hospital Psychiatry</i> , 2012 , 34, 227-33	5.6	22
213	Psychotropic prescribing in Catalonia: results from an epidemiological study. <i>Family Practice</i> , 2012 , 29, 154-62	1.9	17
212	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61	5.4	59
211	Comparison of treatment discontinuation and hospitalization among nonadherent patients initiating depot or oral typical antipsychotic medications. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 275-82	2.2	11
210	Parent psychopathology and offspring mental disorders: results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012 , 200, 290-9	5.4	137
209	Antipsychotic monotherapy and polypharmacy in the treatment of outpatients with schizophrenia in the European Schizophrenia Outpatient Health Outcomes Study. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 637-43	1.8	6
208	Adjustment disorders in primary care: prevalence, recognition and use of services. <i>British Journal of Psychiatry</i> , 2012 , 201, 137-42	5.4	50
207	Clinical and economic consequences of medication non-adherence in the treatment of patients with a manic/mixed episode of bipolar disorder: results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) study. <i>Psychiatry Research</i> , 2011 , 190, 110-4	9.9	67
206	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania--results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011 , 131, 320-9	6.6	12
205	2-Year course of bipolar disorder type I patients in outpatient care: factors associated with remission and functional recovery. <i>European Neuropsychopharmacology</i> , 2011 , 21, 287-93	1.2	45
204	Impact of depressive symptoms on subjective well-being: the importance of patient-reported outcomes in schizophrenia. <i>Patient Preference and Adherence</i> , 2011 , 5, 471-4	2.4	12
203	Estudio cualitativo sobre la autopercepci3n del estigma social en personas con esquizofrenia. <i>Revista De La Asociaci3n Espa3ola De Neuropsiquiatr3a</i> , 2011 , 31, 477-489	0.5	4
202	Factors associated with use of psychiatrists and nonpsychiatrist providers by ESEMeD respondents in six European countries. <i>Psychiatric Services</i> , 2011 , 62, 143-51	3.3	14
201	Differential 3-year effects of first- versus second-generation antipsychotics on subjective well-being in schizophrenia using marginal structural models. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 226-30	1.7	7
200	Cross-national clinical and functional remission rates: Worldwide Schizophrenia Outpatient Health Outcomes (W-SOHO) study. <i>British Journal of Psychiatry</i> , 2011 , 199, 194-201	5.4	111
199	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011 , 199, 330-7	5.4	27
198	The transcription factor SP4 is reduced in postmortem cerebellum of bipolar disorder subjects: control by depolarization and lithium. <i>Bipolar Disorders</i> , 2011 , 13, 474-85	3.8	38

197	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1234-46	15.1	259
196	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011 , 131, 330-8	6.6	6
195	High and low suicidality in Europe: a fine-grained comparison of France and Spain within the ESEMeD surveys. <i>Journal of Affective Disorders</i> , 2011 , 133, 247-56	6.6	28
194	Complex interaction between symptoms, social factors, and gender in social functioning in a community-dwelling sample of schizophrenia. <i>Psychiatric Quarterly</i> , 2011 , 82, 261-74	4.1	24
193	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Womens Mental Health</i> , 2011 , 14, 107-13	5	6
192	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 273-80	4.5	17
191	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 182-91	4.3	7
190	Clinical and cognitive correlates of psychiatric comorbidity in delusional disorder outpatients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 416-25	2.6	20
189	Cross-national comparisons of sex differences in opportunities to use alcohol or drugs, and the transitions to use. <i>Substance Use and Misuse</i> , 2011 , 46, 1169-78	2.2	24
188	Use of primary and specialized mental health care for a major depressive episode in Spain by ESEMeD respondents. <i>Psychiatric Services</i> , 2011 , 62, 152-61	3.3	28
187	Development of lifetime comorbidity in the World Health Organization world mental health surveys. <i>Archives of General Psychiatry</i> , 2011 , 68, 90-100		328
186	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2011 , 41, 873-86	6.9	43
185	Association of childhood adversities and early-onset mental disorders with adult-onset chronic physical conditions. <i>Archives of General Psychiatry</i> , 2011 , 68, 838-44		241
184	Factor structure, internal consistency and construct validity of the Sheehan Disability Scale in a Spanish primary care sample. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 895-901	2.5	47
183	Frequent attendance in primary care: comparison and implications of different definitions. <i>British Journal of General Practice</i> , 2010 , 60, 49-55	1.6	35
182	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 378-85	5.4	1337
181	Early cannabis use and estimated risk of later onset of depression spells: Epidemiologic evidence from the population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010 , 172, 149-59	3.8	58
180	Gender and the relationship between marital status and first onset of mood, anxiety and substance use disorders. <i>Psychological Medicine</i> , 2010 , 40, 1495-505	6.9	98

179	Assessment of medication adherence in a cohort of patients with bipolar disorder. <i>Pharmacopsychiatry</i> , 2010 , 43, 263-70	2	48
178	Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 143	3	77
177	Predictors and clinical consequences of non-adherence with antipsychotic medication in the outpatient treatment of schizophrenia. <i>Psychiatry Research</i> , 2010 , 176, 109-13	9.9	296
176	Gender differences in delusional disorder: Evidence from an outpatient sample. <i>Psychiatry Research</i> , 2010 , 177, 235-9	9.9	25
175	Work impairment in bipolar disorder patients--results from a two-year observational study (EMBLEM). <i>European Psychiatry</i> , 2010 , 25, 338-44	6	21
174	The cost of relapse for patients with a manic/mixed episode of bipolar disorder in the EMBLEM study. <i>Pharmacoeconomics</i> , 2010 , 28, 555-66	4.4	17
173	Comparison of olanzapine and risperidone in the EMBLEM Study: translation of randomized controlled trial findings into clinical practice. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 257-63 ^{2,2}		3
172	Incidence of extrapyramidal symptoms and tardive dyskinesia in schizophrenia: thirty-six-month results from the European schizophrenia outpatient health outcomes study. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 531-40	1.7	57
171	Chronic physical conditions and their association with first onset of suicidal behavior in the world mental health surveys. <i>Psychosomatic Medicine</i> , 2010 , 72, 712-9	3.7	141
170	Burden of chronic physical conditions and mental disorders in primary care. <i>British Journal of Psychiatry</i> , 2010 , 196, 302-9	5.4	44
169	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010 , 197, 20-7	5.4	230
168	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 114-21	5.4	102
167	Seeking help for mental health problems outside the conventional health care system: results from the European Study of the Epidemiology of Mental Disorders (ESEMEd). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 586-97	4.8	7
166	Prevalence of mental disorders in primary care: results from the diagnosis and treatment of mental disorders in primary care study (DASMAP). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 201-10 ⁵		98
165	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness" and severity in Spanish primary care patients. <i>Quality of Life Research</i> , 2010 , 19, 97-101	3.7	24
164	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. <i>BMC Medical Research Methodology</i> , 2010 , 10, 45	4.7	53
163	Is major depression adequately diagnosed and treated by general practitioners? Results from an epidemiological study. <i>General Hospital Psychiatry</i> , 2010 , 32, 201-9	5.6	57
162	Epidemiology of major depressive episode in a southern European country: results from the ESEMEd-Spain project. <i>Journal of Affective Disorders</i> , 2010 , 120, 76-85	6.6	83

161	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. <i>Journal of Affective Disorders</i> , 2010 , 121, 52-8	6.6	68
160	Obsessive-compulsive symptom dimensions in the general population: results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010 , 124, 291-9	6.6	75
159	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010 , 27, 351-64	8.4	295
158	Why do clinicians maintain antidepressants in some patients with acute mania? Hints from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM), a large naturalistic study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1000-6	4.6	33
157	Gender differences in incipient psychosis. <i>European Journal of Psychiatry</i> , 2010 , 24,	1	3
156	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. <i>Psychological Medicine</i> , 2009 , 39, 1163-76	6.9	36
155	Cross-national associations between gender and mental disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009 , 66, 785-95		751
154	Translation of randomised controlled trial findings into clinical practice: comparison of olanzapine and valproate in the EMBLEM study. <i>Pharmacopsychiatry</i> , 2009 , 42, 145-52	2	7
153	Reasons and outcomes of olanzapine dose adjustments in the outpatient treatment of schizophrenia. <i>Pharmacopsychiatry</i> , 2009 , 42, 135-40	2	9
152	Dog-Assisted Therapy in the Treatment of Chronic Schizophrenia Inpatients. <i>Anthrozoos</i> , 2009 , 22, 149-159		33
151	Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009 , 6, e1000123	11.6	482
150	Antipsychotic treatment discontinuation in previously untreated patients with schizophrenia: 36-month results from the SOHO study. <i>Journal of Psychiatric Research</i> , 2009 , 43, 265-73	5.2	34
149	The epidemiology of eating disorders in six European countries: results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1125-32	5.2	303
148	Suicide ideation across reproductive life cycle of women. Results from a European epidemiological study. <i>Journal of Affective Disorders</i> , 2009 , 116, 144-7	6.6	21
147	Pain and depression in older people: comorbidity and patterns of help seeking. <i>Journal of Affective Disorders</i> , 2009 , 117, 193-6	6.6	35
146	Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009 , 118, 180-6	6.6	123
145	Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009 , 118, 118-23	6.6	27
144	Impact of mental disorders and chronic physical conditions in health-related quality of life among primary care patients: results from an epidemiological study. <i>Quality of Life Research</i> , 2009 , 18, 1011-8	3.7	18

143	Fluoxetine and imipramine: are there differences in cost-utility for depression in primary care?. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 195-203	2.5	8
142	Worldwide-Schizophrenia Outpatient Health Outcomes (W-SOHO): baseline characteristics of pan-regional observational data from more than 17,000 patients. <i>International Journal of Clinical Practice</i> , 2009 , 63, 1578-88	2.9	56
141	Comparison of different valuation methods for population health status measured by the EQ-5D in three European countries. <i>Value in Health</i> , 2009 , 12, 750-8	3.3	67
140	Adaptation and validation of the quality-of-life scale: Satisfaction with Life Domains Scale by Baker and Intagliata. <i>Comprehensive Psychiatry</i> , 2009 , 50, 76-80	7.3	13
139	Is it always the same? Variability of depressive symptoms across six European countries. <i>Psychiatry Research</i> , 2009 , 168, 137-44	9.9	15
138	Observational study designs for bipolar disorder - what can they tell us about treatment in acute mania?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 715-21	5.5	11
137	The cost of relapse in patients with schizophrenia in the European SOHO (Schizophrenia Outpatient Health Outcomes) study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 835-41	5.5	56
136	Childhood predictors of adult attention-deficit/hyperactivity disorder: results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009 , 65, 46-54	7.9	300
135	Recovery in the outpatient setting: 36-month results from the Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Schizophrenia Research</i> , 2009 , 108, 223-30	3.6	97
134	Religion and Spiritual Advice as Surrogate Care Provision for Mental Health Problems in the ESEMED Survey. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
133	Telephone assessment of behavioral inhibition and activation systems. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 66-71	2.7	3
132	An empirical study of psychosocial and clinical correlates of delusional disorder: the DELIREMP study. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 72-82	2.7	10
131	Variability in the COMT gene and modification of the risk of schizophrenia conferred by cannabis consumption. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 89-94	2.7	8
130	Evaluation of behavioural activation and inhibition systems by telephone. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 66-71	0.2	
129	An empirical study of psychosocial and clinical correlates of delusional disorder: the DELIREMP study. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 72-82	0.2	
128	Tolerability of outpatient antipsychotic treatment: 36-month results from the European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>European Neuropsychopharmacology</i> , 2009 , 19, 542-50	1.2	28
127	Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. <i>Medical Care</i> , 2009 , 47, 255-61	3.1	149
126	Validity and reliability of the Hamilton depression rating scale (5 items) for manic and mixed bipolar disorders. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 682-6	1.8	21

125	Perceived need for mental health care and service use among adults in Western Europe: results of the ESEMeD project. <i>Psychiatric Services</i> , 2009 , 60, 1051-8	3.3	55
124	Association of headache with childhood adversity and mental disorder: cross-national study. <i>British Journal of Psychiatry</i> , 2009 , 194, 111-6	5.4	28
123	Mental-physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2009 , 39, 33-43	6.9	201
122	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. <i>British Journal of Psychiatry</i> , 2009 , 194, 411-7	5.4	100
121	Obesity and mental disorders in the general population: results from the world mental health surveys. <i>International Journal of Obesity</i> , 2008 , 32, 192-200	5.5	273
120	Development of EMPRO: a tool for the standardized assessment of patient-reported outcome measures. <i>Value in Health</i> , 2008 , 11, 700-8	3.3	136
119	Comorbid painful physical symptoms and anxiety: prevalence, work loss and help-seeking. <i>Journal of Affective Disorders</i> , 2008 , 109, 264-72	6.6	20
118	Clinical factors influencing the prescription of antidepressants and benzodiazepines: results from the European study of the epidemiology of mental disorders (ESEMeD). <i>Journal of Affective Disorders</i> , 2008 , 110, 84-93	6.6	103
117	Rapid-cycling bipolar I disorder: course and treatment outcome of a large sample across Europe. <i>Journal of Psychiatric Research</i> , 2008 , 42, 1068-75	5.2	47
116	Mental disorders among persons with diabetes--results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 571-80	4.1	129
115	Marginal structural models might overcome confounding when analyzing multiple treatment effects in observational studies. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 525-30	5.7	27
114	The relation between multiple pains and mental disorders: results from the World Mental Health Surveys. <i>Pain</i> , 2008 , 135, 82-91	8	199
113	Predictors of the course of illness in outpatients with schizophrenia: a prospective three year study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1287-92	5.5	37
112	The Schizophrenia Outpatient Health Outcomes (SOHO) study: 3-year results of antipsychotic treatment discontinuation and related clinical factors in Spain. <i>European Psychiatry</i> , 2008 , 23, 1-7	6	20
111	A descriptive case-register study of delusional disorder. <i>European Psychiatry</i> , 2008 , 23, 125-33	6	46
110	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008 , 23, 360-7	6	16
109	Remission in the outpatient care of schizophrenia: 3-year results from the Schizophrenia Outpatients Health Outcomes (SOHO) study in France. <i>European Psychiatry</i> , 2008 , 23, 491-6	6	18
108	Common chronic pain conditions in developed and developing countries: gender and age differences and comorbidity with depression-anxiety disorders. <i>Journal of Pain</i> , 2008 , 9, 883-91	5.2	714

107	What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMeD--Catalonia Study. <i>Schizophrenia Research</i> , 2008 , 102, 261-9	3.6	36
106	Cost-utility analysis of treatment with olanzapine compared with other antipsychotic treatments in patients with schizophrenia in the pan-European SOHO study. <i>Pharmacoeconomics</i> , 2008 , 26, 341-58	4.4	23
105	Chronic mania revisited: factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 313-20	3.8	14
104	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 835-42	2.1	212
103	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008 , 192, 98-105	5.4	1482
102	Overview of the findings from the European SOHO study. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 873-80	4.3	17
101	Determinants of voluntary vs. involuntary admission in bipolar disorder and the impact of adherence. <i>Pharmacopsychiatry</i> , 2008 , 41, 29-36	2	19
100	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2008 , 38, 1639-50	6.9	68
99	The relation between body mass index, mental health, and functional disability: a European population perspective. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 679-88	4.8	41
98	Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008 , 192, 368-75	5.4	267
97	Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. <i>Psychosomatic Medicine</i> , 2008 , 70, 1035-43	3.7	79
96	Adequacy of antidepressant treatment in Spanish primary care: a naturalistic six-month follow-up study. <i>Psychiatric Services</i> , 2008 , 59, 78-83	3.3	23
95	Clinical consequences of switching antipsychotic drugs in outpatients with schizophrenia: 36-month results from the European Schizophrenia Outpatient Health Outcomes study. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 203-8	2.2	4
94	Assessment of remission in schizophrenia with the CGI and CGI-SCH scales. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 156	6.5	3
93	Adverse parenting as a risk factor in the occurrence of anxiety disorders : a study in six European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 266-72	4.5	31
92	Do needs, symptoms or disability of outpatients with schizophrenia influence family burden?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 612-8	4.5	45
91	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008 , 21, 455-62	3.8	182
90	Rates and predictors of remission and recovery during 3 years in 392 never-treated patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 220-9	6.5	124

89	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 305-14	6.5	147
88	Estudio SOHO (Variables Relacionadas con la Salud en Pacientes Ambulatorios con Esquizofrenia): resultados a los 3 años de la suspensión del tratamiento antipsicótico y factores clínicos relacionados con ella en España. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 137-144		
87	Estudio descriptivo de un registro de casos de trastorno delirante. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 228-236		
86	Edad de inicio del primer episodio psicótico: ¿hay diferencias clínicas entre varones y mujeres?. <i>Psiquiatría Biológica</i> , 2007 , 14, 136-141	0.2	5
85	Assessment of remission in schizophrenia with the CGI and CGI-SCH scales. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 163-4; author reply 164	6.5	20
84	Patterns of switching phosphodiesterase type 5 inhibitors in the treatment of erectile dysfunction: results from the Erectile Dysfunction Observational Study. <i>International Journal of Clinical Practice</i> , 2007 , 61, 1850-62	2.9	27
83	Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007 , 29, 123-33	5.6	197
82	Mental disorders among persons with heart disease - results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007 , 29, 325-34	5.6	91
81	Risk factors for suicidality in Europe: results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007 , 101, 27-34	6.6	355
80	Depression-anxiety relationships with chronic physical conditions: results from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2007 , 103, 113-20	6.6	333
79	Therapeutic effectiveness and patient satisfaction after 6 months of treatment with tadalafil, sildenafil, and vardenafil: results from the erectile dysfunction observational study (EDOS). <i>European Urology</i> , 2007 , 51, 541-50; discussion 550	10.2	44
78	Symptomatic remission in previously untreated patients with schizophrenia: 2-year results from the SOHO study. <i>Psychopharmacology</i> , 2007 , 191, 1015-22	4.7	31
77	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 631-8	4.5	3
76	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007 , 190, 402-9	5.4	925
75	Population level of unmet need for mental healthcare in Europe. <i>British Journal of Psychiatry</i> , 2007 , 190, 299-306	5.4	178
74	Parental bonding and suicidality in adulthood. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 66-73	2.6	22
73	Sexual intercourse frequency in men presenting for treatment of erectile dysfunction: results from the pan-European erectile dysfunction observational study. <i>Journal of Sex and Marital Therapy</i> , 2007 , 33, 3-18	2.7	11
72	Treatment adequacy for anxiety and depressive disorders in six European countries. <i>British Journal of Psychiatry</i> , 2007 , 190, 172-3	5.4	121

71	Differences in lifetime use of services for mental health problems in six European countries. <i>Psychiatric Services</i> , 2007 , 58, 213-20	3.3	81
70	Gender differences in response to antipsychotic treatment in outpatients with schizophrenia. <i>Psychiatry Research</i> , 2007 , 153, 225-31	9.9	87
69	Mental disorders among persons with chronic back or neck pain: results from the World Mental Health Surveys. <i>Pain</i> , 2007 , 129, 332-342	8	378
68	Three-year antipsychotic effectiveness in the outpatient care of schizophrenia: observational versus randomized studies results. <i>European Neuropsychopharmacology</i> , 2007 , 17, 235-44	1.2	96
67	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , 2007 , 370, 841-50	40	968
66	Selective serotonin reuptake inhibitors: are there differences in effectiveness in primary care?. <i>Primary Care and Community Psychiatry</i> , 2007 , 11, 113-120		2
65	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 177-85	14.4	322
64	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 168-76	14.4	1067
63	Social functioning in schizophrenia: what is the influence of gender?. <i>European Journal of Psychiatry</i> , 2007 , 21,	1	8
62	Validation in Spanish population of the family objective and subjective burden interview (ECFOS-II) for relatives of patients with schizophrenia. <i>Actas Espanolas De Psiquiatria</i> , 2007 , 35, 372-81	0.7	13
61	Treatment-seeking behavior of erectile dysfunction patients in Europe: Results of the Erectile Dysfunction Observational Study. <i>Journal of Sexual Medicine</i> , 2006 , 3, 530-40	1.1	32
60	A framework for evidence-based mental health care and policy. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 5-11	6.5	19
59	Assessment of service use patterns in out-patients with schizophrenia: a Spanish study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 12-8	6.5	9
58	Cost-effectiveness of different clinical interventions for reducing the burden of schizophrenia in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 29-38	6.5	25
57	Cost-utility of selective serotonin reuptake inhibitors for depression in primary care in Catalonia. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 39-47	6.5	15
56	Effectiveness and cost-effectiveness of antidepressant treatment in primary health care: a six-month randomised study comparing fluoxetine to imipramine. <i>Journal of Affective Disorders</i> , 2006 , 91, 153-63	6.6	16
55	Gender differences in response to antidepressant treatment prescribed in primary care. Does menopause make a difference?. <i>Journal of Affective Disorders</i> , 2006 , 93, 53-60	6.6	69
54	Treatment adequacy of anxiety and depressive disorders: primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006 , 96, 9-20	6.6	46

53	Open-label olanzapine treatment in bipolar I disorder: clinical and work functional outcomes. <i>Current Medical Research and Opinion</i> , 2006 , 22, 961-6	2.5	9
52	The SOHO (Schizophrenia Outpatient Health Outcome) study: implications for the treatment of schizophrenia. <i>CNS Drugs</i> , 2006 , 20, 293-301	6.7	64
51	Methodological aspects in the assessment of treatment effects in observational health outcomes studies. <i>Applied Health Economics and Health Policy</i> , 2006 , 5, 11-25	3.4	33
50	Antipsychotic type and correlates of antipsychotic treatment discontinuation in the outpatient treatment of schizophrenia. <i>European Psychiatry</i> , 2006 , 21, 41-7	6	37
49	Estimating the prevalence of schizophrenia in Spain using a disease model. <i>Schizophrenia Research</i> , 2006 , 86, 194-201	3.6	23
48	Neurocognitive performance and negative symptoms: are they equal in explaining disability in schizophrenia outpatients?. <i>Schizophrenia Research</i> , 2006 , 87, 246-53	3.6	65
47	Four symptom dimensions in outpatients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2006 , 47, 384-8	7.3	9
46	Methodological approach for assessing the cost-effectiveness of treatments using longitudinal observational data: the SOHO study. <i>International Journal of Technology Assessment in Health Care</i> , 2006 , 22, 460-8	1.8	10
45	Remission and relapse in the outpatient care of schizophrenia: three-year results from the Schizophrenia Outpatient Health Outcomes study. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 571-8	1.7	100
44	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 112-20	6.5	64
43	Financing Mental Health Care in Spain: Context and critical issues. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	16
42	Influence of age at onset on social functioning in outpatients with schizophrenia. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	11
41	Use of concomitant medication with antipsychotic treatment in outpatients with schizophrenia: results from the European Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 972-82	5.5	23
40	Needs and its relation to symptom dimensions in a sample of outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2005 , 75, 129-34	3.6	25
39	Pharmacological treatment and other predictors of treatment outcomes in previously untreated patients with schizophrenia: results from the European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 199-205	2.2	41
38	Assessing depression in primary care with the PHQ-9: can it be carried out over the telephone?. <i>Journal of General Internal Medicine</i> , 2005 , 20, 738-42	4	24 ⁰
37	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 220-31	6.5	77
36	Olanzapine vs. other antipsychotics in actual out-patient settings: six months tolerability results from the European Schizophrenia Out-patient Health Outcomes study. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 232-43	6.5	58

35	Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90	27.4	2063
34	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 8-20	6.5	110
33	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 21-7	6.5	791
32	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 28-37	6.5	114
31	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 38-46	6.5	213
30	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 47-54	6.5	249
29	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 55-64	6.5	103
28	Met and unmet needs of schizophrenia patients in a Spanish sample. <i>Schizophrenia Bulletin</i> , 2003 , 29, 201-10	1.3	61
27	Unit costs in international economic evaluations: resource costing of the Schizophrenia Outpatient Health Outcomes Study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 41-7	6.5	5
26	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 7-15	6.5	39
25	The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 16-23	6.5	416
24	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 222-32	6.5	87
23	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 55-67	4.3	72
22	Influence of gender on social outcome in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 337-43	5.5	53
21	Olanzapine versus haloperidol in the treatment of acute mania: clinical outcomes, health-related quality of life and work status. <i>International Clinical Psychopharmacology</i> , 2002 , 17, 227-37	2.2	51
20	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 24-32	6.5	6
19	Service utilization and costs of first-onset schizophrenia in two widely differing health service areas in North-East Spain. PSICOST Group. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 335-43	6.5	17
18	Utilisation of mental health services and costs of patients with schizophrenia in three areas of Spain. <i>British Journal of Psychiatry</i> , 1998 , 173, 334-40	5.4	47

17	The relationship between plasma haloperidol concentrations and clinical results. <i>Archives of General Psychiatry</i> , 1996 , 53, 1167-9		5
16	Predictability of rehospitalization for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994 , 244, 241-6	5.1	22
15	Emotional distress in disaster victims. A follow-up study. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 388-93	1.8	27
14	Long-term course of hospitalization for schizophrenia: Part II. Change with passage of time. <i>Schizophrenia Bulletin</i> , 1992 , 18, 229-41	1.3	68
13	Methimazole treatment reduces cardiac hypertrophy and mortality without a concomitant reduction in blood pressure in established Goldblatt two-kidney one clip hypertension. <i>Experientia</i> , 1992 , 48, 755-8		4
12	Psychiatric disorders in primary health care clinics one year after a major latin american disaster. <i>Stress and Health</i> , 1991 , 7, 25-32		4
11	Attention-Deficit Hyperactivity Disorder195-208		
10	LaunayBlade Hallucination Scale-Extended: simplifying its interpretation. <i>Psychosis</i> ,1-10	1.2	
9	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19 (Preprint)		4
8	Analysis of burden in caregivers of people with Alzheimer's disease using self-report and supervision hours. <i>Journal of Nutrition, Health and Aging</i> ,	5.2	7
7	Mental Health Impact of the First Wave of COVID-19 Pandemic on Spanish Healthcare Workers: a Large Cross-sectional Survey		5
6	An Introduction to Mental Health Services Research133-154		1
5	Home stay reflects symptoms severity in major depressive disorder: A multicenter observational study using geolocation data from smartphones		1
4	Changes in health behaviors, mental and physical health among older adults under severe lockdown restrictions during the COVID-19 pandemic in Spain		5
3	The Effects of Trauma Type, Timing, Accumulation, and Sequencing153-162		
2	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> ,1-9	6.9	1
1	The associations of physical incapacity and wealth with remaining in paid employment after age 60 in five middle-income and high-income countries. <i>Ageing and Society</i> ,1-24	1.7	