

# Josep Maria Haro

## List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/4303299/publications.pdf](https://exaly.com/author-pdf/4303299/publications.pdf)

Version: 2025-02-01

633

peer-reviewed  
articles

75,089

peer-reviewed  
citations

3072

92

peer-reviewed  
h-index

673

259

g-index

654

documents

85533

doc citations

3424

98

h-index

172529

citing authors

#	ARTICLE	IF	CITATIONS
1	The association of material deprivation with major depressive disorder and the role of loneliness and social support: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2025, 368, 172-179.	4.5	2
2	The longitudinal relationship among physical activity, loneliness, and mental health in middle-aged and older adults: Results from the Edad con Salud cohort. <i>Mental Health and Physical Activity</i> , 2025, 28, 100667.	2.0	7
3	Ayahuasca-assisted meaning reconstruction therapy for grief: a non-randomized clinical trial protocol. <i>Frontiers in Psychiatry</i> , 2025, 15, .	2.4	2
4	Understanding the incidence and recurrence of depression and associated risk factors in 9 years of follow-up: Results from a population-based sample. <i>Psychiatry Research</i> , 2025, 345, 116375.	3.1	3
5	Psychiatric comorbidity and in-hospital mortality in patients hospitalized for physical conditions in Germany. <i>Journal of Psychiatric Research</i> , 2025, 182, 489-496.	2.9	1
6	Benefits of Water Aerobic Exercise on Mental Health Outcomes in Severe Mental Illness: The Effects of Sex. <i>Women</i> , 2025, 5, 8.	1.3	1
7	Impact of the changes from ICD-10 to ICD-11 in the diagnosis of depressive disorder in the general population. <i>Journal of Psychiatric Research</i> , 2025, 184, 367-370.	2.9	1
8	Life expectancy associated with specific mental disorders and the contribution of causes of death: a population-based study in the region of Catalonia. <i>Psychiatry Research</i> , 2025, 348, 116480.	3.1	1
9	Global, Regional, and National Burden of Nontraumatic Subarachnoid Hemorrhage. <i>JAMA Neurology</i> , 2025, 82, 765.	17.6	25
10	Chronic and Transient Loneliness in Western Countries: Risk Factors and Association With Depression. A 2-Year Follow-Up Study. <i>American Journal of Geriatric Psychiatry</i> , 2024, 32, 412-423.	1.7	5
11	Physical Activity Participation Decreases the Risk of Depression in Older Adults: The ATHLOS Population-Based Cohort Study. <i>Sports Medicine - Open</i> , 2024, 10, .	4.4	11
12	Trends in burnout and related sick leave duration in working-age adults followed in general practices in Germany between 2012 and 2022. <i>Journal of Psychiatric Research</i> , 2024, 172, 52-58.	2.9	4
13	Association between tuberculosis and psychotic experiences: Mediating factors and implications for patient care in low- and middle-income countries. <i>Journal of Global Health</i> , 2024, 14, .	2.7	3
14	Do depressed people with subjective psychomotor retardation show a different symptomatic pattern? A network analysis approach using a cross-national sample. <i>European Journal of Psychiatry</i> , 2024, 38, 100253.	1.4	3
15	Treatment coverage for depression in the general Spanish population and the impact of the Covid-19 pandemic. <i>Heliyon</i> , 2024, 10, e32594.	3.2	1
16	Genetic analyses point to alterations in immune-related pathways underpinning the association between psychiatric disorders and COVID-19. <i>Molecular Psychiatry</i> , 2024, 30, 29-36.	7.8	5
17	Association between dietary (poly)phenol intake and the ATHLOS Healthy Ageing Scale in the Polish arm of the HAPIEE study. <i>GeroScience</i> , 2024, 47, 3241-3253.	4.6	4
18	Global, regional, and national burden of stroke and its risk factors, 1990â€“2021: a systematic analysis for the Global Burden of Disease Study 2021. <i>Lancet Neurology</i> , The, 2024, 23, 973-1003.	17.9	1,030

#	ARTICLE	IF	CITATIONS
19	Forecasting the effects of smoking prevalence scenarios on years of life lost and life expectancy from 2022 to 2050: a systematic analysis for the Global Burden of Disease Study 2021. <i>Lancet Public Health, The</i> , 2024, 9, e729-e744.	18.8	107
20	Cancer and the 10-Year Incidence of Chronic Low Back Pain in 407,314 Adults Followed in General Practices in Germany. <i>Journal of Clinical Medicine</i> , 2024, 13, 6969.	2.5	0
21	Reducing loneliness and depressive symptoms in older adults during the COVID-19 pandemic: A pre-post evaluation of a psychosocial online intervention. <i>PLoS ONE</i> , 2024, 19, e0311883.	2.3	4
22	Determinants of verbal fluency trajectories among older adults from the English Longitudinal Study of Aging. <i>Applied Neuropsychology Adult</i> , 2023, 30, 110-119.	1.9	4
23	To be happy and behave in a healthier way. A longitudinal study about gender differences in the older population. <i>Psychology and Health</i> , 2023, 38, 307-323.	2.5	10
24	Launayâ€“Slade Hallucination Scale-Extended: simplifying its interpretation. <i>Psychosis</i> , 2023, 15, 56-65.	1.0	1
25	The Association of Age With Depression, Anxiety, and Posttraumatic Stress Symptoms During the COVID-19 Pandemic in Spain: The Role of Loneliness and Prepandemic Mental Disorder. <i>Psychosomatic Medicine</i> , 2023, 85, 42-52.	2.2	8
26	Association between asthma and work absence in working adults in the United States. <i>Journal of Asthma</i> , 2023, 60, 1115-1122.	1.6	2
27	Association between mental disorders and mortality: A register-based cohort study from the region of Catalonia. <i>Psychiatry Research</i> , 2023, 320, 115037.	3.1	10
28	Active school commuting in adolescents from 28 countries across Africa, the Americas, and Asia: a temporal trends study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2023, 20, .	4.4	17
29	Development and evaluation of a risk algorithm predicting alcohol dependence after early onset of regular alcohol use. <i>Addiction</i> , 2023, 118, 954-966.	5.2	7
30	Prevalence of and Risk Factors for Adhesive Capsulitis of the Shoulder in Older Adults from Germany. <i>Journal of Clinical Medicine</i> , 2023, 12, 669.	2.5	31
31	Leisureâ€“time physical activity and sarcopenia among older adults from lowâ€“and middleâ€“income countries. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2023, 14, 1130-1138.	9.1	30
32	The Impact of COVID-19 Lockdown on Adults with Major Depressive Disorder from Catalonia: A Decentralized Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 5161.	2.9	1
33	What factors explain the changes in major depressive disorder symptoms by age group during the COVID-19 pandemic? A longitudinal study. <i>Journal of Affective Disorders</i> , 2023, 328, 72-80.	4.5	17
34	The Association of Social Support and Loneliness with Symptoms of Depression, Anxiety, and Posttraumatic Stress during the COVID-19 Pandemic: A Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2765.	2.9	76
35	Food insecurity and insomniaâ€“related symptoms among adults from lowâ€“and middleâ€“income countries. <i>Journal of Sleep Research</i> , 2023, 32, .	3.8	19
36	Government interventions and control policies to contain the first COVID-19 outbreak: An analysis of evidence. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 682-691.	2.3	5

#	ARTICLE	IF	CITATIONS
37	Chronic Low Back Pain and Incident Transient Ischemic Attack and Stroke in General Practices in Germany. <i>Healthcare (Switzerland)</i> , 2023, 11, 1499.	2.2	3
38	Is there an association between breast cancer and incident adhesive capsulitis of the shoulder? A retrospective cohort study from Germany. <i>Supportive Care in Cancer</i> , 2023, 31, .	2.2	6
39	Falls increase the risk for incident anxiety and depressive symptoms among adults aged ≥50 years: An analysis of the Irish longitudinal study on ageing. <i>Archives of Gerontology and Geriatrics</i> , 2023, 114, 105098.	3.4	8
40	Psychological distress and online advice-seeking in times of COVID-19: vertical and horizontal equity of an e-mental health strategy. <i>Current Psychology</i> , 2023, 43, 18736-18747.	1.7	0
41	Temporal Trends in Bullying Victimization Among Adolescents Aged 12–15 Years From 29 Countries: A Global Perspective. <i>Journal of Adolescent Health</i> , 2023, 73, 582-590.	2.7	33
42	Loneliness during the last phase of the COVID-19 pandemic in Spain: A longitudinal study of group-based trajectories, risk factors, and consequences in mental health. <i>Psychiatry Research</i> , 2023, 326, 115327.	3.1	9
43	Social inequalities in mental and physical health derived from the COVID-19 pandemic in Spain beyond SARS-CoV-2 infection. <i>International Journal for Equity in Health</i> , 2023, 22, .	3.3	2
44	Age of onset and cumulative risk of mental disorders: a cross-national analysis of population surveys from 29 countries. <i>Lancet Psychiatry</i> , 2023, 10, 668-681.	17.4	499
45	Sex differences in the symptom network structure of depression: Findings from a nationwide sample of the Spanish adult population. <i>Journal of Affective Disorders</i> , 2023, 340, 583-591.	4.5	5
46	Association between carpal tunnel syndrome and the five-year incidence of anxiety disorder and depression in adults followed in general practices in Germany. <i>Journal of Psychosomatic Research</i> , 2023, 173, 111469.	2.1	4
47	Is There an Association between Post-Traumatic Stress Disorder and the Incidence of Chronic Low Back Pain?. <i>Journal of Clinical Medicine</i> , 2023, 12, 5753.	2.5	1
48	Loneliness trajectories, risk factors, and mental health during the COVID-19 pandemic in Spain. <i>European Journal of Public Health</i> , 2023, 33, .	0.3	0
49	International Classification of Diseases-10th Revision Surrogates of the Modified Frailty Index and 12-Month Referral to the Hospital in an Older Population from Germany. <i>Journal of Clinical Medicine</i> , 2023, 12, 7290.	2.5	0
50	Impact of perceived discrimination and coping strategies on well-being and mental health in newly-arrived migrants in Spain. <i>PLoS ONE</i> , 2023, 18, e0294295.	2.3	18
51	Global, regional, and national burden of aortic aneurysm, 1990–2017: a systematic analysis of the Global Burden of Disease Study 2017. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1220-1232.	2.0	36
52	Is there a combined effect of depression and cognitive reserve on cognitive function? Findings from a population-based study. <i>Psychology and Health</i> , 2022, 37, 1132-1147.	2.5	20
53	Association Between Problem Gambling and Functional Disability: A Nationally Representative Study Conducted in the United Kingdom. <i>Journal of Addiction Medicine</i> , 2022, 16, 235-241.	2.1	4
54	Late-life disability trajectories in Yoruba Nigerians and the Spanish population: a state space model in continuous time. <i>Aging and Mental Health</i> , 2022, 26, 2447-2453.	2.9	2

#	ARTICLE	IF	CITATIONS
55	Antidepressant use among immigrants with depressive disorder living in Finland: A register-based study. <i>Journal of Affective Disorders</i> , 2022, 299, 528-535.	4.5	7
56	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 146, 87-91.	2.9	1
57	Longitudinal association between perceived stress and depression among community-dwelling older adults: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 299, 457-462.	4.5	25
58	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 147, 79-84.	2.9	12
59	The effect of loneliness and social support on the course of major depressive disorder among adults aged 50 years and older: A longitudinal study. <i>Depression and Anxiety</i> , 2022, 39, 147-155.	4.0	31
60	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. <i>JAMA Oncology</i> , 2022, 8, 420.	14.4	1,716
61	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. <i>BMC Psychiatry</i> , 2022, 22, .	3.1	99
62	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1549-1556.	2.0	9
63	The impact of COVID-related perceived stress and social support on generalized anxiety and major depressive disorders: moderating effects of pre-pandemic mental disorders. <i>Annals of General Psychiatry</i> , 2022, 21, .	2.3	11
64	The impact of psychopathology on academic performance in school-age children and adolescents. <i>Scientific Reports</i> , 2022, 12, .	3.4	39
65	Changes in the Mental Health of Children and Adolescents during the COVID-19 Lockdown: Associated Factors and Life Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4120.	2.9	31
66	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	2.6	19
67	The Mental Health of Employees with Job Loss and Income Loss during the COVID-19 Pandemic: The Mediating Role of Perceived Financial Stress. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3158.	2.9	90
68	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990â€”2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe</i> , The, 2022, 16, 100341.	7.0	236
69	A divisive hierarchical clustering methodology for enhancing the ensemble prediction power in large scale population studies: the ATHLOS project. <i>Health Information Science and Systems</i> , 2022, 10, .	3.1	7
70	Methods for Stratification and Validation Cohorts: A Scoping Review. <i>Journal of Personalized Medicine</i> , 2022, 12, 688.	2.4	14
71	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2022, 310, 106-115.	4.5	12
72	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. <i>Archives of Public Health</i> , 2022, 80, .	2.6	31

#	ARTICLE	IF	CITATIONS
73	Psychotic experiences among informal caregivers: findings from 48 low- and middle-income countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1771-1780.	2.6	2
74	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 631-639.	2.6	9
75	Relationship between Dietary Macronutrients Intake and the ATHLOS Healthy Ageing Scale: Results from the Polish Arm of the HAPIEE Study. <i>Nutrients</i> , 2022, 14, 2454.	4.5	9
76	Cohort Profile: The Spanish Longitudinal Study on Ageing and Health (Edad Con Salud). <i>International Journal of Epidemiology</i> , 2022, 51, e189-e199.	4.9	15
77	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	2.7	11
78	Prospective Association between Multimorbidity and Falls and Its Mediators: Findings from the Irish Longitudinal Study on Ageing. <i>Journal of Clinical Medicine</i> , 2022, 11, 4470.	2.5	20
79	Multimorbidity, depression with anxiety symptoms, and decrements in health in 47 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 317, 176-184.	4.5	33
80	Prevalence of and factors associated with long-term sick leave in working-age adults with osteoarthritis: a retrospective cohort study conducted in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2022, 96, 303-311.	2.0	4
81	Worldwide mapping of initiatives that integrate population cohorts. <i>Frontiers in Public Health</i> , 2022, 10, .	2.7	4
82	Association between adhesive capsulitis and depression: A five-year retrospective cohort study including 58,516 adults from Germany. <i>Journal of Psychiatric Research</i> , 2022, 155, 395-400.	2.9	18
83	Sales of Iodine-Containing Drugs in Europe Following the Beginning of the War Between Russia and Ukraine. <i>JAMA Network Open</i> , 2022, 5, e2240032.	6.6	3
84	ATHLOS Healthy Ageing Scale score as the predictor of mortality in Poland and the Czech Republic. <i>European Journal of Public Health</i> , 2022, 32, .	0.3	0
85	Factors Associated with Depression and Anxiety Symptoms among Migrant Population in Spain during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15646.	2.9	10
86	Development of a common scale for measuring healthy ageing across the world: results from the ATHLOS consortium. <i>International Journal of Epidemiology</i> , 2021, 50, 880-892.	4.9	67
87	Effects of transient and chronic loneliness on major depression in older adults: A longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 76-85.	2.2	68
88	Metabolic dysregulation in older adults with depression and loneliness: The ATHLOS study. <i>Psychoneuroendocrinology</i> , 2021, 123, 104918.	2.7	16
89	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021, 143, 157-164.	2.9	13
90	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 90-105.	1.8	171

#	ARTICLE	IF	CITATIONS
91	Moving more, ageing happy: findings from six low- and middle-income countries. <i>Age and Ageing</i> , 2021, 50, 488-497.	1.8	20
92	From childhood financial hardship to late-life depression: socioeconomic pathways. <i>Aging and Mental Health</i> , 2021, 25, 86-93.	2.9	26
93	Mediators of the socioeconomic status and life satisfaction relationship in older adults: a multi-country structural equation modeling approach. <i>Aging and Mental Health</i> , 2021, 25, 585-592.	2.9	19
94	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 342.	2.5	3
95	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, .	4.8	126
96	Are environmental pollution and biodiversity levels associated to the spread and mortality of COVID-19? A four-month global analysis. <i>Environmental Pollution</i> , 2021, 271, 116326.	7.7	35
97	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	2.1	9
98	Socioeconomic inequalities in physical and cognitive functioning: cross-sectional evidence from 37 cohorts across 28 countries in the ATHLOS project. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 980-986.	2.9	17
99	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2021, 14, 90-105.	0.2	24
100	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. <i>Epilepsy and Behavior</i> , 2021, 117, 107879.	1.8	3
101	The Structural and Intercultural Competence for Epidemiological Studies (SICES) guidelines: a 22-item checklist. <i>BMJ Global Health</i> , 2021, 6, e005237.	4.3	11
102	Determinants of Processing Speed Trajectories among Middle Aged or Older Adults, and Their Association with Chronic Illnesses: The English Longitudinal Study of Aging. <i>Life</i> , 2021, 11, 357.	2.7	3
103	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2117-2124.	1.9	4
104	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>Nutrients</i> , 2021, 13, 1879.	4.5	31
105	Sarcopenia and fall-related injury among older adults in five low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 147, 111262.	3.7	46
106	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1737-1747.	2.6	13
107	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	4.5	14
108	Enhancing the Human Health Status Prediction: The ATHLOS Project. <i>Applied Artificial Intelligence</i> , 2021, 35, 834-856.	3.3	2

#	ARTICLE	IF	CITATIONS
109	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. <i>Eye</i> , 2021, 36, 1274-1280.	2.1	6
110	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7067.	2.9	75
111	A Map of the Initiatives That Harmonize Patient Cohorts Across the World. <i>Frontiers in Public Health</i> , 2021, 9, .	2.7	5
112	Risk of all-cause mortality associated with chronic obstructive pulmonary disease and the role of healthy ageing trajectories: a population-based study of middle-aged and older adults. <i>BMJ Open</i> , 2021, 11, e050947.	1.9	1
113	The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. <i>Current Psychology</i> , 2021, 42, 9237-9248.	1.7	12
114	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, .	3.1	26
115	A systematic literature review of prognostic factors in patients with HR+/HER2 <sup>+</sup> advanced breast cancer in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1498-1508.	1.6	6
116	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1745-1754.	2.6	31
117	The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. <i>Journal of Affective Disorders</i> , 2021, 292, 464-470.	4.5	20
118	Multimorbidity and obesity in older adults from six low- and middle-income countries. <i>Preventive Medicine</i> , 2021, 153, 106816.	2.8	33
119	The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2021, 21, 1157-1167.	1.4	17
120	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, .	4.4	44
121	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. <i>BMC Psychiatry</i> , 2021, 21, .	3.1	24
122	Kynurenine pathway in post-mortem prefrontal cortex and cerebellum in schizophrenia: relationship with monoamines and symptomatology. <i>Journal of Neuroinflammation</i> , 2021, 18, .	9.0	19
123	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. <i>International Journal of Infectious Diseases</i> , 2021, 111, 37-42.	2.1	13
124	Burden of Disease for Psoriasis in Argentina, Brazil, Colombia, and Mexico. <i>Value in Health Regional Issues</i> , 2021, 26, 126-134.	1.3	2
125	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021, 38, 528-544.	4.0	83
126	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	2.9	6

#	ARTICLE	IF	CITATIONS
127	Relationship between subjective well-being and healthy lifestyle behaviours in older adults: a longitudinal study. <i>Aging and Mental Health</i> , 2020, 24, 611-619.	2.9	65
128	Development of a Combined Sensory-Cognitive Measure Based on the Common Cause Hypothesis: Heterogeneous Trajectories and Associated Risk Factors. <i>Gerontologist</i> , The, 2020, 60, e357-e366.	2.8	10
129	Differential impact of transient and chronic loneliness on health status. A longitudinal study. <i>Psychology and Health</i> , 2020, 35, 177-195.	2.5	85
130	Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. <i>Aging and Mental Health</i> , 2020, 24, 1533-1542.	2.9	56
131	Association between intelligence quotient and disability: The role of socioeconomic status. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 296-301.	3.5	11
132	Association of bullying victimization with overweight and obesity among adolescents from 41 low- and middle-income countries. <i>Pediatric Obesity</i> , 2020, 15, .	2.6	46
133	The relationship of childhood sexual and physical abuse with adulthood disability. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 332-339.	3.5	11
134	Loneliness and depression among older European adults: The role of perceived neighborhood built environment. <i>Health and Place</i> , 2020, 62, 102280.	3.7	71
135	Serious physical injury and depressive symptoms among adolescents aged 12-15 years from 21 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 264, 172-180.	4.5	13
136	Skeletal muscle mass in relation to 10 year cardiovascular disease incidence among middle aged and older adults: the ATTICA study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 26-31.	2.9	108
137	Mental Disorders, Musculoskeletal Disorders and Income-Driven Patterns: Evidence from the Global Burden of Disease Study 2017. <i>Journal of Clinical Medicine</i> , 2020, 9, 2189.	2.5	16
138	The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , 2020, 266, 424-428.	4.5	14
139	The impact of physical activity on healthy ageing trajectories: evidence from eight cohort studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, .	4.4	157
140	FOXP2 expression and gray matter density in the male brains of patients with schizophrenia. <i>Brain Imaging and Behavior</i> , 2020, 15, 1403-1411.	2.1	17
141	Temporal trends in leisure-time sedentary behavior among adolescents aged 12-15 years from 26 countries in Asia, Africa, and the Americas. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, .	4.4	33
142	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	1.6	72
143	Ageing trajectories of health—longitudinal opportunities and synergies (ATHLOS) Healthy Ageing Scale in adults from 16 international cohorts representing 38 countries worldwide. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 1043-1049.	2.9	15
144	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	1.6	146

#	ARTICLE	IF	CITATIONS
145	Association between intelligence quotient and obesity in England. <i>Lifestyle Medicine</i> , 2020, 1, .	2.0	3
146	Cognitive function associated with different diagnoses of anxiety disorders over the lifespan: Results from a Spanish representative sample. <i>Journal of Anxiety Disorders</i> , 2020, 75, 102296.	3.4	9
147	Predictors of pain in general ageing populations: results from a multi-country analysis based on ATHLOS harmonized database. <i>Journal of Headache and Pain</i> , 2020, 21, .	7.0	16
148	Cross-cultural comparison of symptom networks in late-life major depressive disorder: Yoruba Africans and the Spanish Population. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1060-1068.	2.2	12
149	Pain rates in general population for the period 1991-2015 and 10-years prediction: results from a multi-continent age-period-cohort analysis. <i>Journal of Headache and Pain</i> , 2020, 21, .	7.0	29
150	Perceived stress and depression in 45 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 274, 799-805.	4.5	98
151	Physical Activity is Associated With Fewer Subjective Cognitive Complaints in 47 Low- and Middle-Income Countries. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1423-1429.e2.	2.4	17
152	Functioning profiles in a nationally representative cohort of Spanish older adults: A latent class study. <i>Health and Social Care in the Community</i> , 2020, 28, 2190-2198.	2.2	4
153	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12-15 Years From 38 Low- and Middle-Income Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2014-2021.	2.3	14
154	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. <i>Nutrients</i> , 2020, 12, 706.	4.5	34
155	Exploring the effect of loneliness on all-cause mortality: Are there differences between older adults and younger and middle-aged adults?. <i>Social Science and Medicine</i> , 2020, 258, 113087.	4.1	31
156	Comparison of the touch-screen and traditional versions of the Corsi block-tapping test in patients with psychosis and healthy controls. <i>BMC Psychiatry</i> , 2020, 20, .	3.1	30
157	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. <i>American Journal of Preventive Medicine</i> , 2020, 58, 613-621.	3.2	29
158	The new Horizon Europe programme 2021-2028: Should the gap between the burden of mental disorders and the funding of mental health research be filled?. <i>European Journal of Psychiatry</i> , 2020, 34, 44-46.	1.4	5
159	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1572-1578.	3.5	32
160	Fast food consumption and suicide attempts among adolescents aged 12-15 years from 32 countries. <i>Journal of Affective Disorders</i> , 2020, 266, 63-70.	4.5	48
161	Sex difference in the association between physical activity and suicide attempts among adolescents from 48 countries: A global perspective. <i>Journal of Affective Disorders</i> , 2020, 266, 311-318.	4.5	35
162	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020, 132, 106007.	2.8	15

#	ARTICLE	IF	CITATIONS
163	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020, 26, i67-i74.	1.6	138
164	Trajectories of Immediate and Delayed Verbal Memory in the Spanish General Population of Middle-aged and Older Adults. <i>Brain Sciences</i> , 2020, 10, 249.	2.5	6
165	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	1.6	90
166	Determinants of Subjective Wellbeing Trajectories in Older Adults: A Growth Mixture Modeling Approach. <i>Journal of Happiness Studies</i> , 2020, 22, 709-726.	2.7	16
167	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. <i>Eye</i> , 2020, 35, 791-798.	2.1	11
168	Are retired people higher in experiential wellbeing than working older adults? A time use approach.. <i>Emotion</i> , 2020, 20, 1411-1422.	1.9	7
169	Gender perspective in the analysis of the relationship between health and work cessation, and how to deal with it. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2020, 33, 365-384.	1.2	4
170	Fruit and Vegetable Consumption and Potential Moderators Associated with All-Cause Mortality in a Representative Sample of Spanish Older Adults. <i>Nutrients</i> , 2019, 11, 1794.	4.5	20
171	Are loneliness and social isolation associated with cognitive decline?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1613-1622.	2.2	341
172	Cohort Profile: The Ageing Trajectories of Health – Longitudinal Opportunities and Synergies (ATHLOS) project. <i>International Journal of Epidemiology</i> , 2019, 48, 1052-1053i.	4.9	46
173	The epidemiology of drug use disorders cross-nationally: Findings from the WHO’s World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	3.3	78
174	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	38.0	230
175	Stability of clinically relevant depression symptoms in old-age across 11 cohorts: a multi-state study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 541-551.	4.1	32
176	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. <i>Scientific Reports</i> , 2019, 9, .	3.4	42
177	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. <i>JAMA Oncology</i> , 2019, 5, 1749.	14.4	2,222
178	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 248, 91-98.	4.5	89
179	Are younger cohorts in the USA and England ageing better?. <i>International Journal of Epidemiology</i> , 2019, 48, 1906-1913.	4.9	15
180	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, .	7.1	34

#	ARTICLE	IF	CITATIONS
181	Dietary Patterns and Their Association with Anxiety Symptoms among Older Adults: The ATTICA Study. <i>Nutrients</i> , 2019, 11, 1250.	4.5	42
182	Retrospective analysis of patients with advanced or metastatic gastric cancer in Colombia. <i>Journal of Medical Economics</i> , 2019, 22, 891-900.	2.2	3
183	Can the Positive and Negative Syndrome scale (PANSS) differentiate treatment-resistant from non-treatment-resistant schizophrenia? A factor analytic investigation based on data from the Pattern cohort study. <i>Psychiatry Research</i> , 2019, 276, 210-217.	3.1	15
184	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. <i>PLoS ONE</i> , 2019, 14, e0215182.	2.3	86
185	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 1-8.	0.2	8
186	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12–15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 907-918.e4.	2.3	216
187	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	12.5	30
188	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.	17.9	4,227
189	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	4.0	34
190	The Effect of Exclusive Olive Oil Consumption on Successful Aging: A Combined Analysis of the ATTICA and MEDIS Epidemiological Studies. <i>Foods</i> , 2019, 8, 25.	4.6	30
191	Healthy ageing and the prediction of mortality and incidence dependence in low- and middle- income countries: a 10/66 population-based cohort study. <i>BMC Medical Research Methodology</i> , 2019, 19, .	2.5	17
192	Cardiovascular risk factors and memory decline in middle-aged and older adults: the English Longitudinal Study of Ageing. <i>BMC Geriatrics</i> , 2019, 19, .	3.3	29
193	Long-term trajectories of depressive symptoms in old age: Relationships with sociodemographic and health-related factors. <i>Journal of Affective Disorders</i> , 2019, 246, 329-337.	4.5	40
194	Anxiety, depression, loneliness and social network in the elderly: Longitudinal associations from The Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2019, 246, 82-88.	4.5	412
195	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019, 29, 179-194.	1.0	9
196	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 56-87.	17.9	1,688
197	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8.	1.8	83
198	Mediterranean diet and wellbeing: evidence from a nationwide survey. <i>Psychology and Health</i> , 2019, 34, 321-335.	2.5	37

#	ARTICLE	IF	CITATIONS
199	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 164-173.	4.1	33
200	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. <i>European Journal of Public Health</i> , 2019, 29, 481-487.	0.3	19
201	Predictive capacity of prodromal symptoms in first-episode psychosis of recent onset. <i>Microbial Biotechnology</i> , 2019, 13, 414-424.	2.0	17
202	Course of depression and cognitive decline at 3-year follow-up: The role of age of onset.. <i>Psychology and Aging</i> , 2019, 34, 475-485.	1.6	22
203	Longitudinal Relationships Between Positive Affect, Loneliness, and Suicide Ideation: Age-specific Factors in a General Population. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 90-103.	2.3	48
204	Sociodemographic Indicators of Health Status Using a Machine Learning Approach and Data from the English Longitudinal Study of Aging (ELSA). <i>Medical Science Monitor</i> , 2019, 25, 1994-2001.	1.2	29
205	Retrospective analysis of patients with locally advanced or metastatic gastric cancer in Argentina. <i>Medwave</i> , 2019, 19, e7693-e7693.	0.1	1
206	Frailty and health status of older individuals in three European countries: The COURAGE cross-sectional study. <i>Experimental Gerontology</i> , 2018, 106, 137-144.	3.7	4
207	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2018, 232, 385-392.	4.5	38
208	Depression and metabolic syndrome in the older population: A review of evidence. <i>Journal of Affective Disorders</i> , 2018, 237, 56-64.	4.5	60
209	Understanding the course of persistent symptoms in schizophrenia: Longitudinal findings from the pattern study. <i>Psychiatry Research</i> , 2018, 267, 56-62.	3.1	36
210	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 306-315.	4.1	35
211	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	4.0	571
212	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	2.6	114
213	Health-related quality of life in outpatients with schizophrenia: factors that determine changes over time. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 239-248.	2.6	10
214	Determinants of Health Trajectories in England and the United States: An Approach to Identify Different Patterns of Healthy Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1512-1518.	3.5	39
215	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. <i>Journal of Psychiatric Research</i> , 2018, 98, 39-46.	2.9	21
216	The impact of socioeconomic status on the association between biomedical and psychosocial well-being and all-cause mortality in older Spanish adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 259-268.	2.6	9

#	ARTICLE	IF	CITATIONS
217	Sociodemographic Factors Associated With Changes in Successful Aging in Spain: A Follow-Up Study. <i>Journal of Aging and Health</i> , 2018, 30, 1244-1262.	1.9	17
218	Mobility Difficulties, Physical Activity, and All-cause Mortality Risk in a Nationally representative Sample of Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1272-1279.	3.5	38
219	Trial exclusion criteria and their impact on the estimation of antipsychotic drugs effect: A case study using the SOHO database. <i>Schizophrenia Research</i> , 2018, 193, 146-153.	2.3	9
220	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Psychiatric Research</i> , 2018, 96, 115-123.	2.9	80
221	Impact of pain and remission in the functioning of patients with depression in Mainland China, Taiwan, and Hong Kong. <i>Asia-Pacific Psychiatry</i> , 2018, 10, .	2.5	4
222	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.	1.3	44
223	Costs and Burden Associated With Loss of Labor Productivity in Informal Caregivers of People With Dementia. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 449-456.	1.3	20
224	Machine learning methodologies versus cardiovascular risk scores, in predicting disease risk. <i>BMC Medical Research Methodology</i> , 2018, 18, .	2.5	98
225	Social determinants, health status and 10-year mortality among 10,906 older adults from the English longitudinal study of aging: the ATHLOS project. <i>BMC Public Health</i> , 2018, 18, .	3.1	33
226	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry</i> , 2018, 5, 987-1012.	17.4	1,339
227	Measurement invariance of the Spanish Launay-Slade Hallucinations Scale-Extended version between putatively healthy controls and people diagnosed with a mental disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	2.2	20
228	The burden of disease in Spain: Results from the Global Burden of Disease 2016. <i>Medicina Clínica (English Edition)</i> , 2018, 151, 171-190.	0.1	45
229	Factors Related to Unemployment in Europe. A Cross-Sectional Study from the COURAGE Survey in Finland, Poland and Spain. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 722.	2.9	17
230	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. <i>International Journal of Eating Disorders</i> , 2018, 51, 942-952.	4.0	13
231	Mortality in unipolar depression preceding and following chronic somatic diseases. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 500-508.	4.1	37
232	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018, 201, 79-84.	2.3	8
233	Mediterranean diet and depression among older individuals: The multinational MEDIS study. <i>Experimental Gerontology</i> , 2018, 110, 67-72.	3.7	61
234	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 201, 406-412.	2.3	1

#	ARTICLE	IF	CITATIONS
235	The "RCT augmentation": a novel simulation method to add patient heterogeneity into phase III trials. BMC Medical Research Methodology, 2018, 18, .	2.5	2
236	Furthering the Evidence of the Effectiveness of Employment Strategies for People with Mental Disorders in Europe: A Systematic Review. International Journal of Environmental Research and Public Health, 2018, 15, 838.	2.9	12
237	Determinants of mobility in populations of older adults: Results from a cross-sectional study in Finland, Poland and Spain. Maturitas, 2018, 115, 84-91.	2.9	13
238	La carga de enfermedad en España: resultados del Estudio de la Carga Global de las Enfermedades 2016. Medicina Clínica, 2018, 151, 171-190.	0.8	143
239	Characteristics of patients with depression initiating or switching antidepressant treatment: baseline analyses of the PERFORM cohort study. BMC Psychiatry, 2018, 18, .	3.1	9
240	Epidemiology of panic attacks, panic disorder and the moderating role of age: Results from a population-based study. Journal of Affective Disorders, 2018, 241, 627-633.	4.5	30
241	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	62.4	2,857
242	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	16.6	265
243	The association between socioeconomic status and depression among older adults in Finland, Poland and Spain: A comparative cross-sectional study of distinct measures and pathways. Journal of Affective Disorders, 2018, 241, 311-318.	4.5	101
244	The burden of disease in Greece, health loss, risk factors, and health financing, 2000–16: an analysis of the Global Burden of Disease Study 2016. Lancet Public Health, The, 2018, 3, e395-e406.	18.8	49
245	Health-related quality of life associated with different symptoms in women and in men who suffer from schizophrenia. Archives of Women's Mental Health, 2018, 22, 357-365.	2.1	6
246	Determinants of time to institutionalisation and related healthcare and societal costs in a community-based cohort of patients with Alzheimer's disease dementia. European Journal of Health Economics, 2018, 20, 343-355.	1.9	36
247	Is Parental Longevity Associated With the Cardiovascular Risk and the Successful Aging of Their Offspring? Results From the Multinational MEDIS Study. Angiology, 2017, 68, 124-131.	1.9	2
248	Eficacia, eficiencia y efectividad en el tratamiento multidimensional de la esquizofrenia: proyecto Rethinking. Revista De Psiquiatría Y Salud Mental, 2017, 10, 4-20.	1.8	21
249	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	12.5	237
250	Loneliness and depression in the elderly: the role of social network. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 381-390.	2.6	437
251	Real-world Effectiveness of Antipsychotics for the Treatment of Negative Symptoms in Patients with Schizophrenia with Predominantly Negative Symptoms. Pharmacopsychiatry, 2017, 50, 56-63.	1.8	18
252	Trajectories of Verbal Episodic Memory in Middle-Aged and Older Adults: Evidence from the English Longitudinal Study of Ageing. Journal of the American Geriatrics Society, 2017, 65, 1274-1281.	2.9	69

#	ARTICLE	IF	CITATIONS
253	Advanced analytical methodologies for measuring healthy ageing and its determinants, using factor analysis and machine learning techniques: the ATHLOS project. <i>Scientific Reports</i> , 2017, 7, .	3.4	98
254	Gender-related differences in the multi-pathway effect of social determinants on quality of life in older ageâ€”the COURAGE in Europe project. <i>Quality of Life Research</i> , 2017, 26, 1865-1878.	2.1	42
255	The protective properties of Act-Belong-Commit indicators against incident depression, anxiety, and cognitive impairment among older Irish adults: Findings from a prospective community-based study. <i>Experimental Gerontology</i> , 2017, 91, 79-87.	3.7	44
256	n-3 Fatty acids, Mediterranean diet and cognitive function in normal aging: A systematic review. <i>Experimental Gerontology</i> , 2017, 91, 39-50.	3.7	53
257	Dietary inflammatory potential is linked to cardiovascular disease risk burden in the US adult population. <i>International Journal of Cardiology</i> , 2017, 240, 409-413.	2.2	40
258	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€”2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	62.4	643
259	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 74-84.	4.1	68
260	A novel approach to measuring response and remission in schizophrenia in clinical trials. <i>Schizophrenia Research</i> , 2017, 190, 123-128.	2.3	6
261	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017, 74, 465.	12.5	435
262	What Drives Country Differences in Cost of Alzheimerâ€™s Disease? An Explanation from Resource Use in the GERAS Study. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 797-812.	2.6	28
263	Child death and maternal psychosis-like experiences in 44 low- and middle-income countries: The role of depression. <i>Schizophrenia Research</i> , 2017, 183, 41-46.	2.3	6
264	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	4.0	47
265	Exploring the path between depression, anxiety and 10-year cardiovascular disease incidence, among apparently healthy Greek middle-aged adults: The ATTICA study. <i>Maturitas</i> , 2017, 106, 73-79.	2.9	25
266	All-cause mortality and multimorbidity in older adults: The role of social support and loneliness. <i>Experimental Gerontology</i> , 2017, 99, 120-126.	3.7	83
267	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	12.5	94
268	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€”2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	62.4	6,996
269	Development and validation of the Questionnaire of Stressful Life Events (QSLE). <i>Journal of Psychiatric Research</i> , 2017, 95, 213-223.	2.9	15
270	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	1.0	18

#	ARTICLE	IF	CITATIONS
271	Trauma and PTSD in the WHO World Mental Health Surveys. <i>European Journal of Psychotraumatology</i> , 2017, 8, .	3.1	1,334
272	The role of socio-economic status and neighborhood social capital on loneliness among older adults: evidence from the Sant Boi Aging Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1237-1246.	2.6	39
273	How useful is the EQ-5D in assessing the impact of caring for people with Alzheimer's disease?. <i>Health and Quality of Life Outcomes</i> , 2017, 15, .	2.9	43
274	Cognitive reserve is associated with quality of life: A population-based study. <i>Experimental Gerontology</i> , 2017, 87, 67-73.	3.7	52
275	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017, 31, 2-10.	1.0	11
276	Factors associated with and impact of pain persistence in Asian patients with depression: a 3-month, prospective observational study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 29-35.	2.9	4
277	Real World Treatment Patterns in Metastatic and/or Unresectable Gastric Cancer in Patients From Argentina. <i>Value in Health</i> , 2017, 20, A881-A882.	1.9	0
278	Brain structure in women at risk of postpartum psychosis: an MRI study. <i>Translational Psychiatry</i> , 2017, 7, .	5.2	34
279	Real World Treatment Patterns in Metastatic and/or Unresectable Gastric Cancer Patients. Preliminary Results From Colombia. <i>Value in Health</i> , 2017, 20, A881.	1.9	0
280	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017, 12, e0169575.	2.3	137
281	Latent class analysis of multimorbidity patterns and associated outcomes in Spanish older adults: a prospective cohort study. <i>BMC Geriatrics</i> , 2017, 17, .	3.3	119
282	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, .	7.1	447
283	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. <i>BMC Medicine</i> , 2017, 15, .	7.1	111
284	Association of experienced and evaluative well-being with health in nine countries with different income levels: a cross-sectional study. <i>Globalization and Health</i> , 2017, 13, .	3.4	26
285	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2017, 23, 1892-1899.	7.8	63
286	Psychometric Properties of Spanish Adaptation of the PDD-MRS Scale in Adults with Intellectual Developmental Disorders: The EVTEA-DI Scale. <i>Journal of Autism and Developmental Disorders</i> , 2017, 48, 1566-1578.	2.1	5
287	Measurement invariance of the WHOQOL-AGE questionnaire across three European countries. <i>Quality of Life Research</i> , 2017, 27, 1015-1025.	2.1	21
288	Functional Impairment and Painful Physical Symptoms in Patients with Major Depressive Disorder Treated with Antidepressants: Real-World Evidence from the Middle East. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017, 13, 145-155.	2.0	2

#	ARTICLE	IF	CITATIONS
289	Determinants of Quality of Life in Ageing Populations: Results from a Cross-Sectional Study in Finland, Poland and Spain. PLoS ONE, 2016, 11, e0159293.	2.3	83
290	Clinical features, comorbidity, and cognitive impairment in elderly bipolar patients. Neuropsychiatric Disease and Treatment, 2016, , 1203.	4.2	38
291	Positive Affect Is Inversely Associated with Mortality in Individuals without Depression. Frontiers in Psychology, 2016, 7, .	2.2	15
292	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. Frontiers in Psychology, 2016, 7, .	2.2	22
293	Psychotic symptoms and smoking in 44 countries. Acta Psychiatrica Scandinavica, 2016, 133, 497-505.	4.1	33
294	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. International Journal of Geriatric Psychiatry, 2016, 31, 858-867.	2.2	79
295	Social relationships, loneliness, and mental health among older men and women in Ireland: A prospective community-based study. Journal of Affective Disorders, 2016, 204, 59-69.	4.5	159
296	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. BMC Psychiatry, 2016, 16, .	3.1	37
297	Weight Perception, Satisfaction, Control, and Low Energy Dietary Reporting in the US Adult Population: Results from the National Health and Nutrition Examination Survey 2007-2012. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 579-589.	1.5	18
298	Negative perceptions of ageing predict the onset and persistence of depression and anxiety: Findings from a prospective analysis of the Irish Longitudinal Study on Ageing (TILDA). Journal of Affective Disorders, 2016, 199, 132-138.	4.5	115
299	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. Schizophrenia Research, 2016, 175, 209-215.	2.3	13
300	Study of positive and negative feedback sensitivity in psychosis using the Wisconsin Card Sorting Test. Comprehensive Psychiatry, 2016, 68, 119-128.	4.0	19
301	Psychotic-like experiences and disordered eating in the English general population. Psychiatry Research, 2016, 241, 26-34.	3.1	24
302	Spanish validation of the social stigma scale: Community Attitudes towards Mental Illness. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2016, 9, 150-157.	0.2	18
303	Factors associated with skeletal muscle mass, sarcopenia, and sarcopenic obesity in older adults: a multi-�continent study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 312-321.	9.1	246
304	Incidence of stressful life events and influence of sociodemographic and clinical variables on the onset of first-episode psychosis. Psychiatry Research, 2016, 245, 108-115.	3.1	21
305	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980�2015: the Global Burden of Disease Study 2015. Lancet HIV, the, 2016, 3, e361-e387.	8.0	502
306	Population prevalence of edentulism and its association with depression and self-rated health. Scientific Reports, 2016, 6, .	3.4	122

#	ARTICLE	IF	CITATIONS
307	The role of socio-economic status in depression: results from the COURAGE (aging survey in Europe). BMC Public Health, 2016, 16, .	3.1	402
308	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.0	200
309	How to deal with missing longitudinal data in cost of illness analysis in Alzheimer's disease's suggestions from the GERAS observational study. BMC Medical Research Methodology, 2016, 16, .	2.5	15
310	Exploring the excess mortality due to depressive symptoms in a community-based sample: The role of Alzheimer's Disease. Journal of Affective Disorders, 2016, 202, 163-170.	4.5	24
311	Altered CSNK1E, FABP4 and NEFH protein levels in the dorsolateral prefrontal cortex in schizophrenia. Schizophrenia Research, 2016, 177, 88-97.	2.3	31
312	Direct and indirect costs and resource use in dementia care: A cross-sectional study in patients living at home. International Journal of Nursing Studies, 2016, 55, 39-49.	6.0	30
313	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	8.8	221
314	Anti-NMDAR antibodies in new-onset psychosis. Positive results in an HIV-infected patient. Brain, Behavior, and Immunity, 2016, 56, 56-60.	4.5	25
315	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.1	7
316	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. Experimental Gerontology, 2016, 76, 39-45.	3.7	12
317	Mild cognitive impairment is associated with falls among older adults: Findings from the Irish Longitudinal Study on Ageing (TILDA). Experimental Gerontology, 2016, 75, 42-47.	3.7	55
318	Validación al castellano de la escala de estigma social: Community Attitudes towards Mental Illness en población adolescente. Revista De Psiquiatría Y Salud Mental, 2016, 9, 150-157.	1.8	35
319	Global Multimorbidity Patterns: A Cross-Sectional, Population-Based, Multi-Country Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 205-214.	3.5	534
320	Real-world outcomes in patients with depression treated with duloxetine or a selective serotonin reuptake inhibitor in East Asia. Asia-Pacific Psychiatry, 2016, 8, 51-59.	2.5	13
321	Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. Brain Imaging and Behavior, 2016, 11, 1690-1706.	2.1	31
322	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2016, 9, 47-65.	2.3	727
323	Loneliness, Social Networks, and Health: A Cross-Sectional Study in Three Countries. PLoS ONE, 2016, 11, e0145264.	2.3	155
324	Visual encoding impairment in patients with schizophrenia: Contribution of reduced working memory span, decreased processing speed, and affective symptoms.. Neuropsychology, 2015, 29, 17-24.	1.6	15

#	ARTICLE	IF	CITATIONS
325	Association of auditory-verbal and visual hallucinations with impaired and improved recognition of colored pictures.. <i>Neuropsychology</i> , 2015, 29, 667-674.	1.6	11
326	Which somatic symptoms are associated with an unfavorable course in Chinese patients with major depressive disorder?. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 427-435.	2.5	21
327	Mild cognitive impairment diagnosed with the new DSM-5 criteria: prevalence and associations with non-cognitive psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 29-39.	4.1	57
328	Recreational drug use among individuals living with HIV in Europe: review of the prevalence, comparison with the general population and HIV guidelines recommendations. <i>Frontiers in Microbiology</i> , 2015, 6, .	3.9	30
329	Phosphorylation of Transcription Factor Specificity Protein 4 Is Increased in Peripheral Blood Mononuclear Cells of First-Episode Psychosis. <i>PLoS ONE</i> , 2015, 10, e0125115.	2.3	5
330	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	121
331	Country-level and individual correlates of overweight and obesity among primary school children: a cross-sectional study in seven European countries. <i>BMC Public Health</i> , 2015, 15, .	3.1	68
332	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	62.4	5,611
333	Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.	12.5	490
334	The state of the art on European well-being research within the area of mental health. <i>International Journal of Clinical and Health Psychology</i> , 2015, 15, 171-179.	4.1	22
335	A dimensional comparison between delusional disorder, schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2015, 169, 248-254.	2.3	32
336	The association between obesity and severe disability among adults aged 50 or over in nine high-income, middle-income and low-income countries: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e007313.	1.9	45
337	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2015, 8, 207-217.	0.2	7
338	Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 65-74.	1.8	7
339	The association between social relationships and depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 175, 53-65.	4.5	835
340	Cannabis and bipolar disorder: does quitting cannabis use during manic/mixed episode improve clinical/functional outcomes?. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 100-110.	4.1	50
341	The association between obesity and back pain in nine countries: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, .	3.1	72
342	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. <i>Experimental Gerontology</i> , 2015, 69, 27-35.	3.7	71

#	ARTICLE	IF	CITATIONS
343	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015, 175, 168-174.	4.5	33
344	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015, 79, 130-136.	2.1	26
345	The association of relationship quality and social networks with depression, anxiety, and suicidal ideation among older married adults: Findings from a cross-sectional analysis of the Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Affective Disorders</i> , 2015, 179, 134-141.	4.5	96
346	Diabetes mellitus and its association with central obesity and disability among older adults: A global perspective. <i>Experimental Gerontology</i> , 2015, 64, 70-77.	3.7	66
347	La carga de la enfermedad en España 2010: trastornos neurológicos, mentales y re: trastornos neurológicos, mentales y relacionados con el consumo de sustancias. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 207-217.	1.8	19
348	Semaphorin and plexin gene expression is altered in the prefrontal cortex of schizophrenia patients with and without auditory hallucinations. <i>Psychiatry Research</i> , 2015, 229, 850-857.	3.1	40
349	Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. <i>Schizophrenia Research</i> , 2015, 169, 234-240.	2.3	35
350	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , the, 2015, 2, 1036-1042.	17.4	183
351	The Role of Energy Balance in Successful Aging Among Elderly Individuals. <i>Journal of Aging and Health</i> , 2015, 27, 1375-1391.	1.9	16
352	Relationship of insight with medication adherence and the impact on outcomes in patients with schizophrenia and bipolar disorder: results from a 1-year European outpatient observational study. <i>BMC Psychiatry</i> , 2015, 15, .	3.1	104
353	Impact of Negative Symptoms on Quality of Life in Patients with Schizophrenia. <i>Value in Health</i> , 2015, 18, A836-A837.	1.9	13
354	Development and validation of the Self-Stigma Questionnaire (SSQ) for people with schizophrenia and its relation to social functioning. <i>Comprehensive Psychiatry</i> , 2015, 62, 93-99.	4.0	17
355	Chinese patients with major depression: Do concomitant pain symptoms affect quality of life independently of severity of depression?. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 174-181.	2.9	5
356	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	62.4	1,742
357	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	62.4	2,460
358	Subclinical psychosis and suicidal behavior in England: Findings from the 2007 Adult Psychiatric Morbidity Survey. <i>Schizophrenia Research</i> , 2015, 168, 62-67.	2.3	47
359	Effects of caffeine intake and smoking on neurocognition in schizophrenia. <i>Psychiatry Research</i> , 2015, 230, 924-931.	3.1	26
360	Social network typologies and mortality risk among older people in China, India, and Latin America: A 10/66 Dementia Research Group population-based cohort study. <i>Social Science and Medicine</i> , 2015, 147, 134-143.	4.1	62

#	ARTICLE	IF	CITATIONS
361	Determinants of the components of arterial pressure among older adults – The role of anthropometric and clinical factors: A multi-continent study. <i>Atherosclerosis</i> , 2015, 238, 240-249.	1.5	8
362	Decrease in olfactory and taste receptor expression in the dorsolateral prefrontal cortex in chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2015, 60, 109-116.	2.9	66
363	Is cognitive impairment associated with suicidality? A population-based study. <i>European Neuropsychopharmacology</i> , 2015, 25, 203-213.	1.0	35
364	Measurement Invariance of the Day Reconstruction Method: Results from the COURAGE in Europe Project. <i>Journal of Happiness Studies</i> , 2015, 17, 1769-1787.	2.7	9
365	Psychotic-Like Experiences and Nonsuicidal Self-Injury in England: Results from a National Survey. <i>PLoS ONE</i> , 2015, 10, e0145533.	2.3	24
366	Should Unexplained Painful Physical Symptoms be Considered within the Spectrum of Depressive Symptoms?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015, 11, 130-139.	2.0	5
367	Multimorbidity Patterns in a National Representative Sample of the Spanish Adult Population. <i>PLoS ONE</i> , 2014, 9, e84794.	2.3	76
368	Impact of Multimorbidity on Disability and Quality of Life in the Spanish Older Population. <i>PLoS ONE</i> , 2014, 9, e111498.	2.3	146
369	Chronic Conditions and Sleep Problems among Adults Aged 50 years or over in Nine Countries: A Multi-Country Study. <i>PLoS ONE</i> , 2014, 9, e114742.	2.3	194
370	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10915-10939.	2.9	23
371	Built Environment and Elderly Population Health: A Comprehensive Literature Review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 103-115.	2.0	137
372	Analysis of burden in caregivers of people with Alzheimer's disease using self-report and supervision hours. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 677-684.	3.1	94
373	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 649-656.	2.9	74
374	Health and happiness: cross-sectional household surveys in Finland, Poland and Spain. <i>Bulletin of the World Health Organization</i> , 2014, 92, 716-725.	2.1	67
375	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 28-40.	2.2	45
376	Determinants of Health and Disability in Ageing Population: The COURAGE in Europe Project (Collaborative Research on Ageing in Europe). <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 193-198.	2.6	79
377	The Validity of the Instrument to Evaluate Social Network in the Ageing Population: The Collaborative Research on Ageing in Europe Social Network Index. <i>Clinical Psychology and Psychotherapy</i> , 2014, 21, 227-241.	2.6	26
378	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.2	123

#	ARTICLE	IF	CITATIONS
379	Factors Associated With Components of Arterial Pressure Among Older Individuals (the Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 507 Clinical Hypertension, 2014, 16, 645-651.	2.0	14
380	Patient characteristics associated with treatment initiation among paediatric patients with Attention-Deficit/Hyperactivity Disorder symptoms in a naturalistic setting in Central Europe and East Asia. BMC Psychiatry, 2014, 14, .	3.1	9
381	The burden of disease in Spain: results from the global burden of disease study 2010. BMC Medicine, 2014, 12, .	7.1	34
382	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.6	128
383	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	7.6	78
384	Health-related quality of life in the Cambridge City over-75s Cohort (CC75C): development of a dementia-specific scale and descriptive analyses. BMC Geriatrics, 2014, 14, .	3.3	5
385	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	4.0	402
386	Stratified medicine for mental disorders. European Neuropsychopharmacology, 2014, 24, 5-50.	1.0	180
387	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.9	15
388	Use of Services and Cost of Agitation and Containment in Psychiatric Hospitals: a Systematic Review. Value in Health, 2014, 17, A460.	1.9	0
389	Predictors Pf Remission in the Treatment of Depression in the Middle East: Real-World Evidence From A 6-Month Prospective Observational Study. Value in Health, 2014, 17, A454.	1.9	0
390	Comparative Effectiveness in Terms of Treatment Discontinuation of Orodispersable Versus. Standard Oral Olanzapine Tablets in Non-Adherent Patients: Results from a 1-Year European Outpatient Observational Study. Value in Health, 2014, 17, A766.	1.9	1
391	Relationship of Insight with Medication Adherence and the Impact on Outcomes in Patients with Schizophrenia and Bipolar Disorder: Results From A 1-Year European Outpatient Observational Study. Value in Health, 2014, 17, A455.	1.9	3
392	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	2.9	69
393	The flavonoid quercetin induces acute vasodilator effects in healthy volunteers: Correlation with beta-glucuronidase activity. Pharmacological Research, 2014, 89, 11-18.	9.1	83
394	Symptomatic remission and patient quality of life in an observational study of schizophrenia: Is there a relationship?. Psychiatry Research, 2014, 220, 163-169.	3.1	29
395	Visual impairment and multimorbidity in a representative sample of the Spanish population. BMC Public Health, 2014, 14, .	3.1	43
396	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	62.4	838

#	ARTICLE	IF	CITATIONS
397	Increased SP4 and SP1 transcription factor expression in the postmortem hippocampus of chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2014, 58, 189-196.	2.9	31
398	Successful aging, dietary habits and health status of elderly individuals: A k-dimensional approach within the multi-national MEDIS study. <i>Experimental Gerontology</i> , 2014, 60, 57-63.	3.7	83
399	Partial Likelihood Estimation of IRT Models with Censored Lifetime Data: An Application to Mental Disorders in the ESEMeD Surveys. <i>Psychometrika</i> , 2014, 79, 470-488.	1.7	2
400	Relation between jumping to conclusions and cognitive functioning in people with schizophrenia in contrast with healthy participants. <i>Schizophrenia Research</i> , 2014, 159, 211-217.	2.3	42
401	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , 2014, 159, 107-113.	2.3	39
402	Factors associated with suicidal ideation and attempts in Spain for different age groups. Prevalence before and after the onset of the economic crisis. <i>Journal of Affective Disorders</i> , 2014, 163, 1-9.	4.5	93
403	How to deal with missing longitudinal data in cost of illness models in alzheimer's disease - suggestions from the geras study results. <i>Value in Health</i> , 2014, 17, A185.	1.9	0
404	Empirical redefinition of delusional disorder and its phenomenology: the DELIREMP study. <i>Comprehensive Psychiatry</i> , 2013, 54, 243-255.	4.0	34
405	Three-factor model of premorbid adjustment in a sample with chronic schizophrenia and first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 151, 252-258.	2.3	21
406	Clinical Outcomes of Patients with Major Depressive Disorder Treated with Either Duloxetine or Selective Serotonin Reuptake Inhibitors in Mexico. <i>Value in Health</i> , 2013, 16, A694.	1.9	0
407	Subjective well-being in schizophrenia: A randomised controlled open-label 12-month non-inferiority study comparing quetiapine XR with risperidone (RECOVER). <i>European Neuropsychopharmacology</i> , 2013, 23, 1257-1269.	1.0	9
408	The Burden of Treatment Change in Major Depressive Disorder: Comparison of Switch Versus Non-Switch Patients in the Perform Study. <i>Value in Health</i> , 2013, 16, A543.	1.9	1
409	Patient-Reported Cognitive Dysfunction Negatively Impacts Functioning in Patients with Major Depressive Disorder - Preliminary Findings from the Perform Study. <i>Value in Health</i> , 2013, 16, A543-A544.	1.9	7
410	The role of negative symptoms in the context of cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 58-63.	2.3	31
411	Functional similarity of facial emotion processing between people with a first episode of psychosis and healthy subjects. <i>Schizophrenia Research</i> , 2013, 149, 35-41.	2.3	16
412	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 904-914.	5.4	1,227
413	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. <i>Value in Health</i> , 2013, 16, 564-573.	1.9	233
414	Predictors of psychiatric hospitalization during 6 months of maintenance treatment with olanzapine long-acting injection: post hoc analysis of a randomized, double-blind study. <i>BMC Psychiatry</i> , 2013, 13, .	3.1	9

#	ARTICLE	IF	CITATIONS
415	Diagnosis delay in first episodes of major depression: A study of primary care patients in Spain. <i>Journal of Affective Disorders</i> , 2013, 150, 1247-1250.	4.5	27
416	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013, 73, 302-312.	5.4	294
417	Which somatic symptoms are associated with an unfavorable course in Asian patients with major depressive disorder?. <i>Journal of Affective Disorders</i> , 2013, 149, 182-188.	4.5	83
418	Spanish validation of the Premorbid Adjustment Scale (PAS-S). <i>Comprehensive Psychiatry</i> , 2013, 54, 187-194.	4.0	16
419	Analysis of Sp transcription factors in the postmortem brain of chronic schizophrenia: A pilot study of relationship to negative symptoms. <i>Journal of Psychiatric Research</i> , 2013, 47, 926-934.	2.9	46
420	Usefulness of 2 Questions About Age and Year of Birth in the Case-Finding of Dementia. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 627.e7-627.e12.	2.4	4
421	Factors Associated with Pain Persistence in Patient with Depression During a 3-Month Follow-Up Period. <i>Value in Health</i> , 2013, 16, A544.	1.9	0
422	Reduced expression of SP1 and SP4 transcription factors in peripheral blood mononuclear cells in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2013, 47, 1608-1614.	2.9	32
423	Cognitive correlates of verbal memory and verbal fluency in schizophrenia, and differential effects of various clinical symptoms between male and female patients. <i>Schizophrenia Research</i> , 2013, 147, 81-85.	2.3	31
424	Abnormal functioning of the semantic network in schizophrenia patients with thought disorganization. An exemplar production task. <i>Psychiatry Research</i> , 2013, 205, 1-6.	3.1	10
425	Effects of common mental disorders and physical conditions on role functioning in Spain. <i>Gaceta Sanitaria</i> , 2013, 27, 480-486.	1.0	6
426	The GERAS Study: A Prospective Observational Study of Costs and Resource Use in Community Dwellers with Alzheimer's Disease in Three European Countries - Study Design and Baseline Findings. <i>Journal of Alzheimer's Disease</i> , 2013, 36, 385-399.	2.6	151
427	Validation of an instrument to evaluate quality of life in the aging population: WHOQOL-AGE. <i>Health and Quality of Life Outcomes</i> , 2013, 11, .	2.9	118
428	Changes in adherence and treatment costs following initiation of oral or depot typical antipsychotics among previously non-adherent patients with schizophrenia. <i>Human Psychopharmacology</i> , 2013, 28, 438-446.	1.7	8
429	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. <i>Depression and Anxiety</i> , 2013, 30, 741-748.	4.0	47
430	Factors Predicting Hostility in Outpatients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 464-470.	1.0	9
431	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.	0.9	86
432	Evaluation of Affect in Mexico and Spain: Psychometric Properties and Usefulness of an Abbreviated Version of the Day Reconstruction Method. <i>Journal of Happiness Studies</i> , 2013, 15, 915-935.	2.7	7

#	ARTICLE	IF	CITATIONS
433	Multi-Country Evaluation of Affective Experience: Validation of an Abbreviated Version of the Day Reconstruction Method in Seven Countries. PLoS ONE, 2013, 8, e61534.	2.3	34
434	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.3	29
435	Deficits in Executive and Memory Processes in Delusional Disorder: A Case-Control Study. PLoS ONE, 2013, 8, e67341.	2.3	30
436	Methodological Aspects in the Assessment of Treatment Effects in Observational Health Outcomes Studies. Applied Health Economics and Health Policy, 2012, 5, 11-25.	2.5	20
437	Cost-Utility Analysis of Treatment with Olanzapine Compared with Other Antipsychotic Treatments in Patients with Schizophrenia in the Pan-European SOHO Study. Pharmacoeconomics, 2012, 26, 341-358.	3.6	20
438	The Cost of Relapse for Patients with a Manic/Mixed Episode of Bipolar Disorder in the EMBLEM Study. Pharmacoeconomics, 2012, 28, 555-566.	3.6	26
439	Psychotropic prescribing in Catalonia: results from an epidemiological study. Family Practice, 2012, 29, 154-162.	2.3	22
440	Comparison of treatment discontinuation and hospitalization among nonadherent patients initiating depot or oral typical antipsychotic medications. International Clinical Psychopharmacology, 2012, 27, 275-282.	1.2	14
441	Antipsychotic Monotherapy and Polypharmacy in the Treatment of Outpatients With Schizophrenia in the European Schizophrenia Outpatient Health Outcomes Study. Journal of Nervous and Mental Disease, 2012, 200, 637-643.	1.0	11
442	REPYFLEC cognitive remediation group training in schizophrenia. Schizophrenia Research, 2012, 142, 137-144.	2.3	29
443	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	62.4	7,645
444	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	62.4	7,200
445	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1717-1725.	2.6	7
446	Development of the insight scale for affective disorders (ISAD): Modification from the scale to assess unawareness of mental disorder. Journal of Affective Disorders, 2012, 142, 65-71.	4.5	38
447	An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135.	2.5	12
448	Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. General Hospital Psychiatry, 2012, 34, 510-517.	2.6	21
449	Validación de la versión en castellano de la Escala del Bienestar Subjetivo con Neuroópticos (SWN-K) en pacientes con esquizofrenia. Medicina Clínica, 2012, 138, 151-154.	0.8	7
450	Clinical consequences of switching from olanzapine to risperidone and vice versa in outpatients with schizophrenia: 36-month results from the worldwide schizophrenia outpatients health outcomes (W-SOHO) study. BMC Psychiatry, 2012, 12, .	3.1	11

#	ARTICLE	IF	CITATIONS
451	Risk factors for suicide behaviors in the observational schizophrenia outpatient health outcomes (SOHO) study. BMC Psychiatry, 2012, 12, .	3.1	19
452	Recognition of anxiety disorders by the general practitioner: results from the DASMAP Study. General Hospital Psychiatry, 2012, 34, 227-233.	2.6	31
453	Regional differences in treatment response and three year course of schizophrenia across the world. Journal of Psychiatric Research, 2012, 46, 856-864.	2.9	18
454	Empirically driven definitions of "good," "moderate," and "poor" levels of functioning in the treatment of schizophrenia. Quality of Life Research, 2012, 22, 2085-2094.	2.1	20
455	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. Social Psychiatry and Psychiatric Epidemiology, 2012, 48, 371-384.	2.6	12
456	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2012, 48, 137-149.	2.6	49
457	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. Social Psychiatry and Psychiatric Epidemiology, 2012, 48, 173-181.	2.6	64
458	Use of functioning-disability and dependency for case-mix and subtyping of schizophrenia. European Journal of Psychiatry, 2012, 26, 5-20.	1.4	1
459	Clinical and Cognitive Correlates of Psychiatric Comorbidity in Delusional Disorder Outpatients. Australian and New Zealand Journal of Psychiatry, 2011, 45, 416-425.	2.4	31
460	Cross-National Comparisons of Sex Differences in Opportunities to Use Alcohol or Drugs, and the Transitions to Use. Substance Use and Misuse, 2011, 46, 1169-1178.	1.7	30
461	Clinical and economic consequences of medication non-adherence in the treatment of patients with a manic/mixed episode of bipolar disorder: Results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) Study. Psychiatry Research, 2011, 190, 110-114.	3.1	117
462	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania " Results of a two year observational study in bipolar disorder (EMBLEM). Journal of Affective Disorders, 2011, 131, 320-329.	4.5	17
463	2-year course of bipolar disorder type I patients in outpatient care: Factors associated with remission and functional recovery. European Neuropsychopharmacology, 2011, 21, 287-293.	1.0	65
464	Estudio cualitativo sobre la autopercepci3n del estigma social en personas con esquizofrenia. Revista De La Asociaci3n Espa3ola De Neuropsiquiatr3a, 2011, 31, 477-489.	0.1	19
465	Oral Platform Presentations Association of insight with symptom severity. International Clinical Psychopharmacology, 2011, 26, e25.	1.2	0
466	Association of insight with symptom severity. International Clinical Psychopharmacology, 2011, 26, e28-e29.	1.2	0
467	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.	2.0	22
468	The transcription factor SP4 is reduced in postmortem cerebellum of bipolar disorder subjects: control by depolarization and lithium. Bipolar Disorders, 2011, 13, 474-485.	2.1	50

#	ARTICLE	IF	CITATIONS
469	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011, 131, 330-338.	4.5	11
470	High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. <i>Journal of Affective Disorders</i> , 2011, 133, 247-256.	4.5	37
471	Complex Interaction Between Symptoms, Social Factors, and Gender in Social Functioning in a Community-Dwelling Sample of Schizophrenia. <i>Psychiatric Quarterly</i> , 2011, 82, 261-274.	2.1	41
472	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 182-191.	2.2	8
473	Use of Primary and Specialized Mental Health Care for a Major Depressive Episode in Spain by ESEMeD Respondents. <i>Psychiatric Services</i> , 2011, 62, 152-161.	2.0	43
474	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2011, 68, 90.	12.7	464
475	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. <i>Archives of General Psychiatry</i> , 2011, 68, 838.	12.7	318
476	Comparison of olanzapine and risperidone in the EMBLEM Study: translation of randomized controlled trial findings into clinical practice. <i>International Clinical Psychopharmacology</i> , 2010, 25, 257-263.	1.2	4
477	Incidence of Extrapyrarnidal Symptoms and Tardive Dyskinesia in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 531-540.	1.7	80
478	Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. <i>Psychosomatic Medicine</i> , 2010, 72, 712-719.	2.2	207
479	Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Canadian Journal of Psychiatry</i> , 2010, 55, 586-597.	2.7	12
480	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. <i>BMC Medical Research Methodology</i> , 2010, 10, .	2.5	74
481	Epidemiology of major depressive episode in a southern European country: Results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010, 120, 76-85.	4.5	104
482	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. <i>Journal of Affective Disorders</i> , 2010, 121, 52-58.	4.5	85
483	Obsessive-compulsive symptom dimensions in the general population: Results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010, 124, 291-299.	4.5	129
484	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010, 27, 351-364.	4.0	403
485	Factor structure, internal consistency and construct validity of the Sheehan Disability Scale in a Spanish primary care sample. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 895-901.	1.8	70
486	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010, 172, 149-159.	3.3	68

#	ARTICLE	IF	CITATIONS
487	Assessment of Medication Adherence in a Cohort of Patients with Bipolar Disorder. <i>Pharmacopsychiatry</i> , 2010, 43, 263-270.	1.8	62
488	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010, 8, .	2.9	114
489	Predictors and clinical consequences of non-adherence with antipsychotic medication in the outpatient treatment of schizophrenia. <i>Psychiatry Research</i> , 2010, 176, 109-113.	3.1	396
490	Gender differences in delusional disorder: Evidence from an outpatient sample. <i>Psychiatry Research</i> , 2010, 177, 235-239.	3.1	39
491	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2010, 16, 1234-1246.	7.8	417
492	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Women's Mental Health</i> , 2010, 14, 107-113.	2.1	11
493	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 46, 273-280.	2.6	19
494	Why Do Clinicians Maintain Antidepressants in Some Patients With Acute Mania?. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1000-1006.	1.8	47
495	Gender differences in incipient psychosis. <i>European Journal of Psychiatry</i> , 2010, 24, .	1.4	10
496	Cross-National Associations Between Gender and Mental Disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009, 66, 785.	12.7	1,307
497	Translation of Randomised Controlled Trial Findings into Clinical Practice: Comparison of Olanzapine and Valproate in the EMBLEM Study. <i>Pharmacopsychiatry</i> , 2009, 42, 145-152.	1.8	10
498	Reasons and Outcomes of Olanzapine Dose Adjustments in the Outpatient Treatment of Schizophrenia. <i>Pharmacopsychiatry</i> , 2009, 42, 135-140.	1.8	9
499	Dog-Assisted Therapy in the Treatment of Chronic Schizophrenia Inpatients. <i>Anthrozoos</i> , 2009, 22, 149-159.	1.8	54
500	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123.	8.1	722
501	Antipsychotic treatment discontinuation in previously untreated patients with schizophrenia: 36-month results from the SOHO study. <i>Journal of Psychiatric Research</i> , 2009, 43, 265-273.	2.9	36
502	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009, 43, 1125-1132.	2.9	403
503	Suicide ideation across reproductive life cycle of women Results from a European epidemiological study. <i>Journal of Affective Disorders</i> , 2009, 116, 144-147.	4.5	77
504	Pain and depression in older people: Comorbidity and patterns of help seeking. <i>Journal of Affective Disorders</i> , 2009, 117, 193-196.	4.5	48

#	ARTICLE	IF	CITATIONS
505	Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009, 118, 180-186.	4.5	186
506	Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009, 118, 118-123.	4.5	36
507	Impact of mental disorders and chronic physical conditions in health-related quality of life among primary care patients: results from an epidemiological study. <i>Quality of Life Research</i> , 2009, 18, 1011-1018.	2.1	22
508	Fluoxetine and imipramine: are there differences in cost-utility for depression in primary care?. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 195-203.	1.8	9
509	Worldwide-Schizophrenia Outpatient Health Outcomes (W-SOHO): baseline characteristics of pan-regional observational data from more than 17,000 patients*. <i>International Journal of Clinical Practice</i> , 2009, 63, 1578-1588.	3.0	66
510	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. <i>Value in Health</i> , 2009, 12, 750-758.	1.9	85
511	Adaptation and validation of the quality-of-life scale: Satisfaction with Life Domains Scale by Baker and Intagliata. <i>Comprehensive Psychiatry</i> , 2009, 50, 76-80.	4.0	19
512	Is it always the same? Variability of depressive symptoms across six European countries. <i>Psychiatry Research</i> , 2009, 168, 137-144.	3.1	20
513	Observational study designs for bipolar disorder "What can they tell us about treatment in acute mania?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 715-721.	3.8	14
514	The cost of relapse in patients with schizophrenia in the European SOHO (Schizophrenia Outpatient) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 835-841.	3.8	66
515	Childhood Predictors of Adult Attention-Deficit/Hyperactivity Disorder: Results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009, 65, 46-54.	5.4	370
516	Recovery in the outpatient setting: 36-month results from the Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Schizophrenia Research</i> , 2009, 108, 223-230.	2.3	118
517	Comparaci3n de la eficacia de las formas farmac3uticas de liberaci3n retardada (depot) y las orales de los antipsic3ticos t3picos y at3picos comercializados en Espa3a para pacientes diagnosticados de esquizofrenia. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2009, 2, 5-28.	1.8	1
518	Evaluaci3n telef3nica de los sistemas de activaci3n e inhibici3n conductual. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2009, 2, 66-71.	1.8	6
519	Un estudio emp3rico de los correlatos psicosociales y cl3nicos del trastorno delirante: el estudio DELIREMP. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2009, 2, 72-82.	1.8	12
520	Variabilidad en el gen COMT y modificaci3n del riesgo de esquizofrenia conferido por consumo de cannabis. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2009, 2, 89-94.	1.8	8
521	Comparing the efficacy of long-acting pharmaceutical forms (depot) versus oral forms of the atypical and conventional antipsychotics marketed in Spain for treating patients with schizophrenia. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2009, 2, 5-28.	0.2	0
522	Evaluation of behavioural activation and inhibition systems by telephone. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2009, 2, 66-71.	0.2	1

#	ARTICLE	IF	CITATIONS
523	Tolerability of outpatient antipsychotic treatment: 36-month results from the European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>European Neuropsychopharmacology</i> , 2009, 19, 542-550.	1.0	36
524	PMH25 CLINICAL AND ECONOMIC CONSEQUENCES OF MEDICATION NONADHERENCE IN THE TREATMENT OF PATIENTS WITH A MANIC/ MIXED EPISODE OF BIPOLAR DISORDER: RESULTS FROM THE EUROPEAN MANIA IN BIPOLAR LONGITUDINAL EVALUATION OF MEDICATION (EMBLEM) STUDY. <i>Value in Health</i> , 2009, 12, A355.	1.9	0
525	Validity and Reliability of the Hamilton Depression Rating Scale (5 Items) for Manic and Mixed Bipolar Disorders. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 682-686.	1.0	23
526	Perceived Need for Mental Health Care and Service Use Among Adults in Western Europe: Results of the ESEMeD Project. <i>Psychiatric Services</i> , 2009, 60, 1051-1058.	2.0	80
527	Prevalence of mental disorders in primary care: results from the diagnosis and treatment of mental disorders in primary care study (DASMAP). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 45, 201-210.	2.6	155
528	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression occurrence and severity in Spanish primary care patients. <i>Quality of Life Research</i> , 2009, 19, 97-101.	2.1	34
529	Assessment of remission in schizophrenia with the CGI and CGI-SCH scales. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 156-156.	4.1	4
530	Do needs, symptoms or disability of outpatients with schizophrenia influence family burden?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 612-618.	2.6	59
531	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008, 21, 455-462.	2.0	237
532	Rates and predictors of remission and recovery during 3 years in 392 never-treated patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 220-229.	4.1	154
533	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 305-314.	4.1	201
534	Comorbid painful physical symptoms and anxiety: Prevalence, work loss and help-seeking. <i>Journal of Affective Disorders</i> , 2008, 109, 264-272.	4.5	25
535	Clinical factors influencing the prescription of antidepressants and benzodiazepines. <i>Journal of Affective Disorders</i> , 2008, 110, 84-93.	4.5	133
536	Rapid-cycling bipolar I disorder: Course and treatment outcome of a large sample across Europe. <i>Journal of Psychiatric Research</i> , 2008, 42, 1068-1075.	2.9	60
537	Mental disorders among persons with diabetes: Results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008, 65, 571-580.	2.1	175
538	Marginal structural models might overcome confounding when analyzing multiple treatment effects in observational studies. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 525-530.	3.7	38
539	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. <i>Pain</i> , 2008, 135, 82-91.	4.3	292
540	Predictors of the course of illness in outpatients with schizophrenia: A prospective three year study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1287-1292.	3.8	41

#	ARTICLE	IF	CITATIONS
541	What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMeD-Catalonia Study. Schizophrenia Research, 2008, 102, 261-269.	2.3	42
542	Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). World Journal of Biological Psychiatry, 2008, 9, 313-320.	4.2	23
543	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. Occupational and Environmental Medicine, 2008, 65, 835-842.	2.8	299
544	Determinants of Voluntary vs. Involuntary Admission in Bipolar Disorder and the Impact of Adherence. Pharmacopsychiatry, 2008, 41, 29-36.	1.8	25
545	The Relation between Body Mass Index, Mental Health, and Functional Disability: A European Population Perspective. Canadian Journal of Psychiatry, 2008, 53, 679-688.	2.7	51
546	Meso-level Comparison of Mental Health Service Availability and Use in Chile and Spain. Psychiatric Services, 2008, 59, 421-428.	2.0	32
547	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	2.2	96
548	Adequacy of Antidepressant Treatment in Spanish Primary Care: A Naturalistic Six-Month Follow-Up Study. Psychiatric Services, 2008, 59, 78-83.	2.0	28
549	Clinical consequences of switching antipsychotic drugs in outpatients with schizophrenia: 36-month results from the European Schizophrenia Outpatient Health Outcomes study. International Clinical Psychopharmacology, 2008, 23, 203-208.	1.2	4
550	Parental Bonding and Suicidality in Adulthood. Australian and New Zealand Journal of Psychiatry, 2007, 41, 66-73.	2.4	37
551	Sexual Intercourse Frequency in Men Presenting for Treatment of Erectile Dysfunction: Results from the Pan-European Erectile Dysfunction Observational Study. Journal of Sex and Marital Therapy, 2007, 33, 3-18.	2.3	11
552	Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries. Psychiatric Services, 2007, 58, 213-220.	2.0	113
553	Gender differences in response to antipsychotic treatment in outpatients with schizophrenia. Psychiatry Research, 2007, 153, 225-231.	3.1	116
554	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	4.3	523
555	Three-year antipsychotic effectiveness in the outpatient care of schizophrenia: Observational versus randomized studies results. European Neuropsychopharmacology, 2007, 17, 235-244.	1.0	110
556	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	62.4	1,484
557	Edad de inicio del primer episodio psicótico: ¿hay diferencias clínicas entre varones y mujeres?. Psiquiatría Biológica, 2007, 14, 136-141.	0.1	6
558	Prevalencia y factores de riesgo de las ideas, planes e intentos de suicidio en la población general española. Resultados del estudio ESEMeD. Medicina Clínica, 2007, 129, 494-500.	0.8	50

#	ARTICLE	IF	CITATIONS
559	Assessment of remission in schizophrenia with the CGI and CGI-SCH scales. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 163-164.	4.1	23
560	Patterns of switching phosphodiesterase type 5 inhibitors in the treatment of erectile dysfunction: results from the Erectile Dysfunction Observational Study. <i>International Journal of Clinical Practice</i> , 2007, 61, 1850-1862.	3.0	28
561	Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007, 29, 123-133.	2.6	282
562	Mental disorders among persons with heart disease – results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007, 29, 325-334.	2.6	221
563	Risk factors for suicidality in Europe: Results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007, 101, 27-34.	4.5	514
564	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. <i>Journal of Affective Disorders</i> , 2007, 103, 113-120.	4.5	460
565	Therapeutic Effectiveness and Patient Satisfaction after 6 Months of Treatment with Tadalafil, Sildenafil, and Vardenafil: Results from the Erectile Dysfunction Observational Study (EDOS). <i>European Urology</i> , 2007, 51, 541-550.	2.1	55
566	Symptomatic remission in previously untreated patients with schizophrenia: 2-year results from the SOHO study. <i>Psychopharmacology</i> , 2007, 191, 1015-1022.	2.8	33
567	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 631-638.	2.6	9
568	Obesity and mental disorders in the general population: results from the world mental health surveys. <i>International Journal of Obesity</i> , 2007, 32, 192-200.	3.0	386
569	Social functioning in schizophrenia: what is the influence of gender?. <i>European Journal of Psychiatry</i> , 2007, 21, .	1.4	13
570	PMH35 THE COST OF RELAPSE IN PATIENTS WITH SCHIZOPHRENIA IN THE PAN-EUROPEAN SOHO (SCHIZOPHRENIA OUTPATIENT HEALTH OUTCOMES) STUDY. <i>Value in Health</i> , 2006, 9, A75.	1.9	0
571	Prevalencia de los trastornos mentales y factores asociados: resultados del estudio ESEMeD-España. <i>Medicina Clínica</i> , 2006, 126, 445-451.	0.8	272
572	Prevalencia y comorbilidad física y mental del dolor dorsal y cervical crónicos en España: resultados del estudio ESEMeD. <i>Medicina Clínica</i> , 2006, 127, 325-330.	0.8	21
573	Estimating the prevalence of schizophrenia in Spain using a disease model. <i>Schizophrenia Research</i> , 2006, 86, 194-201.	2.3	37
574	Neurocognitive performance and negative symptoms: Are they equal in explaining disability in schizophrenia outpatients?. <i>Schizophrenia Research</i> , 2006, 87, 246-253.	2.3	80
575	Four symptom dimensions in outpatients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2006, 47, 384-388.	4.0	14
576	Remission and Relapse in the Outpatient Care of Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 571-578.	1.7	120

#	ARTICLE	IF	CITATIONS
577	Evidence for three distinct classes of "typical", "psychotic" and "dual" mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 112-120.	4.1	78
578	Treatment-seeking Behavior of Erectile Dysfunction Patients in Europe: Results of the Erectile Dysfunction Observational Study. <i>Journal of Sexual Medicine</i> , 2006, 3, 530-540.	0.5	35
579	A framework for evidence-based mental health care and policy. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 5-11.	4.1	28
580	Assessment of service use patterns in out-patients with schizophrenia: a Spanish study. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 12-18.	4.1	13
581	Cost-effectiveness of different clinical interventions for reducing the burden of schizophrenia in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 29-38.	4.1	29
582	Cost/utility of selective serotonin reuptake inhibitors for depression in primary care in Catalonia. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 39-47.	4.1	21
583	Effectiveness and cost-effectiveness of antidepressant treatment in primary health care: A six-month randomised study comparing fluoxetine to imipramine. <i>Journal of Affective Disorders</i> , 2006, 91, 153-163.	4.5	20
584	Gender differences in response to antidepressant treatment prescribed in primary care. Does menopause make a difference?. <i>Journal of Affective Disorders</i> , 2006, 93, 53-60.	4.5	90
585	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006, 96, 9-20.	4.5	70
586	Concordance of the Composite International Diagnostic Interview Version 3.0 (CIDI 3.0) with standardized clinical assessments in the WHO World Mental Health Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 167-180.	2.2	1,011
587	Open-label olanzapine treatment in bipolar I disorder: clinical and work functional outcomes. <i>Current Medical Research and Opinion</i> , 2006, 22, 961-966.	2.1	13
588	Financing Mental Health Care in Spain: Context and critical issues. <i>European Journal of Psychiatry</i> , 2006, 20, .	1.4	22
589	Influence of age at onset on social functioning in outpatients with schizophrenia. <i>European Journal of Psychiatry</i> , 2006, 20, .	1.4	24
590	Pharmacological treatment and other predictors of treatment outcomes in previously untreated patients with schizophrenia: results from the European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>International Clinical Psychopharmacology</i> , 2005, 20, 199-205.	1.2	45
591	Assessing depression in primary care with the PHQ-9: Can it be carried out over the telephone?. <i>Journal of General Internal Medicine</i> , 2005, 20, 738-742.	2.4	322
592	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 220-231.	4.1	89
593	Olanzapine vs. other antipsychotics in actual out-patient settings: six months tolerability results from the European Schizophrenia Out-patient Health Outcomes study. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 232-243.	4.1	65
594	PMH27 12-MONTH COST-EFFECTIVENESS ANALYSIS OF ORAL ANTIPSYCHOTIC TREATMENTS IN PATIENTS WITH SCHIZOPHRENIA IN THE PAN-EUROPEAN SOHO (SCHIZOPHRENIA OUTPATIENT HEALTH OUTCOMES) STUDY. <i>Value in Health</i> , 2005, 8, A204.	1.9	0

#	ARTICLE	IF	CITATIONS
595	PMH31 12 MONTH COST-UTILITY ANALYSIS OF ORAL ANTIPSYCHOTIC TREATMENTS IN PATIENTS WITH SCHIZOPHRENIA IN THE PAN-EUROPEAN SOHO (SCHIZOPHRENIA OUTPATIENT HEALTH OUTCOMES) STUDY. <i>Value in Health</i> , 2005, 8, A205.	1.9	0
596	Use of concomitant medication with antipsychotic treatment in outpatients with schizophrenia: Results from the European Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 972-982.	3.8	29
597	Needs and its relation to symptom dimensions in a sample of outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2005, 75, 129-134.	2.3	30
598	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	16.6	2,936
599	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 8-20.	4.1	138
600	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 21-27.	4.1	1,103
601	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 28-37.	4.1	159
602	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-46.	4.1	306
603	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 47-54.	4.1	348
604	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 55-64.	4.1	152
605	Unit costs in international economic evaluations: resource costing of the Schizophrenia Outpatient Health Outcomes Study. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 41-47.	4.1	6
606	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 7-15.	4.1	45
607	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 222-232.	4.1	99
608	Met and Unmet Needs of Schizophrenia Patients in a Spanish Sample. <i>Schizophrenia Bulletin</i> , 2003, 29, 201-210.	3.9	83
609	Olanzapine versus haloperidol in the treatment of acute mania: clinical outcomes, health-related quality of life and work status. <i>International Clinical Psychopharmacology</i> , 2002, 17, 227-237.	1.2	58
610	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 55-67.	2.2	88
611	Influence of gender on social outcome in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 337-342.	4.1	68
612	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 24-32.	4.1	41

#	ARTICLE	IF	CITATIONS
613	Service utilization and costs of first-onset schizophrenia in two widely differing health service areas in North-East Spain. <i>Acta Psychiatrica Scandinavica</i> , 1999, 100, 335-343.	4.1	21
614	Use of Granada Medium To Detect Group B Streptococcal Colonization in Pregnant Women. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2674-2677.	4.0	66
615	The Relationship Between Plasma Haloperidol Concentrations and Clinical Results. <i>Archives of General Psychiatry</i> , 1996, 53, 1167.	12.7	5
616	Predictability of rehospitalization for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994, 244, 241-246.	2.7	26
617	Emotional Distress in Disaster Victims. <i>Journal of Nervous and Mental Disease</i> , 1993, 181, 388-393.	1.0	36
618	Long-term Course of Hospitalization for Schizophrenia: Part II. Change With Passage of Time. <i>Schizophrenia Bulletin</i> , 1992, 18, 229-241.	3.9	85
619	Methimazole treatment reduces cardiac hypertrophy and mortality without a concomitant reduction in blood pressure in established Goldblatt two-kidney one clip hypertension. <i>Experientia</i> , 1992, 48, 755-758.	0.3	5
620	Psychiatric disorders in primary health care clinics one year after a major latin american disaster. <i>Stress and Health</i> , 1991, 7, 25-32.	0.6	7
621	Title is missing!. , 0, .		1
622	The Mediating Role of General and Cognitive Stress on the Effect of an App-Based Intervention on Productivity Measures in Workers: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 0, 25, e42317.	7.7	2
623	Conceptualizing Professional Stigma Toward Forensic Mental Health Service Users: Results of a Qualitative Inquiry. <i>International Journal of Forensic Mental Health</i> , 0, 24, 324-335.	1.5	5
624	Workplace and non-workplace loneliness: a cross-sectional comparative study on risk factors and impacts on absenteeism and mental health among employees in Spain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 0, 60, 2289-2299.	2.6	3
625	Ayahuasca-assisted meaning reconstruction therapy as an early resource for bereavement: a non-randomized clinical trial. <i>Scientific Reports</i> , 0, 15, .	3.4	0
626	The global, regional, and national burden of cancer, 1990â€“2023, with forecasts to 2050: a systematic analysis for the Global Burden of Disease Study 2023. <i>Lancet, The</i> , 0, 406, 1565-1586.	62.4	136
627	Global age-sex-specific all-cause mortality and life expectancy estimates for 204 countries and territories and 660 subnational locations, 1950â€“2023: a demographic analysis for the Global Burden of Disease Study 2023. <i>Lancet, The</i> , 0, 406, 1731-1810.	62.4	58
628	Burden of 375 diseases and injuries, risk-attributable burden of 88 risk factors, and healthy life expectancy in 204 countries and territories, including 660 subnational locations, 1990â€“2023: a systematic analysis for the Global Burden of Disease Study 2023. <i>Lancet, The</i> , 0, 406, 1873-1922.	62.4	262
629	Disease burden attributable to intimate partner violence against females and sexual violence against children in 204 countries and territories, 1990â€“2023: a systematic analysis for the Global Burden of Disease Study 2023. <i>Lancet, The</i> , 0, 407, 31-52.	62.4	6
630	The association between loneliness and suicide ideation: A cross-sectional comparison of Latin American immigrants and Spanish natives in Spain. <i>Journal of Affective Disorders</i> , 0, 406, 121347.	4.5	0

#	ARTICLE	IF	CITATIONS
631	Dynamics of psychological distress: understanding the impact of intraindividual and interindividual factors in the Belgian population during the COVID-19 pandemic—a multilevel prospective cohort study. <i>Frontiers in Psychiatry</i> , 0, 17, .	2.4	0
632	Analyzing the Impact of Depression on All-Cause Mortality in Different Sex and Age Groups: A 11-Year Follow-Up Study of Spanish Population. <i>International Journal of Social Psychiatry</i> , 0, , .	2.2	0
633	The impact of physical multimorbidity on common mental disorders and the role of loneliness and social support: A three-year follow-up study. <i>Journal of Affective Disorders</i> , 0, 407, 121795.	4.5	0