## Masumi Yamamuro

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4303885/masumi-yamamuro-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 2,256 26 papers citations h-index

2,590 ext. papers ext. citations

2.3 4.86 avg, IF L-index

g-index

#	Paper	IF	Citations
126	Rapid direct determination of organic carbon and nitrogen in carbonate-bearing sediments with a Yanaco MT-5 CHN analyzer. <i>Limnology and Oceanography</i> , <b>1995</b> , 40, 1001-1005	4.8	131
125	Fine-scale mapping of land-derived nitrogen in coral reefs by \$\mathbb{1}\$5N in macroalgae. <i>Limnology and Oceanography</i> , <b>2002</b> , 47, 1405-1416	4.8	107
124	Rapid ecological change in the coastal zone of Lake Baikal (East Siberia): Is the site of the worldß greatest freshwater biodiversity in danger?. <i>Journal of Great Lakes Research</i> , <b>2016</b> , 42, 487-497	3	99
123	Neonicotinoids disrupt aquatic food webs and decrease fishery yields. <i>Science</i> , <b>2019</b> , 366, 620-623	33.3	88
122	Carbon and nitrogen stable isotopes of primary producers in coral reef ecosystems. <i>Limnology and Oceanography</i> , <b>1995</b> , 40, 617-621	4.8	83
121	Identifying sources and mass balance of dioxin pollution in Lake Shinji Basin, Japan. <i>Environmental Science &amp; Environmental &amp;</i>	10.3	74
120	Chemical tracers of sediment organic matter origins in two coastal lagoons. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 127-134	2.7	72
119	Acute toxicity of 50 metals to Daphnia magna. <i>Journal of Applied Toxicology</i> , <b>2015</b> , 35, 824-30	4.1	68
118	Relationship between river water quality and land use in a small river basin running through the urbanizing area of Central Japan. <i>Limnology</i> , <b>2008</b> , 9, 19-26	1.7	52
117	Dynamics of PCDDs/DFs and coplanar-PCBs in an aquatic food chain of Tokyo Bay. <i>Chemosphere</i> , <b>2003</b> , 53, 347-62	8.4	51
116	Groundwater contamination by sewage causes benthic algal outbreaks in the littoral zone of Lake Baikal (East Siberia). <i>Journal of Great Lakes Research</i> , <b>2018</b> , 44, 230-244	3	50
115	Seasonal and vertical variations of sinking particle fluxes in the West Caroline Basin. <i>Oceanologica Acta: European Journal of Oceanology - Revue Europeene De Oceanologie</i> , <b>1998</b> , 21, 521-532		47
114	delta15N of seagrass leaves for monitoring anthropogenic nutrient increases in coral reef ecosystems. <i>Marine Pollution Bulletin</i> , <b>2003</b> , 46, 452-8	6.7	45
113	Geographical and seasonal variations in mesozooplankton abundance and biomass in relation to environmental parameters in Lake Shinji©hashi River□ake Nakaumi brackish-water system, Japan. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 193-207	2.7	42
112	Nitrogen metabolism of the filter-feeding bivalve Corbicula japonica and its significance in primary production of a brackish lake in Japan. <i>Limnology and Oceanography</i> , <b>1993</b> , 38, 997-1007	4.8	42
111	The California current system during the last 136,000 years: response of the North Pacific High to precessional forcing. <i>Quaternary Science Reviews</i> , <b>2007</b> , 26, 405-414	3.9	41
110	Role of the bivalveCorbicula japonica in the nitrogen cycle in a mesohaline lagoon. <i>Marine Biology</i> , <b>1988</b> , 99, 369-374	2.5	41

## (2007-1999)

109	Importance of epiphytic cyanobacteria as food sources for heterotrophs in a tropical seagrass bed. <i>Coral Reefs</i> , <b>1999</b> , 18, 263-271	4.2	38	
108	Seasonal change in a filter-feeding bivalve Musculista senhousia population of a eutrophic estuarine lagoon. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 117-126	2.7	37	
107	Five critical questions of scale for the coastal zone. Estuarine, Coastal and Shelf Science, 2012, 96, 9-21	2.9	33	
106	Evaluation of DEM generation based on Interferometric SAR using TanDEM-X data in Tokyo. <i>Physics and Chemistry of the Earth</i> , <b>2015</b> , 83-84, 166-177	3	29	
105	A 200-year record of natural and anthropogenic changes in water quality from coastal lagoon sediments of Lake Shinji, Japan. <i>Chemical Geology</i> , <b>2005</b> , 218, 51-61	4.2	28	
104	Comparison of fish fauna in three areas of adjacent eutrophic estuarine lagoons with different salinities. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 171-181	2.7	27	
103	Predation by diving ducks on the biofouling messel Musculista senhousia in a eutrophic estuarine lagoon. <i>Marine Ecology - Progress Series</i> , <b>1998</b> , 174, 101-106	2.6	27	
102	Regional to local environmental changes in southern Western Siberia: Evidence from biotic records of mid to late Holocene sediments of Lake Beloye. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> <b>2012</b> , 331-332, 177-193	2.9	26	
101	Ecosystem shift resulting from loss of eelgrass and other submerged aquatic vegetation in two estuarine lagoons, Lake Nakaumi and Lake Shinji, Japan. <i>Journal of Oceanography</i> , <b>2006</b> , 62, 551-558	1.9	26	
100	Verification of responses of Japanese medaka (Oryzias latipes) to anti-androgens, vinclozolin and flutamide, in short-term assays. <i>Journal of Applied Toxicology</i> , <b>2014</b> , 34, 545-53	4.1	25	
99	Model study of Lakes Shinji and Nakaumi 🗈 coupled coastal lagoon system. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 145-169	2.7	25	
98	Long-term trends in nitrogen and phosphorus concentrations in the Hii River as influenced by atmospheric deposition from East Asia. <i>Limnology and Oceanography</i> , <b>2015</b> , 60, 629-640	4.8	22	
97	Integrated stratigraphy of the upper Neoproterozoic succession in Yunnan Province of South China: Re-evaluation of global correlation and carbon cycle. <i>Precambrian Research</i> , <b>2005</b> , 138, 1-36	3.9	22	
96	Assessing the influence of watershed land use patterns on the major ion chemistry of river waters in the Shimousa Upland, Japan. <i>Chemistry and Ecology</i> , <b>2008</b> , 24, 341-355	2.3	21	
95	Quality of the Seagrass Halophila ovalis on a Thai Intertidal Flat as Food for the Dugong. <i>Journal of Oceanography</i> , <b>2005</b> , 61, 183-186	1.9	21	
94	Establishment of a short-term, in vivo screening method for detecting chemicals with juvenile hormone activity using adult Daphnia magna. <i>Journal of Applied Toxicology</i> , <b>2015</b> , 35, 75-82	4.1	20	
93	Herbicide-induced macrophyte-to-phytoplankton shifts in Japanese lagoons during the last 50 years: consequences for ecosystem services and fisheries. <i>Hydrobiologia</i> , <b>2012</b> , 699, 5-19	2.4	20	
92	Long-term change in water transparency before and after the loss of eelgrass beds in an estuarine lagoon, Lake Nakaumi, Japan. <i>Limnology</i> , <b>2007</b> , 8, 53-58	1.7	19	

91	Uncertainties in Tidally Adjusted Estimates of Sea Level Rise Flooding (Bathtub Model) for the Greater London. <i>Remote Sensing</i> , <b>2016</b> , 8, 366	5	19
90	Nitrogen fixation of filamentous cyanobacteria in a coral reef measured using three different methods. <i>Coral Reefs</i> , <b>2005</b> , 24, 197-200	4.2	18
89	Respiration and ingestion rates of the filter-feeding bivalve Musculista senhousia: implications for water-quality control. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 183-192	2.7	18
88	Colorimetric Determination of Sulfide in Microsamples. <i>Analytical Sciences</i> , <b>2016</b> , 32, 1129-1131	1.7	17
87	The relationship between seasonal variations of total-nitrogen and total-phosphorus in rainfall and air mass advection paths in Matsue, Japan. <i>Atmospheric Environment</i> , <b>2009</b> , 43, 3496-3501	5.3	17
86	Origin of Nutrients Accumulated in the Bottom Water of Lake Shinji in Summer <i>Japanese Journal of Limnology</i> , <b>1996</b> , 57, 313-326	0.1	16
85	An abrupt ecosystem change in Lake Beloye, southern Western Siberia: Palaeoclimate versus local environment. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> <b>2012</b> , 331-332, 194-206	2.9	15
84	Abundance and size distribution of sublittoral meiobenthos along estuarine salinity gradients. Journal of Marine Systems, <b>2000</b> , 26, 135-143	2.7	15
83	Hepatic portal venous gas: report of a case. Surgery Today, 2000, 30, 647-50	3	15
82	Fish multigeneration test with preliminary short-term reproduction assay for estrone using Japanese medaka (Oryzias latipes). <i>Journal of Applied Toxicology</i> , <b>2015</b> , 35, 11-3	4.1	14
81	Specific biomagnification of polychlorinated dibenzo-p-dioxins and dibenzofurans in tufted ducks (Aythya fuligula), common cormorants (Phalacrocorax carbo) and their prey from Lake Shinji, Japan. <i>Chemosphere</i> , <b>2002</b> , 46, 1373-82	8.4	14
80	Diel changes of nitrogen species in surface and overlying water of an estuarine lake in summer: Evidence for benthic-pelagic coupling. <i>Limnology and Oceanography</i> , <b>1994</b> , 39, 1726-1733	4.8	14
79	Abundant deposits of nutrients inside lakebeds of Antarctic oligotrophic lakes. <i>Polar Biology</i> , <b>2017</b> , 40, 603-613	2	13
78	Elemental (C, N, P) and isotopic (13C, 15N) signature of primary producers and their contribution to the organic matter in coastal lagoon sediment. <i>Landscape and Ecological Engineering</i> , <b>2014</b> , 10, 65-75	2	13
77	Holocene paleolimnological changes in Lake Skallen Oike in the Syowa Station area of Antarctica inferred from organic components in a sediment core (Sk4C-02). <i>Journal of Paleolimnology</i> , <b>2010</b> , 44, 677-693	2.1	13
76	A simple and efficient method for making a high-resolution seagrass map and quantification of dugong feeding trail distribution: A field test at Mayo Bay, Philippines. <i>Ecological Informatics</i> , <b>2017</b> , 38, 89-94	4.2	12
75	Changes in alkaline band formation and calcification of corticated charophyte Chara globularis. <i>SpringerPlus</i> , <b>2013</b> , 2, 85		12
74	Internal variations in nutrient concentrations and the C and N stable isotope ratios in leaves of the seagrass Enhalus acoroides. <i>Aquatic Botany</i> , <b>2004</b> , 79, 95-102	1.8	12

73	Characteristics of organic matter in lagoonal sediments from the Great Barrier Reef <i>Geochemical Journal</i> , <b>2001</b> , 35, 385-401	0.9	12
72	3D-view Generation and Species Classification of Aquatic Plants Using Acoustic Images. <i>The Journal of the Marine Acoustics Society of Japan</i> , <b>2013</b> , 40, 14-26	Ο	11
71	Effluxes of dissolved organic phosphorus(DOP) and phosphate from the sediment to the overlying water at high temperature and low dissolved oxygen concentration conditions in an eutrophic brackish lake <i>Japanese Journal of Limnology</i> , <b>2001</b> , 62, 11-21	0.1	11
70	A method for detecting and identifying the lethal environmental factor on a dominant macrobenthos and its application to Lake Shinji, Japan. <i>Marine Biology</i> , <b>1990</b> , 107, 479-483	2.5	11
69	Hydrochemistry and isotopic characteristics of non-volcanic hot springs around the Miocene Kofu granitic complex surrounding the Kofu Basin in the South Fossa Magna region, central Honshu, Japan. <i>Geochemical Journal</i> , <b>2014</b> , 48, 345-356	0.9	10
68	Floating-leaved and emergent vegetation as habitat for fishes in a eutrophic temperate lake without submerged vegetation. <i>Limnology</i> , <b>2013</b> , 14, 257-268	1.7	10
67	Blue Waters, Green Bottoms: Benthic Filamentous Algal Blooms Are an Emerging Threat to Clear Lakes Worldwide. <i>BioScience</i> , <b>2021</b> , 71, 1011-1027	5.7	10
66	Relationship between Hypoxia Due to Stratification and COD (Mn) at Brackish Lagoon, Lake Shinji. <i>Journal of Japan Society on Water Environment</i> , <b>2011</b> , 34, 57-64	0.2	9
65	Phosphorus release and sedimentation in three contiguous shallow brackish lakes, as estimated from changes in phosphorus stock and loading from catchment. <i>Landscape and Ecological Engineering</i> , <b>2011</b> , 7, 53-64	2	9
64	Changes in the impact of anthropogenic effects on river water quality during the last 50 years in Japan. <i>Wetlands Ecology and Management</i> , <b>2009</b> , 17, 409-415	2.1	9
63	Habitat selection by wintering tufted ducks with special reference to their digestive organ and to possible segregation between neighboring populations. <i>Ecological Research</i> , <b>1999</b> , 14, 303-315	1.9	9
62	Assessing the biomass and distribution of submerged aquatic vegetation using multibeam echo sounding in Lake Towada, Japan. <i>Limnology</i> , <b>2013</b> , 14, 39-42	1.7	8
61	Concentrations of nitrogen in sandy sediments of a eutrophic estuarine lagoon. <i>Hydrobiologia</i> , <b>1998</b> , 386, 37-44	2.4	8
60	Dioxins/furans and polychlorinated biphenyls (PCBs) in Dugongs from the Thailand Coast. <i>Bulletin of Environmental Contamination and Toxicology</i> , <b>2003</b> , 70, 198-204	2.7	8
59	Seasonality in nutrient concentrations and stable isotope ratios of Halophila ovalis growing on the intertidal flat of SW Thailand. <i>Limnology</i> , <b>2001</b> , 2, 199-205	1.7	8
58	??????????????????????????????????????		8
57	Pomatoleios kraussii (BAIRD) as a paleo sea level indicator on the southeast coast of Boso Peninsula, central Japan <i>The Quaternary Research</i> , <b>1987</b> , 26, 47-57	0.1	8
56	Light quality determines primary production in nutrient-poor small lakes. <i>Scientific Reports</i> , <b>2019</b> , 9, 46	3 <b>9</b> .9	7

55	Continuous Observation of Mixing in a Brackish Lake under Storm Conditions. <i>Proceedings of Hydraulic Engineering</i> , <b>1997</b> , 41, 475-480		7
54	Carbon and nitrogen stable isotope ratios of the tissues and gut contents of a dugong from the temperate coast of Japan. <i>Mammal Study</i> , <b>2004</b> , 29, 179-183	0.6	7
53	Changes in fish and crustacean assemblage in connected coastal lagoons, Lake Nakaumi and Lake Shinji, Japan <i>Japanese Journal of Limnology</i> , <b>2000</b> , 61, 129-146	0.1	7
52	Effects of water turbulence on plant, sediment and water quality in reed (Phragmites australis) community. <i>Ekologia</i> , <b>2017</b> , 36, 1-9	1.3	6
51	Physical and topographic factors affecting suspended particulate matter composition in a shallow tropical estuary. <i>Marine Environmental Research</i> , <b>2009</b> , 68, 59-70	3.3	6
50	Relationship between particle size and the radioactive cesium concentration in sediments from rivers flowing into Lake Kasumigaura. <i>Japanese Journal of Limnology</i> , <b>2013</b> , 74, 183-189	0.1	6
49	What prevents Musculista senhousia from constructing byssal thread mats in estuarine environments? A case study focusing on Lake Shinji and nearby estuarine waters. <i>Landscape and Ecological Engineering</i> , <b>2010</b> , 6, 23-28	2	5
48	Seasonal changes of the distributions of brackish Polychaetes in Lake Shinji, Japan <i>Japanese Journal of Limnology</i> , <b>1988</b> , 49, 287-292	0.1	5
47	Multi-tracer identification of nutrient origin in the Hii River watershed, Japan. <i>Landscape and Ecological Engineering</i> , <b>2017</b> , 13, 119-129	2	4
46	Diet selectivity and shift of wintering common pochards and tufted ducks in a eutrophic coastal lagoon. <i>Journal of Marine Systems</i> , <b>2000</b> , 26, 233-238	2.7	4
45	Effects of residence time and nutrient concentration to the internal COD production in shallow lakes <i>Ecology and Civil Engineering</i> , <b>2015</b> , 17, 79-88	0.2	4
44	Anthropogenic disturbance and restoration in coasts ^ ^mdash; Case study on dike opening at Honjo Area, Lake Nakaumi, Japan. <i>Ecology and Civil Engineering</i> , <b>2012</b> , 15, 221-231	0.2	4
43	Reconstruction of the charophyte community of Lake Shinji by oospore collection. <i>Knowledge and Management of Aquatic Ecosystems</i> , <b>2016</b> , 12	1.4	3
42	Risk Management Regime and Its Scope for Transition in Tokyo. <i>Journal of Extreme Events</i> , <b>2016</b> , 03, 1650011	1	3
41	Mechanism of Reactive Nitrogen Deposition on the Nitrogen Leaching. <i>Journal of Geography</i> (Chigaku Zasshi), <b>2012</b> , 121, 411-420	0.5	3
40	Quantification of Nutrients Removed through Food Web Management in Eutrophic Waters <i>Journal of Japan Society on Water Environment</i> , <b>2000</b> , 23, 710-715	0.2	3
39	Macrobenthic fauna and its historical changes in brackish Lake Obuchi, Aomori Prefecture, Japan. <i>Japanese Journal of Limnology</i> , <b>2005</b> , 66, 197-206	0.1	3
38	Pomatoleios kraussii (BAIRD) and bench as paleo sea-level indicators on the west and south coast of Miura Peninsula, Central Japan <i>The Quaternary Research</i> , <b>1988</b> , 27, 31-38	0.1	3

37	Proposal of Experimental Methods for Nutrients Release and SOD. <i>Proceedings of Hydraulic Engineering</i> , <b>1997</b> , 41, 433-438		2
36	Over one year Change in the Fish Assemblage in an Estuarine Lagoon, Lake Shinji, Japan <i>Japanese Journal of Limnology</i> , <b>1996</b> , 57, 273-281	0.1	2
35	Estimation on Removal of Nitrogen and Phosphorus through Fisheries of Gracilaria verrucosa at an Estuarine Lagoon, Lake Nakaumi, Japan <i>Japanese Journal of Limnology</i> , <b>1997</b> , 58, 317-322	0.1	2
34	Water quality before and after the break out of submerged plants at Lake Shinji. <i>Japanese Journal of Limnology</i> , <b>2013</b> , 75, 99-105	0.1	2
33	Temporal change in the organic carbon concentration of surface sediment at Lake Shinji during the past 30 years. <i>Japanese Journal of Limnology</i> , <b>2018</b> , 79, 161-168	0.1	2
32	Reprinting of the bibliography of Japanese limnological studies part 1 edited by Dr. Shin-kichi YOSHIMURA (1). <i>Japanese Journal of Limnology</i> , <b>2006</b> , 67, 37-41	0.1	2
31	Effect of Herbicides in Paddy Runoff on Seed Germination of Vallisneria asiatica and Ammannia multiflora. <i>Aquatic Science and Technology</i> , <b>2017</b> , 5, 1	0.3	1
30	The Effect of Charophyte Communities on Phosphorus Flow in Lake Shinji, Japan. <i>Aquatic Science and Technology</i> , <b>2017</b> , 5, 13	0.3	1
29	Detection of shellfish in the sediment by 1-MHz ultrasound: Focusing on weak scatter and incident angle <b>2016</b> ,		1
28	Groundwater quality in karst regions in the Philippines. <i>Limnology</i> , <b>2013</b> , 14, 293-299	1.7	1
27	Two new species of freshwater crabs of the genus Sundathelphusa Bott, 1969 (Decapoda: Brachyura: Gecarcinucidae) from caves in Luzon, Philippines. <i>Zootaxa</i> , <b>2014</b> , 565-74	0.5	1
26	Oxygen-Stable Isotope Ratios of Nitrate and Nitrate Concentration in Stream Water during the Course of Nitrogen Saturation. <i>Journal of Geography (Chigaku Zasshi)</i> , <b>2009</b> , 118, 1247-1253	0.5	1
25	Salinity of Lake Shinji before Widening of Ohashi River Conducted from 1924 to 1933. <i>Journal of Japan Society on Water Environment</i> , <b>2006</b> , 29, 541-546	0.2	1
24	Changes in serum myosin light chain I following aortocoronary bypass operations. <i>Surgery Today</i> , <b>1995</b> , 25, 222-5	3	1
23	Amount of organic carbon and its fractionation dissolved from Nymphoides peltata and Phragmites australis. <i>Japanese Journal of Limnology</i> , <b>2014</b> , 76, 1-10	0.1	1
22	Estimation of the aquatic plant community area in Lake Shinji reconstructed with the aerial photographs taken by the US forces in 1940 <b>B</b> <i>Ecology and Civil Engineering</i> , <b>2013</b> , 16, 51-59	0.2	1
21	Reprinting of the bibliography of Japanese limnological studies part 1 edited by Dr. Shin-kichi YOSHIMURA (2). <i>Japanese Journal of Limnology</i> , <b>2006</b> , 67, 135-152	0.1	1
20	Effect of reduction of bivalve catches on lake water COD in Lake Shinji <i>Ecology and Civil Engineering</i> , <b>2018</b> , 20, 167-177	0.2	1

19	Sediment signature inside and outside of breakwaters at the planting area with Nymphoides peltata in Lake Kasumigaura. <i>Japanese Journal of Limnology</i> , <b>2015</b> , 77, 39-45	0.1	1
18	The effects of temperature and salinity during the summer months on the annual fisheries yield of Corbicula japonica at Lake Shinji. <i>Japanese Journal of Limnology</i> , <b>2015</b> , 77, 175-181	0.1	1
17	Celebrating limnology in Siberia: commemorating the 90th anniversary of the Limnological Institute in Irkutsk, Russia. <i>Limnology</i> , <b>2020</b> , 21, 1-2	1.7	1
16	Lake-wide assessment of microplastics in the surface waters of Lake Baikal, Siberia. <i>Limnology</i> , <b>2022</b> , 23, 265	1.7	О
15	Atmospheric Phosphorus and Nitrogen Originating in China: Forest Deposition and Infiltration of Stream Water in Japan. <i>Water, Air, and Soil Pollution</i> , <b>2015</b> , 226, 1	2.6	
14	The relationship between water temperature and dissolved organic carbon concentration in Lake Shinji. <i>Japanese Journal of Limnology</i> , <b>2014</b> , 76, 225-229	0.1	
13	HISTORY OF JAPANESE LIMNOLOGY. Limnology and Oceanography Bulletin, 2010, 19, 78-82	0.9	
12	RELATIONSHIP BETWEEN LAND USE AND RIVER WATER QUALITY IN THE URBANIZING AREA OF THE SAKA RIVER, WESTERN PART OF THE SHIMOUSA UPLAND. <i>Proceedings of Hydraulic Engineering</i> , <b>2008</b> , 52, 1129-1134		
11	Nutrient sources for charophytes and Najas marina in Myall Lake, Australia, indicated by carbon and nitrogen stable isotope ratios. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , <b>2008</b> , 30, 401-4	05	
10	Strategies for Ecological Modeling <b>2003</b> , 115-134		
9	Bioaccumulation of Diethylhexyl and Dibutil Phtalates by a Diving Duck, Aythya fuligula <i>Journal of Japan Society on Water Environment</i> , <b>2000</b> , 23, 168-172	0.2	
8	Impacts of Moriyama Dike opening on the water quality in summer at Honjo area, Lake Nakaumi. <i>Japanese Journal of Limnology</i> , <b>2020</b> , 81, 223-231	0.1	
7	Reprinting of the bibliography of Japanese limnological studies part 1 edited by Dr. Shin-kichi YOSHIMURA (3). <i>Japanese Journal of Limnology</i> , <b>2007</b> , 68, 269-314	0.1	
6	Preliminary report on the concentration of neonicotinoid pesticides in the water of Lake Shinji, Japan. <i>Japanese Journal of Limnology</i> , <b>2018</b> , 79, 179-183	0.1	
5	Nuisance growth of macrophytes in lakes in Japan and overseas <i>Ecology and Civil Engineering</i> , <b>2019</b> , 22, 51-60	0.2	
4	Fishes and their stable isotope ratios caught at Zizania latifolia and Typha domingensis beds in Lake Teganuma <i>Ecology and Civil Engineering</i> , <b>2012</b> , 15, 115-120	0.2	
3	Salinity range that freshwater submerged and floating-leaved plants which may overgrow in brackish lakes in Japan were observed. <i>Japanese Journal of Limnology</i> , <b>2013</b> , 75, 113-118	0.1	
2	Impressions regarding ^ ^ldquo;Comment on .Anthropogenic disturbance and restoration in coasts ^ ^mdash; Case study on dike opening at Honjo Area, Lake Nakaumi, JapanRby M. Yamamuro, H.		

Lacustrine, wastewater, interstitial and fluvial water quality in the Southern Lake Baikal region.. Journal of Water and Health, **2022**, 20, 23-40

2.2