

Juan DÃ-az MartÃ-n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4303954/publications.pdf>

Version: 2024-02-01

33
papers

1,333
citations

393982

19
h-index

433756

31
g-index

34
all docs

34
docs citations

34
times ranked

2680
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcoma classification by DNA methylation profiling. <i>Nature Communications</i> , 2021, 12, 498.	5.8	237
2	Pazopanib for treatment of advanced malignant and dedifferentiated solitary fibrous tumour: a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 134-144.	5.1	97
3	MicroRNA-200 Family Modulation in Distinct Breast Cancer Phenotypes. <i>PLoS ONE</i> , 2012, 7, e47709.	1.1	85
4	A Seed-specific Heat-shock Transcription Factor Involved in Developmental Regulation during Embryogenesis in Sunflower. <i>Journal of Biological Chemistry</i> , 2002, 277, 43866-43872.	1.6	81
5	Functional Interaction between Two Transcription Factors Involved in the Developmental Regulation of a Small Heat Stress Protein Gene Promoter. <i>Plant Physiology</i> , 2005, 139, 1483-1494.	2.3	80
6	ZEB1 overexpression associated with E-cadherin and microRNA-200 downregulation is characteristic of undifferentiated endometrial carcinoma. <i>Modern Pathology</i> , 2013, 26, 1514-1524.	2.9	68
7	A core microRNA signature associated with inducers of the epithelial-to-mesenchymal transition. <i>Journal of Pathology</i> , 2014, 232, 319-329.	2.1	66
8	Nuclear TAZ expression associates with the triple-negative phenotype in breast cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 443-454.	1.6	66
9	The HaDREB2 transcription factor enhances basal thermotolerance and longevity of seeds through functional interaction with HaHSFA9. <i>BMC Plant Biology</i> , 2009, 9, 75.	1.6	57
10	VGLL1 expression is associated with a triple-negative basal-like phenotype in breast cancer. <i>Endocrine-Related Cancer</i> , 2014, 21, 587-599.	1.6	53
11	Zeb1 and <i>Snaill</i> engage <i>miR-200</i> transcriptional and epigenetic regulation during <i>EMT</i> . <i>International Journal of Cancer</i> , 2015, 136, E62-73.	2.3	52
12	Pazopanib for treatment of typical solitary fibrous tumours: a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2020, 21, 456-466.	5.1	51
13	DNA methylation profiling distinguishes Ewing-like sarcoma with <i>EWSR1-NFATc2</i> fusion from Ewing sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1273-1281.	1.2	50
14	Preclinical Efficacy of Endoglin-Targeting Antibody-Drug Conjugates for the Treatment of Ewing Sarcoma. <i>Clinical Cancer Research</i> , 2019, 25, 2228-2240.	3.2	44
15	Brain-derived neurotrophic factor G196A polymorphism and clinical features in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2010, 122, 41-45.	1.0	37
16	Prevalence and clinical features of <i>LRRK2</i> mutations in patients with Parkinson's disease in southern Spain. <i>European Journal of Neurology</i> , 2009, 16, 957-960.	1.7	32
17	Molecular events in endometrial carcinosarcomas and the role of high mobility group AT-hook 2 in endometrial carcinogenesis. <i>Human Pathology</i> , 2013, 44, 244-254.	1.1	30
18	Oncogene alterations in endometrial carcinosarcomas. <i>Human Pathology</i> , 2013, 44, 852-859.	1.1	27

#	ARTICLE	IF	CITATIONS
19	A role for the transducer of the Hippo pathway, TAZ, in the development of aggressive types of endometrial cancer. <i>Modern Pathology</i> , 2015, 28, 1492-1503.	2.9	23
20	Hippo pathway effectors YAP1/TAZ induce an <i>EWS-FLI1</i> opposing gene signature and associate with disease progression in Ewing sarcoma. <i>Journal of Pathology</i> , 2020, 250, 374-386.	2.1	19
21	Intermediate alleles at the FRAXA and FRAXE loci in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 281-284.	1.1	16
22	Age-Mediated Transcriptomic Changes in Adult Mouse Substantia Nigra. <i>PLoS ONE</i> , 2013, 8, e62456.	1.1	15
23	Evaluation of NAB2-STAT6 Fusion Variants and Other Molecular Alterations as Prognostic Biomarkers in a Case Series of 83 Solitary Fibrous Tumors. <i>Cancers</i> , 2021, 13, 5237.	1.7	9
24	Glucose-6-phosphate dehydrogenase activity in Parkinson's disease. <i>Journal of Neurology</i> , 2008, 255, 1850-1851.	1.8	8
25	Breakthrough Technologies Reshape the Ewing Sarcoma Molecular Landscape. <i>Cells</i> , 2020, 9, 804.	1.8	8
26	Mesencephalic and striatal protein profiles in mice over-expressing glucose-6-phosphate dehydrogenase in dopaminergic neurons. <i>Journal of Proteomics</i> , 2010, 73, 1747-1757.	1.2	5
27	Characterizing the Invasive Tumor Front of Aggressive Uterine Adenocarcinoma and Leiomyosarcoma. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 670185.	1.8	5
28	Heat shock protein 70 kDa over-expression and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced nigrostriatal degeneration in mice. <i>Neuroscience</i> , 2011, 193, 323-329.	1.1	4
29	A Novel NFIX-STAT6 Gene Fusion in Solitary Fibrous Tumor: A Case Report. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7514.	1.8	4
30	What's in a name? Molecular subclassification of sarcomas creates fresh challenges. <i>Journal of Pathology</i> , 2019, 247, 409-412.	2.1	2
31	Genetics of Endometrial Carcinoma. , 2013, , 349-390.		1
32	Molecular Approaches to Diagnosis in Ewing Sarcoma: Targeted RNA Sequencing. <i>Methods in Molecular Biology</i> , 2021, 2226, 105-116.	0.4	1
33	Abstract 6158: The relevance of endoglin and MMP14 to the metastatic potential of Ewing sarcoma cells. , 2020, , .		0