Massimo Martino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4304808/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Netupitant/palonosetron without dexamethasone for preventing nausea and vomiting in patients with multiple myeloma receiving high-dose melphalan for autologous stem cell transplantation: a single-center experience. Supportive Care in Cancer, 2022, 30, 585-591.	1.0	4
2	ldentifying and managing CAR T-cell–mediated toxicities: on behalf of an Italian CAR-T multidisciplinary team. Expert Opinion on Biological Therapy, 2022, 22, 407-421.	1.4	1
3	GITMO Registry Study on Allogeneic Transplantation in Patients Aged ≥60 Years from 2000 to 2017: Improvements and Criticisms. Transplantation and Cellular Therapy, 2022, 28, 96.e1-96.e11.	0.6	13
4	The association of graft-versus-leukemia effect and graft-versus host disease in haploidentical transplantation with post-transplant cyclophosphamide for AML. Bone Marrow Transplantation, 2022, 57, 384-390.	1.3	10
5	Post-transplant cyclophosphamide in one-antigen mismatched unrelated donor transplantation versus haploidentical transplantation in acute myeloid leukemia: a study from the Acute Leukemia Working Party of the EBMT. Bone Marrow Transplantation, 2022, 57, 562-571.	1.3	16
6	Myeloablative conditioning with thiotepa-busulfan-fludarabine does not improve the outcome of patients transplanted with active leukemia: final results of the GITMO prospective trial GANDALF-01. Bone Marrow Transplantation, 2022, 57, 949-958.	1.3	7
7	Deciphering the effects of graft Tregs on chronic graft-versus-host disease: results from a prospective, multicenter study in patients with acute leukemia undergoing allogeneic peripheral blood stem cell transplantation. Bone Marrow Transplantation, 2022, , .	1.3	0
8	Elotuzumab plus lenalidomide and dexamethasone in relapsed/refractory multiple myeloma: Extended 3â€year followâ€up of a multicenter, retrospective clinical experience with 319 cases outside of controlled clinical trials. Hematological Oncology, 2022, 40, 704-715.	0.8	6
9	Reduced intensity versus non-myeloablative conditioning regimen for haploidentical transplantation and post-transplantation cyclophosphamide in complete remission acute myeloid leukemia: a study from the ALWP of the EBMT. Bone Marrow Transplantation, 2022, 57, 1421-1427.	1.3	7
10	The Burden in Caregivers of Multiple Myeloma Patients Undergoing Outpatient Autologous Stem-Cell Transplantation Compared to Inpatient Transplantation. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e402-e409.	0.2	4
11	Hematopoietic stem cell transplantation for adults with relapsed acute promyelocytic leukemia in second complete remission. Bone Marrow Transplantation, 2021, 56, 1272-1280.	1.3	18
12	Allelic HLA Matching and Pair Origin Are Favorable Prognostic Factors for Unrelated Hematopoietic Stem Cell Transplantation in Neoplastic Hematologic Diseases: An Italian Analysis by the Gruppo Italiano Trapianto di Cellule Staminali e Terapie Cellulari, Italian Bone Marrow Donor Registry, and Associazione Italiana di Immunogenetica e Biologia dei Trapianti. Transplantation and Cellular Therapy,	0.6	4
13	An update on B-cell maturation antigen-targeted therapies in Multiple Myeloma. Expert Opinion on Biological Therapy, 2021, 21, 1025-1034.	1.4	4
14	A Review of Clinical Outcomes of CAR T-Cell Therapies for B-Acute Lymphoblastic Leukemia. International Journal of Molecular Sciences, 2021, 22, 2150.	1.8	60
15	Chemotherapy-based regimens in multiple myeloma in 2020. Panminerva Medica, 2021, 63, 7-12.	0.2	10
16	Therapeutic afucosylated monoclonal antibody and bispecific T-cell engagers for T-cell acute lymphoblastic leukemia. , 2021, 9, e002026.		11
17	Low-Dose Cyclophosphamide versus Intermediate-High-Dose Cyclophosphamide versus Granulocyte Colony-Stimulating Factor Alone for Stem Cell Mobilization in Multiple Myeloma in the Era of Novel Agents: A Multicenter Retrospective Study. Transplantation and Cellular Therapy, 2021, 27, 244.e1-244.e8.	0.6	14
18	The role of ponatinib in adult BCR-ABL1 positive acute lymphoblastic leukemia after allogeneic transplantation: a real-life retrospective multicenter study. Annals of Hematology, 2021, 100, 1743-1753.	0.8	7

#	Article	IF	CITATIONS
19	Prognostic factors for neutrophil engraftment after haploidentical cell transplantation with PT-Cy in patients with acute myeloid leukemia in complete remission, on behalf of the ALWP-EBMT. Bone Marrow Transplantation, 2021, 56, 1842-1849.	1.3	4
20	Changes in Stem Cell Transplant activity and procedures during SARS-CoV2 pandemic in Italy: an Italian Bone Marrow Transplant Group (GITMO) nationwide analysis (TransCOVID-19 Survey). Bone Marrow Transplantation, 2021, 56, 2272-2275.	1.3	12
21	Eltrombopag for the treatment of poor graft function following allogeneic stem cell transplant: a retrospective multicenter study. International Journal of Hematology, 2021, 114, 228-234.	0.7	16
22	CART-Cell Therapy: Recent Advances and New Evidence in Multiple Myeloma. Cancers, 2021, 13, 2639.	1.7	17
23	Spotlight on Melphalan Flufenamide: An Up-and-Coming Therapy for the Treatment of Myeloma. Drug Design, Development and Therapy, 2021, Volume 15, 2969-2978.	2.0	9
24	The role of pharmacies in haematopoietic stem cell transplantation process: A nationwide survey by Gruppo Italiano Trapianto di Midollo Osseo. Journal of Clinical Pharmacy and Therapeutics, 2021, 46, 1665-1679.	0.7	1
25	The Impact of Graft CD3 Cell/Regulatory T Cell Ratio on Acute Graft-versus-Host Disease and Post-Transplantation Outcome: A Prospective Multicenter Study of Patients with Acute Leukemia Undergoing Allogeneic Peripheral Blood Stem Cell Transplantation. Transplantation and Cellular Therapy. 2021. 27. 918.e1-918.e9.	0.6	3
26	Letermovir Prophylaxis for Cytomegalovirus Infection in Allogeneic Stem Cell Transplantation: A Real-World Experience. Frontiers in Oncology, 2021, 11, 740079.	1.3	19
27	Allogenic stem cell transplantation in multiple myeloma: dead or alive and kicking?. Panminerva Medica, 2021, 62, 234-243.	0.2	3
28	Long-term survival in a fraction of patients with metastatic breast cancer who received consolidation therapy with high-dose chemotherapy and autologous stem cell transplant between 2000 and 2015: an EBMT registry-based study. Bone Marrow Transplantation, 2021, , .	1.3	0
29	Haploidentical Transplantation with Post-Transplantation Cyclophosphamide for T Cell Acute Lymphoblastic Leukemia: A Report from the European Society for Blood and Marrow Transplantation Acute Leukemia Working Party. Biology of Blood and Marrow Transplantation, 2020, 26, 936-942.	2.0	15
30	A comparative effectiveness study of lipegfilgrastim in multiple myeloma patients after high dose melphalan and autologous stem cell transplant. Annals of Hematology, 2020, 99, 331-341.	0.8	4
31	An in-depth evaluation of acalabrutinib for the treatment of mantle-cell lymphoma. Expert Opinion on Pharmacotherapy, 2020, 21, 29-38.	0.9	3
32	Granisetron transdermal system and dexamethasone for the prevention of nausea and vomiting in multiple myeloma patients receiving chemo-mobilization: An observational real-world study of effectiveness and safety. Transfusion and Apheresis Science, 2020, 59, 102911.	0.5	0
33	Multiple Myeloma Outpatient Transplant Program in the Era of Novel Agents: State-of-the-Art. Frontiers in Oncology, 2020, 10, 592487.	1.3	7
34	Plerixafor on-demand in association with low-dose cyclophosphamide and C-CSF in the mobilization of patients with multiple myeloma: High effectiveness, low toxicity, and affordable cost. Leukemia Research Reports, 2020, 14, 100227.	0.2	1
35	Impact of donor age and kinship on clinical outcomes after T-cell–replete haploidentical transplantation with PT-Cy. Blood Advances, 2020, 4, 3900-3912.	2.5	30
36	Nilotinib in steroid-refractory cGVHD: prospective parallel evaluation of response, according to NIH criteria and exploratory response criteria (GITMO criteria). Bone Marrow Transplantation, 2020, 55, 2077-2086.	1.3	5

#	Article	IF	CITATIONS
37	Manipulation, and cryopreservation of autologous peripheral blood stem cell products in Italy: A survey by CITMO, SIDEM and CIIMA societies. Transfusion and Apheresis Science, 2020, 59, 102753.	0.5	12
38	A comparison of chemo-free strategy with G-CSF plus plerixafor on demand versus intermediate-dose cyclophosphamide and G-CSF as PBSC mobilization in newly diagnosed multiple myeloma patients: An Italian explorative cost Analysis. Transfusion and Apheresis Science, 2020, 59, 102819.	0.5	6
39	Treatment of steroid resistant acute graft versus host disease with an anti-CD26 monoclonal antibody—Begelomab. Bone Marrow Transplantation, 2020, 55, 1580-1587.	1.3	21
40	Long-Term Remission Achieved by Ponatinib and Donor Lymphocytes Infusion in a Ph+ Acute Lymphoblastic Leukemia Patient in Molecular Relapse After Allogenic Stem Cell Transplant and Dasatinib: A Case Report. Frontiers in Oncology, 2020, 10, 967.	1.3	1
41	Elotuzumab, lenalidomide, and dexamethasone as salvage therapy for patients with multiple myeloma: Italian, multicenter, retrospective clinical experience with 300 cases outside of controlled clinical trials. Haematologica, 2020, 106, 291-294.	1.7	17
42	Bone marrow versus mobilized peripheral blood stem cell graft in T-cell-replete haploidentical transplantation in acute lymphoblastic leukemia. Leukemia, 2020, 34, 2766-2775.	3.3	30
43	Reduced Intensity Vs. Non-Myeloablative Conditioning Regimens for Haploidentical Transplantation in Complete Remission Acute Myeloid Leukemia: A Study from the ALWP of the EBMT. Blood, 2020, 136, 9-9.	0.6	0
44	A Patient with Chronic Lymphocytic Leukemia, Chronic Myeloid Leukemia and Multiple Myeloma. Blood, 2020, 136, 37-37.	0.6	1
45	Use of Post-Transplant Cyclophosphamide in One-Antigen Mismatched Unrelated Donor Transplantation Results in Similar Transplant Outcomes Than Haploidentical Hransplantation: A Retrospective Study on Behalf of the Acute Leukemia Working Party of the EBMT. Blood, 2020, 136, 26-27.	0.6	0
46	The use of ibrutinib before and after allogeneic stem cell transplantation. Expert Opinion on Orphan Drugs, 2019, 7, 171-180.	0.5	1
47	Quality of life outcomes in multiple myeloma patients: a summary of recent clinical trials. Expert Review of Hematology, 2019, 12, 665-684.	1.0	13
48	Individualized prediction of leukemiaâ€free survival after autologous stem cell transplantation in acute myeloid leukemia. Cancer, 2019, 125, 3566-3573.	2.0	17
49	Challenge to Predict Mobilized Peripheral Blood Stem Cells on the Fourth Day of Granulocyte Colony-Stimulating Factor Treatment in Healthy Donors: Predictive Value of Basal CD34+ Cell and Platelet Counts. Biology of Blood and Marrow Transplantation, 2019, 25, 1586-1591.	2.0	7
50	Graft-Versus-Leukemia Effect after Haplo-Identical Stem Cell Transplantation with Post-Transplant Cyclophosphamide in Patients with AML- No Association with Graft-Versus-Host Disease (GVHD): A Study on Behalf of the Acute Leukemia Working Party of EBMT Biology of Blood and Marrow Transplantation, 2019, 25, S242-S243.	2.0	2
51	Management of cancer-associated anemia with erythropoiesis-stimulating agents: ASCO/ASH clinical practice guideline update. Blood Advances, 2019, 3, 1197-1210.	2.5	76
52	Bone Marrow Versus Mobilized Peripheral Blood Stem Cells for Non T Depleted Haploidentical Transplantations with Post Transplantation Cyclophosphamide in Acute Lymphoblastic Leukemia: On Behalf of the ALWP of the EBMT. Blood, 2019, 134, 589-589.	0.6	0
53	Predicting failure of hematopoietic stem cell mobilization before it starts: the predicted poor mobilizer (pPM) score. Bone Marrow Transplantation, 2018, 53, 461-473.	1.3	28
54	Cost-effectiveness of on-demand plerixafor added to chemotherapy and granulocyte-colony stimulating factor for peripheral blood stem cell mobilization in multiple myeloma. Leukemia and Lymphoma, 2018, 59, 42-48.	0.6	12

#	Article	IF	CITATIONS
55	A Comparative Assessment of Quality of Life in Patients with Multiple Myeloma Undergoing Autologous Stem Cell Transplantation Through an Outpatient and Inpatient Model. Biology of Blood and Marrow Transplantation, 2018, 24, 608-613.	2.0	19
56	Graft-Versus-Leukemia Effect after Haplo-Identical Stem Cell Transplantation with Post-Transplant Cyclophosphamide in Patients with AML- No Association with Graft-Versus-Host Disease: A Study on Behalf of the Acute Leukemia Working Party of EBMT. Blood, 2018, 132, 4586-4586.	0.6	1
57	Elotuzumab, Lenalidomide, and Dexamethasone (EloRd) As Salvage Therapy for Patients with Multiple Myeloma: Italian, Multicenter, Retrospective Clinical Experience with 180 Cases Outside of Controlled Clinical Trials. Blood, 2018, 132, 2023-2023.	0.6	Ο
58	A comparative analysis of biosimilar vs. originator filgrastim in combination with plerixafor for stem cell mobilization in lymphoma and multiple myeloma: a propensityâ€score weighted multicenter approach. American Journal of Hematology, 2017, 92, E557-E559.	2.0	10
59	Autologous Stem Cell Transplantation in Patients With Multiple Myeloma: An Activity-based Costing Analysis, Comparing a Total Inpatient Model Versus an Early Discharge Model. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 506-512.	0.2	16
60	Basal CD34 + Cell Count Predicts Peripheral Blood Stem Cell Mobilization in Healthy Donors after Administration of Granulocyte Colony–Stimulating Factor: A Longitudinal, Prospective, Observational, Single-Center, Cohort Study. Biology of Blood and Marrow Transplantation, 2017, 23, 1215-1220.	2.0	14
61	Venetoclax for the treatment of chronic lymphocytic leukemia. Expert Opinion on Investigational Drugs, 2017, 26, 1307-1316.	1.9	48
62	Can we improve the conditioning regimen before autologous stem cell transplantation in multiple myeloma?. Expert Opinion on Orphan Drugs, 2017, 5, 875-887.	0.5	3
63	Salvage High-Dose Chemotherapy for Relapsed Pure Seminoma in the Last 10 Years: Results From the European Society for Blood and Marrow Transplantation Series 2002-2012. Clinical Genitourinary Cancer, 2017, 15, 163-167.	0.9	3
64	Chemotherapy and Cardiotoxicity in Hematologic Malignancies. Current Cancer Drug Targets, 2017, 17, 311-324.	0.8	8
65	Italian consensus conference for the outpatient autologous stem cell transplantation management in multiple myeloma. Bone Marrow Transplantation, 2016, 51, 1032-1040.	1.3	26
66	A phase II, single-arm, prospective study of bendamustine plus melphalan conditioning for second autologous stem cell transplantation in de novo multiple myeloma patients through a tandem transplant strategy. Bone Marrow Transplantation, 2016, 51, 1197-1203.	1.3	28
67	Recommended screening and preventive evaluation practices of adult candidates for hematopoietic stem cell transplantation. Expert Opinion on Biological Therapy, 2016, 16, 1361-1372.	1.4	4
68	The favorable role of homozygosity for killer immunoglobulin-like receptor (KIR) A haplotype in patients with advanced-stage classic Hodgkin lymphoma. Journal of Hematology and Oncology, 2016, 9, 26.	6.9	9
69	Sorafenib for the treatment of multiple myeloma. Expert Opinion on Investigational Drugs, 2016, 25, 743-749.	1.9	10
70	High-Dose Chemotherapy and Autologous Hematopoietic Stem Cell Transplantation as Adjuvant Treatment in High-RiskABreast Cancer: Data from the European Group forABlood and Marrow Transplantation Registry. Biology of Blood and Marrow Transplantation, 2016, 22, 475-481.	2.0	7
71	The role of tandem stem cell transplantation for multiple myeloma patients. Expert Opinion on Biological Therapy, 2016, 16, 515-534.	1.4	10
72	Prognostic impact of progression to induction chemotherapy and prior paclitaxel therapy in patients with germ cell tumors receiving salvage high-dose chemotherapy in the last 10 years: a study of the European Society for Blood and Marrow Transplantation Solid Tumors Working Party. Bone Marrow Transplantation, 2016, 51, 384-390.	1.3	7

#	Article	IF	CITATIONS
73	Salvage treatment for relapsed/refractory Hodgkin lymphoma: role of allografting, brentuximab vedotin and newer agents. Expert Opinion on Biological Therapy, 2016, 16, 347-364.	1.4	4
74	Polycythemia following allogeneic hematopoietic progenitor cell transplantation occurring during iron chelation therapy. Leukemia and Lymphoma, 2016, 57, 969-972.	0.6	1
75	Basal CD34+ Cell Count Predicts Peripheral Blood Hematopoietic Progenitor Cells Mobilization in Healthy Donors after Administration of G-CSF. Blood, 2016, 128, 3380-3380.	0.6	1
76	Mobilization of hematopoietic progenitor stem cells in allogeneic setting with lenograstim by subcutaneous injection, in daily or twiceâ€daily dosing: a singleâ€center prospective study with historical control. Transfusion, 2015, 55, 2032-2038.	0.8	6
77	Clinical Options in Relapsed or Refractory Hodgkin Lymphoma: An Updated Review. Journal of Immunology Research, 2015, 2015, 1-11.	0.9	12
78	Immune-related strategies driving immunotherapy in breast cancer treatment: a real clinical opportunity. Expert Review of Anticancer Therapy, 2015, 15, 689-702.	1.1	10
79	Autologous stem cell transplantation in multiple myeloma is not dead but alive and well. Expert Opinion on Biological Therapy, 2015, 15, 149-154.	1.4	9
80	Erythropoiesis-stimulating agents in allogeneic and autologous hematopoietic stem cell transplantation. Expert Opinion on Biological Therapy, 2015, 15, 195-211.	1.4	2
81	Smoldering multiple myeloma: to treat or not to treat. Expert Opinion on Pharmacotherapy, 2015, 16, 785-790.	0.9	3
82	Efficacy of biosimilar granulocyte colony-stimulating factor versus originator granulocyte colony-stimulating factor in peripheral blood stem cell mobilization in de novo multiple myeloma patients. Cytotherapy, 2015, 17, 1485-1493.	0.3	17
83	Mobilization of Hematopoietic Stem Cells with Lenograstim in Healthy Donors: Efficacy and Safety Analysis According to Donor Age. Biology of Blood and Marrow Transplantation, 2015, 21, 881-888.	2.0	14
84	High-Dose Melphalan Plus Thiotepa as Conditioning Regimen before Second Autologous Stem Cell Transplantation for "DeÂNovo―Multiple Myeloma Patients: A Phase II Study. Biology of Blood and Marrow Transplantation, 2015, 21, 1932-1938.	2.0	20
85	Plerixafor: what we still have to learn. Expert Opinion on Biological Therapy, 2015, 15, 143-147.	1.4	13
86	Allogeneic stem cell transplantation in multiple myeloma: immunotherapy and new drugs. Expert Opinion on Biological Therapy, 2015, 15, 857-872.	1.4	18
87	High-Dose Chemotherapy With Autologous Hematopoietic Stem Cell Transplantation for High-Risk Primary Breast Cancer. Journal of the National Cancer Institute Monographs, 2015, 2015, 70-75.	0.9	13
88	A home-care, early discharge model after autografting in multiple myeloma: results of a three-arm prospective, non-randomized study. Leukemia and Lymphoma, 2015, 56, 801-804.	0.6	17
89	Breast cancer circulating biomarkers: advantages, drawbacks, and new insights. Tumor Biology, 2015, 36, 6653-6665.	0.8	38
90	High-dose chemotherapy for germ cell tumors: do we have a model?. Expert Opinion on Biological Therapy, 2015, 15, 33-44.	1.4	15

#	Article	lF	CITATIONS
91	Results and Cost Effectiveness of "on-Demand" Plerixafor Added to Chemotherapy and Granulocyte Colony-Stimulating Factor for Peripheral Blood Stem Cell Mobilization in Multiple Myeloma. Blood, 2015, 126, 4305-4305.	0.6	0
92	Fast and Non-Invasive Identification of Tumorigenic-Proliferative Biomarker in Myeloproliferative and Lymphoproliferative Disorders. Blood, 2015, 126, 5305-5305.	0.6	0
93	A Phase 2 Study of Bendamustine Plus Melphalan Conditioning for Second Autologous Stem Cell Transplantation in "De-Novo" Multiple Myeloma Patients in a Tandem Transplant Strategy. Blood, 2015, 126, 3197-3197.	0.6	0
94	Factors affecting successful mobilization with plerixafor: an <scp>I</scp> talian prospective survey in 215 patients with multiple myeloma and lymphoma. Transfusion, 2014, 54, 331-339.	0.8	39
95	Long-active granulocyte colony-stimulating factor for peripheral blood hematopoietic progenitor cell mobilization. Expert Opinion on Biological Therapy, 2014, 14, 757-772.	1.4	15
96	Role of new drugs incorporated into consolidation and maintenance therapy in transplant-eligible multiple myeloma patients. Expert Opinion on Pharmacotherapy, 2014, 15, 1315-1320.	0.9	6
97	Adjuvant High-Dose Chemotherapy with Autologous Hematopoietic Stem Cell Support for High-Risk Primary Breast Cancer: Results from the Italian National Registry. Biology of Blood and Marrow Transplantation, 2014, 20, 501-506.	2.0	7
98	Very Low Rate of Readmission after an Early Discharge Outpatient Model for Autografting in Multiple Myeloma Patients: An Italian Multicenter Retrospective Study. Biology of Blood and Marrow Transplantation, 2014, 20, 1026-1032.	2.0	28
99	Identification of hematopoietic progenitor cell donor characteristics predicting successful mobilization: results of an <scp>I</scp> talian multicenter study. Transfusion, 2014, 54, 2028-2033.	0.8	27
100	Tolerability and Efficacy of Busulfan and Fludarabine As Allogeneic Pretransplant Conditioning Therapy in Acute Myeloid Leukemia: Comparison With Busulfan and Cyclophosphamide Regimen. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, 493-500.	0.2	7
101	Plerixafor onâ€demand combined with chemotherapy and granulocyte colonyâ€stimulating factor: significant improvement in peripheral blood stem cells mobilization and harvest with no increase in costs. British Journal of Haematology, 2014, 164, 113-123.	1.2	55
102	Long-Term Results in Multiple Myeloma After High-Dose Melphalan and Autologous Transplantation According to Response Categories in the Era of Old Drugs. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, 148-154.	0.2	13
103	Plerixafor with biosimilar granulocyte colony-stimulating factor (G-CSF): effective strategy in peripheral blood stem cell (PBSC) mobilization in poor mobilizers. Transfusion and Apheresis Science, 2014, 50, S20-S21.	0.5	0
104	Homozygosity for Killer Immunoglobin-like Receptor (KIR) Haplotype a Is Associated to Negative Interim Positron Emission Tomography (PET) and a Favourable Outcome in Hodgkin Lymphoma. Blood, 2014, 124, 133-133.	0.6	1
105	Bendamustine Plus Melphalan As Conditioning Regimen for Second Autologous Stem Cell Transplantation in Patients with Multiple Myeloma: Single Centre Experience. Blood, 2014, 124, 2516-2516.	0.6	3
106	Safety of Peripheral Hematopoietic Stem Cell Mobilization with Lenograstim in Allogeneic Healthy Donors ≥ 50 Years Old: A Single-Centre Experience. Blood, 2014, 124, 3844-3844.	0.6	0
107	Biosimilar Compared with Originator Filgrastim for Autologous Stems CELL Mobilisation: A Prospective-Historical Control Study in Multiple Myeloma REAL-Life Setting. Blood, 2014, 124, 5825-5825.	0.6	0
108	An old drug with a new future: bendamustine in multiple myeloma. Expert Opinion on Pharmacotherapy, 2013, 14, 2263-2280.	0.9	15

#	Article	IF	CITATIONS
109	Hematopoietic progenitor cells transplantation for recurrent or refractory Hodgkin's lymphoma. Expert Opinion on Biological Therapy, 2013, 13, 1013-1027.	1.4	2
110	Addressing the questions of tomorrow: melphalan and new combinations as conditioning regimens before autologous hematopoietic progenitor cell transplantation in multiple myeloma. Expert Opinion on Investigational Drugs, 2013, 22, 619-634.	1.9	17
111	Are there still reasons to believe that high-dose chemotherapy has a role in breast cancer management?. Bone Marrow Transplantation, 2013, 48, 305-305.	1.3	2
112	Long-term survival in patients with metastatic breast cancer receiving intensified chemotherapy and stem cell rescue: data from the Italian registry. Bone Marrow Transplantation, 2013, 48, 414-418.	1.3	16
113	Diagnostic approaches for identifying acute graft-versus-host disease: what comes next?. Immunotherapy, 2013, 5, 553-556.	1.0	0
114	Optimizing Outcomes Following Allogeneic Hematopoietic Progenitor Cell Transplantation in AML: The Role of Hypomethylating Agents. Current Cancer Drug Targets, 2013, 13, 661-669.	0.8	16
115	Early measurement of CD34+ cells in peripheral blood after cyclophosphamide and granulocyte colony-stimulating factor treatment predicts later CD34+ mobilisation failure and is a possible criterion for guiding "on demand" use of plerixafor. Blood Transfusion, 2013, 11, 94-101.	0.3	13
116	Pulmonary micro-embolism in a healthy donor following G-CSF administration for mobilization of hemopoietic progenitor cells. Bone Marrow Transplantation, 2012, 47, 308-310.	1.3	5
117	Critical issues on high-dose chemotherapy with autologous hematopoietic progenitor cell transplantation in breast cancer patients. Expert Opinion on Biological Therapy, 2012, 12, 1505-1515.	1.4	14
118	Autologous hematopoietic progenitor cell transplantation for multiple myeloma through an outpatient program. Expert Opinion on Biological Therapy, 2012, 12, 1449-1462.	1.4	18
119	Extracorporeal photopheresis, a therapeutic option for cutaneous T-cell lymphoma and immunological diseases: state of the art. Expert Opinion on Biological Therapy, 2012, 12, 1017-1030.	1.4	9
120	Internal Iliac Artery Perforation following Bone Marrow Aspiration in a Patient with No Previously Identified Risk Factors: A Case Report and Review of the Literature. Acta Haematologica, 2012, 127, 23-25.	0.7	4
121	A molecular and computational diagnostic approach identifies FOXP3, ICOS, CD52 and CASP1 as the most informative biomarkers in acute graft-versus-host disease. Haematologica, 2012, 97, 1532-1538.	1.7	8
122	Plerixafor Added to Chemotherapy Plus G-CSF Is SafeÂand Allows Adequate PBSC Collection in Predicted Poor Mobilizer Patients with Multiple Myeloma orÂLymphoma. Biology of Blood and Marrow Transplantation, 2012, 18, 241-249.	2.0	69
123	Long-term safety of granulocyte colony-stimulating factor in normal donors: is it all clear?. Expert Opinion on Biological Therapy, 2012, 12, 609-621.	1.4	20
124	The impact of early CD4+ lymphocyte recovery on the outcome of patients who undergo allogeneic bone marrow or peripheral blood stem cell transplantation. Blood Transfusion, 2012, 10, 174-80.	0.3	38
125	CD34+ mobilization and pbsc apheretic harvest in multiple myeloma patients at first mobilization attempt: variability in results among different centers. Drugs and Cell Therapies in Hematology, 2012, 1, 91.	0.1	1
126	Imatinib mesylate in T-cell large granular lymphocyte leukemia associated with chronic graft-versus-host disease. Leukemia and Lymphoma, 2011, 52, 2010-2011.	0.6	2

#	Article	IF	CITATIONS
127	Short and long-term safety of lenograstim administration in healthy peripheral haematopoietic progenitor cell donors: a single centre experience. Bone Marrow Transplantation, 2009, 44, 163-168.	1.3	35
128	Utility of the Clinical Practice of Admnistering Thrombophilic Screening and Antithrombotic Prophylaxis with Low-Molecular-Weight Heparin to Healthy Donors Treated with G-Csf for Mobilization of Peripheral Blood Stem Cells. Tumori, 2007, 93, 155-159.	0.6	2
129	Low tolerance and high toxicity of thalidomide as maintenance therapy after double autologous stem cell transplant in multiple myeloma patients. European Journal of Haematology, 2007, 78, 35-40.	1.1	16
130	Utility of the clinical practice of administering thrombophilic screening and antithrombotic prophylaxis with low-molecular-weight heparin to healthy donors treated with G-CSF for mobilization of peripheral blood stem cells. Tumori, 2007, 93, 155-9.	0.6	2
131	Wernicke's encephalopathy after allogeneic stem cell transplantation. Tumori, 2007, 93, 207-9.	0.6	1
132	Cardiac toxicity of trastuzumab in metastatic breast cancer patients previously treated with high-dose chemotherapy: a retrospective study. British Journal of Cancer, 2006, 94, 1016-1020.	2.9	39
133	Different γ/δT clones sustain GVM and GVH effects in multiple myeloma patients after non-myeloablative transplantation. Leukemia Research, 2006, 30, 529-535.	0.4	14
134	Pegfilgrastim compared with filgrastim after high-dose melphalan and autologous hematopoietic peripheral blood stem cell transplantation in multiple myeloma patients. European Journal of Haematology, 2006, 77, 410-415.	1.1	38
135	Predictive factors that affect the mobilization of CD34+cells in healthy donors treated with recombinant granulocyte colony-stimulating factor (G-CSF). Journal of Clinical Apheresis, 2006, 21, 169-175.	0.7	33
136	High-dose therapy and autologous peripheral blood stem cells transplantation followed by a very low reduced intensity regimen with fludarabine + cyclophosphamide and allograft improve complete remission rate in de novo multiple myeloma patients. American Journal of Hematology, 2006, 81, 973-978.	2.0	7
137	Prognostic role of minimal residual disease in multiple myeloma patients after non-myeloablative allogeneic transplantation. Leukemia Research, 2005, 29, 961-966.	0.4	56
138	'In vivo' time course of plasma myeloperoxidase levels after granulocyte colony-stimulating factor-induced stem cell mobilization. Transfusion Medicine, 2005, 15, 425-428.	0.5	5
139	Harvesting peripheral blood progenitor cells from healthy donors with a short course of recombinant human granulocyte-colony-stimulating factor. Transfusion Medicine, 2005, 15, 323-328.	0.5	13
140	Harvesting peripheral blood progenitor cells from healthy donors: retrospective comparison of filgrastim and lenograstim. Journal of Clinical Apheresis, 2005, 20, 129-136.	0.7	26
141	Administration of recombinant human erythropoietin alpha before autologous stem cell transplantation reduces transfusion requirement in multiple myeloma patients. Supportive Care in Cancer, 2005, 13, 182-187.	1.0	6
142	Modification of the content of plasma protein carbonyl groups in donors after granulocyte colony stimulating factor-induced stem cell mobilization. Transfusion and Apheresis Science, 2005, 33, 141-146.	0.5	4
143	Chimerism does not influence graft-versus-myeloma and graft-versus-host disease in reduced intensity setting. Transplant Immunology, 2005, 15, 173-177.	0.6	7
144	Peripheral blood stem cell contamination evaluated by a highly sensitive molecular method fails to predict outcome of autotransplanted multiple myeloma patients. British Journal of Haematology, 2003, 120, 405-412.	1.2	27

#	Article	IF	CITATIONS
145	Differences in Transplant-Related Complications between Hematologic Malignancies and Solid Tumors Receiving High-Dose Chemotherapy and Autologous Peripheral Blood Stem Cell Transplantation. Tumori, 2003, 89, 385-390.	0.6	6
146	Differences in transplant-related complications between hematologic malignancies and solid tumors receiving high-dose chemotherapy and autologous peripheral blood stem cell transplantation. Tumori, 2003, 89, 385-90.	0.6	2
147	High-dose chemotherapy with mitoxantrone + melphalan and autologous stem cell rescue in metastatic breast cancer patients: a study of feasibility and tolerability. Tumori, 2003, 89, 492-6.	0.6	0
148	Systemic aspergillosis in a patient with non-Hodgkin's lymphoma developing acute graft-versus-host disease after autologous peripheral blood stem cell transplantation. Haematologica, 2002, 87, ECR22.	1.7	2
149	Feasibility of a mixed inpatient-outpatient model of peripheral blood stem cell transplantation for multiple myeloma. Haematologica, 2002, 87, 1192-9.	1.7	34
150	Basiliximab for the treatment of graft rejection in haploidentical peripheral blood stem cell transplantation. Haematologica, 2002, 87, ECR44.	1.7	0
151	Infectious complications in breast cancer patients undergoing peripheral blood stem cell transplantation: a single center retrospective analysis towards outpatient strategy. Bone Marrow Transplantation, 2001, 28, 883-888.	1.3	8
152	Graft-versus-lymphoma effect in a patient with a refractory low-grade lymphoma. Haematologica, 1999, 84, 1156-7.	1.7	0
153	Technical note: Chromosomal and mtDNA analysis of Oliver. , 1998, 105, 395-403.		2
154	HIGH-DOSE ETOPOSIDE ENABLES THE COLLECTION OF PERIPHERAL BLOOD STEM CELLS IN PATIENTS WHO FAILED CYCLOPHOSPHAMIDE-INDUCED MOBILIZATION. British Journal of Haematology, 1998, 100, 612-613.	1.2	5
155	Fractionated infusions of cryopreserved stem cells may prevent DMSO-induced major cardiac complications in graft recipients. Haematologica, 1996, 81, 59-61.	1.7	52
156	Two consecutive courses of rh-G-CSF-mobilized peripheral blood stem cells for primary marrow alloengraftment failure: case report. Haematologica, 1996, 81, 464-7.	1.7	0
157	Thrombotic thrombocytopenic purpura: a rare late complication of allogeneic bone marrow transplantation. Haematologica, 1994, 79, 371-3.	1.7	3