

Wei J Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/430569/publications.pdf>

Version: 2024-02-01

267
papers

13,802
citations

29994

54
h-index

30010

103
g-index

270
all docs

270
docs citations

270
times ranked

15752
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
2	A Five-Gene Signature and Clinical Outcome in Non-Small-Cell Lung Cancer. <i>New England Journal of Medicine</i> , 2007, 356, 11-20.	13.9	877
3	MicroRNA Signature Predicts Survival and Relapse in Lung Cancer. <i>Cancer Cell</i> , 2008, 13, 48-57.	7.7	754
4	Chronic Hepatitis C Virus Infection Increases Mortality From Hepatic and Extrahepatic Diseases: A Community-Based Long-Term Prospective Study. <i>Journal of Infectious Diseases</i> , 2012, 206, 469-477.	1.9	465
5	Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019, 51, 1670-1678.	9.4	440
6	Rare coding variants in ten genes confer substantial risk for schizophrenia. <i>Nature</i> , 2022, 604, 509-516.	13.7	326
7	Testing the 8-Syndrome Structure of the Child Behavior Checklist in 30 Societies. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2007, 36, 405-417.	2.2	312
8	Intellectual performance and school failure in children with attention deficit hyperactivity disorder and in their siblings. <i>Journal of Abnormal Psychology</i> , 1993, 102, 616-623.	2.0	278
9	High α -fetoprotein level correlates with high stage, early recurrence and poor prognosis of hepatocellular carcinoma: Significance of hepatitis virus infection, age, p53 and β -catenin mutations. <i>International Journal of Cancer</i> , 2004, 112, 44-50.	2.3	274
10	Sustained Attention Deficit and Schizotypal Personality Features in Nonpsychotic Relatives of Schizophrenic Patients. <i>American Journal of Psychiatry</i> , 1998, 155, 1214-1220.	4.0	236
11	Schizotypy in community samples: The three-factor structure and correlation with sustained attention. <i>Journal of Abnormal Psychology</i> , 1997, 106, 649-654.	2.0	227
12	Improving polygenic prediction in ancestrally diverse populations. <i>Nature Genetics</i> , 2022, 54, 573-580.	9.4	209
13	MicroRNA Expression Aberration as Potential Peripheral Blood Biomarkers for Schizophrenia. <i>PLoS ONE</i> , 2011, 6, e21635.	1.1	200
14	Deficits in Sustained Attention in Schizophrenia and Affective Disorders: Stable Versus State-Dependent Markers. <i>American Journal of Psychiatry</i> , 2002, 159, 975-982.	4.0	194
15	Genetic heterogeneity in attention-deficit hyperactivity disorder (ADHD): Gender, psychiatric comorbidity, and maternal ADHD. <i>Journal of Abnormal Psychology</i> , 1995, 104, 334-345.	2.0	164
16	Sustained attention deficits as markers of genetic susceptibility to schizophrenia. <i>Journal of Abnormal Psychology</i> , 2000, 97, 52-57.		157
17	Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis. <i>Journal of Affective Disorders</i> , 2004, 82, 419-30.	2.0	154
18	Alcohol-Metabolising Genes and Alcoholism Among Taiwanese Han Men: Independent Effect of ADH2, ADH3 and ALDH2. <i>British Journal of Psychiatry</i> , 1996, 168, 762-767.	1.7	153

#	ARTICLE	IF	CITATIONS
19	Hepatitis C Virus Seromarkers and Subsequent Risk of Hepatocellular Carcinoma: Long-Term Predictors From a Community-Based Cohort Study. <i>Journal of Clinical Oncology</i> , 2010, 28, 4587-4593.	0.8	150
20	Performance of the Continuous Performance Test Among Community Samples. <i>Schizophrenia Bulletin</i> , 1998, 24, 163-174.	2.3	137
21	Segregation analysis of attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 1992, 2, 257-276.	0.6	135
22	Hepatitis C Virus Infection and Increased Risk of Cerebrovascular Disease. <i>Stroke</i> , 2010, 41, 2894-2900.	1.0	134
23	Exome sequencing in schizophrenia-affected parent-offspring trios reveals risk conferred by protein-coding de novo mutations. <i>Nature Neuroscience</i> , 2020, 23, 185-193.	7.1	125
24	Development of sustained attention assessed using the continuous performance test among children 6-15 years of age. <i>Journal of Abnormal Child Psychology</i> , 1999, 27, 403-412.	3.5	124
25	Competence and Behavioral/Emotional Problems Among Taiwanese Adolescents as Reported by Parents and Teachers. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000, 39, 232-239.	0.3	124
26	Second-Generation Antipsychotic Medications and Risk of Pneumonia in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 648-657.	2.3	124
27	Biomarkers in schizophrenia: A focus on blood based diagnostics and theranostics. <i>World Journal of Psychiatry</i> , 2016, 6, 102.	1.3	122
28	Gender Differences in Age at Onset of Schizophrenia. <i>British Journal of Psychiatry</i> , 1994, 164, 625-629.	1.7	117
29	Sex Differences in the Familial Transmission of Schizophrenia. <i>British Journal of Psychiatry</i> , 1990, 156, 819-826.	1.7	114
30	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
31	Survey of substance use among high school students in Taipei: Web-based questionnaire versus paper-and-pencil questionnaire. <i>Journal of Adolescent Health</i> , 2005, 37, 289-295.	1.2	111
32	A New Tumor Suppressor DnaJ-like Heat Shock Protein, HLI1, and Survival of Patients With Non-Small-Cell Lung Carcinoma. <i>Journal of the National Cancer Institute</i> , 2006, 98, 825-838.	3.0	108
33	Severe obstetric complications and birth characteristics in preterm or term delivery were accurately recalled by mothers. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 429-435.	2.4	103
34	Low prevalence of major depressive disorder in Taiwanese adults: possible explanations and implications. <i>Psychological Medicine</i> , 2012, 42, 1227-1237.	2.7	102
35	Cloninger's tridimensional personality questionnaire: Psychometric properties and construct validity in Taiwanese adults. <i>Comprehensive Psychiatry</i> , 2002, 43, 158-166.	1.5	94
36	Prevalence of DSM-5 mental disorders in a nationally representative sample of children in Taiwan: methodology and main findings. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e15.	1.8	88

#	ARTICLE	IF	CITATIONS
37	Truancy and illicit drug use among adolescents surveyed via street outreach. <i>Addictive Behaviors</i> , 2006, 31, 149-154.	1.7	85
38	Schizotypy in community samples: the three-factor structure and correlation with sustained attention. <i>Journal of Abnormal Psychology</i> , 1997, 106, 649-54.	2.0	85
39	Asthma and Suicide Mortality in Young People: A 12-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1092-1099.	4.0	82
40	Alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among Taiwanese aborigines. <i>Biological Psychiatry</i> , 1997, 41, 703-709.	0.7	74
41	Functional Relevance of Human ADH Polymorphism. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 157S-163S.	1.4	72
42	Genome Scan of Han Chinese Schizophrenia Families From Taiwan: Confirmation of Linkage to 10q22.3. <i>American Journal of Psychiatry</i> , 2006, 163, 1760-1766.	4.0	70
43	Alcoholism among Four Aboriginal Groups in Taiwan: High Prevalences and Their Implications. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 81-91.	1.4	68
44	Community and personal risk factors for hepatitis C virus infection: a survey of 23 820 residents in Taiwan in 1991-2. <i>Gut</i> , 2011, 60, 688-694.	6.1	66
45	Use of ecstasy and other psychoactive substances among school-attending adolescents in Taiwan: national surveys 2004-2006. <i>BMC Public Health</i> , 2009, 9, 27.	1.2	65
46	A Single Nucleotide Polymorphism Fine Mapping Study of Chromosome 1q42.1 Reveals the Vulnerability Genes for Schizophrenia, GNPAT and DISC1: Association with Impairment of Sustained Attention. <i>Biological Psychiatry</i> , 2006, 60, 554-562.	0.7	64
47	Aberrant expression of microRNAs as biomarker for schizophrenia: from acute state to partial remission, and from peripheral blood to cortical tissue. <i>Translational Psychiatry</i> , 2016, 6, e717-e717.	2.4	64
48	Pretibial epidermolysis bullosa: genetic linkage to COL7A1 and identification of a glycine-to-cysteine substitution in the triple-helical domain of type VII collagen. <i>Human Molecular Genetics</i> , 1995, 4, 1579-1583.	1.4	63
49	Effects of Atypical Neuroleptics on Sustained Attention Deficits in Schizophrenia A Trial of Risperidone Versus Haloperidol. <i>Neuropsychopharmacology</i> , 2000, 22, 311-319.	2.8	62
50	Diagnosis of zygosity by questionnaire and polymarker polymerase chain reaction in young twins. <i>Behavior Genetics</i> , 1999, 29, 115-123.	1.4	61
51	Performance on the Wisconsin Card Sorting Test Among Adolescents in Taiwan: Norms, Factorial Structure, and Relation to Schizotypy. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2000, 22, 69-79.	0.8	61
52	Morbidity Risk of Psychiatric Disorders Among the First Degree Relatives of Schizophrenia Patients in Taiwan. <i>Schizophrenia Bulletin</i> , 2002, 28, 379-392.	2.3	60
53	Neuregulin 1 gene and variations in perceptual aberration of schizotypal personality in adolescents. <i>Psychological Medicine</i> , 2005, 35, 1589-1598.	2.7	59
54	Three single-nucleotide polymorphisms of the angiotensinogen gene and susceptibility to hypertension: single locus genotype vs. haplotype analysis. <i>Physiological Genomics</i> , 2004, 17, 79-86.	1.0	58

#	ARTICLE	IF	CITATIONS
55	More evidence supports the association of PPP3CC with schizophrenia. <i>Molecular Psychiatry</i> , 2007, 12, 966-974.	4.1	57
56	Depression trajectories and obesity among the elderly in Taiwan. <i>Psychological Medicine</i> , 2011, 41, 1665-1676.	2.7	55
57	Clinical symptom dimensions and deficits on the continuous performance test in schizophrenia. <i>Schizophrenia Research</i> , 1997, 25, 211-219.	1.1	54
58	Psychiatric comorbidity and gender difference among treatment-seeking heroin abusers in Taiwan. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 105-111.	1.0	54
59	Antipsychotic Drugs, Mood Stabilizers, and Risk of Pneumonia in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e79-e86.	1.1	54
60	Substance use among adolescents in Taiwan: associated personality traits, incompetence, and behavioral/emotional problems. <i>Drug and Alcohol Dependence</i> , 2002, 67, 27-39.	1.6	53
61	Sustained attention deficits in nonpsychotic relatives of schizophrenic patients: a recurrence risk ratio analysis. <i>Biological Psychiatry</i> , 2004, 55, 995-1000.	0.7	52
62	Primary malignant tumor of liver in infants and children in Taiwan. <i>Journal of Pediatric Surgery</i> , 1988, 23, 457-461.	0.8	51
63	RASD2, MYH9, and CACNG2 Genes at Chromosome 22q12 Associated with the Subgroup of Schizophrenia with Non-Deficit in Sustained Attention and Executive Function. <i>Biological Psychiatry</i> , 2008, 64, 789-796.	0.7	51
64	No association of G72 and d-amino acid oxidase genes with schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 15-20.	1.1	49
65	Genetic Variants of <i>TCF7L2</i> Are Associated with Insulin Resistance and Related Metabolic Phenotypes in Taiwanese Adolescents and Caucasian Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3575-3582.	1.8	48
66	Differences in prevalence, socio-behavioral correlates, and psychosocial distress between club drug and hard drug use in Taiwan: Results from the 2014 National Survey of Substance Use. <i>International Journal of Drug Policy</i> , 2017, 48, 99-107.	1.6	46
67	An epidemiological study of nocturnal enuresis in Taiwanese children. <i>BJU International</i> , 2001, 87, 678-681.	1.3	45
68	Taiwan schizophrenia linkage study: The field study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 134B, 30-36.	1.1	45
69	Underreporting of illicit drug use by patients at emergency departments as revealed by two-tiered urinalysis. <i>Addictive Behaviors</i> , 2006, 31, 2304-2308.	1.7	45
70	Genetic polymorphisms of the promoter region of dopamine D2 receptor and dopamine transporter genes and alcoholism among four aboriginal groups and Han Chinese in Taiwan. <i>Psychiatric Genetics</i> , 2001, 11, 187-195.	0.6	44
71	Symptom patterns and subgrouping of schizophrenic patients: significance of negative symptoms assessed on admission. <i>Schizophrenia Research</i> , 2002, 56, 105-119.	1.1	44
72	Schizophrenia, autism spectrum disorders and developmental disorders share specific disruptive coding mutations. <i>Nature Communications</i> , 2021, 12, 5353.	5.8	44

#	ARTICLE	IF	CITATIONS
73	Prevalence and identification of alcohol use disorders among nonpsychiatric inpatients in one general hospital. <i>General Hospital Psychiatry</i> , 2004, 26, 219-225.	1.2	43
74	Affect recognition as an independent social function determinant in schizophrenia. <i>Comprehensive Psychiatry</i> , 2009, 50, 443-452.	1.5	43
75	Dopamine D2 receptor gene and alcoholism among four aboriginal groups and Han in Taiwan. , 1997, 74, 129-136.		41
76	Interleukin 4 and STAT6 gene polymorphisms are associated with systemic lupus erythematosus in Chinese patients. <i>Lupus</i> , 2010, 19, 1219-1228.	0.8	41
77	Causes of death of patients with methamphetamine dependence: A record-linkage study. <i>Drug and Alcohol Review</i> , 2011, 30, 621-628.	1.1	41
78	Estimation of heritability for varied indexes of handedness. <i>Laterality</i> , 2015, 20, 469-482.	0.5	41
79	Family-centered Care Improved Neonatal Medical and Neurobehavioral Outcomes in Preterm Infants: Randomized Controlled Trial. <i>Physical Therapy</i> , 2017, 97, 1158-1168.	1.1	41
80	Attention deficitâ€“hyperactivity disorder is associated with allergic symptoms and low levels of hemoglobin and serotonin. <i>Scientific Reports</i> , 2018, 8, 10229.	1.6	41
81	More severe sustained attention deficits in nonpsychotic siblings of multiplex schizophrenia families than in those of simplex ones. <i>Schizophrenia Research</i> , 2006, 87, 172-180.	1.1	40
82	Effects of fat emulsions with different fatty acid composition on plasma and hepatic lipids in rats receiving total parenteral nutrition. <i>Clinical Nutrition</i> , 1996, 15, 24-28.	2.3	38
83	A Twin Study of Competence and Behavioral/Emotional Problems Among Adolescents in Taiwan. <i>Behavior Genetics</i> , 2004, 34, 63-74.	1.4	38
84	New Approach to the Validity of the Alcohol Use Disorders Identification Test: Stratum-Specific Likelihood Ratios Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 602-608.	1.4	38
85	Prenatal and childhood exposure to phthalate diesters and neurobehavioral development in a 15-year follow-up birth cohort study. <i>Environmental Research</i> , 2019, 172, 569-577.	3.7	38
86	Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. <i>PLoS ONE</i> , 2016, 11, e0150435.	1.1	38
87	Gender and the familial risk for schizophrenia. <i>Schizophrenia Research</i> , 1992, 7, 135-140.	1.1	37
88	Rates and Patterns of Comorbidity of Adolescent Behavioral Syndromes as Reported by Parents and Teachers in a Taiwanese Nonreferred Sample. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001, 40, 1045-1052.	0.3	37
89	Assessing personality features and their relations with behavioral problems in adolescents: tridimensional personality questionnaire and junior eysenck personality questionnaire. <i>Comprehensive Psychiatry</i> , 2004, 45, 20-28.	1.5	37
90	Maternal-reported behavioral and emotional problems in Taiwanese preschool children. <i>Research in Developmental Disabilities</i> , 2012, 33, 866-873.	1.2	36

#	ARTICLE	IF	CITATIONS
91	Safety of percutaneous transvenous balloon mitral commissurotomy in patients with mitral stenosis and thrombus in the left atrial appendage. <i>American Journal of Cardiology</i> , 1992, 70, 117-119.	0.7	35
92	Self-Reported Flushing and Genotypes of ALDH2, ADH2, and ADH3 among Taiwanese Han. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1048-1052.	1.4	35
93	Impaired Flush Response to Niacin Skin Patch Among Schizophrenia Patients and Their Nonpsychotic Relatives: The Effect of Genetic Loading. <i>Schizophrenia Bulletin</i> , 2009, 35, 213-221.	2.3	35
94	Analysis of exome sequence in 604 trios for recessive genotypes in schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e607-e607.	2.4	35
95	Clustering by neurocognition for fine mapping of the schizophrenia susceptibility loci on chromosome 6p. <i>Genes, Brain and Behavior</i> , 2009, 8, 785-794.	1.1	34
96	A randomized controlled trial of clinic-based and home-based interventions in comparison with usual care for preterm infants: Effects and mediators. <i>Research in Developmental Disabilities</i> , 2014, 35, 2384-2393.	1.2	34
97	Relationship Between Spontaneous Kicking and Age of Walking Attainment in Preterm Infants With Very Low Birth Weight and Full-Term Infants. <i>Physical Therapy</i> , 2004, 84, 159-172.	1.1	33
98	Absence of significant associations between four AKT1 SNP markers and schizophrenia in the Taiwanese population. <i>Psychiatric Genetics</i> , 2006, 16, 39-41.	0.6	33
99	Co-occurrence of Anemia, Marginal Vitamin B ₆ , and Folate Status and Depressive Symptoms in Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2012, 25, 170-178.	1.2	33
100	Modulated expression of human peripheral blood microRNA _s from infancy to adulthood and its role in aging. <i>Aging Cell</i> , 2014, 13, 679-689.	3.0	33
101	Polygenic risk for schizophrenia and neurocognitive performance in patients with schizophrenia. <i>Genes, Brain and Behavior</i> , 2018, 17, 49-55.	1.1	33
102	Familial Aggregation in Skin Flush Response to Niacin Patch Among Schizophrenic Patients and Their Nonpsychotic Relatives. <i>Schizophrenia Bulletin</i> , 2006, 33, 174-182.	2.3	32
103	MicroRNA Expression Aberration Associated with Bronchopulmonary Dysplasia in Preterm Infants: A Preliminary Study. <i>Respiratory Care</i> , 2013, 58, 1527-1535.	0.8	32
104	Familial aggregation of metabolic syndrome among the Chinese: Report from the Chin-Shan community family study. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 418-424.	1.1	31
105	Prevalence of heroin and methamphetamine male users in the northern Taiwan, 1999-2002: capture-recapture estimates. <i>BMC Public Health</i> , 2007, 7, 292.	1.2	31
106	Two-phase survey of eating disorders in gifted dance and non-dance high-school students in Taiwan. <i>Psychological Medicine</i> , 2007, 37, 1085-1096.	2.7	30
107	Genetic and Environmental Influences on Schizotypy among Adolescents in Taiwan: A Multivariate Twin/sibling Analysis. <i>Behavior Genetics</i> , 2007, 37, 334-344.	1.4	30
108	Follow-up of subjects with suspected pre-psychotic state in Taiwan. <i>Schizophrenia Research</i> , 2011, 126, 65-70.	1.1	30

#	ARTICLE	IF	CITATIONS
109	Impact of universal health coverage on urban-rural inequity in psychiatric service utilisation for patients with first admission for psychosis: a 10-year nationwide population-based study in Taiwan. <i>BMJ Open</i> , 2016, 6, e010802.	0.8	30
110	Linkage studies of schizophrenia: A simulation study of statistical power. <i>Genetic Epidemiology</i> , 1992, 9, 123-139.	0.6	29
111	Absent response to niacin skin patch is specific to schizophrenia and independent of smoking. <i>Psychiatry Research</i> , 2007, 152, 181-187.	1.7	29
112	Performance on the Wisconsin Card Sorting Test in Families of Schizophrenia Patients With Different Familial Loadings. <i>Schizophrenia Bulletin</i> , 2013, 39, 537-546.	2.3	27
113	Time trends in first admission rates for schizophrenia and other psychotic disorders in Taiwan, 1998-2007: a 10-year population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 163-173.	1.6	27
114	Elevated lactate dehydrogenase activity and increased cardiovascular mortality in the arsenic-endemic areas of southwestern Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2012, 262, 232-237.	1.3	26
115	Peer influences on alcohol expectancies in early adolescence: A study of concurrent and prospective predictors in Taiwan. <i>Addictive Behaviors</i> , 2015, 40, 7-15.	1.7	26
116	Risk factors of suicide mortality among multiple attempters: A national registry study in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 364-371.	0.8	26
117	The Roles of Personality Traits and Negative Life Events on the Episodes of Depressive Symptoms in Nonreferred Adolescents: A 1-Year Follow-Up Study. <i>Journal of Adolescent Health</i> , 2008, 42, 378-385.	1.2	25
118	Common sequence variants in pharmacodynamic and pharmacokinetic pathway-related genes conferring LDL cholesterol response to statins. <i>Pharmacogenomics</i> , 2010, 11, 309-317.	0.6	25
119	ANXA7, PPP3CB, DNAJC9, and ZMYND17 Genes at Chromosome 10q22 Associated with the Subgroup of Schizophrenia with Deficits in Attention and Executive Function. <i>Biological Psychiatry</i> , 2011, 70, 51-58.	0.7	25
120	Genetic Polymorphisms of a Novel Vascular Susceptibility Gene, Ninjurin2 (NINJ2), Are Associated with a Decreased Risk of Alzheimer's Disease. <i>PLoS ONE</i> , 2011, 6, e20573.	1.1	25
121	Availability of convenience stores and adolescent alcohol use in Taiwan: a multi-level analysis of national surveys. <i>Addiction</i> , 2013, 108, 2081-2088.	1.7	25
122	The public health response to the Chi-Chi earthquake in Taiwan, 1999. <i>Public Health Reports</i> , 2003, 118, 493-499.	1.3	25
123	Decrease in myocardial Na ⁺ -K ⁺ -ATPase activity and ouabain binding sites in hypercholesterolemic rabbits. <i>Basic Research in Cardiology</i> , 1997, 92, 1-7.	2.5	24
124	Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0130044.	1.1	23
125	Dietary Profiles, Nutritional Biochemistry Status, and Attention-Deficit/Hyperactivity Disorder: Path Analysis for a Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 709.	1.0	23
126	Early alcohol experiences and adolescent mental health: A population-based study in Taiwan. <i>Drug and Alcohol Dependence</i> , 2008, 95, 209-218.	1.6	22

#	ARTICLE	IF	CITATIONS
127	Heroin Use among Youths Incarcerated for Illicit Drug Use: Psychosocial Environment, Substance Use History, Psychiatric Comorbidity, and Route of Administration. <i>American Journal on Addictions</i> , 2006, 15, 233-241.	1.3	21
128	Genetic and Environmental Influences on the Wisconsin Card Sorting Test Performance in Healthy Adolescents: A Twin/Sibling Study. <i>Behavior Genetics</i> , 2010, 40, 22-30.	1.4	21
129	Genetic variants of IL-6 and its receptor are not associated with schizophrenia in Taiwan. <i>Neuroscience Letters</i> , 2010, 468, 330-333.	1.0	21
130	Genetic polymorphisms of clusterin gene are associated with a decreased risk of Alzheimer's disease. <i>European Journal of Epidemiology</i> , 2012, 27, 73-75.	2.5	21
131	Risk and Protective Factors for Suicide Among Patients With Methamphetamine Dependence. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 487-493.	1.1	21
132	Effects of Lipids on Intestinal Adaptation Following 60% Resection in Rats. <i>Journal of Surgical Research</i> , 1995, 58, 253-259.	0.8	20
133	Patterns and Clinical Correlates of Neuropsychologic Deficits in Patients with Schizophrenia. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 978-991.	0.8	20
134	Recidivism among male subjects incarcerated for illicit drug use in Taiwan. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 444-451.	1.0	20
135	Handedness and schizotypy in non-clinical populations: Influence of handedness measures and age on the relationship. <i>Laterality</i> , 2006, 11, 331-349.	0.5	20
136	The effect of in-hospital developmental care on neonatal morbidity, growth and development of preterm Taiwanese infants: A randomized controlled trial. <i>Early Human Development</i> , 2013, 89, 301-306.	0.8	20
137	Detection of Cardiovascular Shunts by Transesophageal Echocardiography in Patients With Pulmonary Hypertension of Unexplained Cause. <i>Chest</i> , 1995, 107, 8-13.	0.4	19
138	Re-examining sustained attention deficits as vulnerability indicators for schizophrenia: Stability in the long term course. <i>Journal of Psychiatric Research</i> , 2006, 40, 613-621.	1.5	19
139	Travel Distance and the Use of Inpatient Care among Patients with Schizophrenia. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2008, 35, 346-356.	1.2	19
140	Genetic and Environmental Influences on Adiponectin, Leptin, and BMI Among Adolescents in Taiwan: A Multivariate Twin/Sibling Analysis. <i>Twin Research and Human Genetics</i> , 2008, 11, 495-504.	0.3	19
141	The multidimensionality of schizotypy in nonpsychotic relatives of patients with schizophrenia and its applications in ordered subsets linkage analysis of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1-9.	1.1	19
142	Genetic variants in COMT and neurocognitive impairment in families of patients with schizophrenia. <i>Genes, Brain and Behavior</i> , 2009, 8, 228-237.	1.1	19
143	Differential relationships of family drinking with alcohol expectancy among urban school children. <i>BMC Public Health</i> , 2011, 11, 87.	1.2	19
144	A Genome-wide Quantitative Linkage Scan of Niacin Skin Flush Response in Families With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 68-76.	2.3	19

#	ARTICLE	IF	CITATIONS
145	The cross-cultural nature of the relationship between schizotypy and mixed-handedness. <i>Laterality</i> , 2013, 18, 476-490.	0.5	19
146	Energy expenditure in patients with hepatocellular carcinoma. <i>Cancer</i> , 1994, 73, 590-595.	2.0	18
147	Excess mortality of psychiatric inpatients in Taiwan. <i>Psychiatry Research</i> , 1996, 62, 239-250.	1.7	18
148	The profile and familiarity of personality traits in mood disorder families. <i>Journal of Affective Disorders</i> , 2012, 138, 367-374.	2.0	18
149	A benchmark dose study of prenatal exposure to di(2-ethylhexyl) phthalate and behavioral problems in children. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 971-980.	2.1	18
150	Advanced Paternal Age and Early Onset of Schizophrenia in Sporadic Cases: Not Confounded by Parental Polygenic Risk for Schizophrenia. <i>Biological Psychiatry</i> , 2019, 86, 56-64.	0.7	18
151	Primary Malignant Fibrous Histiocytoma of the Aorta Associated with Aortic Dissection. <i>Chest</i> , 1991, 99, 1049-1050.	0.4	17
152	The Role of Gender in Understanding the Familial Transmission of Schizoaffective Disorder. <i>British Journal of Psychiatry</i> , 1993, 163, 763-768.	1.7	17
153	A School-based Twin Study of Handedness among Adolescents in Taiwan. <i>Behavior Genetics</i> , 2005, 35, 723-733.	1.4	17
154	Fast Versus Slow Strategy of Switching Patients With Schizophrenia to Aripiprazole From Other Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 635-644.	0.7	17
155	Minor physical anomalies and craniofacial measures in patients with treatment-resistant schizophrenia. <i>Psychological Medicine</i> , 2015, 45, 1839-1850.	2.7	17
156	Changes in cholinergic and glutamatergic markers in the striatum from a sub-set of subjects with schizophrenia. <i>Schizophrenia Research</i> , 2015, 169, 83-88.	1.1	17
157	Estimating age at onset distributions. <i>Psychiatric Genetics</i> , 1992, 2, 219-238.	0.6	16
158	Genetic heterogeneity may in part explain sex differences in the familial risk for schizophrenia. <i>Biological Psychiatry</i> , 1995, 38, 808-813.	0.7	16
159	Concordance of positive and negative symptoms in coaffected sib-pairs with schizophrenia. , 1997, 74, 1-6.		16
160	Employment experience in relation to alcohol, tobacco, and betel nut use among youth in Taiwan. <i>Drug and Alcohol Dependence</i> , 2006, 84, 273-280.	1.6	16
161	Evaluation of RGS4 as a candidate gene for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 418-420.	1.1	16
162	A genome-wide quantitative trait loci scan of neurocognitive performances in families with schizophrenia. <i>Genes, Brain and Behavior</i> , 2010, 9, 695-702.	1.1	16

#	ARTICLE	IF	CITATIONS
163	Genetic polymorphisms of nerve growth factor receptor (NGFR) and the risk of Alzheimer's disease. <i>Journal of Negative Results in BioMedicine</i> , 2012, 11, 5.	1.4	16
164	Peers and social network on alcohol drinking through early adolescence in Taiwan. <i>Drug and Alcohol Dependence</i> , 2015, 153, 50-58.	1.6	16
165	Television viewing and alcohol advertising with alcohol expectancies among school-aged children in Taiwan. <i>Drug and Alcohol Dependence</i> , 2016, 162, 219-226.	1.6	16
166	Unilateral occlusion of duplicated uterus with ipsilateral renal anomaly in young girls: a study with MRI. <i>Pediatric Radiology</i> , 1995, 25, S54-S59.	1.1	16
167	Month of birth and schizophrenia in Taiwan: effect of gender, family history and age at onset. <i>Schizophrenia Research</i> , 1996, 20, 133-143.	1.1	15
168	No association evidence between schizophrenia and dystrobrevin-binding protein 1 (DTNBP1) in Taiwanese families. <i>Schizophrenia Research</i> , 2007, 93, 391-398.	1.1	15
169	Genetic loci associated with an earlier age at onset in multiplex schizophrenia. <i>Scientific Reports</i> , 2017, 7, 6486.	1.6	15
170	Functional relevance of human adh polymorphism. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 157S-163S.	1.4	15
171	Estimating age at onset distributions: The bias from prevalent cases and its impact on risk estimation. <i>Genetic Epidemiology</i> , 1993, 10, 43-59.	0.6	14
172	Synergistic effect of polymorphisms of paraoxonase gene cluster and arsenic exposure on electrocardiogram abnormality. <i>Toxicology and Applied Pharmacology</i> , 2009, 239, 178-183.	1.3	14
173	Environmental tobacco smoke and male sex modify the influence of IL13 genetic variants on cord blood IgE levels. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 456-463.	1.1	14
174	Neuropsychological functions among adolescents with persistent, subsyndromal and remitted attention deficit hyperactivity disorder. <i>Psychological Medicine</i> , 2014, 44, 1765-1777.	2.7	14
175	Association of older paternal age with earlier onset among co-affected schizophrenia sib-pairs. <i>Psychological Medicine</i> , 2015, 45, 2205-2213.	2.7	14
176	E-Cigarette Use in a Country With Prevalent Tobacco Smoking: A Population-Based Study in Taiwan. <i>Journal of Epidemiology</i> , 2019, 29, 155-163.	1.1	14
177	The Impact of the Chi-Chi Earthquake on the Incidence of Hospitalizations for Schizophrenia and on Concomitant Hospital Choice. <i>Community Mental Health Journal</i> , 2010, 46, 93-101.	1.1	13
178	Impact of universal health coverage on suicide risk in newly diagnosed cancer patients: Population-based cohort study from 1985 to 2007 in Taiwan. <i>Psycho-Oncology</i> , 2017, 26, 1852-1859.	1.0	13
179	Media alcohol advertising with drinking behaviors among young adolescents in Taiwan. <i>Drug and Alcohol Dependence</i> , 2017, 177, 145-152.	1.6	13
180	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018, 143, 1335-1347.	2.3	13

#	ARTICLE	IF	CITATIONS
181	Investigation of early and lifetime clinical features and comorbidities for the risk of developing treatment-resistant depression in a 13-year nationwide cohort study. <i>BMC Psychiatry</i> , 2020, 20, 541.	1.1	13
182	HTF9C gene of 22q11.21 region associates with schizophrenia having deficit-sustained attention. <i>Psychiatric Genetics</i> , 2007, 17, 333-338.	0.6	12
183	Transition From Alcohol to Other Drugs Among Adolescents in Taiwan: The First Drinking Context Matters. <i>Journal of Studies on Alcohol and Drugs</i> , 2008, 69, 378-387.	0.6	12
184	Ketamine use among regular tobacco and alcohol users as revealed by respondent-driven sampling in Taipei: Prevalence, expectancy, and users' risky decision making. <i>Journal of Food and Drug Analysis</i> , 2013, 21, S102-S105.	0.9	12
185	The relationship of family characteristics and bipolar disorder using causal-pie models. <i>European Psychiatry</i> , 2014, 29, 36-43.	0.1	12
186	Residential environments, alcohol advertising, and initiation and continuation of alcohol consumption among adolescents in urban Taiwan: A prospective multilevel study. <i>SSM - Population Health</i> , 2016, 2, 249-258.	1.3	12
187	The effect of preventing subclinical transmission on the containment of COVID-19: Mathematical modeling and experience in Taiwan. <i>Contemporary Clinical Trials</i> , 2020, 96, 106101.	0.8	12
188	Nonpolio Enterovirus Activity during the COVID-19 Pandemic, Taiwan, 2020. <i>Emerging Infectious Diseases</i> , 2021, 27, 306-308.	2.0	12
189	Incidence of first onset alcoholism among Taiwanese aborigines. <i>Psychological Medicine</i> , 1997, 27, 1363-1371.	2.7	11
190	A new regularized least squares support vector regression for gene selection. <i>BMC Bioinformatics</i> , 2009, 10, 44.	1.2	11
191	Comparative epidemiology of betel nut use versus ecstasy use among Taiwanese adolescents: Findings from a national survey. <i>Drug and Alcohol Dependence</i> , 2011, 113, 177-183.	1.6	11
192	Leisure activity participation in relation to alcohol purchasing and consumption in adolescence. <i>Addictive Behaviors</i> , 2019, 90, 294-300.	1.7	11
193	Self-reported flushing and genotypes of ALDH2, ADH2, and ADH3 among Taiwanese Han. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1048-52.	1.4	11
194	Taiwan schizophrenia linkage study: Lessons learned from endophenotype-based genome-wide linkage scans and perspective. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 636-647.	1.1	10
195	Emergency separation of omphaloischiopagus tetrapus conjoined twins in the newborn period. <i>Journal of Pediatric Surgery</i> , 1989, 24, 1221-1224.	0.8	9
196	Separation of ischiopagus tripus conjoined twins. <i>Journal of Pediatric Surgery</i> , 1994, 29, 1417-1420.	0.8	9
197	Sibling recurrence risk ratio analysis of the metabolic syndrome and its components over time. <i>BMC Genetics</i> , 2003, 4, S33.	2.7	9
198	Association evidence of schizophrenia with distal genomic region of NOTCH4 in Taiwanese families. <i>Genes, Brain and Behavior</i> , 2007, 6, 497-502.	1.1	9

#	ARTICLE	IF	CITATIONS
199	Associations of Supported Treadmill Stepping With Walking Attainment in Preterm and Full-Term Infants. <i>Physical Therapy</i> , 2009, 89, 1215-1225.	1.1	9
200	Running away experience and psychoactive substance use among adolescents in Taiwan: multi-city street outreach survey. <i>BMC Public Health</i> , 2010, 10, 29.	1.2	9
201	Multilevel influences of school and family on alcohol-purchasing behaviors in school-aged children. <i>Drug and Alcohol Dependence</i> , 2010, 114, 127-33.	1.6	9
202	Impaired impulse control is associated with a 5-HT2A receptor polymorphism in schizophrenia. <i>Psychiatry Research</i> , 2013, 208, 105-110.	1.7	9
203	Simultaneous detection of single nucleotide polymorphisms and copy number variations in the CYP2D6 gene by multiplex polymerase chain reaction combined with capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2013, 763, 67-75.	2.6	9
204	Abnormally low prolactin levels in schizophrenia patients after switching to aripiprazole in a randomized trial: a biomarker for rebound in psychotic symptoms?. <i>BMC Psychiatry</i> , 2020, 20, 552.	1.1	9
205	Statistical validation of endophenotypes using a surrogate endpoint analytic analogue. <i>Genetic Epidemiology</i> , 2009, 33, 549-558.	0.6	8
206	Trajectory classes of violent behavior and their relationship to lipid levels in schizophrenia inpatients. <i>Journal of Psychiatric Research</i> , 2015, 66-67, 105-111.	1.5	8
207	Severity in sustained attention impairment and clozapine-resistant schizophrenia: a retrospective study. <i>BMC Psychiatry</i> , 2019, 19, 220.	1.1	8
208	Dopamine D2 receptor gene and alcoholism among four aboriginal groups and Han in Taiwan. <i>American Journal of Medical Genetics Part A</i> , 1997, 74, 129-36.	2.4	8
209	Auditory discrimination in female adolescents varying in schizotypal features: Preliminary findings. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 391-397.	1.0	7
210	Patient subgroups of schizophrenia based on the Positive and Negative Syndrome Scale: composition and transition between acute and subsided disease states. <i>Comprehensive Psychiatry</i> , 2011, 52, 469-478.	1.5	7
211	Multilevel analysis of habitual physical activity and metabolic syndrome in Northern Taiwan. <i>Preventive Medicine</i> , 2011, 53, 34-38.	1.6	7
212	Handedness and schizotypy in non-psychotic relatives of patients with schizophrenia. <i>Laterality</i> , 2011, 16, 690-706.	0.5	7
213	Sexual Initiation and Emotional/Behavioral Problems in Taiwanese Adolescents: A Multivariate Response Profile Analysis. <i>Archives of Sexual Behavior</i> , 2015, 44, 717-727.	1.2	7
214	Use of Spontaneous Reporting Systems to Detect Host-Drug Interactions: Sex Differences in Oral Anti-diabetic Drug-associated Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018, 7, e008959.	1.6	7
215	Alcohol expectancy profile in late childhood with alcohol drinking and purchasing behaviors in adolescence. <i>Addictive Behaviors</i> , 2018, 87, 55-61.	1.7	7
216	Mis-anaesthetized society: expectancies and recreational use of ketamine in Taiwan. <i>BMC Public Health</i> , 2019, 19, 1307.	1.2	7

#	ARTICLE	IF	CITATIONS
217	Sexâ€moderated interactions between <sc>IL</sc>4/<sc>IL</sc>13 pathway genes and prenatal environment on cord blood IgE levels. <i>Clinical and Experimental Allergy</i> , 2019, 49, 1128-1138.	1.4	7
218	Firstâ€time offenders for recreational ketamine use under a new penalty system in Taiwan: incidence, recidivism and mortality in national cohorts from 2009 to 2017. <i>Addiction</i> , 2021, 116, 1770-1781.	1.7	7
219	The impact of Taiwanâ€™s implementation of a nationwide harm reduction program in 2006 on the use of various illicit drugs: trend analysis of first-time offenders from 2001 to 2017. <i>Harm Reduction Journal</i> , 2021, 18, 117.	1.3	7
220	Major gene effects on apolipoprotein B concentrations in families of adolescentsâ€™Results from a community-based study in Taiwan. <i>Clinica Chimica Acta</i> , 2006, 365, 194-199.	0.5	6
221	A Genome-Wide Linkage Scan for Distinct Subsets of Schizophrenia Characterized by Age at Onset and Neurocognitive Deficits. <i>PLoS ONE</i> , 2011, 6, e24103.	1.1	6
222	Associations of parental and peer cross-substance use with 12â€17-year-old adolescentsâ€™ problematic alcohol use: A parent-child dyadic gender analysis. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108611.	1.6	6
223	Extended Bayesian Model Averaging in Generalized Linear Mixed Models Applied to Schizophrenia Family Data. <i>Annals of Human Genetics</i> , 2011, 75, 62-77.	0.3	5
224	Elevated Aspartate and Alanine Aminotransferase Levels and Natural Death among Patients with Methamphetamine Dependence. <i>PLoS ONE</i> , 2012, 7, e29325.	1.1	5
225	Cardiac Complications Associated with Short-Term Mortality in Schizophrenia Patients Hospitalized for Pneumonia: A Nationwide Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e70142.	1.1	5
226	Using Social Network as a Recruiting Tool for Research on Substance Use in the Taipei Metropolitan Area: Study Design, Implementation, and Epidemiological Estimates. <i>Journal of Epidemiology</i> , 2015, 25, 647-655.	1.1	5
227	Menâ€™s decrease and womenâ€™s increase in harmful alcohol use from the 2014 to 2018 national surveys in Taiwan: A harbinger for an emerging national trend in East Asia?. <i>International Journal of Drug Policy</i> , 2022, 99, 103441.	1.6	5
228	Association between childhood negative life events with alcohol expectancies in early adolescence: Cumulative risk and latent class approaches. <i>Drug and Alcohol Dependence</i> , 2021, 226, 108853.	1.6	5
229	Comparative Effectiveness of Antipsychotics in Preventing Readmission for First-Admission Schizophrenia Patients in National Cohorts From 2001 to 2017 in Taiwan. <i>Schizophrenia Bulletin</i> , 2022, 48, 785-794.	2.3	5
230	Effects of MCT/LCT and LCT emulsions on plasma lipids and nitrogen retention in streptozotocin-induced diabetic rats receiving total parenteral nutrition. <i>Nutrition</i> , 1997, 13, 882-886.	1.1	4
231	Segregation analysis of apolipoprotein A1 levels in families of adolescents: a community-based study in Taiwan. <i>BMC Genetics</i> , 2006, 7, 4.	2.7	4
232	The Taipei Adolescent Twin/Sibling Family Study I: Behavioral Problems, Personality Features, and Neuropsychological Performance. <i>Twin Research and Human Genetics</i> , 2006, 9, 890-894.	0.3	4
233	Relationship of Neonatal Cerebral Blood Flow Velocity Asymmetry with Early Motor, Cognitive and Language Development in Term Infants. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 797-803.	0.7	4
234	Adaptive combination of Bayes factors as a powerful method for the joint analysis of rare and common variants. <i>Scientific Reports</i> , 2017, 7, 13858.	1.6	4

#	ARTICLE	IF	CITATIONS
235	Family and school social capitals in late childhood predict youthful drinking behaviors and problems. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107482.	1.6	4
236	Nonmedical prescription drug use of analgesics and sedatives/hypnotics in Taiwan: Results from the 2014 National Survey of Substance Use. <i>Preventive Medicine Reports</i> , 2019, 15, 100900.	0.8	4
237	Genetic associations and expression of extra-short isoforms of disrupted-in-schizophrenia 1 in a neurocognitive subgroup of schizophrenia. <i>Journal of Human Genetics</i> , 2019, 64, 653-663.	1.1	4
238	Early sexual initiation and risky sexual practices among alcohol- and tobacco-using young adults in Taiwan: mediation analysis of preceding-sex use of illicit drugs. <i>BMC Public Health</i> , 2020, 20, 1647.	1.2	4
239	Childhood social context in relation to alcohol expectancy through early adolescence: A latent profile approach. <i>Drug and Alcohol Dependence</i> , 2020, 208, 107851.	1.6	4
240	Prevalence and correlates of suicidal behaviors in the Taiwan Psychiatric Morbidity Survey. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1238-1247.	0.8	4
241	Mitochondrial DNA methylation profiling of the human prefrontal cortex and nucleus accumbens: correlations with aging and drug use. <i>Clinical Epigenetics</i> , 2022, 14, .	1.8	4
242	Estimating the morbidity risk for diseases having a variable age at onset. <i>Psychiatric Genetics</i> , 1994, 4, 135-142.	0.6	3
243	The Taipei Adolescent Twin/Sibling Family Study II: Depression, Insulin Resistance, and Hormonal Factors. <i>Twin Research and Human Genetics</i> , 2006, 9, 895-898.	0.3	3
244	Using an Uncertainty-Coding Matrix in Bayesian Regression Models for Haplotype-Specific Risk Detection in Family Association Studies. <i>PLoS ONE</i> , 2011, 6, e21890.	1.1	3
245	Medium-term course and outcome of schizophrenia depicted by the sixth-month subtype after an acute episode. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 265-274.	0.8	3
246	Effects of genetic variants of ADH1B and ALDH2 and social network on continued alcohol drinking among young adolescents in Taiwan. <i>Drug and Alcohol Dependence</i> , 2015, 147, 38-45.	1.6	3
247	Handedness and schizotypy: The potential effect of changing the writing-hand. <i>Psychiatry Research</i> , 2016, 242, 198-203.	1.7	3
248	School District Variation in Parental Influence on Underage Drinking Behaviors. <i>Journal of Adolescent Health</i> , 2017, 61, 355-362.	1.2	3
249	Inference of Cross-Level Interaction between Genes and Contextual Factors in a Matched Case-Control Metabolic Syndrome Study: A Bayesian Approach. <i>PLoS ONE</i> , 2013, 8, e56693.	1.1	3
250	The Taipei Adolescent Twin/sibling Family Study I: behavioral problems, personality features, and neuropsychological performance. <i>Twin Research and Human Genetics</i> , 2006, 9, 890-4.	0.3	3
251	Development of a semi-structured, multifaceted, computer-aided questionnaire for outbreak investigation: e-Outbreak Platform. <i>Biomedical Journal</i> , 2020, 43, 318-324.	1.4	2
252	Residential Socioeconomic Environments and Areca Nut Use in Taiwan: A Comparison with Alcohol and Tobacco Use in Multilevel Analysis. <i>Substance Use and Misuse</i> , 2020, 55, 2025-2034.	0.7	2

#	ARTICLE	IF	CITATIONS
253	Interaction Between Prematurity and the MAOA Gene on Mental Development in Children: A Longitudinal View. <i>Frontiers in Pediatrics</i> , 2020, 8, 92.	0.9	2
254	Associations between lifetime mental disorders and suicidal behaviors: findings from the Taiwan psychiatry morbidity survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1579-1589.	1.6	2
255	Ischemia-induced alteration of myocardial Na(+)-K(+)-ATPase activity and ouabain binding sites in hypercholesterolemic rabbits. <i>Atherosclerosis</i> , 1996, 127, 59-64.	0.4	2
256	Niacin skin flush and membrane polyunsaturated fatty acids in schizophrenia from the acute state to partial remission: a dynamic relationship. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	2
257	Atrial septal aneurysm: A cause of pseudotumor in the right atrium detected by transesophageal echocardiography. <i>Journal of Clinical Ultrasound</i> , 1994, 22, 209-211.	0.4	1
258	Relation of Perseverative Tendency and Life Events to Depressive Symptoms: Findings from a Prospective Study in Non-referred Adolescents in Taiwan. <i>Behavioral Medicine</i> , 2011, 37, 1-7.	1.0	1
259	Effects of exogenous fat emulsion on lymphocyte function in septic rats. <i>Zhonghua Minguo Wei Sheng Wu Ji Mian Yi Xue Za Zhi = Chinese Journal of Microbiology and Immunology</i> , 1987, 20, 198-203.	0.0	1
260	Prenatal antioxidant-enriched and pro-oxidant-contained food, IL4 and IL13 pathway genes, and cord blood IgE. <i>Scientific Reports</i> , 2022, 12, 2884.	1.6	1
261	Characterization of clinical features and comorbidities between bipolar affective disorder with and without depressive episodes. <i>Psychological Medicine</i> , 2022, , 1-11.	2.7	1
262	Cerebrovascular complications of infective endocarditis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1993, 3, 222-227.	0.7	0
263	Overdose. , 2013, , 187-192.		0
264	A stochastic inference of de novo CNV detection and association test in multiplex schizophrenia families. <i>Frontiers in Genetics</i> , 2013, 4, 185.	1.1	0
265	Identifying dopamine supersensitivity through a randomized controlled study of switching to aripiprazole from other antipsychotic agents in patients with schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , 2022, 12, 204512532110643.	1.2	0
266	Effect of exogenous fat emulsion on phagocytic activity of polymorphonuclear cells in septic rats. <i>Zhonghua Minguo Wei Sheng Wu Ji Mian Yi Xue Za Zhi = Chinese Journal of Microbiology and Immunology</i> , 1990, 23, 271-6.	0.0	0
267	The Taipei Adolescent Twin/Sibling Family Study II: depression, insulin resistance, and hormonal factors. <i>Twin Research and Human Genetics</i> , 2006, 9, 895-8.	0.3	0