## Wei J Chen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/430569/publications.pdf

Version: 2024-02-01

267 papers

13,802 citations

54 h-index 30087 103 g-index

270 all docs

270 docs citations

270 times ranked

15752 citing authors

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 1  | Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.  | 27.8 | 929       |
| 2  | A Five-Gene Signature and Clinical Outcome in Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2007, 356, 11-20.  | 27.0 | 877       |
| 3  | MicroRNA Signature Predicts Survival and Relapse in Lung Cancer. Cancer Cell, 2008, 13, 48-57.  | 16.8 | 754       |
| 4  | Chronic Hepatitis C Virus Infection Increases Mortality From Hepatic and Extrahepatic Diseases: A Community-Based Long-Term Prospective Study. Journal of Infectious Diseases, 2012, 206, 469-477.  | 4.0  | 465       |
| 5  | Comparative genetic architectures of schizophrenia in East Asian and European populations. Nature Genetics, 2019, 51, 1670-1678.  | 21.4 | 440       |
| 6  | Rare coding variants in ten genes confer substantial risk for schizophrenia. Nature, 2022, 604, 509-516.  | 27.8 | 326       |
| 7  | Testing the 8-Syndrome Structure of the Child Behavior Checklist in 30 Societies. Journal of Clinical Child and Adolescent Psychology, 2007, 36, 405-417.   | 3.4  | 312       |
| 8  | Intellectual performance and school failure in children with attention deficit hyperactivity disorder and in their siblings Journal of Abnormal Psychology, 1993, 102, 616-623.   | 1.9  | 278       |
| 9  | High αâ€fetoprotein level correlates with high stage, early recurrence and poor prognosis of hepatocellular carcinoma: Significance of hepatitis virus infection, age, p53 and βâ€catenin mutations. International Journal of Cancer, 2004, 112, 44-50. | 5.1  | 274       |
| 10 | Sustained Attention Deficit and Schizotypal Personality Features in Nonpsychotic Relatives of Schizophrenic Patients. American Journal of Psychiatry, 1998, 155, 1214-1220.   | 7.2  | 236       |
| 11 | Schizotypy in community samples: The three-factor structure and correlation with sustained attention Journal of Abnormal Psychology, 1997, 106, 649-654.  | 1.9  | 227       |
| 12 | Improving polygenic prediction in ancestrally diverse populations. Nature Genetics, 2022, 54, 573-580.  | 21.4 | 209       |
| 13 | MicroRNA Expression Aberration as Potential Peripheral Blood Biomarkers for Schizophrenia. PLoS ONE, 2011, 6, e21635.   | 2.5  | 200       |
| 14 | Deficits in Sustained Attention in Schizophrenia and Affective Disorders: Stable Versus State-Dependent Markers. American Journal of Psychiatry, 2002, 159, 975-982.  | 7.2  | 194       |
| 15 | Genetic heterogeneity in attention-deficit hyperactivity disorder (ADHD): Gender, psychiatric comorbidity, and maternal ADHD Journal of Abnormal Psychology, 1995, 104, 334-345.  | 1.9  | 164       |
| 16 | Sustained attention deficits as markers of genetic susceptibility to schizophrenia., 2000, 97, 52-57.   |      | 157       |
| 17 | Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis. Journal of Affective Disorders, 2004, 82, 419-30.   | 4.1  | 154       |
| 18 | Alcohol-Metabolising Genes and Alcoholism Among Taiwanese Han Men: Independent Effect of ADH2, ADH3 and ALDH2. British Journal of Psychiatry, 1996, 168, 762-767.   | 2.8  | 153       |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 19 | Hepatitis C Virus Seromarkers and Subsequent Risk of Hepatocellular Carcinoma: Long-Term Predictors From a Community-Based Cohort Study. Journal of Clinical Oncology, 2010, 28, 4587-4593.          | 1.6  | 150       |
| 20 | Performance of the Continuous Performance Test Among Community Samples. Schizophrenia Bulletin, 1998, 24, 163-174.   | 4.3  | 137       |
| 21 | Segregation analysis of attention deficit hyperactivity disorder. Psychiatric Genetics, 1992, 2, 257-276.  | 1.1  | 135       |
| 22 | Hepatitis C Virus Infection and Increased Risk of Cerebrovascular Disease. Stroke, 2010, 41, 2894-2900.  | 2.0  | 134       |
| 23 | Exome sequencing in schizophrenia-affected parent–offspring trios reveals risk conferred by protein-coding de novo mutations. Nature Neuroscience, 2020, 23, 185-193.                                | 14.8 | 125       |
| 24 | Development of sustained attention assessed using the continuous performance test among children 6-15 years of age. Journal of Abnormal Child Psychology, 1999, 27, 403-412.                         | 3.5  | 124       |
| 25 | Competence and Behavioral/Emotional Problems Among Taiwanese Adolescents as Reported by Parents and Teachers. Journal of the American Academy of Child and Adolescent Psychiatry, 2000, 39, 232-239. | 0.5  | 124       |
| 26 | Second-Generation Antipsychotic Medications and Risk of Pneumonia in Schizophrenia. Schizophrenia Bulletin, 2013, 39, 648-657.   | 4.3  | 124       |
| 27 | Biomarkers in schizophrenia: A focus on blood based diagnostics and theranostics. World Journal of Psychiatry, 2016, 6, 102.   | 2.7  | 122       |
| 28 | Gender Differences in Age at Onset of Schizophrenia. British Journal of Psychiatry, 1994, 164, 625-629.  | 2.8  | 117       |
| 29 | Sex Differences in the Familial Transmission of Schizophrenia. British Journal of Psychiatry, 1990, 156, 819-826.  | 2.8  | 114       |
| 30 | Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327.  | 1.3  | 114       |
| 31 | Survey of substance use among high school students in Taipei: Web-based questionnaire versus paper-and-pencil questionnaire. Journal of Adolescent Health, 2005, 37, 289-295.                        | 2.5  | 111       |
| 32 | A New Tumor Suppressor DnaJ-like Heat Shock Protein, HLJ1, and Survival of Patients With Non–Small-Cell Lung Carcinoma. Journal of the National Cancer Institute, 2006, 98, 825-838.                 | 6.3  | 108       |
| 33 | Severe obstetric complications and birth characteristics in preterm or term delivery were accurately recalled by mothers. Journal of Clinical Epidemiology, 2006, 59, 429-435.                       | 5.0  | 103       |
| 34 | Low prevalence of major depressive disorder in Taiwanese adults: possible explanations and implications. Psychological Medicine, 2012, 42, 1227-1237.  | 4.5  | 102       |
| 35 | Cloninger's tridimensional personality questionnaire: Psychometric properties and construct validity in Taiwanese adults. Comprehensive Psychiatry, 2002, 43, 158-166.                               | 3.1  | 94        |
| 36 | Prevalence of DSM-5 mental disorders in a nationally representative sample of children in Taiwan: methodology and main findings. Epidemiology and Psychiatric Sciences, 2020, 29, e15.               | 3.9  | 88        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Truancy and illicit drug use among adolescents surveyed via street outreach. Addictive Behaviors, 2006, 31, 149-154.   | 3.0  | 85        |
| 38 | Schizotypy in community samples: The three-factor structure and correlation with sustained attention Journal of Abnormal Psychology, 1997, 106, 649-654.   | 1.9  | 85        |
| 39 | Asthma and Suicide Mortality in Young People: A 12-Year Follow-Up Study. American Journal of Psychiatry, 2010, 167, 1092-1099.   | 7.2  | 82        |
| 40 | Alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among Taiwanese aborigines. Biological Psychiatry, 1997, 41, 703-709.  | 1.3  | 74        |
| 41 | Functional Relevance of Human ADH Polymorphism. Alcoholism: Clinical and Experimental Research, 2001, 25, 157S-163S.   | 2.4  | 72        |
| 42 | Genome Scan of Han Chinese Schizophrenia Families From Taiwan: Confirmation of Linkage to 10q22.3. American Journal of Psychiatry, 2006, 163, 1760-1766.   | 7.2  | 70        |
| 43 | Alcoholism among Four Aboriginal Groups in Taiwan: High Prevalences and Their Implications.<br>Alcoholism: Clinical and Experimental Research, 1995, 19, 81-91.  | 2.4  | 68        |
| 44 | Community and personal risk factors for hepatitis C virus infection: a survey of 23 820 residents in Taiwan in 1991-2. Gut, 2011, 60, 688-694.   | 12.1 | 66        |
| 45 | Use of ecstasy and other psychoactive substances among school-attending adolescents in Taiwan: national surveys 2004–2006. BMC Public Health, 2009, 9, 27.   | 2.9  | 65        |
| 46 | A Single Nucleotide Polymorphism Fine Mapping Study of Chromosome 1q42.1 Reveals the Vulnerability Genes for Schizophrenia, GNPAT and DISC1: Association with Impairment of Sustained Attention. Biological Psychiatry, 2006, 60, 554-562. | 1.3  | 64        |
| 47 | Aberrant expression of microRNAs as biomarker for schizophrenia: from acute state to partial remission, and from peripheral blood to cortical tissue. Translational Psychiatry, 2016, 6, e717-e717.  | 4.8  | 64        |
| 48 | Pretibial epidermolysis bullosa: genetic linkage to COL7A1 and identification of a glycine-to-cysteine substitution in the triple-helical domain of type VII collagen. Human Molecular Genetics, 1995, 4, 1579-1583.                       | 2.9  | 63        |
| 49 | Effects of Atypical Neuroleptics on Sustained Attention Deficits in Schizophrenia A Trial of Risperidone Versus Haloperidol. Neuropsychopharmacology, 2000, 22, 311-319.   | 5.4  | 62        |
| 50 | Diagnosis of zygosity by questionnaire and polymarker polymerase chain reaction in young twins. Behavior Genetics, 1999, 29, 115-123.  | 2.1  | 61        |
| 51 | Performance on the Wisconsin Card Sorting Test Among Adolescents in Taiwan: Norms, Factorial Structure, and Relation to Schizotypy. Journal of Clinical and Experimental Neuropsychology, 2000, 22, 69-79.                                 | 1.3  | 61        |
| 52 | Morbidity Risk of Psychiatric Disorders Among the First Degree Relatives of Schizophrenia Patients in Taiwan. Schizophrenia Bulletin, 2002, 28, 379-392.   | 4.3  | 60        |
| 53 | Neuregulin 1 gene and variations in perceptual aberration of schizotypal personality in adolescents. Psychological Medicine, 2005, 35, 1589-1598.  | 4.5  | 59        |
| 54 | Three single-nucleotide polymorphisms of the angiotensinogen gene and susceptibility to hypertension: single locus genotype vs. haplotype analysis. Physiological Genomics, 2004, 17, 79-86.   | 2.3  | 58        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | More evidence supports the association of PPP3CC with schizophrenia. Molecular Psychiatry, 2007, 12, 966-974.  | 7.9  | 57        |
| 56 | Depression trajectories and obesity among the elderly in Taiwan. Psychological Medicine, 2011, 41, 1665-1676.  | 4.5  | 55        |
| 57 | Clinical symptom dimensions and deficits on the continuous performance test in schizophrenia. Schizophrenia Research, 1997, 25, 211-219.   | 2.0  | 54        |
| 58 | Psychiatric comorbidity and gender difference among treatment-seeking heroin abusers in Taiwan. Psychiatry and Clinical Neurosciences, 2007, 61, 105-111.  | 1.8  | 54        |
| 59 | Antipsychotic Drugs, Mood Stabilizers, and Risk of Pneumonia in Bipolar Disorder. Journal of Clinical Psychiatry, 2013, 74, e79-e86.   | 2.2  | 54        |
| 60 | Substance use among adolescents in Taiwan: associated personality traits, incompetence, and behavioral/emotional problems. Drug and Alcohol Dependence, 2002, 67, 27-39.   | 3.2  | 53        |
| 61 | Sustained attention deficits in nonpsychotic relatives of schizophrenic patients: a recurrence risk ratio analysis. Biological Psychiatry, 2004, 55, 995-1000.   | 1.3  | 52        |
| 62 | Primary malignant tumor of liver in infants and children in Taiwan. Journal of Pediatric Surgery, 1988, 23, 457-461.   | 1.6  | 51        |
| 63 | RASD2, MYH9, and CACNG2 Genes at Chromosome 22q12 Associated with the Subgroup of Schizophrenia with Non-Deficit in Sustained Attention and Executive Function. Biological Psychiatry, 2008, 64, 789-796.  | 1.3  | 51        |
| 64 | No association of G72 and d-amino acid oxidase genes with schizophrenia. Schizophrenia Research, 2006, 87, 15-20.  | 2.0  | 49        |
| 65 | Genetic Variants of i>TCF7L2 i>Are Associated with Insulin Resistance and Related Metabolic Phenotypes in Taiwanese Adolescents and Caucasian Young Adults. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3575-3582.               | 3.6  | 48        |
| 66 | Differences in prevalence, socio-behavioral correlates, and psychosocial distress between club drug and hard drug use in Taiwan: Results from the 2014 National Survey of Substance Use. International Journal of Drug Policy, 2017, 48, 99-107. | 3.3  | 46        |
| 67 | An epidemiological study of nocturnal enuresis in Taiwanese children. BJU International, 2001, 87, 678-681.  | 2.5  | 45        |
| 68 | Taiwan schizophrenia linkage study: The field study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 134B, 30-36.  | 1.7  | 45        |
| 69 | Underreporting of illicit drug use by patients at emergency departments as revealed by two-tiered urinalysis. Addictive Behaviors, 2006, 31, 2304-2308.  | 3.0  | 45        |
| 70 | Genetic polymorphisms of the promoter region of dopamine D2 receptor and dopamine transporter genes and alcoholism among four aboriginal groups and Han Chinese in Taiwan. Psychiatric Genetics, 2001, 11, 187-195.                              | 1.1  | 44        |
| 71 | Symptom patterns and subgrouping of schizophrenic patients: significance of negative symptoms assessed on admission. Schizophrenia Research, 2002, 56, 105-119.  | 2.0  | 44        |
| 72 | Schizophrenia, autism spectrum disorders and developmental disorders share specific disruptive coding mutations. Nature Communications, 2021, 12, 5353.  | 12.8 | 44        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Prevalence and identification of alcohol use disorders among nonpsychiatric inpatients in one general hospital. General Hospital Psychiatry, 2004, 26, 219-225.  | 2.4 | 43        |
| 74 | Affect recognition as an independent social function determinant in schizophrenia. Comprehensive Psychiatry, 2009, 50, 443-452.  | 3.1 | 43        |
| 75 | Dopamine D2 receptor gene and alcoholism among four aboriginal groups and Han in Taiwan. , 1997, 74, 129-136.  |     | 41        |
| 76 | Interleukin 4 and STAT6 gene polymorphisms are associated with systemic lupus erythematosus in Chinese patients. Lupus, 2010, 19, 1219-1228.   | 1.6 | 41        |
| 77 | Causes of death of patients with methamphetamine dependence: A record-linkage study. Drug and Alcohol Review, 2011, 30, 621-628.   | 2.1 | 41        |
| 78 | Estimation of heritability for varied indexes of handedness. Laterality, 2015, 20, 469-482.  | 1.0 | 41        |
| 79 | Family-centered Care Improved Neonatal Medical and Neurobehavioral Outcomes in Preterm Infants:<br>Randomized Controlled Trial. Physical Therapy, 2017, 97, 1158-1168.   | 2.4 | 41        |
| 80 | Attention deficit–hyperactivity disorder is associated with allergic symptoms and low levels of hemoglobin and serotonin. Scientific Reports, 2018, 8, 10229.  | 3.3 | 41        |
| 81 | More severe sustained attention deficits in nonpsychotic siblings of multiplex schizophrenia families than in those of simplex ones. Schizophrenia Research, 2006, 87, 172-180.  | 2.0 | 40        |
| 82 | Effects of fat emulsions with different fatty acid composition on plasma and hepatic lipids in rats receiving total parenteral nutrition. Clinical Nutrition, 1996, 15, 24-28.   | 5.0 | 38        |
| 83 | A Twin Study of Competence and Behavioral/Emotional Problems Among Adolescents in Taiwan.<br>Behavior Genetics, 2004, 34, 63-74.   | 2.1 | 38        |
| 84 | New Approach to the Validity of the Alcohol Use Disorders Identification Test: Stratum-Specific Likelihood Ratios Analysis. Alcoholism: Clinical and Experimental Research, 2005, 29, 602-608.                                       | 2.4 | 38        |
| 85 | Prenatal and childhood exposure to phthalate diesters and neurobehavioral development in a 15-year follow-up birth cohort study. Environmental Research, 2019, 172, 569-577.   | 7.5 | 38        |
| 86 | Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. PLoS ONE, 2016, 11, e0150435.   | 2.5 | 38        |
| 87 | Gender and the familial risk for schizophrenia. Schizophrenia Research, 1992, 7, 135-140.  | 2.0 | 37        |
| 88 | Rates and Patterns of Comorbidity of Adolescent Behavioral Syndromes as Reported by Parents and Teachers in a Taiwanese Nonreferred Sample. Journal of the American Academy of Child and Adolescent Psychiatry, 2001, 40, 1045-1052. | 0.5 | 37        |
| 89 | Assessing personality features and their relations with behavioral problems in adolescents: tridimensional personality questionnaire and junior eysenck personality questionnaire. Comprehensive Psychiatry, 2004, 45, 20-28.        | 3.1 | 37        |
| 90 | Maternal-reported behavioral and emotional problems in Taiwanese preschool children. Research in Developmental Disabilities, 2012, 33, 866-873.  | 2.2 | 36        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Safety of percutaneous transvenous balloon mitral commissurotomy in patients with mitral stenosis and thrombus in the left atrial appendage. American Journal of Cardiology, 1992, 70, 117-119.                   | 1.6 | 35        |
| 92  | Self-Reported Flushing and Genotypes of ALDH2, ADH2, and ADH3 among Taiwanese Han. Alcoholism: Clinical and Experimental Research, 1998, 22, 1048-1052.   | 2.4 | 35        |
| 93  | Impaired Flush Response to Niacin Skin Patch Among Schizophrenia Patients and Their Nonpsychotic Relatives: The Effect of Genetic Loading. Schizophrenia Bulletin, 2009, 35, 213-221.                             | 4.3 | 35        |
| 94  | Analysis of exome sequence in 604 trios for recessive genotypes in schizophrenia. Translational Psychiatry, 2015, 5, e607-e607.   | 4.8 | 35        |
| 95  | Clustering by neurocognition for fine mapping of the schizophrenia susceptibility loci on chromosome 6p. Genes, Brain and Behavior, 2009, 8, 785-794.   | 2.2 | 34        |
| 96  | A randomized controlled trial of clinic-based and home-based interventions in comparison with usual care for preterm infants: Effects and mediators. Research in Developmental Disabilities, 2014, 35, 2384-2393. | 2.2 | 34        |
| 97  | Relationship Between Spontaneous Kicking and Age of Walking Attainment in Preterm Infants With Very Low Birth Weight and Full-Term Infants. Physical Therapy, 2004, 84, 159-172.                                  | 2.4 | 33        |
| 98  | Absence of significant associations between four AKT1 SNP markers and schizophrenia in the Taiwanese population. Psychiatric Genetics, 2006, 16, 39-41.   | 1.1 | 33        |
| 99  | Co-occurrence of Anemia, Marginal Vitamin B <sub>6</sub> , and Folate Status and Depressive Symptoms in Older Adults. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 170-178.                           | 2.3 | 33        |
| 100 | Modulated expression of human peripheral blood micro <scp>RNA</scp> s from infancy to adulthood and its role in aging. Aging Cell, 2014, 13, 679-689.   | 6.7 | 33        |
| 101 | Polygenic risk for schizophrenia and neurocognitive performance in patients with schizophrenia.<br>Genes, Brain and Behavior, 2018, 17, 49-55.  | 2.2 | 33        |
| 102 | Familial Aggregation in Skin Flush Response to Niacin Patch Among Schizophrenic Patients and Their Nonpsychotic Relatives. Schizophrenia Bulletin, 2006, 33, 174-182.   | 4.3 | 32        |
| 103 | MicroRNA Expression Aberration Associated with Bronchopulmonary Dysplasia in Preterm Infants: A Preliminary Study. Respiratory Care, 2013, 58, 1527-1535.   | 1.6 | 32        |
| 104 | Familial aggregation of metabolic syndrome among the Chinese: Report from the Chin-Shan community family study. Diabetes Research and Clinical Practice, 2007, 76, 418-424.                                       | 2.8 | 31        |
| 105 | Prevalence of heroin and methamphetamine male users in the northern Taiwan, 1999–2002: capture-recapture estimates. BMC Public Health, 2007, 7, 292.  | 2.9 | 31        |
| 106 | Two-phase survey of eating disorders in gifted dance and non-dance high-school students in Taiwan. Psychological Medicine, 2007, 37, 1085-1096.   | 4.5 | 30        |
| 107 | Genetic and Environmental Influences on Schizotypy among Adolescents in Taiwan: A Multivariate Twin/sibling Analysis. Behavior Genetics, 2007, 37, 334-344.   | 2.1 | 30        |
| 108 | Follow-up of subjects with suspected pre-psychotic state in Taiwan. Schizophrenia Research, 2011, 126, 65-70.   | 2.0 | 30        |

| #   | Article  | IF           | CITATIONS |
|-----|--|--------------|-----------|
| 109 | Impact of universal health coverage on urban–rural inequity in psychiatric service utilisation for patients with first admission for psychosis: a 10-year nationwide population-based study in Taiwan. BMJ Open, 2016, 6, e010802. | 1.9          | 30        |
| 110 | Linkage studies of schizophrenia: A simulation study of statistical power. Genetic Epidemiology, 1992, 9, 123-139.   | 1.3          | 29        |
| 111 | Absent response to niacin skin patch is specific to schizophrenia and independent of smoking. Psychiatry Research, 2007, 152, 181-187.   | 3.3          | 29        |
| 112 | Performance on the Wisconsin Card Sorting Test in Families of Schizophrenia Patients With Different Familial Loadings. Schizophrenia Bulletin, 2013, 39, 537-546.  | 4.3          | 27        |
| 113 | Time trends in first admission rates for schizophrenia and other psychotic disorders in Taiwan, 1998–2007: a 10-year population-based cohort study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 163-173.             | 3.1          | 27        |
| 114 | Elevated lactate dehydrogenase activity and increased cardiovascular mortality in the arsenic-endemic areas of southwestern Taiwan. Toxicology and Applied Pharmacology, 2012, 262, 232-237.                                       | 2.8          | 26        |
| 115 | Peer influences on alcohol expectancies in early adolescence: A study of concurrent and prospective predictors in Taiwan. Addictive Behaviors, 2015, 40, 7-15.   | 3.0          | 26        |
| 116 | Risk factors of suicide mortality among multiple attempters: A national registry study in Taiwan. Journal of the Formosan Medical Association, 2016, 115, 364-371.   | 1.7          | 26        |
| 117 | The Roles of Personality Traits and Negative Life Events on the Episodes of Depressive Symptoms in Nonreferred Adolescents: A 1-Year Follow-Up Study. Journal of Adolescent Health, 2008, 42, 378-385.                             | 2.5          | 25        |
| 118 | Common sequence variants in pharmacodynamic and pharmacokinetic pathway-related genes conferring LDL cholesterol response to statins. Pharmacogenomics, 2010, 11, 309-317.   | 1.3          | 25        |
| 119 | ANXA7, PPP3CB, DNAJC9, and ZMYND17 Genes at Chromosome 10q22 Associated with the Subgroup of Schizophrenia with Deficits in Attention and Executive Function. Biological Psychiatry, 2011, 70, 51-58.                              | 1.3          | 25        |
| 120 | Genetic Polymorphisms of a Novel Vascular Susceptibility Gene, Ninjurin2 (NINJ2), Are Associated with a Decreased Risk of Alzheimer's Disease. PLoS ONE, 2011, 6, e20573.  | 2.5          | 25        |
| 121 | Availability of convenience stores and adolescent alcohol use in Taiwan: a multi-level analysis of national surveys. Addiction, 2013, 108, 2081-2088.  | 3 <b>.</b> 3 | 25        |
| 122 | The public health response to the Chi-Chi earthquake in Taiwan, 1999. Public Health Reports, 2003, 118, 493-499.   | 2.5          | 25        |
| 123 | Decrease in myocardial Na+-K+-ATPase activity and ouabain binding sites in hypercholesterolemic rabbits. Basic Research in Cardiology, 1997, 92, 1-7.  | 5.9          | 24        |
| 124 | Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. PLoS ONE, 2015, 10, e0130044.   | 2.5          | 23        |
| 125 | Dietary Profiles, Nutritional Biochemistry Status, and Attention-Deficit/Hyperactivity Disorder: Path Analysis for a Case-Control Study. Journal of Clinical Medicine, 2019, 8, 709.   | 2.4          | 23        |
| 126 | Early alcohol experiences and adolescent mental health: A population-based study in Taiwan. Drug and Alcohol Dependence, 2008, 95, 209-218.  | 3.2          | 22        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Heroin Use among Youths Incarcerated for Illicit Drug Use: Psychosocial Environment, Substance Use History, Psychiatric Comorbidity, and Route of Administration. American Journal on Addictions, 2006, 15, 233-241.   | 1.4 | 21        |
| 128 | Genetic and Environmental Influences on the Wisconsin Card Sorting Test Performance in Healthy Adolescents: A Twin/Sibling Study. Behavior Genetics, 2010, 40, 22-30.  | 2.1 | 21        |
| 129 | Genetic variants of IL-6 and its receptor are not associated with schizophrenia in Taiwan.<br>Neuroscience Letters, 2010, 468, 330-333.  | 2.1 | 21        |
| 130 | Genetic polymorphisms of clusterin gene are associated with a decreased risk of Alzheimer's disease.<br>European Journal of Epidemiology, 2012, 27, 73-75.   | 5.7 | 21        |
| 131 | Risk and Protective Factors for Suicide Among Patients With Methamphetamine Dependence. Journal of Clinical Psychiatry, 2011, 72, 487-493.   | 2.2 | 21        |
| 132 | Effects of Lipids on Intestinal Adaptation Following 60% Resection in Rats. Journal of Surgical Research, 1995, 58, 253-259.   | 1.6 | 20        |
| 133 | Patterns and Clinical Correlates of Neuropsychologic Deficits in Patients with Schizophrenia.<br>Journal of the Formosan Medical Association, 2006, 105, 978-991.  | 1.7 | 20        |
| 134 | Recidivism among male subjects incarcerated for illicit drug use in Taiwan. Psychiatry and Clinical Neurosciences, 2006, 60, 444-451.  | 1.8 | 20        |
| 135 | Handedness and schizotypy in non-clinical populations: Influence of handedness measures and age on the relationship. Laterality, 2006, 11, 331-349.  | 1.0 | 20        |
| 136 | The effect of in-hospital developmental care on neonatal morbidity, growth and development of preterm Taiwanese infants: A randomized controlled trial. Early Human Development, 2013, 89, 301-306.  | 1.8 | 20        |
| 137 | Detection of Cardiovascular Shunts by Transesophageal Echocardiography in Patients With Pulmonary Hypertension of Unexplained Cause. Chest, 1995, 107, 8-13.   | 0.8 | 19        |
| 138 | Re-examining sustained attention deficits as vulnerability indicators for schizophrenia: Stability in the long term course. Journal of Psychiatric Research, 2006, 40, 613-621.  | 3.1 | 19        |
| 139 | Travel Distance and the Use of Inpatient Care among Patients with Schizophrenia. Administration and Policy in Mental Health and Mental Health Services Research, 2008, 35, 346-356.  | 2.1 | 19        |
| 140 | Genetic and Environmental Influences on Adiponectin, Leptin, and BMI Among Adolescents in Taiwan: A Multivariate Twin/Sibling Analysis. Twin Research and Human Genetics, 2008, 11, 495-504.   | 0.6 | 19        |
| 141 | The multidimensionality of schizotypy in nonpsychotic relatives of patients with schizophrenia and its applications in ordered subsets linkage analysis of schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1-9. | 1.7 | 19        |
| 142 | Genetic variants in COMT and neurocognitive impairment in families of patients with schizophrenia. Genes, Brain and Behavior, 2009, 8, 228-237.  | 2.2 | 19        |
| 143 | Differential relationships of family drinking with alcohol expectancy among urban school children. BMC Public Health, 2011, 11, 87.  | 2.9 | 19        |
| 144 | A Genome-wide Quantitative Linkage Scan of Niacin Skin Flush Response in Families With Schizophrenia. Schizophrenia Bulletin, 2013, 39, 68-76.   | 4.3 | 19        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | The cross-cultural nature of the relationship between schizotypy and mixed-handedness. Laterality, 2013, 18, 476-490.   | 1.0 | 19        |
| 146 | Energy expenditure in patients with hepatocellular carcinoma. Cancer, 1994, 73, 590-595.  | 4.1 | 18        |
| 147 | Excess mortality of psychiatric inpatients in Taiwan. Psychiatry Research, 1996, 62, 239-250.   | 3.3 | 18        |
| 148 | The profile and familiality of personality traits in mood disorder families. Journal of Affective Disorders, 2012, 138, 367-374.  | 4.1 | 18        |
| 149 | A benchmark dose study of prenatal exposure to di(2-ethylhexyl) phthalate and behavioral problems in children. International Journal of Hygiene and Environmental Health, 2019, 222, 971-980. | 4.3 | 18        |
| 150 | Advanced Paternal Age and Early Onset of Schizophrenia in Sporadic Cases: Not Confounded by Parental Polygenic Risk for Schizophrenia. Biological Psychiatry, 2019, 86, 56-64.                | 1.3 | 18        |
| 151 | Primary Malignant Fibrous Histiocytoma of the Aorta Associated with Aortic Dissection. Chest, 1991, 99, 1049-1050.  | 0.8 | 17        |
| 152 | The Role of Gender in Understanding the Familial Transmission of Schizoaffective Disorder. British Journal of Psychiatry, 1993, 163, 763-768.   | 2.8 | 17        |
| 153 | A School-based Twin Study of Handedness among Adolescents in Taiwan. Behavior Genetics, 2005, 35, 723-733.  | 2.1 | 17        |
| 154 | Fast Versus Slow Strategy of Switching Patients With Schizophrenia to Aripiprazole From Other Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 635-644.                      | 1.4 | 17        |
| 155 | Minor physical anomalies and craniofacial measures in patients with treatment-resistant schizophrenia. Psychological Medicine, 2015, 45, 1839-1850.   | 4.5 | 17        |
| 156 | Changes in cholinergic and glutamatergic markers in the striatum from a sub-set of subjects with schizophrenia. Schizophrenia Research, 2015, 169, 83-88.                                     | 2.0 | 17        |
| 157 | Estimating age at onset distributions. Psychiatric Genetics, 1992, 2, 219-238.  | 1.1 | 16        |
| 158 | Genetic heterogeneity may in part explain sex differences in the familial risk for schizophrenia. Biological Psychiatry, 1995, 38, 808-813.   | 1.3 | 16        |
| 159 | Concordance of positive and negative symptoms in coaffected sib-pairs with schizophrenia., 1997, 74, 1-6.   |     | 16        |
| 160 | Employment experience in relation to alcohol, tobacco, and betel nut use among youth in Taiwan. Drug and Alcohol Dependence, 2006, 84, 273-280.   | 3.2 | 16        |
| 161 | Evaluation of RGS4 as a candidate gene for schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 418-420.  | 1.7 | 16        |
| 162 | A genomeâ€wide quantitative trait loci scan of neurocognitive performances in families with schizophrenia. Genes, Brain and Behavior, 2010, 9, 695-702.                                       | 2.2 | 16        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 163 | Genetic polymorphisms of nerve growth factor receptor (NGFR) and the risk of Alzheimer's disease. Journal of Negative Results in BioMedicine, 2012, 11, 5.   | 1.4 | 16        |
| 164 | Peers and social network on alcohol drinking through early adolescence in Taiwan. Drug and Alcohol Dependence, 2015, 153, 50-58.   | 3.2 | 16        |
| 165 | Television viewing and alcohol advertising with alcohol expectancies among school-aged children in Taiwan. Drug and Alcohol Dependence, 2016, 162, 219-226.  | 3.2 | 16        |
| 166 | Unilateral occlusion of duplicated uterus with ipsilateral renal anomaly in young girls: a study with MRI. Pediatric Radiology, 1995, 25, S54-S59.   | 2.0 | 16        |
| 167 | Month of birth and schizophrenia in Taiwan: effect of gender, family history and age at onset.<br>Schizophrenia Research, 1996, 20, 133-143.   | 2.0 | 15        |
| 168 | No association evidence between schizophrenia and dystrobrevin-binding protein 1 (DTNBP1) in Taiwanese families. Schizophrenia Research, 2007, 93, 391-398.  | 2.0 | 15        |
| 169 | Genetic loci associated with an earlier age at onset in multiplex schizophrenia. Scientific Reports, 2017, 7, 6486.  | 3.3 | 15        |
| 170 | Functional Relevance of Human ADH Polymorphism. Alcoholism: Clinical and Experimental Research, 2001, 25, 157S-163S.   | 2.4 | 15        |
| 171 | Estimating age at onset distributions: The bias from prevalent cases and its impact on risk estimation. Genetic Epidemiology, 1993, 10, 43-59.   | 1.3 | 14        |
| 172 | Synergistic effect of polymorphisms of paraoxonase gene cluster and arsenic exposure on electrocardiogram abnormality. Toxicology and Applied Pharmacology, 2009, 239, 178-183.  | 2.8 | 14        |
| 173 | Environmental tobacco smoke and male sex modify the influence of ILâ€13 genetic variants on cord blood IgE levels. Pediatric Allergy and Immunology, 2012, 23, 456-463.  | 2.6 | 14        |
| 174 | Neuropsychological functions among adolescents with persistent, subsyndromal and remitted attention deficit hyperactivity disorder. Psychological Medicine, 2014, 44, 1765-1777.   | 4.5 | 14        |
| 175 | Association of older paternal age with earlier onset among co-affected schizophrenia sib-pairs.<br>Psychological Medicine, 2015, 45, 2205-2213.  | 4.5 | 14        |
| 176 | E-Cigarette Use in a Country With Prevalent Tobacco Smoking: A Population-Based Study in Taiwan. Journal of Epidemiology, 2019, 29, 155-163.   | 2.4 | 14        |
| 177 | The Impact of the Chi-Chi Earthquake on the Incidence of Hospitalizations for Schizophrenia and on Concomitant Hospital Choice. Community Mental Health Journal, 2010, 46, 93-101.   | 2.0 | 13        |
| 178 | Impact of universal health coverage on suicide risk in newly diagnosed cancer patients:<br>Populationâ€based cohort study from 1985 to 2007 in Taiwan. Psycho-Oncology, 2017, 26, 1852-1859.                               | 2.3 | 13        |
| 179 | Media alcohol advertising with drinking behaviors among young adolescents in Taiwan. Drug and Alcohol Dependence, 2017, 177, 145-152.  | 3.2 | 13        |
| 180 | Preâ€diagnostic blood immune markers, incidence and progression of B ell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. International Journal of Cancer, 2018, 143, 1335-1347. | 5.1 | 13        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Investigation of early and lifetime clinical features and comorbidities for the risk of developing treatment-resistant depression in a 13-year nationwide cohort study. BMC Psychiatry, 2020, 20, 541.                      | 2.6 | 13        |
| 182 | HTF9C gene of 22q11.21 region associates with schizophrenia having deficit-sustained attention. Psychiatric Genetics, 2007, 17, 333-338.  | 1.1 | 12        |
| 183 | Transition From Alcohol to Other Drugs Among Adolescents in Taiwan: The First Drinking Context Matters. Journal of Studies on Alcohol and Drugs, 2008, 69, 378-387.   | 1.0 | 12        |
| 184 | Ketamine use among regular tobacco and alcohol users as revealed by respondent-driven sampling in Taipei: Prevalence, expectancy, and users' risky decision making. Journal of Food and Drug Analysis, 2013, 21, S102-S105. | 1.9 | 12        |
| 185 | The relationship of family characteristics and bipolar disorder using causal-pie models. European Psychiatry, 2014, 29, 36-43.  | 0.2 | 12        |
| 186 | Residential environments, alcohol advertising, and initiation and continuation of alcohol consumption among adolescents in urban Taiwan: A prospective multilevel study. SSM - Population Health, 2016, 2, 249-258.         | 2.7 | 12        |
| 187 | The effect of preventing subclinical transmission on the containment of COVID-19: Mathematical modeling and experience in Taiwan. Contemporary Clinical Trials, 2020, 96, 106101.   | 1.8 | 12        |
| 188 | Nonpolio Enterovirus Activity during the COVID-19 Pandemic, Taiwan, 2020. Emerging Infectious Diseases, 2021, 27, 306-308.  | 4.3 | 12        |
| 189 | Incidence of first onset alcoholism among Taiwanese aborigines. Psychological Medicine, 1997, 27, 1363-1371.  | 4.5 | 11        |
| 190 | A new regularized least squares support vector regression for gene selection. BMC Bioinformatics, 2009, 10, 44.   | 2.6 | 11        |
| 191 | Comparative epidemiology of betel nut use versus ecstasy use among Taiwanese adolescents: Findings from a national survey. Drug and Alcohol Dependence, 2011, 113, 177-183.   | 3.2 | 11        |
| 192 | Leisure activity participation in relation to alcohol purchasing and consumption in adolescence. Addictive Behaviors, 2019, 90, 294-300.  | 3.0 | 11        |
| 193 | Self-reported flushing and genotypes of ALDH2, ADH2, and ADH3 among Taiwanese Han. Alcoholism: Clinical and Experimental Research, 1998, 22, 1048-52.   | 2.4 | 11        |
| 194 | Taiwan schizophrenia linkage study: Lessons learned from endophenotypeâ€based genomeâ€wide linkage scans and perspective. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 636-647.       | 1.7 | 10        |
| 195 | Emergency separation of omphaloischiopagus tetrapus conjoined twins in the newborn period.<br>Journal of Pediatric Surgery, 1989, 24, 1221-1224.  | 1.6 | 9         |
| 196 | Separation of ischiopagus tripus conjoined twins. Journal of Pediatric Surgery, 1994, 29, 1417-1420.  | 1.6 | 9         |
| 197 | Sibling recurrence risk ratio analysis of the metabolic syndrome and its components over time. BMC Genetics, 2003, 4, S33.  | 2.7 | 9         |
| 198 | Association evidence of schizophrenia with distal genomic region of NOTCH4 in Taiwanese families. Genes, Brain and Behavior, 2007, 6, 497-502.  | 2.2 | 9         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 199 | Associations of Supported Treadmill Stepping With Walking Attainment in Preterm and Full-Term Infants. Physical Therapy, 2009, 89, 1215-1225.   | 2.4 | 9         |
| 200 | Running away experience and psychoactive substance use among adolescents in Taiwan: multi-city street outreach survey. BMC Public Health, 2010, 10, 29.   | 2.9 | 9         |
| 201 | Multilevel influences of school and family on alcohol-purchasing behaviors in school-aged children. Drug and Alcohol Dependence, 2010, 114, 127-33.   | 3.2 | 9         |
| 202 | Impaired impulse control is associated with a 5-HT2A receptor polymorphism in schizophrenia. Psychiatry Research, 2013, 208, 105-110.   | 3.3 | 9         |
| 203 | Simultaneous detection of single nucleotide polymorphisms and copy number variations in the CYP2D6 gene by multiplex polymerase chain reaction combined with capillary electrophoresis. Analytica Chimica Acta, 2013, 763, 67-75. | 5.4 | 9         |
| 204 | Abnormally low prolactin levels in schizophrenia patients after switching to aripiprazole in a randomized trial: a biomarker for rebound in psychotic symptoms?. BMC Psychiatry, 2020, 20, 552.                                   | 2.6 | 9         |
| 205 | Statistical validation of endophenotypes using a surrogate endpoint analytic analogue. Genetic Epidemiology, 2009, 33, 549-558.   | 1.3 | 8         |
| 206 | Trajectory classes of violent behavior and their relationship to lipid levels in schizophrenia inpatients. Journal of Psychiatric Research, 2015, 66-67, 105-111.   | 3.1 | 8         |
| 207 | Severity in sustained attention impairment and clozapine-resistant schizophrenia: a retrospective study. BMC Psychiatry, 2019, 19, 220.   | 2.6 | 8         |
| 208 | Dopamine D2 receptor gene and alcoholism among four aboriginal groups and Han in Taiwan. American Journal of Medical Genetics Part A, 1997, 74, 129-36.   | 2.4 | 8         |
| 209 | Auditory discrimination in female adolescents varying in schizotypal features: Preliminary findings. Psychiatry and Clinical Neurosciences, 2003, 57, 391-397.  | 1.8 | 7         |
| 210 | Patient subgroups of schizophrenia based on the Positive and Negative Syndrome Scale: composition and transition between acute and subsided disease states. Comprehensive Psychiatry, 2011, 52, 469-478.                          | 3.1 | 7         |
| 211 | Multilevel analysis of habitual physical activity and metabolic syndrome in Northern Taiwan. Preventive Medicine, 2011, 53, 34-38.  | 3.4 | 7         |
| 212 | Handedness and schizotypy in non-psychotic relatives of patients with schizophrenia. Laterality, 2011, 16, 690-706.   | 1.0 | 7         |
| 213 | Sexual Initiation and Emotional/Behavioral Problems in Taiwanese Adolescents: A Multivariate Response Profile Analysis. Archives of Sexual Behavior, 2015, 44, 717-727.   | 1.9 | 7         |
| 214 | Use of Spontaneous Reporting Systems to Detect Hostâ€Medication Interactions: Sex Differences in Oral Antiâ€Diabetic Drugâ€Associated Myocardial Infarction. Journal of the American Heart Association, 2018, 7, e008959.         | 3.7 | 7         |
| 215 | Alcohol expectancy profile in late childhood with alcohol drinking and purchasing behaviors in adolescence. Addictive Behaviors, 2018, 87, 55-61.   | 3.0 | 7         |
| 216 | Mis-anaesthetized society: expectancies and recreational use of ketamine in Taiwan. BMC Public Health, 2019, 19, 1307.  | 2.9 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Sexâ€moderated interactions between <scp>IL</scp> 4/ <scp>IL</scp> 13 pathway genes and prenatal environment on cord blood IgE levels. Clinical and Experimental Allergy, 2019, 49, 1128-1138.                                 | 2.9 | 7         |
| 218 | Firstâ€time offenders for recreational ketamine use under a new penalty system in Taiwan: incidence, recidivism and mortality in national cohorts from 2009 to 2017. Addiction, 2021, 116, 1770-1781.                          | 3.3 | 7         |
| 219 | The impact of Taiwan's implementation of a nationwide harm reduction program in 2006 on the use of various illicit drugs: trend analysis of first-time offenders from 2001 to 2017. Harm Reduction Journal, 2021, 18, 117.     | 3.2 | 7         |
| 220 | Major gene effects on apolipoprotein B concentrations in families of adolescents—Results from a community-based study in Taiwan. Clinica Chimica Acta, 2006, 365, 194-199.   | 1.1 | 6         |
| 221 | A Genome-Wide Linkage Scan for Distinct Subsets of Schizophrenia Characterized by Age at Onset and Neurocognitive Deficits. PLoS ONE, 2011, 6, e24103.   | 2.5 | 6         |
| 222 | Associations of parental and peer cross-substance use with 12–17-year-old adolescents' problematic alcohol use: A parent-child dyadic gender analysis. Drug and Alcohol Dependence, 2021, 221, 108611.                         | 3.2 | 6         |
| 223 | Extended Bayesian Model Averaging in Generalized Linear Mixed Models Applied to Schizophrenia Family Data. Annals of Human Genetics, 2011, 75, 62-77.  | 0.8 | 5         |
| 224 | Elevated Aspartate and Alanine Aminotransferase Levels and Natural Death among Patients with Methamphetamine Dependence. PLoS ONE, 2012, 7, e29325.  | 2.5 | 5         |
| 225 | Cardiac Complications Associated with Short-Term Mortality in Schizophrenia Patients Hospitalized for Pneumonia: A Nationwide Case-Control Study. PLoS ONE, 2013, 8, e70142.   | 2.5 | 5         |
| 226 | Using Social Network as a Recruiting Tool for Research on Substance Use in the Taipei Metropolitan Area: Study Design, Implementation, and Epidemiological Estimates. Journal of Epidemiology, 2015, 25, 647-655.              | 2.4 | 5         |
| 227 | Men's decrease and women's increase in harmful alcohol use from the 2014 to 2018 national surveys in Taiwan: A harbinger for an emerging national trend in East Asia?. International Journal of Drug Policy, 2022, 99, 103441. | 3.3 | 5         |
| 228 | Association between childhood negative life events with alcohol expectancies in early adolescence: Cumulative risk and latent class approaches. Drug and Alcohol Dependence, 2021, 226, 108853.                                | 3.2 | 5         |
| 229 | Comparative Effectiveness of Antipsychotics in Preventing Readmission for First-Admission Schizophrenia Patients in National Cohorts From 2001 to 2017 in Taiwan. Schizophrenia Bulletin, 2022, 48, 785-794.                   | 4.3 | 5         |
| 230 | Effects of MCT/LCT and LCT emulsions on plasma lipids and nitrogen retention in streptozotocin-induced diabetic rats receiving total parenteral nutrition. Nutrition, 1997, 13, 882-886.                                       | 2.4 | 4         |
| 231 | Segregation analysis of apolipoprotein A1 levels in families of adolescents: a community-based study in Taiwan. BMC Genetics, 2006, 7, 4.  | 2.7 | 4         |
| 232 | The Taipei Adolescent Twin/Sibling Family Study I: Behavioral Problems, Personality Features, and Neuropsychological Performance. Twin Research and Human Genetics, 2006, 9, 890-894.  | 0.6 | 4         |
| 233 | Relationship of Neonatal Cerebral Blood Flow Velocity Asymmetry with Early Motor, Cognitive and Language Development in Term Infants. Ultrasound in Medicine and Biology, 2013, 39, 797-803.                                   | 1.5 | 4         |
| 234 | Adaptive combination of Bayes factors as a powerful method for the joint analysis of rare and common variants. Scientific Reports, 2017, 7, 13858.   | 3.3 | 4         |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 235 | Family and school social capitals in late childhood predict youthful drinking behaviors and problems. Drug and Alcohol Dependence, 2019, 204, 107482.  | 3.2         | 4         |
| 236 | Nonmedical prescription drug use of analgesics and sedatives/hypnotics in Taiwan: Results from the 2014 National Survey of Substance Use. Preventive Medicine Reports, 2019, 15, 100900.                 | 1.8         | 4         |
| 237 | Genetic associations and expression of extra-short isoforms of disrupted-in-schizophrenia 1 in a neurocognitive subgroup of schizophrenia. Journal of Human Genetics, 2019, 64, 653-663.                 | 2.3         | 4         |
| 238 | Early sexual initiation and risky sexual practices among alcohol- and tobacco-using young adults in Taiwan: mediation analysis of preceding-sex use of illicit drugs. BMC Public Health, 2020, 20, 1647. | 2.9         | 4         |
| 239 | Childhood social context in relation to alcohol expectancy through early adolescence: A latent profile approach. Drug and Alcohol Dependence, 2020, 208, 107851.   | 3.2         | 4         |
| 240 | Prevalence and correlates of suicidal behaviors in the Taiwan Psychiatric Morbidity Survey. Journal of the Formosan Medical Association, 2022, 121, 1238-1247.   | 1.7         | 4         |
| 241 | Mitochondrial DNA methylation profiling of the human prefrontal cortex and nucleus accumbens: correlations with aging and drug use. Clinical Epigenetics, 2022, 14, .                                    | 4.1         | 4         |
| 242 | Estimating the morbidity risk for diseases having a variable age at onset. Psychiatric Genetics, 1994, 4, 135-142.   | 1.1         | 3         |
| 243 | The Taipei Adolescent Twin/Sibling Family Study II: Depression, Insulin Resistance, and Hormonal Factors. Twin Research and Human Genetics, 2006, 9, 895-898.  | 0.6         | 3         |
| 244 | Using an Uncertainty-Coding Matrix in Bayesian Regression Models for Haplotype-Specific Risk Detection in Family Association Studies. PLoS ONE, 2011, 6, e21890.   | 2.5         | 3         |
| 245 | Medium-term course and outcome of schizophrenia depicted by the sixth-month subtype after an acute episode. Journal of the Formosan Medical Association, 2012, 111, 265-274.                             | 1.7         | 3         |
| 246 | Effects of genetic variants of ADH1B and ALDH2 and social network on continued alcohol drinking among young adolescents in Taiwan. Drug and Alcohol Dependence, 2015, 147, 38-45.                        | <b>3.</b> 2 | 3         |
| 247 | Handedness and schizotypy: The potential effect of changing the writing-hand. Psychiatry Research, 2016, 242, 198-203.   | 3.3         | 3         |
| 248 | School District Variation in Parental Influence on Underage Drinking Behaviors. Journal of Adolescent Health, 2017, 61, 355-362.   | 2.5         | 3         |
| 249 | Inference of Cross-Level Interaction between Genes and Contextual Factors in a Matched<br>Case-Control Metabolic Syndrome Study: A Bayesian Approach. PLoS ONE, 2013, 8, e56693.                         | 2.5         | 3         |
| 250 | The Taipei Adolescent Twin/Sibling Family Study I: Behavioral Problems, Personality Features, and Neuropsychological Performance. Twin Research and Human Genetics, 2006, 9, 890-894.                    | 0.6         | 3         |
| 251 | Development of a semi-structured, multifaceted, computer-aided questionnaire for outbreak investigation: e-Outbreak Platform. Biomedical Journal, 2020, 43, 318-324.                                     | 3.1         | 2         |
| 252 | Residential Socioeconomic Environments and Areca Nut Use in Taiwan: A Comparison with Alcohol and Tobacco Use in Multilevel Analysis. Substance Use and Misuse, 2020, 55, 2025-2034.                     | 1.4         | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Interaction Between Prematurity and the MAOA Gene on Mental Development in Children: A Longitudinal View. Frontiers in Pediatrics, 2020, 8, 92.   | 1.9 | 2         |
| 254 | Associations between lifetime mental disorders and suicidal behaviors: findings from the Taiwan psychiatry morbidity survey. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1579-1589.   | 3.1 | 2         |
| 255 | Ischemia-induced alteration of myocardial Na(+)-K(+)-ATPase activity and ouabain binding sites in hypercholesterolemic rabbits. Atherosclerosis, 1996, 127, 59-64.  | 0.8 | 2         |
| 256 | Niacin skin flush and membrane polyunsaturated fatty acids in schizophrenia from the acute state to partial remission: a dynamic relationship. NPJ Schizophrenia, 2022, 8, .  | 3.6 | 2         |
| 257 | Atrial septal aneurysm: A cause of pseudotumor in the right atrium detected by transesophageal echocardiography. Journal of Clinical Ultrasound, 1994, 22, 209-211.   | 0.8 | 1         |
| 258 | Relation of Perseverative Tendency and Life Events to Depressive Symptoms: Findings from a Prospective Study in Non-referred Adolescents in Taiwan. Behavioral Medicine, 2011, 37, 1-7.   | 1.9 | 1         |
| 259 | Effects of exogenous fat emulsion on lymphocyte function in septic rats. Zhonghua Minguo Wei<br>Sheng Wu Ji Mian Yi Xue Za Zhi = Chinese Journal of Microbiology and Immunology, 1987, 20, 198-203.   | 0.0 | 1         |
| 260 | Prenatal antioxidant-enriched and pro-oxidant-contained food, IL4 and IL13 pathway genes, and cord blood IgE. Scientific Reports, 2022, 12, 2884.   | 3.3 | 1         |
| 261 | Characterization of clinical features and comorbidities between bipolar affective disorder with and without depressive episodes. Psychological Medicine, 2022, , 1-11.  | 4.5 | 1         |
| 262 | Cerebrovascular complications of infective endocarditis. Journal of Stroke and Cerebrovascular Diseases, 1993, 3, 222-227.  | 1.6 | 0         |
| 263 | Overdose. , 2013, , 187-192.  |     | 0         |
| 264 | A stochastic inference of de novo CNV detection and association test in multiplex schizophrenia families. Frontiers in Genetics, 2013, 4, 185.  | 2.3 | 0         |
| 265 | Identifying dopamine supersensitivity through a randomized controlled study of switching to aripiprazole from other antipsychotic agents in patients with schizophrenia. Therapeutic Advances in Psychopharmacology, 2022, 12, 204512532110643. | 2.7 | 0         |
| 266 | Effect of exogenous fat emulsion on phagocytic activity of polymorphonuclear cells in septic rats. Zhonghua Minguo Wei Sheng Wu Ji Mian Yi Xue Za Zhi = Chinese Journal of Microbiology and Immunology, 1990, 23, 271-6.                        | 0.0 | 0         |
| 267 | The Taipei Adolescent Twin/Sibling Family Study II: Depression, Insulin Resistance, and Hormonal Factors. Twin Research and Human Genetics, 2006, 9, 895-898.   | 0.6 | 0         |