

# Sylvie Michel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4307700/publications.pdf>

Version: 2024-02-01

155  
papers

3,051  
citations

147566

31  
h-index

223531

46  
g-index

178  
all docs

178  
docs citations

178  
times ranked

3698  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Pistacia lentiscus</i> L. Distilled Leaves as a Potential Cosmeceutical Ingredient: Phytochemical Characterization, Transdermal Diffusion, and Anti-Elastase and Anti-Tyrosinase Activities. <i>Molecules</i> , 2022, 27, 855.	1.7	8
2	Potent Antiplasmodial Derivatives of Dextromethorphan Reveal the Ent-Morphinan Pharmacophore of Tazopsine-Type Alkaloids. <i>Pharmaceutics</i> , 2022, 14, 372.	2.0	1
3	A kaleidoscope of photosynthetic antenna proteins and their emerging roles. <i>Plant Physiology</i> , 2022, 189, 1204-1219.	2.3	14
4	Bryophyllum pinnatum markers: CPC isolation, simultaneous quantification by a validated UPLC-DAD method and biological evaluations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 193, 113682.	1.4	13
5	Identification of alkylsalicylic acids in Lentisk oil ( <i>Pistacia lentiscus</i> L.) and viability assay on Human Normal Dermal Fibroblasts. <i>OCL - Oilseeds and Fats, Crops and Lipids</i> , 2021, 28, 22.	0.6	1
6	Comparison of extraction methods for chemical composition, antibacterial, depigmenting and antioxidant activities of <i>Eryngium maritimum</i> . <i>International Journal of Cosmetic Science</i> , 2020, 42, 127-135.	1.2	12
7	Correlation study on methoxylation pattern of flavonoids and their heme-targeted antiplasmodial activity. <i>Bioorganic Chemistry</i> , 2020, 104, 104243.	2.0	8
8	A Photoalkylative Fluorogenic Probe of Guttiferone A for Live Cell Imaging and Proteome Labeling in <i>Plasmodium falciparum</i> . <i>Molecules</i> , 2020, 25, 5139.	1.7	6
9	Cytotoxic compounds from the leaves and stems of the endemic Thai plant <i>Mitrephora sirikitiae</i> . <i>Pharmaceutical Biology</i> , 2020, 58, 490-497.	1.3	8
10	Membrane-Interactive Compounds From <i>Pistacia lentiscus</i> L. Thwart <i>Pseudomonas aeruginosa</i> Virulence. <i>Frontiers in Microbiology</i> , 2020, 11, 1068.	1.5	30
11	Polymethoxyflavones from <i>Gardenia oudiepe</i> (Rubiaceae) induce cytoskeleton disruption-mediated apoptosis and sensitize BRAF-mutated melanoma cells to chemotherapy. <i>Chemico-Biological Interactions</i> , 2020, 325, 109109.	1.7	7
12	Health risk associated with the oral consumption of "Chiniy-trefâ", a traditional medicinal preparation used in Martinique (French West Indies): Qualitative and quantitative analyses of aristolochic acids contained therein. <i>Toxicon</i> , 2019, 172, 53-60.	0.8	9
13	Collected mass spectrometry data on monoterpene indole alkaloids from natural product chemistry research. <i>Scientific Data</i> , 2019, 6, 15.	2.4	37
14	Chemical composition and biological activity of essential oils from <i>Artemisia copa</i> Phil. var. <i>copa</i> (Asteraceae) and <i>Aloysia deserticola</i> (Phil.) Lu-Irving & O'Leary (Verbenaceae), used in the Chilean Atacama's Taira Community (Antofagasta, Chile). <i>Journal of Essential Oil Research</i> , 2019, 31, 425-431.	1.3	5
15	Bioguided identification of triterpenoids and neolignans as bioactive compounds from anti-infectious medicinal plants of the Taira Atacama's community (Calama, Chile). <i>Journal of Ethnopharmacology</i> , 2019, 231, 217-229.	2.0	15
16	Chemical composition and biological properties of <i>Ipomoea procumbens</i> . <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 191-197.	0.6	7
17	In vitro biological evaluation and molecular docking studies of natural and semisynthetic flavones from <i>Gardenia oudiepe</i> (Rubiaceae) as tyrosinase inhibitors. <i>Bioorganic Chemistry</i> , 2019, 82, 241-245.	2.0	12
18	How light photoperiod and medium composition could increase the production of a potent anticancer metabolite by <i>Nostoc</i> . <i>Planta Medica</i> , 2019, 85, .	0.7	0

#	ARTICLE	IF	CITATIONS
19	Exploring the traditional medicine of Atacama people from Northern Chile as inestimable source of bioactive compounds. <i>Planta Medica</i> , 2019, 85, .	0.7	0
20	Spirokermeline: A Macrocyclic Spirolactone from <i>Kermadecia elliptica</i> Brongn. & Gris. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 5819-5822.	1.2	6
21	Clerodane furanoditerpenoids as the probable cause of toxic hepatitis induced by <i>Tinospora crispa</i> . <i>Scientific Reports</i> , 2018, 8, 13520.	1.6	14
22	Polar lipids in cosmetics: recent trends in extraction, separation, analysis and main applications. <i>Phytochemistry Reviews</i> , 2018, 17, 1179-1210.	3.1	29
23	Chemical constituents of <i>Anthospermum perrieri</i> (Rubiaceae). <i>Biochemical Systematics and Ecology</i> , 2018, 80, 29-31.	0.6	2
24	Comparative metabolomic study between African and Amazonian <i>Symphonia globulifera</i> by tandem LC-MS/MS. <i>Phytochemistry Letters</i> , 2017, 20, 309-315.	0.6	6
25	Heme-binding activity of methoxyflavones from <i>Pentzia monodiana</i> Maire (Asteraceae). <i>Phytochemistry Letters</i> , 2017, 118, 1-5.	1.1	10
26	Assessment of two centrifugal partition chromatography devices. Application to the purification of <i>Centaurium erythraea</i> methanolic extract. <i>Phytochemistry Letters</i> , 2017, 20, 401-405.	0.6	6
27	Chemical study of <i>Anthospermum emirnense</i> (Rubiaceae). <i>Biochemical Systematics and Ecology</i> , 2017, 70, 186-191.	0.6	3
28	A Nitrile Glucoside and Biflavones from the Leaves of <i>Campylospermum excavatum</i> (Ochnaceae). <i>Chemistry and Biodiversity</i> , 2017, 14, e1700241.	1.0	9
29	Off-line coupling of new generation centrifugal partition chromatography device with preparative high pressure liquid chromatography-mass spectrometry triggering fraction collection applied to the recovery of secoiridoid glycosides from <i>Centaurium erythraea</i> Rafn. ( <i>Gentianaceae</i> ). <i>Journal of Chromatography A</i> , 2017, 1513, 149-156.	1.8	10
30	Synthetic Analogue of the Natural Product Piperlongumine as a Potent Inhibitor of Breast Cancer Cell Line Migration. <i>Journal of the Brazilian Chemical Society</i> , 2017, 28, 475-484.	0.6	9
31	Three new trixane glycosides obtained from the leaves of <i>Jungia sellowii</i> Less. using centrifugal partition chromatography. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 674-683.	1.3	13
32	Phytochemical study and biological evaluation of chemical constituents of <i>Platanus orientalis</i> and <i>Platanus acerifolia</i> buds. <i>Phytochemistry</i> , 2016, 130, 170-181.	1.4	21
33	Guttiferone A Aggregates Modulate Silent Information Regulator 1 (SIRT1) Activity. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 9560-9566.	2.9	6
34	Triterpenes from the exudate of <i>Gardenia urvillei</i> . <i>Phytochemistry</i> , 2016, 122, 193-202.	1.4	14
35	Purification of bioactive compounds from <i>Centaurium erythraea</i> by conventional and new generation designed Centrifugal Partition Chromatography column. <i>Planta Medica</i> , 2016, 81, S1-S381.	0.7	0
36	Isolation of Guttiferones from Renewable Parts of <i>Symphonia globulifera</i> by Centrifugal Partition Chromatography. <i>Planta Medica</i> , 2015, 81, 1604-1608.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Antileishmanial activity of fucosterol recovered from <i>Lessonia vadosa</i> Searles (Lessoniaceae) by SFE, PSE and CPC. <i>Phytochemistry Letters</i> , 2015, 11, 418-423.	0.6	39
38	Antivascular and anti-parasite activities of natural and hemisynthetic flavonoids from New Caledonian <i>Gardenia</i> species (Rubiaceae). <i>European Journal of Medicinal Chemistry</i> , 2015, 93, 93-100.	2.6	32
39	Ion tree-based structure elucidation of acetophenone dimers (AtA) from <i>Acronychia pedunculata</i> and their identification in extracts by liquid chromatography electrospray ionization LTQ-Orbitrap mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2015, 50, 495-512.	0.7	8
40	Polycyclic Polyprenylated Xanthenes from <i>Symphonia globulifera</i> : Isolation and Biomimetic Electrosynthesis. <i>Journal of Natural Products</i> , 2015, 78, 2136-2140.	1.5	10
41	Cymoside, a monoterpene indole alkaloid with a hexacyclic fused skeleton from <i>Chimarrhis cymosa</i> . <i>Tetrahedron Letters</i> , 2015, 56, 5377-5380.	0.7	16
42	Viability of a [2 + 2 + 1] Hetero-Pausonâ€“Khand Cycloaddition Strategy toward Securinega Alkaloids: Synthesis of the BCD-Ring Core of Securinine and Related Alkaloids. <i>Journal of Organic Chemistry</i> , 2015, 80, 6525-6528.	1.7	10
43	<i>Symphonia globulifera</i> , a Widespread Source of Complex Metabolites with Potent Biological Activities. <i>Planta Medica</i> , 2015, 81, 95-107.	0.7	16
44	Phytochemical study of <i>Capraria biflora</i> L. aerial parts (Scrophulariaceae) from Martinique island (French West Indies). <i>Phytochemistry Letters</i> , 2015, 13, 194-199.	0.6	2
45	Chiroptical study and absolute configuration of securinine oxidation products. <i>Natural Product Research</i> , 2015, 29, 1235-1242.	1.0	3
46	A new 3,4-seco-cycloartane from the leaves of <i>Hopea odorata</i> Roxb.. <i>Natural Product Research</i> , 2015, 29, 1820-1827.	1.0	8
47	Rapid Identification of Antioxidant Compounds of <i>Genista saharae</i> Coss. & Dur. by Combination of DPPH Scavenging Assay and HPTLC-MS. <i>Molecules</i> , 2014, 19, 4369-4379.	1.7	25
48	Synthesis, Antitumor Activity, and Mechanism of Action of Benzo[ <i>b</i> ]chromeno[6,5- <i>g</i> ][1,8]naphthyridin-7-one Analogs of Acronycine. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 10329-10342.	2.9	18
49	Comparative LCâ€“MS-based metabolite profiling of the ancient tropical rainforest tree <i>Symphonia globulifera</i> . <i>Phytochemistry</i> , 2014, 108, 102-108.	1.4	13
50	One-Step Semisynthesis of Oleacein and the Determination as a 5-Lipoxygenase Inhibitor. <i>Journal of Natural Products</i> , 2014, 77, 441-445.	1.5	60
51	Antifungal ether diglycosides from <i>Matayba guianensis</i> Aublet. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1414-1416.	1.0	7
52	Geranylated homogentisic acid derivatives and flavonols from <i>Miliusa umpangensis</i> . <i>Biochemical Systematics and Ecology</i> , 2014, 54, 179-181.	0.6	10
53	Toxic hepatitis induced by a herbal medicine: <i>Tinospora crispa</i> . <i>Phytomedicine</i> , 2014, 21, 1120-1123.	2.3	37
54	Cytotoxic turrianes from <i>Kermadecia elliptica</i> : Hemisynthesis and biological activities of kermadecin A derivatives. <i>Phytochemistry Letters</i> , 2014, 10, 249-254.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Dereplication and metabolomics strategies for the discovery of bioactive natural products: The Acronychia example. <i>Planta Medica</i> , 2014, 80, .	0.7	3
56	Towards the first SAR study on the Securinega alkaloids. <i>Planta Medica</i> , 2014, 80, .	0.7	1
57	Influence of solvents and catalysts on the formation and hydrolysis of polyfunctional enoxysilanes derived from aucubin. <i>Arkivoc</i> , 2014, 2014, 184-196.	0.3	2
58	Neolignans from leaves of <i>Milusa mollis</i> . <i>FÄ-toterapÄ-Äç</i> , 2013, 85, 49-56.	1.1	25
59	Synthesis of novel guttiferone A derivatives: In-vitro evaluation toward <i>Plasmodium falciparum</i> , <i>Trypanosoma brucei</i> and <i>Leishmania donovani</i> . <i>European Journal of Medicinal Chemistry</i> , 2013, 65, 284-294.	2.6	25
60	New neolignans and a lignan from <i>Milusa fragrans</i> , and their anti-herpetic and cytotoxic activities. <i>Tetrahedron Letters</i> , 2013, 54, 4259-4263.	0.7	30
61	New triterpenoids from the stem bark of <i>Hypodaphnis zenkeri</i> . <i>Natural Product Research</i> , 2013, 27, 137-145.	1.0	7
62	Synthesis of a new bis(indolyl)methane that inhibits growth and induces apoptosis in human prostate cancer cells. <i>Natural Product Research</i> , 2013, 27, 2039-2045.	1.0	44
63	Tetrahydroalstonine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1389-o1390.	0.2	0
64	New neolignans from leaves of <i>Milusa mollis</i> . <i>Planta Medica</i> , 2013, 79, .	0.7	0
65	A New Sphingolipid and Furanocoumarins with Antimicrobial Activity from <i>Ficus exasperata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1072-1075.	0.6	30
66	Lupane triterpenes from the leaves of the tropical rain forest tree <i>Hopea odorata</i> Roxb. and their cytotoxic activities. <i>Biochemical Systematics and Ecology</i> , 2012, 44, 407-412.	0.6	12
67	Synthesis and Antimicrobial Activities of Some Sulphur Containing Chromene Derivatives. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	2
68	Semisynthesis of Guttiferone A analogs. <i>Planta Medica</i> , 2012, 78, .	0.7	1
69	Methodology for the preparation of olive oil open ring secoiridoids. <i>Planta Medica</i> , 2012, 78, .	0.7	13
70	Natural products as models for the conception of new active products: Benzopyran, a privileged structure. <i>Planta Medica</i> , 2012, 78, .	0.7	0
71	Cymoside, an original hexacyclic monoterpene indole alkaloid and others compounds from <i>Chimarrhis cymosa</i> (Rubiaceae). <i>Planta Medica</i> , 2012, 78, .	0.7	0
72	Synthesis and biological activity of some C(9)-hydroxymethyl-5,11-dimethylellipticine derivatives. <i>Planta Medica</i> , 2012, 78, .	0.7	0

#	ARTICLE	IF	CITATIONS
73	UHPLC-LTQ-ORBITRAP based identification and HSCCC isolation of antifungal components from <i>Platanus</i> SP. (Platanaceae). <i>Planta Medica</i> , 2012, 78, .	0.7	0
74	Selective antiproliferative activity of spinasterol from <i>Physospemum verticillatum</i> against A549 and COR-L23 cancer cells. <i>Planta Medica</i> , 2012, 78, .	0.7	0
75	Evaluation of the antiangiogenic and anti-parasitic activities of flavonoids from gardenia species and their modified analogues. <i>Planta Medica</i> , 2012, 78, .	0.7	0
76	New 3,4-secocycloartane and lupane triterpenes from the leaves of the tropical rain forest tree <i>Hopea odorata</i> Roxb. <i>Planta Medica</i> , 2012, 78, .	0.7	0
77	A one-pot synthesis of 7-phenylindolo[3,2-a]carbazoles from indoles and $\beta$ -nitrostyrenes, via an unprecedented reaction sequence. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 7780.	1.5	39
78	Dammarane Triterpenes from <i>Gardenia aubryi</i> Vieill. <i>Helvetica Chimica Acta</i> , 2011, 94, 656-661.	1.0	6
79	Solvent/Base Effects in the Selective Domino Synthesis of Phenanthridinones That Involves High-Valent Palladium Species: Experimental and Theoretical Studies. <i>Chemistry - A European Journal</i> , 2011, 17, 12809-12819.	1.7	19
80	Synthesis and cytotoxic activity of benzo[a]acronycine and benzo[b]acronycine substituted on the A ring. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 1861-1873.	2.6	10
81	Synthesis and biological evaluation of N-substituted benzo[c]phenanthrolines and benzo[c]phenanthrolinones as antiproliferative agents. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2117-2131.	2.6	13
82	Tröger's bases in the acronycine, benzo[a]acronycine, and benzo[b]acronycine series. <i>Tetrahedron Letters</i> , 2011, 52, 4426-4429.	0.7	15
83	Biological Potential and Structure-Activity Relationships of Most Recently Developed Vascular Disrupting Agents: An Overview of New Derivatives of Natural Combretastatin A-4. <i>Current Medicinal Chemistry</i> , 2011, 18, 3035-3081.	1.2	64
84	Synthesis and cytotoxic activity of psorospermin and acronycine analogues in the 3-propyloxy-acridin-9(10H)-one and -benzo[b]acridin-12(5H)-one series. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 581-587.	2.6	16
85	Synthesis and biological evaluation of dialkylaminoalkylamino benzo[c][1,7] and [1,8]phenanthrolines as antiproliferative agents. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 2547-2558.	2.6	14
86	Synthesis, biological activity, and evaluation of the mode of action of novel antitubercular benzofurobenzopyrans substituted on A ring. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 5833-5847.	2.6	33
87	The synthesis and Angiotensin Converting Enzyme (ACE) inhibitory activity of chalcones and their pyrazole derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 1990-1993.	1.0	77
88	Structure-activity relationships of indole compounds derived from combretastatin A4: Synthesis and biological screening of 5-phenylpyrrolo[3,4-a]carbazole-1,3-diones as potential antivasular agents. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 3726-3739.	2.6	23
89	Selective Unusual Pd-Mediated Biaryl Coupling Reactions: Solvent Effects with Carbonate Bases. <i>Organic Letters</i> , 2010, 12, 156-158.	2.4	28
90	Tri-ionizable calix[4]arene ligands: synthesis and lanthanide ion complexation. <i>Arkivoc</i> , 2010, 2010, 191-202.	0.3	6

#	ARTICLE	IF	CITATIONS
91	Influence of the Stereoisomeric Position of the Reactive Acetate Groups of the Benzo[ <i>b</i> ]Acronycine derivative S23906-1 on Its DNA Alkylation, Helix-Opening, Cytotoxic, and Antitumor Activities. <i>Molecular Pharmacology</i> , 2009, 76, 1172-1185.	1.0	10
92	Acronycine Derivatives: A Promising Series of Anti-Cancer Agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2009, 9, 804-815.	0.9	19
93	Isolation and chemistry of the alkaloids from <i>Papaver arachnoideum</i> Kadereit. <i>Biochemical Systematics and Ecology</i> , 2009, 37, 501-503.	0.6	2
94	Synthesis of N-substituted benzo[ <i>c</i> ][1,7]- and benzo[ <i>c</i> ][1,8] phenanthroline-(5H)-6-ones through a Pd-mediated Suzuki-Miyaura heteroaryl-aryl coupling reaction. <i>Tetrahedron</i> , 2009, 65, 10009-10015.	1.0	13
95	Diversity-oriented synthesis of furo[3,2- <i>f</i> ]chromanes with antimycobacterial activity. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 2497-2505.	2.6	81
96	Synthesis, cytotoxic activity, and DNA binding properties of antitumor cis-1,2-dihydroxy-1,2-dihydrobenzo[ <i>b</i> ]acronycine cinnamoyl esters. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 1918-1927.	1.4	9
97	Cytotoxic activity of Brazilian Cerrado plants used in traditional medicine against cancer cell lines. <i>Journal of Ethnopharmacology</i> , 2009, 123, 439-445.	2.0	122
98	Antitumor <i>Psoropermum</i> Xanthonones and <i>Sarcomelicope</i> Acridones: Privileged Structures Implied in DNA Alkylation. <i>Journal of Natural Products</i> , 2009, 72, 527-539.	1.5	67
99	Structure-activity relationships in the acronycine and benzo[ <i>b</i> ]acronycine series: Role of the pyran ring. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 2677-2687.	2.6	9
100	Synthesis and biological evaluation of new disubstituted analogues of 6-methoxy-3-(3,4,5-trimethoxybenzoyl)-1H-indole (BPROL075), as potential antivasular agents. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 7494-7503.	1.4	33
101	A new synthetic access to furo[3,2- <i>f</i> ]chromene analogues of an antimycobacterial. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8264-8272.	1.4	92
102	Synthesis, Cytotoxic Activity, and Mechanism of Action of Furo[2,3- <i>c</i> ]acridin-6-one and Benzo[ <i>b</i> ]furo[3,2- <i>h</i> ]acridin-6-one Analogues of Psorospermin and Acronycine. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 7287-7297.	2.9	21
103	Structure-activity relationships in the acronycine and benzo[ <i>b</i> ]acronycine series: Role of the pyran ring. <i>Planta Medica</i> , 2008, 74, .	0.7	0
104	Natural products as privileged structures for the conception of novel antimycobacterial agents. <i>Planta Medica</i> , 2008, 74, .	0.7	0
105	Design, synthesis and biological evaluation of 13-aza derivatives of benzo[ <i>b</i> ]acronycine. <i>Planta Medica</i> , 2008, 74, .	0.7	0
106	Novel potential antitumor analogues of fagaronine and nitidine in the Benzo[ <i>c</i> ]phenanthroline series. <i>Planta Medica</i> , 2008, 74, .	0.7	0
107	Synthesis, cytotoxic activity and mechanism of action of new Psorospermin-Acronycine analogs. <i>Planta Medica</i> , 2008, 74, .	0.7	0
108	Antimycobacterial Benzofuro[3,2- <i>f</i> ]chromenes from a 5-Bromochromen-6-ol. <i>Synthesis</i> , 2007, 2007, 1566-1570.	1.2	1

#	ARTICLE	IF	CITATIONS
109	Synthesis and Cytotoxic Activity of Dimeric Analogs of Acronycine in the Benzo[b]pyrano[3,2-h]acridin-7-one Series. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 734-738.	0.6	5
110	Synthesis and antimycobacterial evaluation of benzofurobenzopyran analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2177-2186.	1.4	47
111	Synthesis and Angiotensin Converting Enzyme (ACE) inhibition activity of chalcone derivatives. <i>Planta Medica</i> , 2007, 73, .	0.7	0
112	Synthesis, Antitumor Activity, and Mechanism of Action of Benzo[a]pyrano[3,2-h]acridin-7-one Analogues of Acronycine. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 3383-3394.	2.9	20
113	seco-Cycloartane Triterpenes from <i>Gardeniaaubyri</i> . <i>Journal of Natural Products</i> , 2006, 69, 1711-1714.	1.5	39
114	Synthesis and Cytotoxic Activity of Benzo[a]pyrano[3,2-h] and [2,3-i]xanthone Analogues of Psorospermine, Acronycine, and Benzo[a]acronycine. <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1113-1118.	0.6	14
115	Benzofuro[3,2-f][1]benzopyrans: A new class of antitubercular agents. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 5423-5428.	1.4	54
116	Synthesis and biological evaluation of (3,4,5-trimethoxyphenyl)indol-3-ylmethane derivatives as potential antivasular agents. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 4410-4426.	1.4	33
117	Synthesis of benzo[c][1,8]phenanthrolin-6-one through cyclization of N-(isoquinol-5-yl)-2-bromo-benzamide derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 1261-1265.	1.4	3
118	Design, Synthesis, and Cytotoxic Activity of Michael Acceptors and Enol Esters in the Benzo[b]acronycine Series. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 919-922.	0.6	6
119	New antitubulin derivatives in the combretastatin A4 series: synthesis and biological evaluation. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 3853-3864.	1.4	46
120	Covalent binding of antitumor benzoacronycines to double-stranded DNA induces helix opening and the formation of single-stranded DNA: unique consequences of a novel DNA-bonding mechanism. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 71-80.	1.9	34
121	Benzo[b]acronycine Derivatives: A Novel Class of Antitumor Agents. <i>ChemInform</i> , 2004, 35, no.	0.1	0
122	A transesterification reaction is implicated in the covalent binding of benzo[b]acronycine anticancer agents with DNA and glutathion. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 23-29.	1.4	24
123	Synthesis and cytotoxic activity of benzo[c][1,7] and [1,8]phenanthrolines analogues of nitidine and fagarone. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 3943-3953.	1.4	39
124	Benzo[b]acronycine derivatives: a novel class of antitumor agents. <i>European Journal of Medicinal Chemistry</i> , 2004, 39, 649-655.	2.6	38
125	New Diterpenes from <i>Croton insularis</i> . <i>Journal of Natural Products</i> , 2004, 67, 685-688.	1.5	32
126	Synthesis and Cytotoxic and Antitumor Activity of 1,2-Dihydroxy-1,2-dihydrobenzo[b]acronycine Diacid Hemiesters and Carbamates. <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 293-297.	0.6	15



#	ARTICLE	IF	CITATIONS
127	Synthesis and Cytotoxic Activity of Pyranocarbazole Analogues of Ellipticine and Acronycine. <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 540-545.	0.6	16
128	Design of Novel Antitumor DNA Alkylating Agents: The Benzacronycine Series. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2004, 4, 83-92.	7.0	12
129	Covalent binding to glutathione of the DNA-alkylating antitumor agent, S23906-1. <i>FEBS Journal</i> , 2003, 270, 2848-2859.	0.2	27
130	Structure-Activity Relationships and Mechanism of Action of Antitumor Benzo[b]pyrano[3,2-h]acridin-7-one Acronycine Analogues. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3072-3082.	2.9	52
131	A New Pyranoacridone Alkaloid from the Bark of <i>Medicosma subsessilis</i> (Rutaceae). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2003, 58, 1234-1236.	0.3	6
132	Synthesis of 6-dialkylaminoalkylamino pyrano[2,3-c]acridones and benzo[b]pyrano[3,2-h]acridones: soluble acronycine analogues with increased cytotoxic activity. <i>Oncology Research</i> , 2003, 13, 191-7.	0.6	7
133	A New Phenylpropanoid Ester from the Bark of <i>Zanthoxylum scandens</i> (Rutaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002, 57, 986-989.	0.6	6
134	Structure-Activity Relationships in The Acronycine Series. <i>Current Medicinal Chemistry</i> , 2002, 9, 1689-700.	1.2	17
135	Induction of Cyclin E and Inhibition of DNA Synthesis by the Novel Acronycine Derivative S23906-1 Precede the Irreversible Arrest of Tumor Cells in S Phase Leading to Apoptosis. <i>Molecular Pharmacology</i> , 2001, 60, 1383-1391.	1.0	73
136	Synthesis and Cytotoxic Activity of Benzopyranoxanthone Analogues of Benzo[b]acronycine and Psorospermine.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 675-679.	0.6	13
137	A New Diprenyl Coumarin and Alkaloids from the Bark of <i>Zanthoxylum dimorphophyllum</i> (Rutaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001, 56, 492-494.	0.6	7
138	Synthesis and Cytotoxic and Antitumor Activity of Benzo[b]pyrano[3,2-h]acridin-7-one Analogues of Acronycine. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 2395-2402.	2.9	78
139	Chiral Dihydroxylation of Acronycine: Absolute Configuration of Naturalcis-1,2-Dihydroxy-1,2-dihydroacronycine and Cytotoxicity of (1R,2R)- and (1S,2S)-1,2-Diacetoxy-1,2-dihydroacronycine. <i>Journal of Natural Products</i> , 1999, 62, 490-492.	1.5	27
140	Synthesis and Cytotoxic Activity of 11-Nitro and 11-Amino Derivatives of Acronycine and 6-Demethoxyacronycine.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1604-1606.	0.6	14
141	Prodrugs of Anthracyclines for Use in Antibody-Directed Enzyme Prodrug Therapy. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 3572-3581.	2.9	84
142	Acronycine-Type Alkaloids : Chemistry and Biology. <i>Alkaloids: Chemical and Biological Perspectives</i> , 1998, 12, 1-102.	0.2	23
143	Synthesis and Aromatization of Dihydropyrimidines Structurally Related to Calcium Channel Modulators of the Nifedipine-Type. <i>Heterocycles</i> , 1997, 45, 1967.	0.4	84
144	Bioactive natural and synthetic acronycine derivatives modified at the pyran ring. <i>Studies in Natural Products Chemistry</i> , 1997, , 789-815.	0.8	3

#	ARTICLE	IF	CITATIONS
145	Synthesis and Cytotoxic and Antitumor Activity of Esters in the 1,2-Dihydroxy-1,2-dihydroacronycine Series. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4762-4766.	2.9	118
146	Synthesis and Cytotoxic Activity of Acronycine Derivatives Modified at the Pyran Ring.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 2165-2168.	0.6	16
147	A Novel Synthesis of 6-Demethoxyacronycine. <i>Heterocycles</i> , 1992, 34, 799.	0.4	33
148	Synthesis of novel targeted pro-prodrugs of anthracyclines potentially activated by a monoclonal antibody galactosidase conjugate (part 1). <i>Bioorganic and Medicinal Chemistry Letters</i> , 1992, 2, 1093-1096.	1.0	29
149	Strellidimine: the first natural bis-ellipticine alkaloid. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 229.	2.0	26
150	Brafoûdine et Isobrafoûdine: Nouveaux Alcaloïdes Indoliques Mineurs de <i>Strychnos dinklagei</i> . <i>Journal of Natural Products</i> , 1986, 49, 452-455.	1.5	10
151	Plantes de Nouvelle-Calédonie. 94e Communication. Alcaloïdes monoterpéniques de <i>Scaevola racemigera</i> D., NIKER. <i>Helvetica Chimica Acta</i> , 1985, 68, 1679-1685.	1.0	19
152	Alcaloïdes des Feuilles de <i>Strychnos dinklagei</i> . <i>Journal of Natural Products</i> , 1985, 48, 86-92.	1.5	9
153	La dinklageine, alcaloïde monoterpénique d'un type nouveau. <i>Tetrahedron Letters</i> , 1984, 25, 2783-2786.	0.7	6
154	Alcaloïdes Des Écorces De Tiges De <i>Strychnos dinklagei</i> . <i>Journal of Natural Products</i> , 1982, 45, 489-494.	1.5	24
155	L'Ellipticine, Alcaloïde Majeur Des Écorces de <i>Strychnos dinklagei</i> . <i>Journal of Natural Products</i> , 1980, 43, 294-295.	1.5	26