

Aron Stubbins

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4308106/aron-stubbins-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

6,494
citations

38
h-index

80
g-index

108
ext. papers

8,080
ext. citations

7
avg, IF

5.95
L-index

#	Paper	IF	Citations
98	Non-conservative behavior of dissolved organic carbon in a Georgia salt marsh creek indicates summer outwelling. <i>Estuarine, Coastal and Shelf Science</i> , 2022 , 265, 107709	2.9	0
97	Assessing the Role of Photochemistry in Driving the Composition of Dissolved Organic Matter in Glacier Runoff. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2021JG006516	3.7	1
96	Predicting dissolved organic carbon concentration in a dynamic salt marsh creek via machine learning. <i>Limnology and Oceanography: Methods</i> , 2021 , 19, 81-95	2.6	0
95	Assessing inputs of aquaculture-derived nutrients to streams using dissolved organic matter fluorescence. <i>Science of the Total Environment</i> , 2021 , 807, 150785	10.2	0
94	River network travel time is correlated with dissolved organic matter composition in rivers of the contiguous United States. <i>Hydrological Processes</i> , 2021 , 35, e14124	3.3	2
93	Drivers of Organic Molecular Signatures in the Amazon River. <i>Global Biogeochemical Cycles</i> , 2021 , 35, e2021GB006938	5.9	2
92	Questions remain about the biolability of dissolved black carbon along the combustion continuum. <i>Nature Communications</i> , 2021 , 12, 4281	17.4	6
91	Plastics in the Earth system. <i>Science</i> , 2021 , 373, 51-55	33.3	59
90	Spatial characteristics and removal of dissolved black carbon in the western Arctic Ocean and Bering Sea. <i>Geochimica Et Cosmochimica Acta</i> , 2021 , 304, 178-190	5.5	2
89	Event Scale Relationships of DOC and TDN Fluxes in Throughfall and Stemflow Diverge From Stream Exports in a Forested Catchment. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2021JG006281	3.7	2
88	Source Switching Maintains Dissolved Organic Matter Chemostasis Across Discharge Levels in a Large Temperate River Network. <i>Ecosystems</i> , 2021 , 24, 227-247	3.9	13
87	Hydrocarbons to carboxyl-rich alicyclic molecules: A continuum model to describe biodegradation of petroleum-derived dissolved organic matter in contaminated groundwater plumes. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123998	12.8	10
86	Carbonaceous matter in the atmosphere and glaciers of the Himalayas and the Tibetan plateau: An investigative review. <i>Environment International</i> , 2021 , 146, 106281	12.9	14
85	Export of photolabile and photoprimeable dissolved organic carbon from the Connecticut River. <i>Aquatic Sciences</i> , 2021 , 83, 1	2.5	2
84	Does Photomineralization of Dissolved Organics Matter in Temperate Rivers?. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2021JG006402	3.7	0
83	Dissolved Organic Matter Dynamics in the Epipelagic Northwest Pacific Low-Latitude Western Boundary Current System: Insights From Optical Analyses. <i>Journal of Geophysical Research: Oceans</i> , 2021 , 126, e2021JC017458	3.3	2
82	Investigating Atmospheric Inputs of Dissolved Black Carbon to the Santa Barbara Channel During the Thomas Fire (California, USA). <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021 , 126, e2021JG006442	2.7	2

81	Dissolved organic matter sources in glacierized watersheds delineated through compositional and carbon isotopic modeling. <i>Limnology and Oceanography</i> , 2021 , 66, 438-451	4.8	8
80	An international laboratory comparison of dissolved organic matter composition by high resolution mass spectrometry: Are we getting the same answer?. <i>Limnology and Oceanography: Methods</i> , 2020 , 18, 235-258	2.6	43
79	Key Questions on the Evaporation and Transport of Intercepted Precipitation Open image in new window 2020 , 269-280		3
78	Throughfall and Stemflow: The Crowning Headwaters of the Aquatic Carbon Cycle Open image in new window 2020 , 121-132		3
77	El Niño-Driven Dry Season Flushing Enhances Dissolved Organic Matter Export From a Subtropical Watershed. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL089877	4.9	4
76	Du Feu d'Éau: Source and Flux of Dissolved Black Carbon From the Congo River. <i>Global Biogeochemical Cycles</i> , 2020 , 34, e2020GB006560	5.9	5
75	Photochemical dissolution of buoyant microplastics to dissolved organic carbon: Rates and microbial impacts. <i>Journal of Hazardous Materials</i> , 2020 , 383, 121065	12.8	97
74	ICBM-OCEAN: Processing Ultrahigh-Resolution Mass Spectrometry Data of Complex Molecular Mixtures. <i>Analytical Chemistry</i> , 2020 , 92, 6832-6838	7.8	21
73	Molecular Hysteresis: Hydrologically Driven Changes in Riverine Dissolved Organic Matter Chemistry During a Storm Event. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 759-774	3.7	33
72	Isotopic composition of oceanic dissolved black carbon reveals non-riverine source. <i>Nature Communications</i> , 2019 , 10, 5064	17.4	35
71	Dissolved black carbon in throughfall and stemflow in a fire-managed longleaf pine woodland. <i>Biogeochemistry</i> , 2019 , 146, 191-207	3.8	10
70	Dissolved black carbon in aquatic ecosystems. <i>Limnology and Oceanography Letters</i> , 2018 , 3, 168-185	7.9	55
69	Tree-DOM: Dissolved organic matter in throughfall and stemflow. <i>Limnology and Oceanography Letters</i> , 2018 , 3, 199-214	7.9	37
68	Transport of dissolved black carbon from the Prydz Bay Shelf, Antarctica to the deep Southern Ocean. <i>Limnology and Oceanography</i> , 2018 , 63, 2179-2190	4.8	10
67	A dissolved organic carbon (DOC) analyzer capable of detecting sub- μ M DOC differences in natural fresh waters: A proof of concept study. <i>Limnology and Oceanography: Methods</i> , 2018 , 16, 309-321	2.6	1
66	Interstorm Variability in the Biolability of Tree-Derived Dissolved Organic Matter (Tree-DOM) in Throughfall and Stemflow. <i>Forests</i> , 2018 , 9, 236	2.8	14
65	Fossil Fuel Combustion Emission From South Asia Influences Precipitation Dissolved Organic Carbon Reaching the Remote Tibetan Plateau: Isotopic and Molecular Evidence. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018 , 123, 6248-6258	4.4	25
64	Spatial Dependence of Reduced Sulfur in Everglades Dissolved Organic Matter Controlled by Sulfate Enrichment. <i>Environmental Science & Technology</i> , 2017 , 51, 3630-3639	10.3	45

63	Thermally altered marine dissolved organic matter in hydrothermal fluids. <i>Organic Geochemistry</i> , 2017 , 110, 73-86	3.1	35
62	Comment on "Dissolved organic sulfur in the ocean: Biogeochemistry of a petagram inventory". <i>Science</i> , 2017 , 356, 813	33.3	4
61	Low photolability of yedoma permafrost dissolved organic carbon. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 200-211	3.7	42
60	Aged dissolved organic carbon exported from rivers of the Tibetan Plateau. <i>PLoS ONE</i> , 2017 , 12, e0178166	3.7	19
59	MoDIE: Moderate dissolved inorganic carbon (DI13C) isotope enrichment for improved evaluation of DIC photochemical production in natural waters. <i>Marine Chemistry</i> , 2017 , 194, 1-9	3.7	5
58	Photochemical Alteration of Dissolved Organic Sulfur from Sulfidic Porewater. <i>Environmental Science & Technology</i> , 2017 , 51, 14144-14154	10.3	25
57	Temporal Dynamics in the Concentration, Flux, and Optical Properties of Tree-Derived Dissolved Organic Matter in an Epiphyte-Laden Oak-Cedar Forest. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 2982-2997	3.7	22
56	Using liquid chromatography-isotope ratio mass spectrometry to measure the $\delta^{13}C$ of dissolved inorganic carbon photochemically produced from dissolved organic carbon. <i>Limnology and Oceanography: Methods</i> , 2017 , 15, 103-115	2.6	4
55	Hydrological and Biogeochemical Controls on Absorption and Fluorescence of Dissolved Organic Matter in the Northern South China Sea. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 3405-3418	3.7	11
54	Online quantification and compound-specific stable isotopic analysis of black carbon in environmental matrices via liquid chromatography-isotope ratio mass spectrometry. <i>Limnology and Oceanography: Methods</i> , 2017 , 15, 995-1006	2.6	17
53	Molecular and Optical Properties of Tree-Derived Dissolved Organic Matter in Throughfall and Stemflow from Live Oaks and Eastern Red Cedar. <i>Frontiers in Earth Science</i> , 2017 , 5,	3.5	36
52	A carbon for every nitrogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10736-8	11.5	6
51	Enhanced Dissolved Organic Matter Recovery from Saltwater Samples with Electrodialysis. <i>Aquatic Geochemistry</i> , 2016 , 22, 555-572	1.7	6
50	Characterization of dissolved organic material in the interstitial brine of Lake Vida, Antarctica. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 183, 63-78	5.5	15
49	Deciphering ocean carbon in a changing world. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 3143-51	11.5	159
48	Seasonal dynamics of dissolved, particulate and microbial components of a tidal saltmarsh-dominated estuary under contrasting levels of freshwater discharge. <i>Estuarine, Coastal and Shelf Science</i> , 2016 , 182, 72-85	2.9	32
47	Illuminating the deep: Molecular signatures of photochemical alteration of dissolved organic matter from North Atlantic Deep Water. <i>Marine Chemistry</i> , 2015 , 177, 318-324	3.7	48
46	Bioavailability and molecular composition of dissolved organic matter from a diffuse hydrothermal system. <i>Marine Chemistry</i> , 2015 , 177, 257-266	3.7	31

45	Spectroscopic characterization of oceanic dissolved organic matter isolated by reverse osmosis coupled with electro dialysis. <i>Marine Chemistry</i> , 2015 , 177, 278-287	3.7	15
44	Characterization and photodegradation of dissolved organic matter (DOM) from a tropical lake and its dominant primary producer, the cyanobacteria <i>Microcystis aeruginosa</i> . <i>Marine Chemistry</i> , 2015 , 177, 205-217	3.7	33
43	Competition between photochemical and biological degradation of dissolved organic matter from the cyanobacteria <i>Microcystis aeruginosa</i> . <i>Limnology and Oceanography</i> , 2015 , 60, 1172-1194	4.8	67
42	Detecting the signature of permafrost thaw in Arctic rivers. <i>Geophysical Research Letters</i> , 2015 , 42, 2830-2835	4.9	211
41	Efficient removal of recalcitrant deep-ocean dissolved organic matter during hydrothermal circulation. <i>Nature Geoscience</i> , 2015 , 8, 856-860	18.3	72
40	Spatial Variation in the Origin of Dissolved Organic Carbon in Snow on the Juneau Icefield, Southeast Alaska. <i>Environmental Science & Technology</i> , 2015 , 49, 11492-9	10.3	24
39	Marine Photochemistry of Organic Matter 2015 , 389-450		76
38	Assessing the potential impacts of declining Arctic sea ice cover on the photochemical degradation of dissolved organic matter in the Chukchi and Beaufort Seas. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015 , 120, 2326-2344	3.7	15
37	<i>Tillandsia usneoides</i> (L.) L. (Spanish moss) water storage and leachate characteristics from two maritime oak forest settings. <i>Ecohydrology</i> , 2015 , 8, 988-1004	2.5	24
36	Chemical Fouling Reduction of a Submersible Steel Spectrophotometer in Estuarine Environments Using a Sacrificial Zinc Anode. <i>Journal of Environmental Quality</i> , 2015 , 44, 1321-5	3.4	2
35	Associations Between the Molecular and Optical Properties of Dissolved Organic Matter in the Florida Everglades, a Model Coastal Wetland System. <i>Frontiers in Chemistry</i> , 2015 , 3, 66	5	48
34	Utilizing colored dissolved organic matter to derive dissolved black carbon export by arctic rivers. <i>Frontiers in Earth Science</i> , 2015 , 3,	3.5	58
33	Loss of optical and molecular indicators of terrigenous dissolved organic matter during long-term photobleaching. <i>Aquatic Sciences</i> , 2014 , 76, 353-373	2.5	79
32	An intercomparison of three methods for the large-scale isolation of oceanic dissolved organic matter. <i>Marine Chemistry</i> , 2014 , 161, 14-19	3.7	114
31	What's in an EEM? Molecular signatures associated with dissolved organic fluorescence in boreal Canada. <i>Environmental Science & Technology</i> , 2014 , 48, 10598-606	10.3	213
30	Source and biolability of ancient dissolved organic matter in glacier and lake ecosystems on the Tibetan Plateau. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 142, 64-74	5.5	137
29	Ultrahigh resolution mass spectrometric differentiation of dissolved organic matter isolated by coupled reverse osmosis-electro dialysis from various major oceanic water masses. <i>Marine Chemistry</i> , 2014 , 164, 48-59	3.7	46
28	Watershed Glacier Coverage Influences Dissolved Organic Matter Biogeochemistry in Coastal Watersheds of Southeast Alaska. <i>Ecosystems</i> , 2014 , 17, 1014-1025	3.9	20

27	Dissolved Organic Matter in Aquatic Systems 2014 , 125-156		49
26	Seasonal variability of organic matter composition in an Alaskan glacier outflow: insights into glacier carbon sources. <i>Environmental Research Letters</i> , 2014 , 9, 055005	6.2	34
25	Photochemical bleaching of oceanic dissolved organic matter and its effect on absorption spectral slope and fluorescence. <i>Marine Chemistry</i> , 2013 , 155, 81-91	3.7	170
24	Global charcoal mobilization from soils via dissolution and riverine transport to the oceans. <i>Science</i> , 2013 , 340, 345-7	33.3	310
23	Chromophoric dissolved organic matter export from U.S. rivers. <i>Geophysical Research Letters</i> , 2013 , 40, 1575-1579	4.9	68
22	LINKING OPTICAL AND CHEMICAL PROPERTIES OF DISSOLVED ORGANIC MATTER IN NATURAL WATERS. <i>Limnology and Oceanography Bulletin</i> , 2013 , 22, 78-82	0.9	3
21	Anthropogenic aerosols as a source of ancient dissolved organic matter in glaciers. <i>Nature Geoscience</i> , 2012 , 5, 198-201	18.3	165
20	Continuous flux of dissolved black carbon from a vanished tropical forest biome. <i>Nature Geoscience</i> , 2012 , 5, 618-622	18.3	141
19	An initial investigation into the organic matter biogeochemistry of the Congo River. <i>Geochimica Et Cosmochimica Acta</i> , 2012 , 84, 614-627	5.5	94
18	Photo-lability of deep ocean dissolved black carbon. <i>Biogeosciences</i> , 2012 , 9, 1661-1670	4.6	154
17	Low volume quantification of dissolved organic carbon and dissolved nitrogen. <i>Limnology and Oceanography: Methods</i> , 2012 , 10, 347-352	2.6	59
16	Carbon monoxide apparent quantum yields and photoproduction in the Tyne estuary. <i>Biogeosciences</i> , 2011 , 8, 703-713	4.6	43
15	A mini-electrodialysis system for desalting small volume saline samples for Fourier transform ion cyclotron resonance mass spectrometry. <i>Limnology and Oceanography: Methods</i> , 2011 , 9, 582-592	2.6	19
14	Temporal controls on dissolved organic matter and lignin biogeochemistry in a pristine tropical river, Democratic Republic of Congo. <i>Journal of Geophysical Research</i> , 2010 , 115,		122
13	Illuminated darkness: Molecular signatures of Congo River dissolved organic matter and its photochemical alteration as revealed by ultrahigh precision mass spectrometry. <i>Limnology and Oceanography</i> , 2010 , 55, 1467-1477	4.8	396
12	Photochemical degradation of dissolved organic matter and dissolved lignin phenols from the Congo River. <i>Journal of Geophysical Research</i> , 2009 , 114,		194
11	Relating carbon monoxide photoproduction to dissolved organic matter functionality. <i>Environmental Science & Technology</i> , 2008 , 42, 3271-6	10.3	74
10	Absorption spectral slopes and slope ratios as indicators of molecular weight, source, and photobleaching of chromophoric dissolved organic matter. <i>Limnology and Oceanography</i> , 2008 , 53, 955-969	4.8	1550

9	Advanced instrumental approaches for characterization of marine dissolved organic matter: extraction techniques, mass spectrometry, and nuclear magnetic resonance spectroscopy. <i>Chemical Reviews</i> , 2007 , 107, 419-42	68.1	251
8	Evaluating the photoalteration of estuarine dissolved organic matter using direct temperature-resolved mass spectrometry and UV-visible spectroscopy. <i>Aquatic Sciences</i> , 2007 , 69, 440-455	2.5	36
7	Variability of chromophoric organic matter in surface waters of the Atlantic Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2006 , 53, 1666-1684	2.3	74
6	The open-ocean source of atmospheric carbon monoxide. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2006 , 53, 1685-1694	2.3	46
5	Open-ocean carbon monoxide photoproduction. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2006 , 53, 1695-1705	2.3	82
4	Geochemistry of the Congo River, estuary, and plume	554-583	4
3	Carbon monoxide apparent quantum yields and photoproduction in the estuary Tyne		2
2	Photo-lability of deep ocean dissolved black carbon		7
1	The evolution of stream dissolved organic matter composition following glacier retreat in coastal watersheds of southeast Alaska. <i>Biogeochemistry</i> , 1	3.8	5