Yuji Hiwatashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4309009/publications.pdf

Version: 2024-02-01

304743 477307 2,692 30 22 29 h-index citations g-index papers 31 31 31 3407 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A PSTAIRE-type cyclin-dependent kinase controls light responses in land plants. Science Advances, 2022, 8, eabk2116. | 10.3 | 2 |
| 2 | Molecular and physiological responses to desiccation indicate the abscisic acid pathway is conserved in the peat moss, <i>Sphagnum</i> . Journal of Experimental Botany, 2022, 73, 4576-4591. | 4.8 | 2 |
| 3 | How plants grow under gravity conditions besides 1 g: perspectives from hypergravity and space experiments that employ bryophytes as a model organism. Plant Molecular Biology, 2021, 107, 279-291. | 3.9 | 8 |
| 4 | Establishment of a Live-Imaging Analysis for Polarized Growth of Conchocelis in the Multicellular Red Alga Neopyropia yezoensis. Frontiers in Plant Science, 2021, 12, 716011. | 3.6 | 1 |
| 5 | Physcomitrella STEMIN transcription factor induces stem cell formation with epigenetic reprogramming. Nature Plants, 2019, 5, 681-690. | 9.3 | 32 |
| 6 | Physcomitrella MADS-box genes regulate water supply and sperm movement for fertilization. Nature Plants, 2018, 4, 36-45. | 9.3 | 51 |
| 7 | A Lin28 homologue reprograms differentiated cells to stem cells in the moss Physcomitrella patens. Nature Communications, 2017, 8, 14242. | 12.8 | 37 |
| 8 | Genome of the pitcher plant Cephalotus reveals genetic changes associated with carnivory. Nature Ecology and Evolution, 2017, 1, 59. | 7.8 | 99 |
| 9 | Cells reprogramming to stem cells inhibit the reprogramming of adjacent cells in the moss Physcomitrella patens. Scientific Reports, 2017, 7, 1909. | 3.3 | 18 |
| 10 | The Mitotic Function of Augmin Is Dependent on Its Microtubule-Associated Protein Subunit EDE1 in Arabidopsis thaliana. Current Biology, 2017, 27, 3891-3897.e4. | 3.9 | 36 |
| 11 | Development of an Agrobacterium-Mediated Stable Transformation Method for the Sensitive Plant Mimosa pudica. PLoS ONE, 2014, 9, e88611. | 2.5 | 11 |
| 12 | Kinesins Have a Dual Function in Organizing Microtubules during Both Tip Growth and Cytokinesis in <i>Physcomitrella patens</i> . Plant Cell, 2014, 26, 1256-1266. | 6.6 | 56 |
| 13 | <i>WOX13</i> - <i>like</i> genes are required for reprogramming of leaf and protoplast cells into stem cells in the moss <i>Physcomitrella patens</i> . Development (Cambridge), 2014, 141, 1660-1670. | 2.5 | 136 |
| 14 | Contribution of NAC Transcription Factors to Plant Adaptation to Land. Science, 2014, 343, 1505-1508. | 12.6 | 222 |
| 15 | KNOX2 Genes Regulate the Haploid-to-Diploid Morphological Transition in Land Plants. Science, 2013, 339, 1067-1070. | 12.6 | 132 |
| 16 | System for Stable \hat{l}^2 -Estradiol-Inducible Gene Expression in the Moss Physcomitrella patens. PLoS ONE, 2013, 8, e77356. | 2.5 | 71 |
| 17 | An Inducible RNA Interference System in <i>Physcomitrella patens</i> Reveals a Dominant Role of Augmin in Phragmoplast Microtubule Generation. Plant Cell, 2012, 24, 1478-1493. | 6.6 | 116 |
| 18 | AP2-type transcription factors determine stem cell identity in the moss <i>Physcomitrella patens</i> Development (Cambridge), 2012, 139, 3120-3129. | 2.5 | 124 |

| # | Article | IF | CITATIONS |
|----|---|------------------|-------------------|
| 19 | The Gibberellin perception system evolved to regulate a pre-existing GAMYB-mediated system during land plant evolution. Nature Communications, 2011, 2, 544. | 12.8 | 79 |
| 20 | The Selaginella Genome Identifies Genetic Changes Associated with the Evolution of Vascular Plants. Science, 2011, 332, 960-963. | 12.6 | 794 |
| 21 | <i>Physcomitrella</i> Cyclin-Dependent Kinase A Links Cell Cycle Reactivation to Other Cellular Changes during Reprogramming of Leaf Cells Â. Plant Cell, 2011, 23, 2924-2938. | 6.6 | 98 |
| 22 | Biological implications of the occurrence of 32 members of the XTH (xyloglucan) Tj ETQq0 0 0 rgBT /Overlock 10 Journal, 2010, 64, 645-656. | Tf 50 627 5.7 | Td (endotra 53 |
| 23 | Endogenous Diterpenes Derived from <i>ent</i> -Kaurene, a Common Gibberellin Precursor, Regulate Protonema Differentiation of the Moss <i>Physcomitrella patens</i> Â Â Â. Plant Physiology, 2010, 153, 1085-1097. | 4.8 | 96 |
| 24 | A Dibasic Amino Acid Pair Conserved in the Activation Loop Directs Plasma Membrane Localization and Is Necessary for Activity of Plant Type I/II Phosphatidylinositol Phosphate Kinase Â. Plant Physiology, 2010, 153, 1004-1015. | 4.8 | 13 |
| 25 | A polycomb repressive complex 2 gene regulates apogamy and gives evolutionary insights into early land plant evolution. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 16321-16326. | 7.1 | 138 |
| 26 | Microtubules Regulate Dynamic Organization of Vacuoles in Physcomitrella patens. Plant and Cell Physiology, 2009, 50, 855-868. | 3.1 | 29 |
| 27 | Convergent evolution of shoots in land plants: lack of auxin polar transport in moss shoots. Evolution & Development, 2008, 10, 176-186. | 2.0 | 102 |
| 28 | Kinesins Are Indispensable for Interdigitation of Phragmoplast Microtubules in the Moss <i>Physcomitrella patens</i> Plant Cell, 2008, 20, 3094-3106. | 6.6 | 89 |
| 29 | Establishment of gene-trap and enhancer-trap systems in the moss Physcomitrella patens. Plant Journal, 2001, 28, 105-116. | 5.7 | 43 |
| 30 | Gametangia Development in the MossPhyscomitrella patens. , 0, , 167-181. | | 3 |