

# Shunji Suzuki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4309117/publications.pdf>

Version: 2024-02-01

258  
papers

2,013  
citations

361296

20  
h-index

395590

33  
g-index

273  
all docs

273  
docs citations

273  
times ranked

1908  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for obstetrical practice in Japan: Society of Obstetrics and Gynecology (JOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2014 edition. Journal of Obstetrics and Gynaecology Research, 2014, 40, 1469-1499.	0.6	307
2	Clinical significance of pregnancies with succenturiate lobes of placenta. Archives of Gynecology and Obstetrics, 2008, 277, 299-301.	0.8	88
3	Plasma adenosine levels increase in women with normal pregnancies. American Journal of Obstetrics and Gynecology, 2000, 182, 1200-1203.	0.7	50
4	Increased plasma adenosine concentrations and the severity of preeclampsia. Obstetrics and Gynecology, 2002, 100, 1266-1270.	1.2	48
5	Psychological status of postpartum women under the COVID-19 pandemic in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 1798-1800.	0.7	44
6	Relation between adenosine and T-helper 1/T-helper 2 imbalance in women with preeclampsia. Obstetrics and Gynecology, 2002, 99, 641-646.	1.2	34
7	Preoperative diagnosis of dehiscence of the lower uterine segment in patients with a single previous Caesarean section. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2000, 40, 402-404.	0.4	30
8	Comparison between spontaneous ovarian hyperstimulation syndrome and hyperreactio luteinalis. Archives of Gynecology and Obstetrics, 2004, 269, 227-229.	0.8	30
9	Perinatal outcomes of elderly primiparous dichorionic twin pregnancies conceived by in vitro fertilization compared with those conceived spontaneously. Archives of Gynecology and Obstetrics, 2010, 281, 87-90.	0.8	28
10	Clinical significance of pregnancies with circumvallate placenta. Journal of Obstetrics and Gynaecology Research, 2008, 34, 51-54.	0.6	27
11	Risk factors for preeclampsia in Japanese twin pregnancies: comparison with those in singleton pregnancies. Archives of Gynecology and Obstetrics, 2009, 280, 389-393.	0.8	26
12	Sonographic evaluation of umbilical cord insertion with umbilical coiling index. , 1999, 27, 341-344.		25
13	Serum adenosine deaminase activity in women with hyperemesis gravidarum. Clinica Chimica Acta, 2002, 324, 141-145.	0.5	24
14	Plasma adenosine concentrations increase in women with hyperemesis gravidarum. Clinica Chimica Acta, 2004, 342, 99-103.	0.5	24
15	B-cell Type Malignant Lymphoma with Placental Involvement. Journal of Obstetrics and Gynaecology Research, 2000, 26, 39-43.	0.6	23
16	Risk factors for emergency cesarean delivery of the second twin after vaginal delivery of the first twin. Journal of Obstetrics and Gynaecology Research, 2009, 35, 467-471.	0.6	23
17	Clinical Significance of Pregnancies Complicated by Velamentous Umbilical Cord Insertion Associated With Other Umbilical Cord/Placental Abnormalities. Journal of Clinical Medicine Research, 2015, 7, 853-856.	0.6	22
18	Optimal Weight Gain During Pregnancy in Japanese Women. Journal of Clinical Medicine Research, 2016, 8, 787-792.	0.6	22

#	ARTICLE	IF	CITATIONS
19	Massive Subchorionic Hematoma (Breus' Mole) Complicated by Intrauterine Growth Retardation.. Journal of Nippon Medical School, 2001, 68, 54-57.	0.3	21
20	Effect of early skin-to-skin contact on breast-feeding. Journal of Obstetrics and Gynaecology, 2013, 33, 695-696.	0.4	21
21	Incidence of intrauterine complications in monoamniotic twin gestation. Archives of Gynecology and Obstetrics, 2001, 265, 57-59.	0.8	20
22	Risk Factors for Transient Tachypnea of the Newborn in Infants Delivered Vaginally at 37 Weeks or Later. Journal of Nippon Medical School, 2008, 75, 269-273.	0.3	20
23	Risk factors for postpartum hemorrhage requiring transfusion in cesarean deliveries for Japanese twins: comparison with those for singletons. Archives of Gynecology and Obstetrics, 2012, 286, 1363-1367.	0.8	20
24	Influence of spinal hypotension on fetal oxidative status during elective cesarean section in uncomplicated pregnancies. Archives of Gynecology and Obstetrics, 2005, 271, 292-295.	0.8	19
25	MAGE-A protein and MAGE-A10 gene expressions in liver metastasis in patients with stomach cancer. British Journal of Cancer, 2008, 99, 350-356.	2.9	19
26	Perinatal outcomes of low-risk planned home and hospital births under midwife-led care in Japan. Journal of Obstetrics and Gynaecology Research, 2013, 39, 1500-1504.	0.6	19
27	Risk Factors for Postpartum Hemorrhage after Vaginal Delivery of Twins. Journal of Nippon Medical School, 2007, 74, 414-417.	0.3	18
28	Obstetric outcomes in nulliparous women aged 35 and over with dichorionic twin pregnancy. Archives of Gynecology and Obstetrics, 2007, 276, 573-575.	0.8	17
29	Application of Japanese guidelines for gestational weight gain to multiple pregnancy outcomes and its optimal range in 101,336 Japanese women. Scientific Reports, 2019, 9, 17310.	1.6	17
30	Clinical Significance of Precipitous Labor. Journal of Clinical Medicine Research, 2015, 7, 150-153.	0.6	17
31	Clinical significance of pregnancy in adolescence in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1864-1868.	0.7	16
32	Changes in Fetal Plasma Adenosine and Xanthine Concentrations during Fetal Asphyxia with Maternal Oxygen Administration in Ewes. Tohoku Journal of Experimental Medicine, 2000, 192, 275-281.	0.5	15
33	Case Series of Monoamniotic and Pseudomonoamniotic Twin Gestations. ISRN Obstetrics & Gynecology, 2013, 2013, 1-3.	1.2	15
34	Current status of HTLV-1 carrier in Japanese pregnant women. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 312-313.	0.7	15
35	Recent strategies in perinatal mental health care in Japan. Hypertension Research in Pregnancy, 2018, 6, 11-14.	0.1	15
36	Screening for Depressive and Anxiety Symptoms During Pregnancy and Postpartum at a Japanese Perinatal Center. Journal of Clinical Medicine Research, 2017, 9, 512-515.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Low level c-myc gene amplification in gastric cancer detected by dual color fluorescence in situ hybridization analysis. , 1997, 66, 173-178.		14
38	Abnormally shaped placentae in twin pregnancy. Archives of Gynecology and Obstetrics, 2010, 281, 65-69.	0.8	14
39	Midwife-led care unit for "low risk" pregnant women in a Japanese hospital. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 1046-1050.	0.7	14
40	Elective Cesarean as a Risk Factor for Transfusion after Delivery of Twins. Journal of Nippon Medical School, 2008, 75, 247-249.	0.3	14
41	CLINICAL USEFULNESS OF MATERNAL BODY MASS INDEX IN TWIN PREGNANCIES. Hypertension in Pregnancy, 2000, 19, 273-279.	0.5	13
42	Comparison of short-term outcomes of late pre-term singletons and dichorionic twins and optimal timing of delivery. Journal of Obstetrics and Gynaecology, 2010, 30, 574-577.	0.4	13
43	Association between clinical chorioamnionitis and histological funisitis at term. Journal of Neonatal-Perinatal Medicine, 2019, 12, 37-40.	0.4	13
44	Umbilical venous pulsation indicating tight cord entanglement in monoamniotic twin pregnancy.. Journal of Ultrasound in Medicine, 1999, 18, 425-427.	0.8	12
45	Basal metabolic rate in hyperemesis gravidarum: Comparison to normal pregnancy and response to treatment. American Journal of Obstetrics and Gynecology, 2003, 188, 434-438.	0.7	12
46	Obstetric outcomes in nulliparous women aged 35 and over with singleton pregnancies conceived by in vitro fertilization. Archives of Gynecology and Obstetrics, 2008, 277, 225-227.	0.8	12
47	Twin Anemia"polycythemia Sequence with Placental Arterio-arterial Anastomoses. Placenta, 2010, 31, 652.	0.7	12
48	Maternal obesity as a risk factor for very pre-term delivery in dichorionic twin pregnancies. Journal of Obstetrics and Gynaecology, 2010, 30, 354-356.	0.4	12
49	Role of adenosine in regulation of brain temperature in fetal sheep. American Journal of Obstetrics and Gynecology, 1999, 181, 681-687.	0.7	11
50	Relation between serum uric acid and plasma adenosine levels in twin pregnancies. Obstetrics and Gynecology, 2000, 96, 507-510.	1.2	11
51	Acute fatty liver of pregnancy at 23 weeks of gestation. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 222-223.	1.1	11
52	Current status of syphilis in pregnant women in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 2881-2883.	0.7	11
53	Effect of Acupressure, Acupuncture and Moxibustion in Women With Pregnancy-Related Anxiety and Previous Depression: A Preliminary Study. Journal of Clinical Medicine Research, 2017, 9, 525-527.	0.6	11
54	Risk factors for postpartum urinary retention after vaginal delivery at term without epidural anesthesia. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3470-3472.	0.7	11

#	ARTICLE	IF	CITATIONS
55	Maternal plasma adenosine and endothelin-1 levels in twin gestation complicated by preeclampsia. Archives of Gynecology and Obstetrics, 2002, 267, 72-75.	0.8	10
56	The Influence of Assisted Reproductive Technology on Growth Discordance in Dichorionic Twin Pregnancies. Fetal Diagnosis and Therapy, 2007, 22, 372-376.	0.6	10
57	The Hospitalization Assistance Policy System in Japan. Journal of Nippon Medical School, 2011, 78, 267-269.	0.3	10
58	Maternal peripheral T helper 1-type and T helper 2-type immunity in women during the first trimester of twin pregnancy. Archives of Gynecology and Obstetrics, 2004, 270, 260-262.	0.8	9
59	Influence of parity on second-trimester uterine artery Doppler waveforms in twin pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2006, 19, 193-194.	0.7	9
60	Antenatal screening for circumvallate placenta. Journal of Medical Ultrasonics (2001), 2008, 35, 71-73.	0.6	9
61	Increased Rate of Elective Cesarean Delivery and Neonatal Respiratory Disorders in Twin Pregnancies. Journal of Nippon Medical School, 2010, 77, 93-96.	0.3	9
62	The Influence of Assisted Reproductive Technology on Women with Pregnancy-induced Hypertension: A Retrospective Study at a Japanese Regional Perinatal Center. Journal of Nippon Medical School, 2010, 77, 312-317.	0.3	9
63	Factors Associated with the Recent Increasing Cesarean Delivery Rate at a Japanese Perinatal Center. ISRN Obstetrics & Gynecology, 2013, 2013, 1-4.	1.2	9
64	Current Status of Condylomata Acuminata in Pregnant Japanese Women. Japanese Journal of Infectious Diseases, 2016, 69, 347-349.	0.5	9
65	Deterioration/relapse of depression during pregnancy in Japanese women associated with interruption of antidepressant medications. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1129-1132.	0.7	9
66	Implementation of nationwide screening of pregnant women for HTLV-1 infection in Japan: analysis of a repeated cross-sectional study. BMC Public Health, 2020, 20, 1150.	1.2	9
67	Economic Problems and Mental Disorders in Japanese Pregnant Women. Journal of Clinical Medicine Research, 2015, 7, 367-367.	0.6	9
68	Prevalence of Human T-Cell Leukemia Virus Type 1 Carrier in Japanese Pregnant Women in 2013. Journal of Clinical Medicine Research, 2015, 7, 499-500.	0.6	9
69	Gestational Weight Gain in Japanese Women With Favorable Perinatal Outcomes. Journal of Clinical Medicine Research, 2017, 9, 64-66.	0.6	9
70	Obstetric outcomes of low-risk labors at "Japanese tatami" mat delivery room: a preliminary study. Journal of Perinatal Medicine, 2009, 37, 709-711.	0.6	8
71	Time of Delivery and Perinatal Outcome. Journal of Nippon Medical School, 2010, 77, 277-281.	0.3	8
72	Clinical Significance of Preterm Singleton Pregnancies Complicated by Placental Abruption following Preterm Premature Rupture of Membranes Compared with Those without p-PROM. ISRN Obstetrics & Gynecology, 2012, 2012, 1-4.	1.2	8

#	ARTICLE	IF	CITATIONS
73	Uterine perforation with omentum incarceration after dilatation and evacuation/curettage. Archives of Gynecology and Obstetrics, 2013, 287, 607-608.	0.8	8
74	Clinical significance of adverse outcomes of placental abruption developing at home. Journal of Obstetrics and Gynaecology, 2015, 35, 433-434.	0.4	8
75	Recent status of pregnant women with mental disorders at a Japanese perinatal center. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2131-2135.	0.7	8
76	Comparison of the Edinburgh Postnatal Depression Scale and the Whooley questions in screening for postpartum depression in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 2785-2788.	0.7	8
77	Excessively long umbilical cord: a preventive factor of miserable outcomes of pregnancies with true umbilical cord knots. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3757-3760.	0.7	8
78	Current Status of the Screening of Chlamydia trachomatis Infection Among Japanese Pregnant Women. Journal of Clinical Medicine Research, 2015, 7, 582-584.	0.6	8
79	Current Status of Social Problems during Pregnancy at a Perinatal Center in Japan. JMA Journal, 2020, 3, 307-312.	0.6	8
80	Megacolon in a fetus during the first trimester. Prenatal Diagnosis, 2001, 21, 422-423.	1.1	7
81	Maternal Peripheral T-Helper 1-Type and T-Helper 2-Type Immunity in Nonpreclamptic Twin Pregnancies. Gynecologic and Obstetric Investigation, 2002, 53, 140-143.	0.7	7
82	Fetal Heart Rate Patterns in Monochorionic Twins Following Acute Twin-Twin Transfusion. Obstetrics and Gynecology International, 2009, 2009, 1-3.	0.5	7
83	Cesarean delivery as a factor promoting exclusive breastfeeding in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1762-1763.	0.7	7
84	Optimal weight gain during twin pregnancy in Japanese women with favorable perinatal outcomes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 119-122.	0.7	7
85	Trends in mode of delivery for breech presentation in Japan: "Transverse figure 8 breech delivery"™. Hypertension Research in Pregnancy, 2018, 6, 63-67.	0.1	7
86	Psychological status during the first trimester of pregnancy under the COVID-19 epidemic in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-2.	0.7	7
87	Prenatal diagnosis of acute massive fetomaternal hemorrhage. Nippon Medical School Journal, 1999, 66, 266-269.	0.1	7
88	Chromosome 17 copy numbers and incidence of p53 gene deletion in gastric cancer cells. Dual color fluorescence in situ hybridization analysis.. Nippon Medical School Journal, 1997, 64, 22-29.	0.1	7
89	Maternal Plasma Hypoxanthine Levels in Nonpreclamptic Twin Pregnancies. Tohoku Journal of Experimental Medicine, 2004, 203, 349-352.	0.5	6
90	Resting oxygen consumption in patients with twin pregnancy. Archives of Gynecology and Obstetrics, 2005, 271, 152-153.	0.8	6

#	ARTICLE	IF	CITATIONS
91	Clinical significance of singleton pregnancies complicated by placental abruption occurred at preterm compared with those occurred at term. Archives of Gynecology and Obstetrics, 2011, 283, 761-764.	0.8	6
92	Perinatal Outcomes of Failed Vacuum Extraction. Journal of Nippon Medical School, 2012, 79, 280-283.	0.3	6
93	Perinatal Outcomes of Monochorionic-Diamniotic Twin Pregnancies Uncomplicated at 28 Weeks of Gestation. Japanese Clinical Medicine, 2016, 7, JCM.S38895.	1.9	6
94	Current status of women requiring perinatal mental health care for protecting their children in Japan. Asian Journal of Psychiatry, 2016, 22, 93.	0.9	6
95	Current status of Neisseria gonorrhoeae cervicitis in pregnant women in Japan. PLoS ONE, 2019, 14, e0211595.	1.1	6
96	Referrals during Labor in Midwifery Care. Journal of Nippon Medical School, 2009, 76, 226-228.	0.3	6
97	Fetal brain death and Dandy-Walker malformation. Prenatal Diagnosis, 1999, 19, 777-779.	1.1	5
98	Increased blood loss in upright positions originates from perineal damage. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 1447-1447.	1.1	5
99	Effect of changes in renal circulation on serum uric acid levels in women with twin pregnancy. Clinical and Experimental Nephrology, 2010, 14, 436-439.	0.7	5
100	Distribution of <i>Chlamydia trachomatis</i> Infection Determined by Nucleic Acid Amplification Tests in Pregnant Women in Japan. Japanese Journal of Infectious Diseases, 2016, 69, 158-159.	0.5	5
101	Changes in psychological status of postpartum women due to the COVID-19 pandemic in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-2.	0.7	5
102	Ptyalism gravidarum. North American Journal of Medical Sciences, 2009, 1, 303-4.	1.7	5
103	10% Maltose Infusion Therapy for Oligohydramnios. Australian and New Zealand Journal of Obstetrics and Gynaecology, 1999, 39, 373-375.	0.4	4
104	Changes in Maternal Peripheral T Helper 1-Type and T Helper 2-Type Immunity during Labor.. Tohoku Journal of Experimental Medicine, 2001, 194, 137-140.	0.5	4
105	Role of Adenosine in Regulation of Uterine Blood Flow during Nonpreeclamptic Twin Gestation. Tohoku Journal of Experimental Medicine, 2003, 201, 127-130.	0.5	4
106	Relation between plasma adenosine and serum TSH levels in women with hyperemesis gravidarum. Archives of Gynecology and Obstetrics, 2006, 273, 331-336.	0.8	4
107	Trends in mode of delivery of breech presentation over a 5-year period. Journal of Perinatology, 2007, 27, 464-464.	0.9	4
108	Obstetric outcomes of elderly primiparous singleton pregnancies conceived by <i>in vitro</i> fertilization compared with those conceived spontaneously. Reproductive Medicine and Biology, 2007, 6, 219-222.	1.0	4

#	ARTICLE	IF	CITATIONS
109	Clinical Significance of Singleton Pregnancies Complicated by Placental Abruption Associated with Histological Chorioamnionitis. <i>Journal of Nippon Medical School</i> , 2010, 77, 204-208.	0.3	4
110	Acute intrapartum placentofetal or fetoplacental transfusion in monochorionic twin pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , 2010, 30, 61-62.	0.4	4
111	Selective uterine fundal pressure maneuver during the second stage of the first twin delivery at near term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 519-521.	0.7	4
112	Comment on: Predicting the difficulty of operative vaginal delivery by ultrasound measurements of the fetal head station. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 149-150.	0.7	4
113	Outcomes of a one-day trial of vaginal breech delivery of singleton pregnancy at 37-38 weeks gestation at a Japanese perinatal center. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 3510-3513.	0.7	4
114	Current status of cervical cytology during pregnancy in Japan. <i>PLoS ONE</i> , 2021, 16, e0245282.	1.1	4
115	Recent Prevalence of Human T-cell Leukemia Virus Type 1 Carrier Associated with Horizontal Transmission in Pregnant Japanese Women. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 576-578.	0.5	4
116	Relationship between postpartum depression and lactation status at a Japanese perinatal center: A cross-sectional study. <i>F1000Research</i> , 2019, 8, 1845.	0.8	4
117	Reasons Why Some Japanese Pregnant Women Choose Trial of Labor After Cesarean. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 641-642.	0.6	4
118	Maternal Uncontrolled Anxiety Disorders Are Associated With the Increased Risk of Hypertensive Disorders in Japanese Pregnant Women. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 791-794.	0.6	4
119	Problems of Perinatal Mental Health Care in Tokyo, Japan. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 1013-1013.	0.6	4
120	Incidence of neonatal hypoglycemia in large-for-gestational-age infants of dichorionic twin pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2000, 264, 27-28.	0.8	3
121	A Retroviral Vector Capable of Targeted Gene Transfer into Cells Expressing HIV Envelope Glycoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2000, 271, 672-676.	1.0	3
122	Fetal position associated with an increased risk of cesarean delivery in nulliparous twin gestations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 273-274.	1.3	3
123	HbA1C levels in Japanese women during early pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2005, 273, 174-175.	0.8	3
124	Lateral axillary nerve palsy as a complication of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 217-218.	0.7	3
125	Trend Analysis of Primary Midwife-led Delivery Care at a Japanese Perinatal Center. <i>International Journal of Medical Sciences</i> , 2014, 11, 466-470.	1.1	3
126	Maternal Age and Breastfeeding at 1 Month After Delivery at a Japanese Hospital. <i>Breastfeeding Medicine</i> , 2014, 9, 101-102.	0.8	3

#	ARTICLE	IF	CITATIONS
127	Clinical trial of expectant management of severe preeclampsia that develops at <math>\leq 32</math> weeksâ€™ gestation at a Japanese perinatal center. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1568-1571.	0.7	3
128	Maternal blood pressure before the onset of eclampsia and stroke during labor at term. <i>Hypertension Research in Pregnancy</i> , 2016, 4, 65-67.	0.1	3
129	Maternal depression from pregnancy to postpartum and emotional/behavioural difficulties in children. <i>Archives of Women's Mental Health</i> , 2016, 19, 433-433.	1.2	3
130	Domestic violence against women during pregnancy in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 497-498.	0.7	3
131	Birthing postures and birth canal lacerations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1243-1246.	0.7	3
132	Influence of intimate partner violence on mental status in Japanese women during the first trimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1524-1526.	0.7	3
133	Current prevalence of and obstetric outcomes in underweight Japanese women. <i>PLoS ONE</i> , 2019, 14, e0218573.	1.1	3
134	Acute twin-twin transfusion syndrome without labour. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 851-852.	0.4	3
135	Trends in mode of breech delivery in Japan. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 26-29.	0.1	3
136	Optimal Pre-Pregnancy Body Mass Index Cut-Offs for Obesity in Japan. <i>Journal of Clinical Medicine Research</i> , 2017, 9, 180-181.	0.6	3
137	Relationship between postpartum depression and lactation status at a Japanese perinatal center: A cross-sectional study. <i>F1000Research</i> , 2019, 8, 1845.	0.8	3
138	Clinical guide for women with mental health problems during the perinatal period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 20-33.	0.6	3
139	Recurrence of urinary retention secondary to retroverted gravid uterus. <i>North American Journal of Medical Sciences</i> , 2009, 1, 54-7.	1.7	3
140	Efficacy and Adverse Events of Carboplatin Desensitisation Therapy for Gynaecological Cancer: A Retrospective Study. <i>Medicines (Basel, Switzerland)</i> , 2022, 9, 26.	0.7	3
141	Maternal cell contamination in embryonic chromosome analysis of missed abortions. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 1641-1647.	0.6	3
142	History of intrauterine curettage and placental complications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006, 19, 753-754.	0.7	2
143	Accuracy of ultrasonographic fetal weight estimation in Japanese twin pregnancies. <i>Journal of Medical Ultrasonics (2001)</i> , 2009, 36, 157-158.	0.6	2
144	History of abortion and perinatal outcomes associated with preeclampsia in nulliparous Japanese women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1318-1319.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Birth before Arrival at a Hospital in Eastern Tokyo, Japan. <i>Journal of Nippon Medical School</i> , 2011, 78, 334-335.	0.3	2
146	Unexpected intrauterine fetal death in monochorionic-diamniotic twins near term. <i>Journal of Perinatal Medicine</i> , 2011, 39, 751; author reply 753.	0.6	2
147	Influence of umbilical cord abnormalities (velamentous/marginal cord insertion and nuchal cord) on the perinatal outcomes of the second twin after vaginal delivery of the first twin. <i>Journal of Perinatal Medicine</i> , 2011, 39, 745-8.	0.6	2
148	The attitude of "low risk"™ pregnant women in Japan toward midwife-led care during pregnancy and labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2141-2142.	0.7	2
149	Subchorionic haematoma distinct from the placental tissue at 39 weeks™ gestation. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 304-305.	0.4	2
150	Clinical significance of ptyalism gravidarum. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 629-631.	0.8	2
151	Factors associated with delayed delivery of infant in Cesarean section. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 324-325.	0.7	2
152	Instruction of feeding methods to Japanese pregnant women who cannot be confirmed as HTLV-1 carrier by western blot test. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1392-1393.	0.7	2
153	Clinical Characteristics of Pregnancies with a History of Recurrent Miscarriage at a Japanese Perinatal Center. <i>Journal of Nippon Medical School</i> , 2015, 82, 36-38.	0.3	2
154	Relapse of depression during pregnancy and postpartum periods in Japanese women associated with self-interruption of their medications: Selective serotonin reuptake inhibitors. <i>Asian Journal of Psychiatry</i> , 2015, 18, 99.	0.9	2
155	Fetal macrosomia: induction of labour or expectant management?. <i>Lancet, The</i> , 2015, 386, 1629.	6.3	2
156	Single Fetal Demise at 10 - 14 Weeks of Monochorionic and Dichorionic Twin Pregnancy. <i>Journal of Clinical Medicine Research</i> , 2016, 8, 331-333.	0.6	2
157	Transient intertwin membrane separation in dichorionic twin pregnancy associated with the development of growth discordance. <i>Journal of Obstetrics and Gynaecology</i> , 2017, 37, 1087-1088.	0.4	2
158	Gestational weight gain in Japanese women with preeclampsia. <i>Hypertension Research in Pregnancy</i> , 2017, 5, 13-16.	0.1	2
159	Cardiotocography findings of early™stage chronic fetomaternal hemorrhage after the presentation of reduced fetal movement. <i>Clinical Case Reports (discontinued)</i> , 2019, 7, 564-567.	0.2	2
160	Beyond BRCA Status: Clinical Biomarkers May Predict Therapeutic Effects of Olaparib in Platinum-Sensitive Ovarian Cancer Recurrence. <i>Frontiers in Oncology</i> , 2021, 11, 697952.	1.3	2
161	Successful surgical treatment of a giant uterine leiomyoma: A case report. <i>International Journal of Surgery Case Reports</i> , 2021, 87, 106416.	0.2	2
162	Does the Use of Labor-inducing Drugs Cause Adverse Perinatal Outcomes?. <i>Journal of Nippon Medical School</i> , 2011, 78, 126-127.	0.3	2

#	ARTICLE	IF	CITATIONS
163	Risk of Intrapartum Cervical Lacerations in Vaginal Singleton Deliveries in Women With Cerclage. Journal of Clinical Medicine Research, 2015, 7, 714-716.	0.6	2
164	Obstetric Outcomes of Twin Pregnancies in Japanese Women Aged 40 and Older. Journal of Clinical Medicine Research, 2017, 9, 860-863.	0.6	2
165	History of Assisted Reproductive Technology and Chlamydia Trachomatis Infection in Pregnancy. Journal of Clinical Medicine Research, 2016, 8, 244-245.	0.6	2
166	The Necessity of Awareness of Early Symptoms of Placental Abruption Among Pregnant Japanese Women. Journal of Clinical Medicine Research, 2016, 8, 674-675.	0.6	2
167	Current Proportion of Women Receiving Perinatal Psychosocial or Psychological Intervention in Japan. Journal of Clinical Medicine Research, 2016, 8, 472-474.	0.6	2
168	Hematological Characteristics in Neonates With Twin-Twin Blood Transfusion. Journal of Medical Cases, 2017, 8, 269-270.	0.4	2
169	Intestinal Injury Associated With Uterine Perforation due to Surgical Abortion in Japan. Gastroenterology Research, 2017, 10, 63-63.	0.4	2
170	Postpartum Depression Without Antenatal Depression in Primiparous Women. Journal of Clinical Medicine Research, 2021, 13, 517-519.	0.6	2
171	Appropriate Support for "Specified Expectant Mothers". JMA Journal, 2022, 5, 17-22.	0.6	2
172	Ovarian dysgerminoma with a metastasis to para-aortic lymph node. Clinical Case Reports (discontinued), 2021, 9, e05227.	0.2	2
173	Placental abruption associated with cerebral palsy. Journal of Nippon Medical School, 2022, , .	0.3	2
174	Treatment duration for syphilis in pregnant Japanese women by 2021. Hypertension Research in Pregnancy, 2022, , .	0.1	2
175	Feto-maternal interface in T helper 1-type and T helper 2-type immunity in labor. Archives of Gynecology and Obstetrics, 2003, 269, 51-52.	0.8	1
176	T Helper 1/T Helper 2 Cell Immunity in Preeclamptic Twin Pregnancy. Journal of Nippon Medical School, 2007, 74, 434-436.	0.3	1
177	Transient Anhydramnios Associated with Spontaneous Membrane Rupture. Fetal Diagnosis and Therapy, 2008, 24, 264-266.	0.6	1
178	Impact of Perinatal Outcome of the Presence of Fused or Separate Placentas in Dichorionic Twins. Fetal Diagnosis and Therapy, 2009, 26, 127-130.	0.6	1
179	<i>In vitro</i> fertilization as a risk factor for transfusion after vaginal singleton delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2009, 22, 1217-1218.	0.7	1
180	History of intrauterine curettage and perinatal outcomes. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 465-466.	0.7	1

#	ARTICLE	IF	CITATIONS
181	Neonatal small-for-gestational age status as a favorable factor for the complete vaginal delivery of both fetuses in Japanese dichorionic twins. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 843-850.	0.6	1
182	The effect of time of day on unscheduled cesarean delivery and perinatal outcome. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 116, 177-178.	1.0	1
183	Neonatal Cardiopulmonary Arrest during Attachment Parenting in Bed. <i>Pediatrics and Neonatology</i> , 2013, 54, 285-286.	0.3	1
184	Umbilical artery blood flows among pregnancies with single umbilical artery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 29, 1-2.	0.7	1
185	Recent Clinical Characteristics of Labors Using Three Japanese Systems of Midwife-Led Primary Delivery Care. <i>Nursing Research and Practice</i> , 2016, 2016, 1-4.	0.4	1
186	Association of Intended Route of Delivery and Maternal Morbidity in Twin Pregnancy. <i>Obstetrics and Gynecology</i> , 2017, 129, 1135-1135.	1.2	1
187	Re: Maternal positioning to correct occiput posterior fetal position during the first stage of the labour: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1123-1124.	1.1	1
188	The rules of computerized cardiotocography and middle cerebral artery for diagnosis of fetomaternal hemorrhage. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 577.	0.5	1
189	Association between maternal weight and infant macrosomia in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 404-405.	0.7	1
190	Strategy to ensure a sufficient supply of cord blood stem cells in Japan. <i>Transfusion Medicine</i> , 2018, 28, 461-461.	0.5	1
191	Intertwin membrane separation in dichorionic twin pregnancy associated with intrauterine co-twin demise. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 143, 246-247.	1.0	1
192	Case Series of Intrauterine Subamniotic Hemorrhage. <i>Case Reports in Obstetrics and Gynecology</i> , 2019, 2019, 1-4.	0.2	1
193	Clinical characteristics of pregnancies complicated by both fetal growth restriction and placenta previa or low-lying placenta. <i>Hypertension Research in Pregnancy</i> , 2019, 7, 70-74.	0.1	1
194	Pregnant women with the complication of depression who visit the department of Oriental Medicine at a Japanese perinatal center. <i>Traditional &amp; Kampo Medicine</i> , 2021, 8, 55-59.	0.2	1
195	Social Problems during Pregnancy under the Coronavirus Disease 2019 Epidemic in Japan. <i>JMA Journal</i> , 2021, 4, 163-165.	0.6	1
196	Influence of platelet counts on postpartum hemorrhage in elective cesarean section for Japanese twins. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 51-54.	0.1	1
197	Trisomy 13 and Massive Fetomaternal Hemorrhage. <i>Journal of Clinical Medicine Research</i> , 2015, 7, 564-565.	0.6	1
198	Optimal Weight Gain During Pregnancy in Japanese Women: Is It Okay?. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 279-280.	0.6	1

#	ARTICLE	IF	CITATIONS
199	Recent Reason for Hindering Medications for Perinatal Mental Disorders in Japan. Journal of Clinical Medicine Research, 2017, 9, 950-952.	0.6	1
200	Outcomes of a one-day trial of vaginal delivery of twins at 36-37 weeks' gestation in Japan. Obstetrics and Gynecology Science, 2019, 62, 404.	0.6	1
201	How to promote discipline without tough love during pregnancy: a randomized controlled trial. F1000Research, 0, 8, 1936.	0.8	1
202	Cephalic version by postural management in the lateral position without the knee-chest position for primiparous breech presentation: A retrospective cohort study. Journal of Obstetrics and Gynaecology Research, 2022, , .	0.6	1
203	Habitual Smoking and Perinatal Outcomes in Japan. Cureus, 2022, 14, e22426.	0.2	1
204	Characteristics of monochorionic-diamniotic growth-retarded twins during the third trimester. Nippon Medical School Journal, 1999, 66, 300-304.	0.1	0
205	Prenatal diagnosis of autosomal recessive polycystic kidney disease. A case report.. Nippon Medical School Journal, 1999, 66, 188-190.	0.1	0
206	A Case of Maternal Reaction Due to Fetomaternal Transfusion.. Journal of Nippon Medical School, 2003, 70, 447-448.	0.3	0
207	Plasma Adenosine Levels in Peri-Menopausal Women Having Frequent Hot Flashes. Circulation Journal, 2005, 69, 1540-1542.	0.7	0
208	Influence of chorionicity on umbilical arterial blood gas discordance in twin pairs following elective Cesarean delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2007, 20, 773-775.	0.7	0
209	Duration of the active phase of labor in twin pregnancies. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 275-276.	0.7	0
210	Comparison of Transverse and Vertical Skin Incision for Emergency Cesarean Delivery. Obstetrics and Gynecology, 2010, 116, 773.	1.2	0
211	Clinical significance of pregnancies with extrachorial placentae. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 1185-1186.	0.7	0
212	Prenatal ultrasonographic findings of large pseudocysts and edema of the umbilical cord. Journal of Medical Ultrasonics (2001), 2011, 38, 59-61.	0.6	0
213	Twins are a risk factor for developing severe hypertensive disorders in the puerperium following a normotensive pregnancy. Journal of Perinatal Medicine, 2011, 39, 103-4.	0.6	0
214	What is the impact of first pregnancy outcome for future pregnancy planning in Japan?. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 215-215.	0.7	0
215	Cases of difficult suture removal following the McDonald procedure. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1280-1281.	0.7	0
216	The Effect of the Gelatinous Lactulose for Postoperative Bowel Movement in the Patients Undergoing Cesarean Section. International Scholarly Research Notices, 2014, 2014, 1-4.	0.9	0

#	ARTICLE	IF	CITATIONS
217	Therapeutic dilemma in patients with short cervixes during pregnancy after conization. International Journal of Women's Health, 2017, Volume 9, 101-103.	1.1	0
218	Re: Antidepressant use in late gestation and risk of postpartum haemorrhage: a retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 507-508.	1.1	0
219	What is the effect of intertwin delivery interval on the outcome of the second twin delivered vaginally?. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 1758-1758.	0.7	0
220	Coronavirus in pregnancy and delivery in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-1.	0.7	0
221	Spontaneous disruption of the dividing membrane in monochorionic diamniotic twin pregnancy. Clinical Case Reports (discontinued), 2020, 8, 3638-3639.	0.2	0
222	Disruption of the dividing membrane in monochorionic diamniotic twin pregnancy. Clinical Case Reports (discontinued), 2020, 8, 230-231.	0.2	0
223	Trends in obstetric policies in cases of failed vacuum extraction in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 614-617.	0.7	0
224	Twin-twin transfusion syndrome with anemia-polycythemia developed during the third trimester of pregnancy. Clinical Case Reports (discontinued), 2021, 9, 677-680.	0.2	0
225	Influence of smoking habits on mental status in Japanese women during the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1284-1287.	0.7	0
226	Micturition syncope during postpartum first walking. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1683-1684.	0.7	0
227	Factors associated with the development of spontaneous intertwin membrane separation in dichorionic twin pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 841-844.	0.7	0
228	Cases of Pregnancy with Mild Intellectual Disabilities Managed at a Japanese Perinatal Center. JMA Journal, 2021, 4, 166-168.	0.6	0
229	How to promote "discipline without tough love"™ during pregnancy: a randomized controlled trial. F1000Research, 0, 8, 1936.	0.8	0
230	Fetomaternal hemorrhage occurred in one fetus of dichorionic twin pregnancy. Clinical Case Reports (discontinued), 2021, 9, e04330.	0.2	0
231	Influence of second stage of labor duration on umbilical artery lactate levels in uncomplicated multiparous women. Hypertension Research in Pregnancy, 2021, 9, 55-59.	0.1	0
232	Goblet cell carcinoma of appendix detected during surgery for ovarian tumors. Clinical Case Reports (discontinued), 2021, 9, e04784.	0.2	0
233	Women with Atypical Glandular Cells in Japan: The Clinical Significance and Utility of HPV-DNA Testing in Korean Women with Atypical Glandular Cells in Cervical Pap Tests. Cancer Investigation, 2022, 40, 234-234.	0.6	0
234	Postpartum Mental Status in Women with Social Problems at a Japanese perinatal center. Hypertension Research in Pregnancy, 2021, 9, .	0.1	0

#	ARTICLE	IF	CITATIONS
235	Suicide Gene Therapy for Bladder Tumors.. Journal of Nippon Medical School, 2001, 68, 368-369.	0.3	0
236	Umbilical Cord Abnormalities and Pregnancy Outcome. Nihon Ika Daigaku Igakkai Zasshi, 2007, 3, 20-24.	0.0	0
237	Obstetric Outcomes in Older Primiparae with Dichorionic Twin Pregnancies. Nihon Ika Daigaku Igakkai Zasshi, 2007, 3, 179-182.	0.0	0
238	Fetal Heart Rate Monitoring in Midwifery Maternity Care during Labor. Nihon Ika Daigaku Igakkai Zasshi, 2010, 6, 13-16.	0.0	0
239	Two Cases of Micturition Syncope after the First Postpartum Walk. Nihon Ika Daigaku Igakkai Zasshi, 2011, 7, 103-105.	0.0	0
240	A Case of Intrauterine Intestinal Volvulus. Nihon Ika Daigaku Igakkai Zasshi, 2013, 9, 198-201.	0.0	0
241	Investigation of Teenagers Giving Birth without Visiting Antenatal Clinics. Nihon Ika Daigaku Igakkai Zasshi, 2015, 11, 102-104.	0.0	0
242	Clinical Significance of Pregnancy in Japanese Women Aged 15 Years. Journal of Clinical Medicine Research, 2018, 10, 363-364.	0.6	0
243	Peripartum asymptomatic cerebral hemorrhage (PEACH). Hypertension Research in Pregnancy, 2019, 7, 36-38.	0.1	0
244	Factors Associated With Umbilical Cord Blood Collection Quality in Japan. Journal of Hematology (Brossard, Quebec), 2020, 9, 9-12.	0.4	0
245	Prevalence of rubella antibodies: comparison between women with pregnancy induced by infertility treatments and those with spontaneous pregnancy. Journal of Preventive Medicine and Hygiene, 2020, 61, E553-E555.	0.9	0
246	Gasless laparoscopic ovarian cystectomy for pregnant women. Hypertension Research in Pregnancy, 2021, , .	0.1	0
247	Proportion of Late Pregnant Women with Anxiety Symptom under COVID-19 Pandemic in Japan. JMA Journal, 2022, 5, 99-103.	0.6	0
248	Antimicrobial Resistance for <i>Chlamydia Trachomatis</i> Genital Infection during Pregnancy in Japan. Infection and Chemotherapy, 2022, 54, 173.	1.0	0
249	Twin anemiaâ€polycythemia sequence with suspected cardiac dysfunction. Clinical Case Reports (discontinued), 2022, 10, e05665.	0.2	0
250	Uterine cervical edema following cerclage. Clinical Case Reports (discontinued), 2022, 10, e05670.	0.2	0
251	Spontaneous rupture of the ovarian vein in association with nutcracker syndrome: a case report. Journal of Medical Case Reports, 2021, 15, 602.	0.4	0
252	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0

#	ARTICLE	IF	CITATIONS
253	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
254	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
255	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
256	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
257	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
258	Evaluation of High-Risk Human Papillomavirus Testing in Women with Atypical Squamous Cells of Undetermined Significance to Detect Cervical Intraepithelial Neoplasia. Asian Journal of Oncology, 0, 08, 072-075.	0.2	0